

# James A McIntyre

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6774138/publications.pdf>

Version: 2024-02-01

37  
papers

2,271  
citations

279798

23  
h-index

345221

36  
g-index

38  
all docs

38  
docs citations

38  
times ranked

2621  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adherence to antiretroviral therapy during and after pregnancy in low-income, middle-income, and high-income countries. <i>Aids</i> , 2012, 26, 2039-2052.	2.2	382
2	A Multicenter Randomized Controlled Trial of Nevirapine Versus a Combination of Zidovudine and Lamivudine to Reduce Intrapartum and Early Postpartum Mother-to-Child Transmission of Human Immunodeficiency Virus Type 1. <i>Journal of Infectious Diseases</i> , 2003, 187, 725-735.	4.0	328
3	Benefits and Risks of Antiretroviral Therapy for Perinatal HIV Prevention. <i>New England Journal of Medicine</i> , 2016, 375, 1726-1737.	27.0	268
4	Antiretroviral Therapies in Women after Single-Dose Nevirapine Exposure. <i>New England Journal of Medicine</i> , 2010, 363, 1499-1509.	27.0	117
5	Disengagement of HIV-positive pregnant and postpartum women from antiretroviral therapy services: a cohort study. <i>Journal of the International AIDS Society</i> , 2014, 17, 19242.	3.0	106
6	A randomized trial of two postexposure prophylaxis regimens to reduce mother-to-child HIV-1 transmission in infants of untreated mothers. <i>Aids</i> , 2005, 19, 1289-1297.	2.2	82
7	Integration of postpartum healthcare services for HIV-infected women and their infants in South Africa: A randomised controlled trial. <i>PLoS Medicine</i> , 2018, 15, e1002547.	8.4	71
8	Same-day antiretroviral therapy initiation for HIV-infected adults in South Africa: Analysis of routine data. <i>PLoS ONE</i> , 2020, 15, e0227572.	2.5	68
9	Emerging evidence from a systematic review of safety of pre-exposure prophylaxis for pregnant and postpartum women: where are we now and where are we heading?. <i>Journal of the International AIDS Society</i> , 2020, 23, e25426.	3.0	67
10	Optimizing Antiretroviral Therapy (ART) for Maternal and Child Health (MCH): Rationale and Design of the MCH-ART Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, S189-S196.	2.1	66
11	The Mpumalanga Men's Study (MPMS): Results of a Baseline Biological and Behavioral HIV Surveillance Survey in Two MSM Communities in South Africa. <i>PLoS ONE</i> , 2014, 9, e111063.	2.5	61
12	Intimate partner violence experienced by HIV-infected pregnant women in South Africa: a cross-sectional study. <i>BMJ Open</i> , 2016, 6, e011999.	1.9	58
13	Role of low-frequency HIV-1 variants in failure of nevirapine-containing antiviral therapy in women previously exposed to single-dose nevirapine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 9202-9207.	7.1	54
14	A Cross Sectional Analysis of Gonococcal and Chlamydial Infections among Men-Who-Have-Sex-with-Men in Cape Town, South Africa. <i>PLoS ONE</i> , 2015, 10, e0138315.	2.5	50
15	Implementation and Operational Research. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, e57-e65.	2.1	49
16	Frequency of Viremic Episodes in HIV-Infected Women Initiating Antiretroviral Therapy During Pregnancy: A Cohort Study. <i>Clinical Infectious Diseases</i> , 2017, 64, ciw792.	5.8	49
17	Defining gaps in pre-exposure prophylaxis delivery for pregnant and post-partum women in high-burden settings using an implementation science framework. <i>Lancet HIV</i> , 2020, 7, e582-e592.	4.7	44
18	Prevalence and determinants of unplanned pregnancy in HIV-positive and HIV-negative pregnant women in Cape Town, South Africa: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e019979.	1.9	43

#	ARTICLE	IF	CITATIONS
19	High Seroprevalence of Human Herpesviruses in HIV-Infected Individuals Attending Primary Healthcare Facilities in Rural South Africa. <i>PLoS ONE</i> , 2014, 9, e99243.	2.5	35
20	Nevirapine- Versus Lopinavir/Ritonavir-Based Initial Therapy for HIV-1 Infection among Women in Africa: A Randomized Trial. <i>PLoS Medicine</i> , 2012, 9, e1001236.	8.4	32
21	Low-Frequency Nevirapine (NVP)â€“Resistant HIV-1 Variants Are Not Associated With Failure of Antiretroviral Therapy in Women Without Prior Exposure to Single-Dose NVP. <i>Journal of Infectious Diseases</i> , 2014, 209, 703-710.	4.0	29
22	Plasma viraemia in HIVâ€“positive pregnant women entering antenatal care in South Africa. <i>Journal of the International AIDS Society</i> , 2015, 18, 20045.	3.0	28
23	Sexual transactions between long distance truck drivers and female sex workers in South Africa. <i>Global Health Action</i> , 2017, 10, 1346164.	1.9	25
24	Making ward-based outreach teams an effective component of human immunodeficiency virus programmes in South Africa. <i>Southern African Journal of HIV Medicine</i> , 2018, 19, 778.	0.9	25
25	Baseline CD4 and mortality trends in the South African human immunodeficiency virus programme: Analysis of routine data. <i>Southern African Journal of HIV Medicine</i> , 2019, 20, 963.	0.9	19
26	Antiretroviral Adherence, Elevated Viral Load, and Drug Resistance Mutations in Human Immunodeficiency Virusâ€“infected Women Initiating Treatment in Pregnancy: A Nested Case-control Study. <i>Clinical Infectious Diseases</i> , 2020, 70, 501-508.	5.8	18
27	Implementation of an Electronic Monitoring and Evaluation System for the Antiretroviral Treatment Programme in the Cape Winelands District, South Africa: A Qualitative Evaluation. <i>PLoS ONE</i> , 2015, 10, e0127223.	2.5	16
28	Uveitis is predominantly of infectious origin in a high HIV and TB prevalence setting in rural South Africa. <i>British Journal of Ophthalmology</i> , 2016, 100, 1312-1316.	3.9	14
29	Contextual factors affecting the integration of community health workers into the health system in Limpopo Province, South Africa. <i>International Health</i> , 2020, 12, 281-286.	2.0	13
30	Self-Reported Side Effects and Adherence to Antiretroviral Therapy in HIV-Infected Pregnant Women under Option B+: A Prospective Study. <i>PLoS ONE</i> , 2016, 11, e0163079.	2.5	12
31	Linked dual-class HIV resistance mutations are associated with treatment failure. <i>JCI Insight</i> , 2019, 4, .	5.0	11
32	Estimating the Population Size of Female Sex Workers in Three South African Cities: Results and Recommendations From the 2013-2014 South Africa Health Monitoring Survey and Stakeholder Consensus. <i>JMIR Public Health and Surveillance</i> , 2018, 4, e10188.	2.6	10
33	Implementation of a PMTCT programme in a high HIV prevalence setting in Johannesburg, South Africa: 2002â€“2015. <i>Southern African Journal of HIV Medicine</i> , 2020, 21, 1024.	0.9	9
34	Assessing the Feasibility of Smartphone Apps for HIV-Care Research with MSM and Transgender Individuals in Mpumalanga, South Africa. <i>Journal of the International Association of Providers of AIDS Care</i> , 2017, 16, 433-439.	1.5	7
35	Targeted mentoring for human immunodeficiency virus programme support in South Africa. <i>Southern African Journal of HIV Medicine</i> , 2019, 20, 873.	0.9	3
36	CD4 testing after initiation of antiretroviral therapy: Analysis of routine data from the South African HIV programme. <i>Southern African Journal of HIV Medicine</i> , 2020, 21, 1165.	0.9	2

#	ARTICLE	IF	CITATIONS
37	Indicator-focussed technical assistance in South Africa's HIV programme: A stepped-wedge evaluation. Southern African Journal of HIV Medicine, 2021, 22, 1229.	0.9	0