

# James A McIntyre

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6774138/publications.pdf>

Version: 2024-02-01

37  
papers

2,271  
citations

279798

23  
h-index

345221

36  
g-index

38  
all docs

38  
docs citations

38  
times ranked

2621  
citing authors

#	ARTICLE	IF	CITATIONS
1	Indicator-focussed technical assistance in South Africa's HIV programme: A stepped-wedge evaluation. Southern African Journal of HIV Medicine, 2021, 22, 1229.	0.9	0
2	Antiretroviral Adherence, Elevated Viral Load, and Drug Resistance Mutations in Human Immunodeficiency Virus-infected Women Initiating Treatment in Pregnancy: A Nested Case-control Study. Clinical Infectious Diseases, 2020, 70, 501-508.	5.8	18
3	Emerging evidence from a systematic review of safety of pre-exposure prophylaxis for pregnant and postpartum women: where are we now and where are we heading?. Journal of the International AIDS Society, 2020, 23, e25426.	3.0	67
4	Contextual factors affecting the integration of community health workers into the health system in Limpopo Province, South Africa. International Health, 2020, 12, 281-286.	2.0	13
5	Defining gaps in pre-exposure prophylaxis delivery for pregnant and post-partum women in high-burden settings using an implementation science framework. Lancet HIV, 2020, 7, e582-e592.	4.7	44
6	Same-day antiretroviral therapy initiation for HIV-infected adults in South Africa: Analysis of routine data. PLoS ONE, 2020, 15, e0227572.	2.5	68
7	Implementation of a PMTCT programme in a high HIV prevalence setting in Johannesburg, South Africa: 2002-2015. Southern African Journal of HIV Medicine, 2020, 21, 1024.	0.9	9
8	CD4 testing after initiation of antiretroviral therapy: Analysis of routine data from the South African HIV programme. Southern African Journal of HIV Medicine, 2020, 21, 1165.	0.9	2
9	Linked dual-class HIV resistance mutations are associated with treatment failure. JCI Insight, 2019, 4, .	5.0	11
10	Targeted mentoring for human immunodeficiency virus programme support in South Africa. Southern African Journal of HIV Medicine, 2019, 20, 873.	0.9	3
11	Baseline CD4 and mortality trends in the South African human immunodeficiency virus programme: Analysis of routine data. Southern African Journal of HIV Medicine, 2019, 20, 963.	0.9	19
12	Prevalence and determinants of unplanned pregnancy in HIV-positive and HIV-negative pregnant women in Cape Town, South Africa: a cross-sectional study. BMJ Open, 2018, 8, e019979.	1.9	43
13	Integration of postpartum healthcare services for HIV-infected women and their infants in South Africa: A randomised controlled trial. PLoS Medicine, 2018, 15, e1002547.	8.4	71
14	Estimating the Population Size of Female Sex Workers in Three South African Cities: Results and Recommendations From the 2013-2014 South Africa Health Monitoring Survey and Stakeholder Consensus. JMIR Public Health and Surveillance, 2018, 4, e10188.	2.6	10
15	Making ward-based outreach teams an effective component of human immunodeficiency virus programmes in South Africa. Southern African Journal of HIV Medicine, 2018, 19, 778.	0.9	25
16	Frequency of Viremic Episodes in HIV-Infected Women Initiating Antiretroviral Therapy During Pregnancy: A Cohort Study. Clinical Infectious Diseases, 2017, 64, ciw792.	5.8	49
17	Assessing the Feasibility of Smartphone Apps for HIV-Care Research with MSM and Transgender Individuals in Mpumalanga, South Africa. Journal of the International Association of Providers of AIDS Care, 2017, 16, 433-439.	1.5	7
18	Sexual transactions between long distance truck drivers and female sex workers in South Africa. Global Health Action, 2017, 10, 1346164.	1.9	25

#	ARTICLE	IF	CITATIONS
19	Uveitis is predominantly of infectious origin in a high HIV and TB prevalence setting in rural South Africa. <i>British Journal of Ophthalmology</i> , 2016, 100, 1312-1316.	3.9	14
20	Benefits and Risks of Antiretroviral Therapy for Perinatal HIV Prevention. <i>New England Journal of Medicine</i> , 2016, 375, 1726-1737.	27.0	268
21	Intimate partner violence experienced by HIV-infected pregnant women in South Africa: a cross-sectional study. <i>BMJ Open</i> , 2016, 6, e011999.	1.9	58
22	Optimizing Antiretroviral Therapy (ART) for Maternal and Child Health (MCH): Rationale and Design of the MCH-ART Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, S189-S196.	2.1	66
23	Self-Reported Side Effects and Adherence to Antiretroviral Therapy in HIV-Infected Pregnant Women under Option B+: A Prospective Study. <i>PLoS ONE</i> , 2016, 11, e0163079.	2.5	12
24	Implementation and Operational Research. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, e57-e65.	2.1	49
25	Plasma viraemia in HIV-positive pregnant women entering antenatal care in South Africa. <i>Journal of the International AIDS Society</i> , 2015, 18, 20045.	3.0	28
26	Implementation of an Electronic Monitoring and Evaluation System for the Antiretroviral Treatment Programme in the Cape Winelands District, South Africa: A Qualitative Evaluation. <i>PLoS ONE</i> , 2015, 10, e0127223.	2.5	16
27	A Cross Sectional Analysis of Gonococcal and Chlamydial Infections among Men-Who-Have-Sex-with-Men in Cape Town, South Africa. <i>PLoS ONE</i> , 2015, 10, e0138315.	2.5	50
28	Disengagement of HIV-positive pregnant and postpartum women from antiretroviral therapy services: a cohort study. <i>Journal of the International AIDS Society</i> , 2014, 17, 19242.	3.0	106
29	Low-Frequency Nevirapine (NVP)-Resistant HIV-1 Variants Are Not Associated With Failure of Antiretroviral Therapy in Women Without Prior Exposure to Single-Dose NVP. <i>Journal of Infectious Diseases</i> , 2014, 209, 703-710.	4.0	29
30	High Seroprevalence of Human Herpesviruses in HIV-Infected Individuals Attending Primary Healthcare Facilities in Rural South Africa. <i>PLoS ONE</i> , 2014, 9, e99243.	2.5	35
31	The Mpumalanga Men's Study (MPMS): Results of a Baseline Biological and Behavioral HIV Surveillance Survey in Two MSM Communities in South Africa. <i>PLoS ONE</i> , 2014, 9, e111063.	2.5	61
32	Nevirapine- Versus Lopinavir/Ritonavir-Based Initial Therapy for HIV-1 Infection among Women in Africa: A Randomized Trial. <i>PLoS Medicine</i> , 2012, 9, e1001236.	8.4	32
33	Adherence to antiretroviral therapy during and after pregnancy in low-income, middle-income, and high-income countries. <i>Aids</i> , 2012, 26, 2039-2052.	2.2	382
34	Role of low-frequency HIV-1 variants in failure of nevirapine-containing antiviral therapy in women previously exposed to single-dose nevirapine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 9202-9207.	7.1	54
35	Antiretroviral Therapies in Women after Single-Dose Nevirapine Exposure. <i>New England Journal of Medicine</i> , 2010, 363, 1499-1509.	27.0	117
36	A randomized trial of two postexposure prophylaxis regimens to reduce mother-to-child HIV-1 transmission in infants of untreated mothers. <i>Aids</i> , 2005, 19, 1289-1297.	2.2	82

#	ARTICLE	IF	CITATIONS
37	A Multicenter Randomized Controlled Trial of Nevirapine Versus a Combination of Zidovudine and Lamivudine to Reduce Intrapartum and Early Postpartum Mother-to-Child Transmission of Human Immunodeficiency Virus Type 1. <i>Journal of Infectious Diseases</i> , 2003, 187, 725-735.	4.0	328