Michael A Polis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6774627/publications.pdf

Version: 2024-02-01

23 papers 1,688 citations

13 h-index 759306 22 g-index

23 all docs

23 docs citations

23 times ranked 1668 citing authors

#	Article	lF	CITATIONS
1	Differential Specificity of Interferon-alpha Inducible Gene Expression in Association with Human Immunodeficiency Virus and Hepatitis C Virus Levels and Declines in vivo. Journal of AIDS & Clinical Research, 2015, 06, .	0.5	7
2	Interleukin-23 Promotes Interferon-α Responsiveness in Hepatitis C Virus/HIV-Coinfected Patients. AIDS Research and Human Retroviruses, 2014, 30, 775-782.	0.5	6
3	Immune Biomarker Differences and Changes Comparing HCV Mono-Infected, HIV/HCV Co-Infected, and HCV Spontaneously Cleared Patients. PLoS ONE, 2013, 8, e60387.	1.1	15
4	Failure to Recognize Nontuberculous Mycobacteria Leads to Misdiagnosis of Chronic Pulmonary Tuberculosis. PLoS ONE, 2012, 7, e36902.	1.1	96
5	HIV/HCV-Coinfected Natural Viral Suppressors Have Better Virologic Responses to PEG-IFN and Ribavirin Than ARV-Treated HIV/HCV Patients. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 58, e38-e40.	0.9	2
6	HIV/Hepatitis C Virusâ^'Coinfected Virologic Responders to Pegylated Interferon and Ribavirin Therapy More Frequently Incur Interferon-Related Adverse Events Than Nonresponders Do. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, 357-363.	0.9	13
7	Interferon-α Produces Significant Decreases in HIV Load. Journal of Interferon and Cytokine Research, 2010, 30, 461-464.	0.5	37
8	Altered regulation of extrinsic apoptosis pathway in HCVâ€infected HCC cells enhances susceptibility to mapatumumabâ€induced apoptosis. Hepatology Research, 2009, 39, 1178-1189.	1.8	10
9	Hepatitis C Viral Kinetics During Treatment With Peg IFN-alpha-2b in HIV/HCV Coinfected Patients as a Function of Baseline CD4+ T-Cell Counts. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 52, 452-458.	0.9	23
10	HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 6-10.	1.8	0
10		1.8	0
	HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 6-10.		
11	HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 6-10. HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 157-161. ART Suppresses Plasma HIV-1 RNA to a Stable Set Point Predicted by Pretherapy Viremia. PLoS Pathogens,	1.8	2
11 12	HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 6-10. HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 157-161. ART Suppresses Plasma HIV-1 RNA to a Stable Set Point Predicted by Pretherapy Viremia. PLoS Pathogens, 2007, 3, e46. Hepatic Histologic Response (HR) to Combination Therapy among HCV/HIV-Coinfected Individuals: Interferon Induces HR Independent of Sustained Virologic Response (SVR). AIDS Research and Human	1.8	2 296
11 12 13	HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 6-10. HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 157-161. ART Suppresses Plasma HIV-1 RNA to a Stable Set Point Predicted by Pretherapy Viremia. PLoS Pathogens, 2007, 3, e46. Hepatic Histologic Response (HR) to Combination Therapy among HCV/HIV-Coinfected Individuals: Interferon Induces HR Independent of Sustained Virologic Response (SVR). AIDS Research and Human Retroviruses, 2006, 22, 1091-1098. Predictors for Hematopoietic Growth Factors Use in HIV/HCV-Coinfected Patients Treated with	1.8 2.1 0.5	2 296 5
11 12 13	HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 6-10. HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 157-161. ART Suppresses Plasma HIV-1 RNA to a Stable Set Point Predicted by Pretherapy Viremia. PLoS Pathogens, 2007, 3, e46. Hepatic Histologic Response (HR) to Combination Therapy among HCV/HIV-Coinfected Individuals: Interferon Induces HR Independent of Sustained Virologic Response (SVR). AIDS Research and Human Retroviruses, 2006, 22, 1091-1098. Predictors for Hematopoietic Growth Factors Use in HIV/HCV-Coinfected Patients Treated with Peginterferon Alfa 2b and Ribavirin. AIDS Patient Care and STDs, 2006, 20, 612-619. Fibrovascular Changes Misdiagnosed as Cytomegalovirus Retinitis Reactivation in a Patient with	1.8 2.1 0.5	2 296 5
11 12 13 14	HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 6-10. HIV/AIDS Reviews. Journal of Urban Health, 2008, 85, 157-161. ART Suppresses Plasma HIV-1 RNA to a Stable Set Point Predicted by Pretherapy Viremia. PLoS Pathogens, 2007, 3, e46. Hepatic Histologic Response (HR) to Combination Therapy among HCV/HIV-Coinfected Individuals: Interferon Induces HR Independent of Sustained Virologic Response (SVR). AIDS Research and Human Retroviruses, 2006, 22, 1091-1098. Predictors for Hematopoietic Growth Factors Use in HIV/HCV-Coinfected Patients Treated with Peginterferon Alfa 2b and Ribavirin. AIDS Patient Care and STDs, 2006, 20, 612-619. Fibrovascular Changes Misdiagnosed as Cytomegalovirus Retinitis Reactivation in a Patient with Immune Recovery. Clinical Infectious Diseases, 2004, 38, 139-141. Changes in Hepatitis C Viral Response After Initiation of Highly Active Antiretroviral Therapy and	1.8 2.1 0.5 1.1	2 296 5 9

#	Article	IF	CITATIONS
19	Immunotherapy of HIV-Infected Patients with Intermittent Interleukin-2: Effects of Cycle Frequency and Cycle Duration on Degree of CD4+ T-Lymphocyte Expansion. Clinical Immunology, 2001, 99, 30-42.	1.4	20
20	Immune-recovery uveitis in patients with cytomegalovirus retinitis taking highly active antiretroviral therapy. American Journal of Ophthalmology, 2000, 130, 49-56.	1.7	104
21	Peripheral expansion of pre-existing mature T cells is an important means of CD4+ T-cell regeneration HIV-infected adults. Nature Medicine, 1998, 4, 852-856.	15.2	115
22	Controlled Trial of Interleukin-2 Infusions in Patients Infected with the Human Immunodeficiency Virus. New England Journal of Medicine, 1996, 335, 1350-1356.	13.9	429
23	Increases in CD4 T Lymphocytes with Intermittent Courses of Interleukin-2 in Patients with Human Immunodeficiency Virus Infection — A Preliminary Study. New England Journal of Medicine, 1995, 332, 567-575.	13.9	433