Lærke Priskorn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6775092/publications.pdf Version: 2024-02-01



I Ã I DEF DDISKODN

#	Article	IF	CITATIONS
1	Anogenital distance, male factor infertility and time to pregnancy. Andrology, 2022, , .	3.5	4
2	Serum Testosterone Levels in 3-Month-Old Boys Predict Their Semen Quality as Young Adults. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 1965-1975.	3.6	10
3	Semen quality and waiting time to pregnancy explored using association mining. Andrology, 2021, 9, 577-587.	3.5	12
4	<i>FSHB</i> and <i>FSHR</i> gene variants exert mild modulatory effect on reproductive hormone levels and testis size but not on semen quality: A study of 2020 men from the general Danish population. Andrology, 2021, 9, 618-631.	3.5	5
5	RUBIC (ReproUnion Biobank and Infertility Cohort): A binational clinical foundation to study risk factors, life course, and treatment of infertility and infertilityâ€related morbidity. Andrology, 2021, 9, 1828-1842.	3.5	13
6	Testicular cancer survivors have shorter anogenital distance that is not increased by 1 year of testosterone replacement therapy. Human Reproduction, 2021, 36, 2443-2451.	0.9	5
7	Association between intake of soft drinks and testicular function in young men. Human Reproduction, 2021, 36, 3036-3048.	0.9	14
8	Familial resemblance in markers of testicular function in fathers and their young sons: a cross-sectional study. Human Reproduction, 2021, 36, 543-550.	0.9	1
9	Bone mineral density is preserved in men with idiopathic infertility. Andrology, 2020, 8, 315-322.	3.5	5
10	Psychological stress, stressful lifeÂevents, male factor infertility, andÂtesticular function: a cross-sectional study. Fertility and Sterility, 2020, 113, 865-875.	1.0	31
11	Association of Dietary Patterns With Testicular Function in Young Danish Men. JAMA Network Open, 2020, 3, e1921610.	5.9	29
12	Associations of Fish Oil Supplement Use With Testicular Function in Young Men. JAMA Network Open, 2020, 3, e1919462.	5.9	23
13	High maternal age at first and subsequent child births in Denmark in the mid-1800s—Letter to the editor. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 241, 137-138.	1.1	2
14	Anogenital distance is associated with semen quality but not reproductive hormones in 1106 young men from the general population. Human Reproduction, 2019, 34, 12-24.	0.9	29
15	Average sperm count remains unchanged despite reduction in maternal smoking: results from a large cross-sectional study with annual investigations over 21 years. Human Reproduction, 2018, 33, 998-1008.	0.9	54
16	Anogenital distance as a phenotypic signature through infancy. Pediatric Research, 2018, 83, 573-579.	2.3	27
17	Dynamic GnRH and hCG testing: establishment of new diagnostic reference levels. European Journal of Endocrinology, 2017, 176, 379-391.	3.7	25
18	Influence of marital status on testosterone levels–A ten year follow-up of 1113 men. Psychoneuroendocrinology, 2017, 80, 155-161.	2.7	27

Lærke Priskorn

#	Article	IF	CITATIONS
19	Anti-Müllerian hormone levels and fecundability in women with a natural conception. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 217, 44-52.	1.1	13
20	Prenatal exposure to perfluoroalkyl substances and anogenital distance at 3 months of age in a Danish mother-child cohort. Reproductive Toxicology, 2017, 68, 200-206.	2.9	41
21	Is Sedentary Lifestyle Associated With Testicular Function? A Cross-Sectional Study of 1,210 Men. American Journal of Epidemiology, 2016, 184, 284-294.	3.4	46
22	Self-reported onset of puberty and subsequent semen quality and reproductive hormones in healthy young men. Human Reproduction, 2016, 31, 1886-1894.	0.9	21
23	Association Between Use of Marijuana and Male Reproductive Hormones and Semen Quality: A Study Among 1,215 Healthy Young Men. American Journal of Epidemiology, 2015, 182, 473-481.	3.4	163