

Juan Duarte

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6775766/juan-duarte-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155 papers	6,993 citations	47 h-index	78 g-index
157 ext. papers	7,982 ext. citations	5.1 avg, IF	5.68 L-index

#	Paper	IF	Citations
155	Bioactive imidamide-based compounds targeted against nitric oxide synthase.. <i>Bioorganic Chemistry</i> , 2022 , 120, 105637	5.1	2
154	The Antioxidant Activity of Thymus serpyllum Extract Protects against the Inflammatory State and Modulates Gut Dysbiosis in Diet-Induced Obesity in Mice. <i>Antioxidants</i> , 2022 , 11, 1073	7.1	2
153	Vasoconstrictor and Pressor Effects of Des-Aspartate-Angiotensin I in Rat. <i>Biomedicines</i> , 2022 , 10, 1230	4.8	
152	Lactobacillus fermentum CECT5716 ameliorates high fat diet-induced obesity in mice through modulation of gut microbiota dysbiosis. <i>Pharmacological Research</i> , 2021 , 167, 105471	10.2	19
151	Gut microbiota contributes to the development of hypertension in a genetic mouse model of systemic lupus erythematosus. <i>British Journal of Pharmacology</i> , 2021 , 178, 3708-3729	8.6	6
150	Mycophenolate mediated remodeling of gut microbiota and improvement of gut-brain axis in spontaneously hypertensive rats. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 135, 111189	7.5	2
149	Probiotics Prevent Hypertension in a Murine Model of Systemic Lupus Erythematosus Induced by Toll-Like Receptor 7 Activation. <i>Nutrients</i> , 2021 , 13,	6.7	4
148	-Derived Compound Propyl Propane Thiosulfonate (PTSO) Attenuates Metabolic Alterations in Mice Fed a High-Fat Diet through Its Anti-Inflammatory and Prebiotic Properties. <i>Nutrients</i> , 2021 , 13,	6.7	4
147	Changes in Gut Microbiota Induced by Doxycycline Influence in Vascular Function and Development of Hypertension in DOCA-Salt Rats. <i>Nutrients</i> , 2021 , 13,	6.7	1
146	Gut Microbiota Has a Crucial Role in the Development of Hypertension and Vascular Dysfunction in Toll-like Receptor 7-Driven Lupus Autoimmunity. <i>Antioxidants</i> , 2021 , 10,	7.1	1
145	Lactobacillus fermentum CECT5716 prevents renal damage in the NZBWF1 mouse model of systemic lupus erythematosus. <i>Food and Function</i> , 2020 , 11, 5266-5274	6.1	9
144	The Beneficial Effects of Lippia Citriodora Extract on Diet-Induced Obesity in Mice Are Associated with Modulation in the Gut Microbiota Composition. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e2000005	5.9	11
143	Toll-like receptor 7-driven lupus autoimmunity induces hypertension and vascular alterations in mice. <i>Journal of Hypertension</i> , 2020 , 38, 1322-1335	1.9	9
142	Microbiota and Hypertension: Role of the Sympathetic Nervous System and the Immune System. <i>American Journal of Hypertension</i> , 2020 , 33, 890-901	2.3	7
141	Impact of Nutrition on Pulmonary Arterial Hypertension. <i>Nutrients</i> , 2020 , 12,	6.7	9
140	Probiotics Prevent Dysbiosis and the Rise in Blood Pressure in Genetic Hypertension: Role of Short-Chain Fatty Acids. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900616	5.9	53
139	Gut DYSBIOSIS and altered barrier function precedes the appearance of metabolic syndrome in a rat model of nutrient-induced catch-up growth. <i>Journal of Nutritional Biochemistry</i> , 2020 , 81, 108383	6.3	7

138	Protective Effects of Short-Chain Fatty Acids on Endothelial Dysfunction Induced by Angiotensin II. <i>Frontiers in Physiology</i> , 2020 , 11, 277	4.6	16
137	Antihypertensive Effects of Virgin Olive Oil (Unfiltered) Low Molecular Weight Peptides with ACE Inhibitory Activity in Spontaneously Hypertensive Rats. <i>Nutrients</i> , 2020 , 12,	6.7	15
136	Changes to the gut microbiota induced by losartan contributes to its antihypertensive effects. <i>British Journal of Pharmacology</i> , 2020 , 177, 2006-2023	8.6	22
135	Mycophenolate Improves Brain-Gut Axis Inducing Remodeling of Gut Microbiota in DOCA-Salt Hypertensive Rats. <i>Antioxidants</i> , 2020 , 9,	7.1	2
134	Vitamin D deficiency downregulates TASK-1 channels and induces pulmonary vascular dysfunction. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2020 , 319, L627-L640	5.8	10
133	Probiotic Bifidobacterium breve prevents DOCA-salt hypertension. <i>FASEB Journal</i> , 2020 , 34, 13626-13640	4.9	17
132	The prebiotic properties of Hibiscus sabdariffa extract contribute to the beneficial effects in diet-induced obesity in mice. <i>Food Research International</i> , 2020 , 127, 108722	7	16
131	CECT5716: a novel alternative for the prevention of vascular disorders in a mouse model of systemic lupus erythematosus. <i>FASEB Journal</i> , 2019 , 33, 10005-10018	0.9	32
130	Role of the immune system in vascular function and blood pressure control induced by faecal microbiota transplantation in rats. <i>Acta Physiologica</i> , 2019 , 227, e13285	5.6	50
129	Critical Role of the Interaction Gut Microbiota - Sympathetic Nervous System in the Regulation of Blood Pressure. <i>Frontiers in Physiology</i> , 2019 , 10, 231	4.6	89
128	The metabolic and vascular protective effects of olive (<i>Olea europaea</i> L.) leaf extract in diet-induced obesity in mice are related to the amelioration of gut microbiota dysbiosis and to its immunomodulatory properties. <i>Pharmacological Research</i> , 2019 , 150, 104487	10.2	30
127	Protective Effects of Probiotic Consumption in Cardiovascular Disease in Systemic Lupus Erythematosus. <i>Nutrients</i> , 2019 , 11,	6.7	17
126	Impact of Vitamin D Deficit on the Rat Gut Microbiome. <i>Nutrients</i> , 2019 , 11,	6.7	8
125	Cardiovascular Effects of Flavonoids. <i>Current Medicinal Chemistry</i> , 2019 , 26, 6991-7034	4.3	22
124	ERA reduces DMQ/CoQ ratio and rescues the encephalopathic phenotype in mice. <i>EMBO Molecular Medicine</i> , 2019 , 11,	12	18
123	The Role of Nrf2 Signaling in PPAR γ -Mediated Vascular Protection against Hyperglycemia-Induced Oxidative Stress. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 5852706	6.7	22
122	Thiadiazoline- and Pyrazoline-Based Carboxamides and Carbothioamides: Synthesis and Inhibition against Nitric Oxide Synthase. <i>Journal of Chemistry</i> , 2018 , 2018, 1-15	2.3	2
121	Thyroid hormones stimulate L-arginine transport in human endothelial cells. <i>Journal of Endocrinology</i> , 2018 , 239, 49-62	4.7	10

120	The Probiotic <i>Lactobacillus fermentum</i> Prevents Dysbiosis and Vascular Oxidative Stress in Rats with Hypertension Induced by Chronic Nitric Oxide Blockade. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800298	5.9	35
119	<i>Lactobacillus fermentum</i> Improves Tacrolimus-Induced Hypertension by Restoring Vascular Redox State and Improving eNOS Coupling. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800033	5.9	45
118	Pulmonary Arterial Hypertension Affects the Rat Gut Microbiome. <i>Scientific Reports</i> , 2018 , 8, 9681	4.9	29
117	The hypoglycemic effects of guava leaf (<i>Psidium guajava</i> L.) extract are associated with improving endothelial dysfunction in mice with diet-induced obesity. <i>Food Research International</i> , 2017 , 96, 64-71	7	21
116	Activation of Peroxisome Proliferator Activator Receptor γ Improves Endothelial Dysfunction and Protects Kidney in Murine Lupus. <i>Hypertension</i> , 2017 , 69, 641-650	8.5	18
115	Antihypertensive effects of peroxisome proliferator-activated receptor- γ activation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 312, H189-H200	5.2	22
114	Gender differences in the effects of cardiovascular drugs. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017 , 3, 163-182	6.4	126
113	Antihypertensive Effects of Probiotics. <i>Current Hypertension Reports</i> , 2017 , 19, 26	4.7	72
112	CoQ deficiency causes disruption of mitochondrial sulfide oxidation, a new pathomechanism associated with this syndrome. <i>EMBO Molecular Medicine</i> , 2017 , 9, 78-95	12	47
111	Role of endoplasmic reticulum stress in the protective effects of PPAR γ activation on endothelial dysfunction induced by plasma from patients with lupus. <i>Arthritis Research and Therapy</i> , 2017 , 19, 268	5.7	6
110	Protective vascular effects of quercitrin in acute TNBS-colitis in rats: the role of nitric oxide. <i>Food and Function</i> , 2017 , 8, 2702-2711	6.1	14
109	Endothelial microparticles prevent lipid-induced endothelial damage Akt/eNOS signaling and reduced oxidative stress. <i>FASEB Journal</i> , 2017 , 31, 4636-4648	0.9	62
108	A novel role for small molecule glycomimetics in the protection against lipid-induced endothelial dysfunction: Involvement of Akt/eNOS and Nrf2/ARE signaling. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 3311-3322	4	50
107	Activation of PPAR γ prevents hyperglycaemia-induced impairment of Kv7 channels and cAMP-mediated relaxation in rat coronary arteries. <i>Clinical Science</i> , 2016 , 130, 1823-36	6.5	9
106	N,N'-Disubstituted thiourea and urea derivatives: design, synthesis, docking studies and biological evaluation against nitric oxide synthase. <i>MedChemComm</i> , 2016 , 7, 667-678	5	14
105	Antihypertensive effects of oleuropein-enriched olive leaf extract in spontaneously hypertensive rats. <i>Food and Function</i> , 2016 , 7, 584-93	6.1	45
104	Effects of Quercetin in a Rat Model of Hemorrhagic Traumatic Shock and Reperfusion. <i>Molecules</i> , 2016 , 21,	4.8	5
103	Safety, Effectiveness, and Costs of Bevacizumab-Based Therapy in Southern Spain: A Real World Experience. <i>Medicine (United States)</i> , 2016 , 95, e3623	1.8	5

102	204 Glycomimetics; A Novel Class of Drugs to Protect Against Free Fatty Acid-Induced Endothelial Dysfunction. <i>Heart</i> , 2016 , 102, A136.1-A136	5.1	
101	Role of UCP2 in the protective effects of PPAR γ activation on lipopolysaccharide-induced endothelial dysfunction. <i>Biochemical Pharmacology</i> , 2016 , 110-111, 25-36	6	18
100	New strategy of tacrolimus administration in animal model based on tacrolimus-loaded microspheres. <i>Transplant Immunology</i> , 2016 , 36, 9-13	1.7	4
99	Vascular and Central Activation of Peroxisome Proliferator-Activated Receptor- γ Attenuates Angiotensin II-Induced Hypertension: Role of RGS-5. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 358, 151-63	4.7	15
98	Kv7 channels critically determine coronary artery reactivity: left-right differences and down-regulation by hyperglycaemia. <i>Cardiovascular Research</i> , 2015 , 106, 98-108	9.9	46
97	180 Endothelial microparticles prevent lipid-induced endothelial dysfunction through activation of AKT/ENOS signalling pathway and attenuation of oxidative stress. <i>Heart</i> , 2015 , 101, A102.1-A102	5.1	
96	Development of urea and thiourea kynurenamine derivatives: synthesis, molecular modeling, and biological evaluation as nitric oxide synthase inhibitors. <i>ChemMedChem</i> , 2015 , 10, 874-82	3.7	28
95	Carnitine palmitoyltransferase-1 up-regulation by PPAR γ prevents lipid-induced endothelial dysfunction. <i>Clinical Science</i> , 2015 , 129, 823-37	6.5	33
94	43 A novel role for small molecule glycomimetics in the protection against lipid-induced endothelial dysfunction. <i>Heart</i> , 2015 , 101, A14.2-A14	5.1	
93	Antihypertensive effects of probiotics Lactobacillus strains in spontaneously hypertensive rats. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 2326-36	5.9	115
92	Chronic peroxisome proliferator-activated receptor γ agonist GW0742 prevents hypertension, vascular inflammatory and oxidative status, and endothelial dysfunction in diet-induced obesity. <i>Journal of Hypertension</i> , 2015 , 33, 1831-44	1.9	28
91	Protección cardiovascular con flavonoides: enigma farmacocinético. <i>Ars Pharmaceutica</i> , 2015 , 56, 193-200	1.8	2
90	Increased Klk9 Urinary Excretion Is Associated to Hypertension-Induced Cardiovascular Damage and Renal Alterations. <i>Medicine (United States)</i> , 2015 , 94, e1617	1.8	3
89	Quercetin and its metabolites inhibit the membrane NADPH oxidase activity in vascular smooth muscle cells from normotensive and spontaneously hypertensive rats. <i>Food and Function</i> , 2015 , 6, 409-14	6.1	31
88	New antihypertensive drugs under development. <i>Current Medicinal Chemistry</i> , 2015 , 22, 305-42	4.3	17
87	Chronic hydroxychloroquine improves endothelial dysfunction and protects kidney in a mouse model of systemic lupus erythematosus. <i>Hypertension</i> , 2014 , 64, 330-7	8.5	79
86	Modulation of nitric oxide by flavonoids. <i>Food and Function</i> , 2014 , 5, 1653-68	6.1	68
85	The flavonoid quercetin induces acute vasodilator effects in healthy volunteers: correlation with beta-glucuronidase activity. <i>Pharmacological Research</i> , 2014 , 89, 11-8	10.2	62

84	The flavonoid quercetin reverses pulmonary hypertension in rats. <i>PLoS ONE</i> , 2014 , 9, e114492	3.7	52
83	The probiotic <i>Lactobacillus coryniformis</i> CECT5711 reduces the vascular pro-oxidant and pro-inflammatory status in obese mice. <i>Clinical Science</i> , 2014 , 127, 33-45	6.5	86
82	PPAR α activation restores the high glucose-induced impairment of insulin signalling in endothelial cells. <i>British Journal of Pharmacology</i> , 2014 , 171, 3089-102	8.6	23
81	Effects of factor Xa on the expression of proteins in femoral arteries from type 2 diabetic patients. <i>British Journal of Clinical Pharmacology</i> , 2014 , 78, 1366-77	3.8	7
80	SIRT1 inhibits NADPH oxidase activation and protects endothelial function in the rat aorta: implications for vascular aging. <i>Biochemical Pharmacology</i> , 2013 , 85, 1288-96	6	144
79	Effects of peroxisome proliferator-activated receptor- α activation in endothelin-dependent hypertension. <i>Cardiovascular Research</i> , 2013 , 99, 622-31	9.9	21
78	Influence of thyroid state on cardiac and renal capillary density and glomerular morphology in rats. <i>Journal of Endocrinology</i> , 2013 , 216, 43-51	4.7	26
77	Epicatechin: endothelial function and blood pressure. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 8823-30	5.7	49
76	Activation of peroxisome proliferator-activated receptor- α (PPAR α) prevents endothelial dysfunction in type 1 diabetic rats. <i>Free Radical Biology and Medicine</i> , 2012 , 53, 730-41	7.8	53
75	Different cardiovascular protective effects of quercetin administered orally or intraperitoneally in spontaneously hypertensive rats. <i>Food and Function</i> , 2012 , 3, 643-50	6.1	37
74	Glucuronidated quercetin lowers blood pressure in spontaneously hypertensive rats via deconjugation. <i>PLoS ONE</i> , 2012 , 7, e32673	3.7	76
73	The flavonoid paradox: conjugation and deconjugation as key steps for the biological activity of flavonoids. <i>Journal of the Science of Food and Agriculture</i> , 2012 , 92, 1822-5	4.3	87
72	Epicatechin lowers blood pressure, restores endothelial function, and decreases oxidative stress and endothelin-1 and NADPH oxidase activity in DOCA-salt hypertension. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 70-9	7.8	128
71	Vascular deconjugation of quercetin glucuronide: the flavonoid paradox revealed?. <i>Molecular Nutrition and Food Research</i> , 2011 , 55, 1780-90	5.9	93
70	Lack of synergistic interaction between quercetin and catechin in systemic and pulmonary vascular smooth muscle. <i>British Journal of Nutrition</i> , 2011 , 105, 1287-93	3.6	15
69	Chronic (-)-epicatechin improves vascular oxidative and inflammatory status but not hypertension in chronic nitric oxide-deficient rats. <i>British Journal of Nutrition</i> , 2011 , 106, 1337-48	3.6	47
68	Antihypertensive effects of peroxisome proliferator-activated receptor- α activation in spontaneously hypertensive rats. <i>Hypertension</i> , 2011 , 58, 733-43	8.5	71
67	Red wine polyphenols prevent endothelial dysfunction induced by endothelin-1 in rat aorta: role of NADPH oxidase. <i>Clinical Science</i> , 2011 , 120, 321-33	6.5	31

66	Endothelium-dependent vasodilator effects of peroxisome proliferator-activated receptor beta agonists via the phosphatidylinositol-3 kinase-Akt pathway. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 332, 554-61	4.7	47
65	Flecainide increases Kir2.1 currents by interacting with cysteine 311, decreasing the polyamine-induced rectification. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 15631-6	11.5	60
64	Flavonols and cardiovascular disease. <i>Molecular Aspects of Medicine</i> , 2010 , 31, 478-94	16.7	262
63	Vascular superoxide production by endothelin-1 requires Src non-receptor protein tyrosine kinase and MAPK activation. <i>Atherosclerosis</i> , 2010 , 212, 78-85	3.1	27
62	Lack of beneficial metabolic effects of quercetin in adult spontaneously hypertensive rats. <i>European Journal of Pharmacology</i> , 2010 , 627, 242-50	5.3	29
61	Quercetin inhibits vascular superoxide production induced by endothelin-1: Role of NADPH oxidase, uncoupled eNOS and PKC. <i>Atherosclerosis</i> , 2009 , 202, 58-67	3.1	108
60	Glucuronidated and sulfated metabolites of the flavonoid quercetin prevent endothelial dysfunction but lack direct vasorelaxant effects in rat aorta. <i>Atherosclerosis</i> , 2009 , 204, 34-9	3.1	99
59	Antihypertensive effects of the flavonoid quercetin. <i>Pharmacological Reports</i> , 2009 , 61, 67-75	3.9	197
58	Wine polyphenols improve endothelial function in large vessels of female spontaneously hypertensive rats. <i>Hypertension</i> , 2008 , 51, 1088-95	8.5	84
57	Glucuronidated metabolites of the flavonoid quercetin do not auto-oxidise, do not generate free radicals and do not decrease nitric oxide bioavailability. <i>Planta Medica</i> , 2008 , 74, 741-6	3.1	18
56	Effects of dietary fibers on disturbances clustered in the metabolic syndrome. <i>Journal of Nutritional Biochemistry</i> , 2008 , 19, 71-84	6.3	324
55	Polyphenols restore endothelial function in DOCA-salt hypertension: role of endothelin-1 and NADPH oxidase. <i>Free Radical Biology and Medicine</i> , 2007 , 43, 462-73	7.8	89
54	Chronic administration of genistein improves endothelial dysfunction in spontaneously hypertensive rats: involvement of eNOS, caveolin and calmodulin expression and NADPH oxidase activity. <i>Clinical Science</i> , 2007 , 112, 183-91	6.5	64
53	Quercetin and isorhamnetin prevent endothelial dysfunction, superoxide production, and overexpression of p47phox induced by angiotensin II in rat aorta. <i>Journal of Nutrition</i> , 2007 , 137, 910-5	4.1	83
52	Genistein restores caveolin-1 and AT-1 receptor expression and vascular function in large vessels of ovariectomized hypertensive rats. <i>Menopause</i> , 2007 , 14, 933-40	2.5	19
51	Increased NADPH oxidase activity mediates spontaneous aortic tone in genetically hypertensive rats. <i>European Journal of Pharmacology</i> , 2006 , 544, 97-103	5.3	50
50	Identification and characterization of novel angiotensin-converting enzyme inhibitors obtained from goat milk. <i>Journal of Dairy Science</i> , 2006 , 89, 3326-35	4	45
49	Endothelial function and cardiovascular disease: effects of quercetin and wine polyphenols. <i>Free Radical Research</i> , 2006 , 40, 1054-65	4	134

48	The flavonoid quercetin induces apoptosis and inhibits JNK activation in intimal vascular smooth muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 346, 919-25	3.4	68
47	Quercetin downregulates NADPH oxidase, increases eNOS activity and prevents endothelial dysfunction in spontaneously hypertensive rats. <i>Journal of Hypertension</i> , 2006 , 24, 75-84	1.9	212
46	A diet supplemented with husks of <i>Plantago ovata</i> reduces the development of endothelial dysfunction, hypertension, and obesity by affecting adiponectin and TNF-alpha in obese Zucker rats. <i>Journal of Nutrition</i> , 2005 , 135, 2399-404	4.1	68
45	Effects of chronic quercetin treatment in experimental renovascular hypertension. <i>Molecular and Cellular Biochemistry</i> , 2005 , 270, 147-55	4.2	92
44	Endothelial nitric oxide production stimulated by the bioflavonoid chrysin in rat isolated aorta. <i>Planta Medica</i> , 2005 , 71, 829-34	3.1	15
43	Soy isoflavones improve endothelial function in spontaneously hypertensive rats in an estrogen-independent manner: role of nitric-oxide synthase, superoxide, and cyclooxygenase metabolites. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 314, 1300-9	4.7	37
42	Effects of quercetin treatment on vascular function in deoxycorticosterone acetate-salt hypertensive rats. Comparative study with verapamil. <i>Planta Medica</i> , 2004 , 70, 334-41	3.1	40
41	Nitric oxide (NO) scavenging and NO protecting effects of quercetin and their biological significance in vascular smooth muscle. <i>Molecular Pharmacology</i> , 2004 , 65, 851-9	4.3	75
40	Effects of the dietary flavonoid chrysin in isolated rat mesenteric vascular bed. <i>Journal of Vascular Research</i> , 2004 , 41, 509-16	1.9	20
39	Role of sex, gonadectomy and sex hormones in the development of nitric oxide inhibition-induced hypertension. <i>Experimental Physiology</i> , 2004 , 89, 155-62	2.4	21
38	Effects of chronic quercetin treatment on antioxidant defence system and oxidative status of deoxycorticosterone acetate-salt-hypertensive rats. <i>Molecular and Cellular Biochemistry</i> , 2004 , 259, 91-94	4.2	46
37	Protective effects of the angiotensin II type 1 (AT1) receptor blockade in low-renin deoxycorticosterone acetate (DOCA)-treated spontaneously hypertensive rats. <i>Clinical Science</i> , 2004 , 106, 251-9	6.5	14
36	Wine polyphenols stimulate superoxide anion production to promote calcium signaling and endothelial-dependent vasodilatation. <i>Physiological Research</i> , 2004 , 53, 595-602	2.1	43
35	Increased pressor sensitivity to chronic nitric oxide deficiency in hyperthyroid rats. <i>Hypertension</i> , 2003 , 42, 220-5	8.5	33
34	Effects of the flavonoid quercetin and its methylated metabolite isorhamnetin in isolated arteries from spontaneously hypertensive rats. <i>Planta Medica</i> , 2003 , 69, 995-1000	3.1	44
33	In vivo vascular effects of genistein on a rat model of septic shock induced by lipopolysaccharide. <i>Journal of Cardiovascular Pharmacology</i> , 2003 , 42, 329-38	3.1	18
32	Role of endothelium-derived relaxing factors in adrenomedullin-induced vasodilation in the rat kidney. <i>European Journal of Pharmacology</i> , 2002 , 444, 97-102	5.3	12
31	Involvement of protein kinase C and Na ⁺ /K ⁺ -ATPase in the contractile response induced by myricetin in rat isolated aorta. <i>Planta Medica</i> , 2002 , 68, 133-7	3.1	5

30	Effects of chronic chrysin treatment in spontaneously hypertensive rats. <i>Planta Medica</i> , 2002 , 68, 847-50.	3.1	48
29	Cardiovascular effects of isorhamnetin and quercetin in isolated rat and porcine vascular smooth muscle and isolated rat atria. <i>Planta Medica</i> , 2002 , 68, 307-10	3.1	46
28	Endothelium-independent vasodilator effects of the flavonoid quercetin and its methylated metabolites in rat conductance and resistance arteries. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002 , 302, 66-72	4.7	145
27	Protective effects of the flavonoid quercetin in chronic nitric oxide deficient rats. <i>Journal of Hypertension</i> , 2002 , 20, 1843-54	1.9	103
26	Effects of chronic quercetin treatment on hepatic oxidative status of spontaneously hypertensive rats. <i>Molecular and Cellular Biochemistry</i> , 2001 , 221, 155-60	4.2	61
25	Antihypertensive effects of the flavonoid quercetin in spontaneously hypertensive rats. <i>British Journal of Pharmacology</i> , 2001 , 133, 117-24	8.6	313
24	Vasorelaxant effects of the bioflavonoid chrysin in isolated rat aorta. <i>Planta Medica</i> , 2001 , 67, 567-9	3.1	44
23	Dietary vitamin E supplementation protects the rat large intestine from experimental inflammation. <i>International Journal for Vitamin and Nutrition Research</i> , 2001 , 71, 243-50	1.7	22
22	Cardiovascular effects of visnagin on rats. <i>Planta Medica</i> , 2000 , 66, 35-9	3.1	23
21	Involvement of thromboxane A2 in the endothelium-dependent contractions induced by myricetin in rat isolated aorta. <i>British Journal of Pharmacology</i> , 1999 , 127, 1539-44	8.6	25
20	Cardiovascular effects of captopril and enalapril in obese Zucker rats. <i>European Journal of Pharmacology</i> , 1999 , 365, 225-32	5.3	37
19	Effects of visnagin on cyclic nucleotide phosphodiesterases and their role in its inhibitory effects on vascular smooth muscle contraction. <i>General Pharmacology</i> , 1999 , 32, 71-4		15
18	Effects of visnadine on rat isolated vascular smooth muscles. <i>Planta Medica</i> , 1997 , 63, 233-6	3.1	23
17	Effect of tyrosine kinase and tyrosine phosphatase inhibitors on aortic contraction and induction of nitric oxide synthase. <i>European Journal of Pharmacology</i> , 1997 , 338, 25-33	5.3	21
16	Involvement of protein kinase C in reduced relaxant responses to the NO/cyclic GMP pathway in piglet pulmonary arteries contracted by the thromboxane A2-mimetic U46619. <i>British Journal of Pharmacology</i> , 1997 , 121, 1323-33	8.6	19
15	Effects of flavonoids on rat aortic smooth muscle contractility: structure-activity relationships. <i>General Pharmacology</i> , 1996 , 27, 273-7		93
14	Inhibitory effects of quercetin on guinea-pig ileum contractions. <i>Phytotherapy Research</i> , 1996 , 10, 66-69	6.7	14
13	Vasodilator effects of visnagin in isolated rat vascular smooth muscle. <i>European Journal of Pharmacology</i> , 1995 , 286, 115-22	5.3	34

12	Inhibitory effects of quercetin and staurosporine on phasic contractions in rat vascular smooth muscle. <i>European Journal of Pharmacology</i> , 1994 , 262, 149-56	5.3	25
11	Effects of (S)-nafnodone on $^{45}\text{Ca}^{2+}$ fluxes and contractions in rat isolated vascular smooth muscle. <i>European Journal of Pharmacology</i> , 1993 , 232, 105-11	5.3	8
10	Vasodilator effects of quercetin in isolated rat vascular smooth muscle. <i>European Journal of Pharmacology</i> , 1993 , 239, 1-7	5.3	149
9	Effects of lisinopril on electromechanical properties and membrane currents in guinea-pig cardiac preparations. <i>British Journal of Pharmacology</i> , 1993 , 109, 873-9	8.6	4
8	Effects of oleuropeoside in isolated guinea-pig atria. <i>Planta Medica</i> , 1993 , 59, 318-22	3.1	9
7	Vasodilatory effects of flavonoids in rat aortic smooth muscle. Structure-activity relationships. <i>General Pharmacology</i> , 1993 , 24, 857-62		222
6	Aminophylline preferentially inhibits chloroethylclonidine-insensitive alpha-adrenoceptor-mediated contractions in rat aorta. <i>General Pharmacology</i> , 1993 , 24, 1359-64		1
5	Effects of aminophylline on contractions and ^{45}Ca uptake in isolated rat vascular smooth muscle. <i>General Pharmacology</i> , 1992 , 23, 601-6		6
4	Vasodilator effect of olive leaf. <i>Planta Medica</i> , 1991 , 57, 417-9	3.1	97
3	Effects of flecainide on isolated vascular smooth muscles of rat. <i>British Journal of Pharmacology</i> , 1991 , 104, 726-30	8.6	17
2	Vascular reactivity in chronic Goldblatt two kidney-one clip hypertensive rats. <i>Experientia</i> , 1990 , 46, 868-9		2
1	Flavonols: Biochemistry Behind Cardiovascular Effects197-214		