

Yannis Dalezios

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6776155/yannis-dalezios-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25
papers

1,627
citations

17
h-index

25
g-index

25
ext. papers

1,879
ext. citations

6.8
avg, IF

3.93
L-index

#	Paper	IF	Citations
25	Complementary roles of cholecystokinin- and parvalbumin-expressing GABAergic neurons in hippocampal network oscillations. <i>Journal of Neuroscience</i> , 2005 , 25, 9782-93	6.6	325
24	Neuronal diversity in GABAergic long-range projections from the hippocampus. <i>Journal of Neuroscience</i> , 2007 , 27, 8790-804	6.6	245
23	Modulation of Autophagy by BDNF Underlies Synaptic Plasticity. <i>Cell Metabolism</i> , 2017 , 26, 230-242.e5	24.6	126
22	Quantitative localisation of synaptic and extrasynaptic GABAA receptor subunits on hippocampal pyramidal cells by freeze-fracture replica immunolabelling. <i>European Journal of Neuroscience</i> , 2010 , 32, 1868-88	3.5	125
21	Different fear states engage distinct networks within the intercalated cell clusters of the amygdala. <i>Journal of Neuroscience</i> , 2011 , 31, 5131-44	6.6	107
20	Immunoreactivity for the GABAA receptor alpha1 subunit, somatostatin and Connexin36 distinguishes axoaxonic, basket, and bistratified interneurons of the rat hippocampus. <i>Cerebral Cortex</i> , 2007 , 17, 2094-107	5.1	106
19	Metabotropic glutamate receptor 8-expressing nerve terminals target subsets of GABAergic neurons in the hippocampus. <i>Journal of Neuroscience</i> , 2005 , 25, 10520-36	6.6	105
18	Enrichment of mGluR7a in the presynaptic active zones of GABAergic and non-GABAergic terminals on interneurons in the rat somatosensory cortex. <i>Cerebral Cortex</i> , 2002 , 12, 961-74	5.1	85
17	High level of mGluR7 in the presynaptic active zones of select populations of GABAergic terminals innervating interneurons in the rat hippocampus. <i>European Journal of Neuroscience</i> , 2003 , 17, 2503-20	3.5	77
16	Distinct dendritic arborization and in vivo firing patterns of parvalbumin-expressing basket cells in the hippocampal area CA3. <i>Journal of Neuroscience</i> , 2013 , 33, 6809-25	6.6	58
15	Depression of GABAergic input to identified hippocampal neurons by group III metabotropic glutamate receptors in the rat. <i>European Journal of Neuroscience</i> , 2004 , 19, 2727-40	3.5	51
14	Rhythmically active enkephalin-expressing GABAergic cells in the CA1 area of the hippocampus project to the subiculum and preferentially innervate interneurons. <i>Journal of Neuroscience</i> , 2008 , 28, 10017-22	6.6	43
13	Neurogliaform cells of amygdala: a source of slow phasic inhibition in the basolateral complex. <i>Journal of Physiology</i> , 2012 , 590, 5611-27	3.9	37
12	Overlapping and divergent localization of Frem1 and Fras1 and its functional implications during mouse embryonic development. <i>Experimental Cell Research</i> , 2007 , 313, 910-20	4.2	33
11	Basement membrane localization of Frem3 is independent of the Fras1/Frem1/Frem2 protein complex within the sublamina densa. <i>Matrix Biology</i> , 2007 , 26, 652-8	11.4	22
10	Brain benzodiazepine binding in aged rats. <i>Neurochemistry International</i> , 1998 , 32, 213-7	4.4	20
9	Basement membrane distortions impair lung lobation and capillary organization in the mouse model for fraser syndrome. <i>Journal of Biological Chemistry</i> , 2005 , 280, 10350-6	5.4	19

8	14C-deoxyglucose mapping of the monkey brain during reaching to visual targets. <i>Progress in Neurobiology</i> , 1999 , 58, 473-540	10.9	16
7	Ultrastructural localization of Fras1 in the sublamina densa of embryonic epithelial basement membranes. <i>Archives of Dermatological Research</i> , 2007 , 299, 337-43	3.3	14
6	Nuclear benzodiazepine binding: possible interaction with thyroid hormone receptors. <i>Neurochemical Research</i> , 1993 , 18, 305-11	4.6	4
5	Dendritic autophagy degrades postsynaptic proteins and is required for long-term synaptic depression in mice.. <i>Nature Communications</i> , 2022 , 13, 680	17.4	3
4	Comparative aspects of cerebellar [3H]flunitrazepam and [3H]GABA binding. <i>General Pharmacology</i> , 1986 , 17, 689-93		2
3	Long-term synaptic depression triggers local biogenesis of autophagic vesicles in dendrites and requires autophagic degradation		2
2	Metabolic activity patterns in the monkey visual cortex as revealed by spectral analysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 401-16	7.3	1
1	Interaction between [3H]flunitrazepam and [3H]GABA binding in the cerebellum of reeler mice. <i>Neurochemistry International</i> , 1995 , 26, 41-6	4.4	1