

Denise Utsch Gonçalves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6776288/publications.pdf>

Version: 2024-02-01

80
papers

1,394
citations

471509

17
h-index

377865

34
g-index

92
all docs

92
docs citations

92
times ranked

1518
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidemiology, Treatment, and Prevention of Human T-Cell Leukemia Virus Type 1-Associated Diseases. <i>Clinical Microbiology Reviews</i> , 2010, 23, 577-589.	13.6	390
2	Proteins Selected in <i>Leishmania (Viannia) braziliensis</i> by an Immunoproteomic Approach with Potential Serodiagnosis Applications for Tegumentary Leishmaniasis. <i>Vaccine Journal</i> , 2015, 22, 1187-1196.	3.1	54
3	Interpretation and use of caloric testing. <i>Brazilian Journal of Otorhinolaryngology</i> , 2008, 74, 440-446.	1.0	52
4	DERMATOLOGIC LESIONS IN ASYMPTOMATIC BLOOD DONORS SEROPOSITIVE FOR HUMAN T CELL LYMPHOTROPIC VIRUS TYPE-1. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 562-565.	1.4	50
5	HTLV-1-Associated Myelopathy/Tropical Spastic Paraparesis (HAM/TSP) Inflammatory Network. <i>Inflammation and Allergy: Drug Targets</i> , 2008, 7, 98-107.	1.8	48
6	Sensorineural hearing loss in chronic suppurative otitis media with and without cholesteatoma. <i>Brazilian Journal of Otorhinolaryngology</i> , 2007, 73, 671-674.	1.0	39
7	Proviral load and the balance of serum cytokines in HTLV-1-asymptomatic infection and in HTLV-1-associated myelopathy/tropical spastic paraparesis (HAM/TSP). <i>Acta Tropica</i> , 2013, 125, 75-81.	2.0	31
8	Mucocutaneous Leishmaniasis: clinical markers in presumptive diagnosis. <i>Brazilian Journal of Otorhinolaryngology</i> , 2011, 77, 380-384.	1.0	29
9	Incidence of Human T Cell Lymphotropic Virus Type 1-Associated Myelopathy/Tropical Spastic Paraparesis in a Long-Term Prospective Cohort Study of Initially Asymptomatic Individuals in Brazil. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 1199-1202.	1.1	29
10	Immunological signature of the different clinical stages of the HTLV-1 infection: establishing serum biomarkers for HTLV-1-associated disease morbidity. <i>Biomarkers</i> , 2015, 20, 502-512.	1.9	28
11	<i>Leishmania infantum</i> mimotopes and a phage-ELISA assay as tools for a sensitive and specific serodiagnosis of human visceral leishmaniasis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 87, 219-225.	1.8	25
12	HLA class I alleles in HTLV-1-associated myelopathy and asymptomatic carriers from the Brazilian cohort GIPH. <i>Medical Microbiology and Immunology</i> , 2009, 198, 1-3.	4.8	23
13	Long-term serological follow-up of blood donors with an HTLV-1 indeterminate Western Blot: Antibody Profile of Seroconverters and Individuals With False Reactions. <i>Journal of Medical Virology</i> , 2010, 82, 1746-1753.	5.0	23
14	Serological diagnosis and prognostic of tegumentary and visceral leishmaniasis using a conserved <i>Leishmania</i> hypothetical protein. <i>Parasitology International</i> , 2018, 67, 344-350.	1.3	22
15	Simultaneous Occurrence of HTLV-I Associated Myelopathy, Uveitis and Smouldering Adult T Cell Leukaemia. <i>International Journal of STD and AIDS</i> , 1999, 10, 336-337.	1.1	20
16	An ELISA immunoassay employing a conserved <i>Leishmania</i> hypothetical protein for the serodiagnosis of visceral and tegumentary leishmaniasis in dogs and humans. <i>Cellular Immunology</i> , 2017, 318, 42-48.	3.0	20
17	New serological tools for improved diagnosis of human tegumentary leishmaniasis. <i>Journal of Immunological Methods</i> , 2016, 434, 39-45.	1.4	19
18	Vestibular-Evoked Myogenic Potential (VEMP) to Evaluate Cervical Myelopathy in Human T-Cell Lymphotropic Virus Type I Infection. <i>Spine</i> , 2008, 33, 1180-1184.	2.0	18

#	ARTICLE	IF	CITATIONS
19	Potencial evocado miogênico vestibular (Vemp): avaliação das respostas em indivíduos normais. Prá-fono: Revista De Atualização Científica, 2008, 20, 249-254.	0.5	18
20	Immunological Profile of HTLV-1-Infected Patients Associated with Infectious or Autoimmune Dermatological Disorders. PLoS Neglected Tropical Diseases, 2013, 7, e2328.	3.0	18
21	Evaluation of a hypothetical protein for serodiagnosis and as a potential marker for post-treatment serological evaluation of tegumentary leishmaniasis patients. Parasitology Research, 2017, 116, 1197-1206.	1.6	17
22	Screening diagnostic candidates from <i>Leishmania infantum</i> proteins for human visceral leishmaniasis using an immunoproteomics approach. Parasitology, 2019, 146, 1467-1476.	1.5	17
23	Flexible nasolaryngoscopy accuracy in laryngomalacia diagnosis. Brazilian Journal of Otorhinolaryngology, 2008, 74, 29-32.	1.0	16
24	Annexin A1 Is Involved in the Resolution of Inflammatory Responses during <i>Leishmania braziliensis</i> Infection. Journal of Immunology, 2017, 198, 3227-3236.	0.8	16
25	Electrophysiological Analysis Shows Dizziness as the First Symptom in Human T Cell Lymphotropic Virus Type-Associated Myelopathy/Tropical Spastic Paraparesis. AIDS Research and Human Retroviruses, 2015, 31, 649-654.	1.1	15
26	Increased N200 and P300 latencies in cognitively impaired elderly carrying <i>ApoE</i> $\epsilon 4$ allele. International Journal of Geriatric Psychiatry, 2018, 33, e221-e227.	2.7	15
27	Potential application of small myristoylated protein-3 evaluated as recombinant antigen and a synthetic peptide containing its linear B-cell epitope for the serodiagnosis of canine visceral and human tegumentary leishmaniasis. Immunobiology, 2019, 224, 163-171.	1.9	15
28	Interpretação e utilidade da prova calórica. Revista Brasileira De Otorrinolaringologia, 2008, 74, 440-446.	0.2	13
29	Recombinant small glutamine-rich tetratricopeptide repeat-containing protein of <i>Leishmania infantum</i> : Potential vaccine and diagnostic application against visceral leishmaniasis. Molecular Immunology, 2017, 91, 272-281.	2.2	13
30	A conserved <i>Leishmania</i> hypothetical protein evaluated for the serodiagnosis of canine and human visceral and tegumentary leishmaniasis, as well as a serological marker for the posttreatment patient follow-up. Diagnostic Microbiology and Infectious Disease, 2018, 92, 196-203.	1.8	13
31	Diagnostic application of recombinant <i>Leishmania</i> proteins and evaluation of their in vitro immunogenicity after stimulation of immune cells collected from tegumentary leishmaniasis patients and healthy individuals. Cellular Immunology, 2018, 334, 61-69.	3.0	12
32	Valores de referência da prova calórica a ar. Brazilian Journal of Otorhinolaryngology, 2012, 78, 2-2.	1.0	11
33	Immunodiagnosis of human and canine visceral leishmaniasis using recombinant <i>Leishmania infantum</i> Prohibitin protein and a synthetic peptide containing its conformational B-cell epitope. Journal of Immunological Methods, 2019, 474, 112641.	1.4	11
34	Evaluation of the caffeine effect in the vestibular test. Brazilian Journal of Otorhinolaryngology, 2005, 71, 758-762.	1.0	10
35	Cheilitis granulomatosa associated with melkersson-rosenthal syndrome. Brazilian Journal of Otorhinolaryngology, 2007, 73, 132-133.	1.0	10
36	Validade da prova calórica monotermal em comparação com o estímulo bitermal. Prá-fono: Revista De Atualização Científica, 2010, 22, 67-70.	0.5	10

#	ARTICLE	IF	CITATIONS
37	Testing the vestibular evoked myogenic potential (VEMP) to identify subclinical neurological alterations in different phases of human T-lymphotropic virus type 1 infection. Spine Journal, 2013, 13, 397-401.	1.3	10

38 Contribution of Galvanic Vestibular Stimulation for the Diagnosis of HTLV-1-Associated

#	ARTICLE	IF	CITATIONS
55	Vestibular evoked myogenic potential. Arquivos Internacionais De Otorrinolaringologia, 2014, 16, 103-107.	0.2	4
56	Potential of recombinant LiHyQ, a novel Leishmania infantum protein, for the diagnosis of canine visceral leishmaniasis and as a diagnostic and prognostic marker for human leishmaniasis and human immunodeficiency virus co-infection: A preliminary study. Acta Tropica, 2021, 224, 106126.	2.0	4
57	Manifestações cutâneas da infecção e das doenças relacionadas ao vírus linfotrófico de células T humanas do tipo 1. Anais Brasileiros De Dermatologia, 2008, 83, 393-407.	1.1	4
58	Mapping linear B-cell epitopes of the Tryparedoxin Peroxidase and its implications in the serological diagnosis of tegumentary leishmaniasis. Acta Tropica, 2022, 232, 106521.	2.0	4
59	Aplicações dos potenciais evocados miogênicos vestibulares: revisão sistemática de literatura. Audiology: Communication Research, 2019, 24, .	0.1	3
60	Ocular vestibular evoked myogenic potential (VEMP) reveals mesencephalic HTLV-1-associated neurological disease. PLoS ONE, 2019, 14, e0217327.	2.5	3
61	Vestibular Evoked Myogenic Potential on Ocular, Cervical, and Soleus Muscles to Assess the Extent of Neurological Impairment in HTLV-1 Infection. Frontiers in Neurology, 2020, 11, 433.	2.4	3
62	Queilite granulomatosa associada à síndrome de Melkersson-Rosenthal. Revista Brasileira De Otorrinolaringologia, 2007, 73, 138-139.	0.2	3
63	Acuidade no diagnóstico da laringomalácia através da nasofibrolaringoscopia. Revista Brasileira De Otorrinolaringologia, 2008, 74, 29-32.	0.2	3
64	Case Report: Cognitive Impairment without Clinical Spinal Disease May Be the First Sign of HTLV-1 Neurological Alteration. American Journal of Tropical Medicine and Hygiene, 2020, 102, 366-369.	1.4	3
65	Prevalence and Risk Factors for Human T-Cell Lymphotropic Virus (HTLV) in Blood Donors in Brazil: A 10-Year Study (2007-2016). Frontiers in Medicine, 2022, 9, 844265.	2.6	3
66	Otoneurological evaluation: current good practice. Please cite this article as: Gonçalves DU, Ganansa FF, Bottino MA, GreTERS ME, Ganansa MM, Mezzalira R, et al. Otoneurological evaluation: current good practice. Braz J Otorhinolaryngol. 2014;80:95.. Brazilian Journal of Otorhinolaryngology, 2014, 80, 95.	1.0	2
67	Perda auditiva sensorio-neural na otite média crônica supurativa em pacientes com e sem colesteatoma. Revista Brasileira De Otorrinolaringologia, 2007, 73, 671-674.	0.2	2
68	Alterações dos potenciais evocados auditivos do tronco encefálico em pacientes com esclerose múltipla. Revista Brasileira De Otorrinolaringologia, 2009, 75, 177-181.	0.2	1
69	Cytokines, chemokines and leukotrienes profile and signature analysis in HTLV-1 infection as an evidence of disease progression. Retrovirology, 2014, 11, O37.	2.0	1
70	Vestibulospinal tract dysfunction in HTLV-1-asymptomatic infection and in HAM/TSP. Retrovirology, 2014, 11, .	2.0	1
71	Contribution of galvanic vestibular stimulation for the diagnosis of HAM/TSP. Retrovirology, 2014, 11, P27.	2.0	1
72	THROMBOSPONDIN-1 EXPRESSION IN HUMAN T-LYMPHOTROPIC VIRUS 1 ASYMPTOMATIC CARRIERS AND PATIENTS WITH HTLV-ASSOCIATED MYELOPATHY/TROPICAL SPASTIC PARAPARESIS. Journal of Tropical Pathology, 2012, 41, .	0.2	1

#	ARTICLE	IF	CITATIONS
73	Videoaula ou teleconsultoria no aprendizado em otorrinolaringologia do médico de família. Revista Brasileira De Educacao Medica, 2012, 36, 531-535.	0.2	1
74	Cognitive screening in HTLV-1 infected people using a self-perceived memory score and auditory P300. Journal of NeuroVirology, 2022, 28, 123-132.	2.1	1
75	Development of an immunogen containing CD4+/CD8+ T-cell epitopes for the prophylaxis of tegumentary leishmaniasis. Applied Microbiology and Biotechnology, 2022, 106, 4627-4641.	3.6	1
76	Manifestações otorrinolaringológicas e esofágicas da epidermólise bolhosa. Revista Brasileira De Otorrinolaringologia, 2008, 74, 657-661.	0.2	0
77	Hearing and language screening in preschoolers. Revista CEFAC: Atualização Científica Em Fonoaudiologia, 2021, 23, .	0.1	0
78	Prospects for the development of scientific research in Medical Education. Revista Médica De Minas Gerais, 2014, 24, .	0.0	0
79	Lian gong as a Therapeutic Treatment Option in Primary Care for Patients with Dizziness: A Randomized Controlled Trial. International Archives of Otorhinolaryngology, 2021, 25, e509-e516.	0.8	0
80	Impact assessment of different DNA extraction methods for non-invasive molecular diagnosis of tegumentary leishmaniasis. Acta Tropica, 2022, 227, 106275.	2.0	0