

Denise Utsch Gonçalves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6776288/publications.pdf>

Version: 2024-02-01

80
papers

1,394
citations

471509
17
h-index

377865
34
g-index

92
all docs

92
docs citations

92
times ranked

1518
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact assessment of different DNA extraction methods for non-invasive molecular diagnosis of tegumentary leishmaniasis. <i>Acta Tropica</i> , 2022, 227, 106275.	2.0	0
2	Cognitive screening in HTLV-1-infected people using a self-perceived memory score and auditory P300. <i>Journal of NeuroVirology</i> , 2022, 28, 123-132.	2.1	1
3	Prevalence and Risk Factors for Human T-Cell Lymphotropic Virus (HTLV) in Blood Donors in Brazil: A 10-Year Study (2007-2016). <i>Frontiers in Medicine</i> , 2022, 9, 844265.	2.6	3
4	Mapping linear B-cell epitopes of the Tryparedoxin Peroxidase and its implications in the serological diagnosis of tegumentary leishmaniasis. <i>Acta Tropica</i> , 2022, 232, 106521.	2.0	4
5	Development of an immunogen containing CD4+/CD8+ T-cell epitopes for the prophylaxis of tegumentary leishmaniasis. <i>Applied Microbiology and Biotechnology</i> , 2022, 106, 4627-4641.	3.6	1
6	Galvanic vestibular stimulation and its applications: a systematic review. <i>Brazilian Journal of Otorhinolaryngology</i> , 2022, 88, S202-S211.	1.0	5
7	Development of a chimeric protein based on a proteomic approach for the serological diagnosis of human tegumentary leishmaniasis. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 6805-6817.	3.6	7
8	Potential of recombinant LiHyQ, a novel <i>Leishmania infantum</i> protein, for the diagnosis of canine visceral leishmaniasis and as a diagnostic and prognostic marker for human leishmaniasis and human immunodeficiency virus co-infection: A preliminary study. <i>Acta Tropica</i> , 2021, 224, 106126.	2.0	4
9	Hearing and language screening in preschoolers. <i>Revista CEFAC: ActualizaÃ§Ã£o CientÃfica Em Fonoaudiologia</i> , 2021, 23, .	0.1	0
10	Lian gong as a Therapeutic Treatment Option in Primary Care for Patients with Dizziness: A Randomized Controlled Trial. <i>International Archives of Otorhinolaryngology</i> , 2021, 25, e509-e516.	0.8	0
11	Parasitological and immunological evaluation of a novel chemotherapeutic agent against visceral leishmaniasis. <i>Parasite Immunology</i> , 2020, 42, e12784.	1.5	7
12	Vestibular Evoked Myogenic Potential on Ocular, Cervical, and Soleus Muscles to Assess the Extent of Neurological Impairment in HTLV-1 Infection. <i>Frontiers in Neurology</i> , 2020, 11, 433.	2.4	3
13	A new <i>Leishmania</i> hypothetical protein can be used for accurate serodiagnosis of canine and human visceral leishmaniasis and as a potential prognostic marker for human disease. <i>Experimental Parasitology</i> , 2020, 216, 107941.	1.2	5
14	Evaluation of <i>Leishmania infantum</i> pyridoxal kinase protein for the diagnosis of human and canine visceral leishmaniasis. <i>Immunology Letters</i> , 2020, 220, 11-20.	2.5	8
15	Case Report: Cognitive Impairment without Clinical Spinal Disease May Be the First Sign of HTLV-1 Neurological Alteration. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020, 102, 366-369.	1.4	3
16	Immunodiagnosis of human and canine visceral leishmaniasis using recombinant <i>Leishmania infantum</i> Prohibitin protein and a synthetic peptide containing its conformational B-cell epitope. <i>Journal of Immunological Methods</i> , 2019, 474, 112641.	1.4	11
17	Screening diagnostic candidates from <i>Leishmania infantum</i> proteins for human visceral leishmaniasis using an immunoproteomics approach. <i>Parasitology</i> , 2019, 146, 1467-1476.	1.5	17
18	AplicaÃ§Ãµes dos potenciais evocados miogÃ³nicos vestibulares: revisÃ£o sistemÃjtica de literatura. <i>Audiology: Communication Research</i> , 2019, 24, .	0.1	3

#	ARTICLE	IF	CITATIONS
19	Ocular vestibular evoked myogenic potential (VEMP) reveals mesencephalic HTLV-1-associated neurological disease. PLoS ONE, 2019, 14, e0217327.	2.5	3
20	Potential application of small myristoylated protein-3 evaluated as recombinant antigen and a synthetic peptide containing its linear B-cell epitope for the serodiagnosis of canine visceral and human tegumentary leishmaniasis. Immunobiology, 2019, 224, 163-171.	1.9	15
21	Serological diagnosis and prognostic of tegumentary and visceral leishmaniasis using a conserved Leishmania hypothetical protein. Parasitology International, 2018, 67, 344-350.	1.3	22
22	Increased N200 and P300 latencies in cognitively impaired elderly carrying <i>ApoE</i> allele. International Journal of Geriatric Psychiatry, 2018, 33, e221-e227.	2.7	15
23	Diagnostic application of recombinant Leishmania proteins and evaluation of their in vitro immunogenicity after stimulation of immune cells collected from tegumentary leishmaniasis patients and healthy individuals. Cellular Immunology, 2018, 334, 61-69.	3.0	12
24	Intrarater and interrater agreement and reliability of vestibular evoked myogenic potential triggered by galvanic vestibular stimulation (galvanic-VEMP) for HTLV-1 associated myelopathy testing. PLoS ONE, 2018, 13, e0204449.	2.5	6
25	Vestibular-evoked myogenic potential triggered by galvanic vestibular stimulation may reveal subclinical alterations in human T-cell lymphotropic virus type 1-associated myelopathy. PLoS ONE, 2018, 13, e0200536.	2.5	8
26	A conserved Leishmania hypothetical protein evaluated for the serodiagnosis of canine and human visceral and tegumentary leishmaniasis, as well as a serological marker for the posttreatment patient follow-up. Diagnostic Microbiology and Infectious Disease, 2018, 92, 196-203.	1.8	13
27	Evaluation of a hypothetical protein for serodiagnosis and as a potential marker for post-treatment serological evaluation of tegumentary leishmaniasis patients. Parasitology Research, 2017, 116, 1197-1206.	1.6	17
28	An ELISA immunoassay employing a conserved Leishmania hypothetical protein for the serodiagnosis of visceral and tegumentary leishmaniasis in dogs and humans. Cellular Immunology, 2017, 318, 42-48.	3.0	20
29	Flow cytometric-based protocols for assessing anti-MT-2 IgG1 reactivity: High-dimensional data handling to define predictors for clinical follow-up of Human T-cell Leukemia virus type-1 infection. Journal of Immunological Methods, 2017, 444, 36-46.	1.4	5
30	Annexin A1 Is Involved in the Resolution of Inflammatory Responses during <i>Leishmania braziliensis</i> Infection. Journal of Immunology, 2017, 198, 3227-3236.	0.8	16
31	Recombinant small glutamine-rich tetratricopeptide repeat-containing protein of <i>Leishmania infantum</i> : Potential vaccine and diagnostic application against visceral leishmaniasis. Molecular Immunology, 2017, 91, 272-281.	2.2	13
32	<i>Leishmania infantum</i> mimotopes and a phage-ELISA assay as tools for a sensitive and specific serodiagnosis of human visceral leishmaniasis. Diagnostic Microbiology and Infectious Disease, 2017, 87, 219-225.	1.8	25
33	New serological tools for improved diagnosis of human tegumentary leishmaniasis. Journal of Immunological Methods, 2016, 434, 39-45.	1.4	19
34	Vestibular Evoked Myogenic Potential (VEMP) Triggered by Galvanic Vestibular Stimulation (GVS): A Promising Tool to Assess Spinal Cord Function in Schistosomal Myeloradiculopathy. PLoS Neglected Tropical Diseases, 2016, 10, e0004672.	3.0	10
35	Electrophysiological Analysis Shows Dizziness as the First Symptom in Human T Cell Lymphotropic Virus Type-Associated Myelopathy/Tropical Spastic Paraparesis. AIDS Research and Human Retroviruses, 2015, 31, 649-654.	1.1	15
36	Proteins Selected in <i>Leishmania (Viannia) braziliensis</i> by an Immunoproteomic Approach with Potential Serodiagnosis Applications for Tegumentary Leishmaniasis. Vaccine Journal, 2015, 22, 1187-1196.	3.1	54

#	ARTICLE	IF	CITATIONS
37	Immunological signature of the different clinical stages of the HTLV-1 infection: establishing serum biomarkers for HTLV-1-associated disease morbidity. <i>Biomarkers</i> , 2015, 20, 502-512.	1.9	28
38	Vestibular evoked myogenic potential. <i>Arquivos Internacionais De Otorrinolaringologia</i> , 2014, 16, 103-107.	0.2	4
39	Otoneurological evaluation: current good practice©. Please cite this article as: GonÃsalves DU, GananÃ‰a FF, Bottino MA, Greters ME, GananÃ‰a MM, Mezzalira R, et al. Otoneurological evaluation: current good practice. <i>Braz J Otorhinolaryngol</i> . 2014;80:95.. <i>Brazilian Journal of Otorhinolaryngology</i> , 2014, 80, 95.	1.0	2
40	Cytokines, chemokines and leukotrienes profile and signature analysis in HTLV-1 infection as an evidence of disease progression. <i>Retrovirology</i> , 2014, 11, O37.	2.0	1
41	Vestibulospinal tract dysfunction in HTLV-1-asymptomatic infection and in HAM/TSP. <i>Retrovirology</i> , 2014, 11, .	2.0	1
42	Contribution of galvanic vestibular stimulation for the diagnosis of HAM/TSP. <i>Retrovirology</i> , 2014, 11, P27.	2.0	1
43	Vestibular evoked myogenic potential (VEMP) with galvanic stimulation in normal subjects©. Please cite this article as: Cunha LC, Labanca L, Tavares MC, GonÃsalves DU. Vestibular evoked myogenic potential (VEMP) with galvanic stimulation in normal subjects. <i>Braz J Otorhinolaryngol</i> . 2014;80:48-53.. <i>Brazilian Journal of Otorhinolaryngology</i> , 2014, 80, 48-53.	1.0	9
44	Prospects for the development of scientific research in Medical Education. <i>Revista MÃ©dica De Minas Gerais</i> , 2014, 24, .	0.0	0
45	Incidence of Human T Cell Lymphotropic Virus Type 1-Associated Myelopathy/Tropical Spastic Paraparesis in a Long-Term Prospective Cohort Study of Initially Asymptomatic Individuals in Brazil. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 1199-1202.	1.1	29
46	Testing the vestibular evoked myogenic potential (VEMP) to identify subclinical neurological alterations in different phases of human T-lymphotropic virus type 1 infection. <i>Spine Journal</i> , 2013, 13, 397-401.	1.3	10
47	Proviral load and the balance of serum cytokines in HTLV-1-asymptomatic infection and in HTLV-1-associated myelopathy/tropical spastic paraparesis (HAM/TSP). <i>Acta Tropica</i> , 2013, 125, 75-81.	2.0	31
48	Immunological Profile of HTLV-1-Infected Patients Associated with Infectious or Autoimmune Dermatological Disorders. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2328.	3.0	18
49	Contribution of Galvanic Vestibular Stimulation for the Diagnosis of HTLV-1-Associated		

#	ARTICLE	IF	CITATIONS
55	HTLV-1 associated myelopathy diagnosed during lepromatous leprosy reaction treatment: a case report. Revista Da Sociedade Brasileira De Medicina Tropical, 2010, 43, 465-466.	0.9	7
56	Validade da prova calórica monotermal em comparação à estimulação bitermal. Pró-fono: Revista De Atualização Científica, 2010, 22, 67-70.	0.5	10
57	Epidemiology, Treatment, and Prevention of Human T-Cell Leukemia Virus Type 1-Associated Diseases. Clinical Microbiology Reviews, 2010, 23, 577-589.	13.6	390
58	Myelopathy and adult T-cell leukemia associated with HTLV-1 in a young patient with hearing loss as the initial manifestation of disease. Revista Da Sociedade Brasileira De Medicina Tropical, 2009, 42, 336-337.	0.9	6
59	Alterações dos potenciais evocados auditivos do tronco encefálico em pacientes com esclerose múltipla. Revista Brasileira De Otorrinolaringologia, 2009, 75, 177-181.	0.2	1
60	Vestibular-Evoked Myogenic Potential (VEMP) in the Evaluation of Schistosomal Myeloradiculopathy. American Journal of Tropical Medicine and Hygiene, 2009, 81, 551-554.	1.4	9
61	HLA class I alleles in HTLV-1-associated myelopathy and asymptomatic carriers from the Brazilian cohort CIPH. Medical Microbiology and Immunology, 2009, 198, 1-3.	4.8	23
62	Alterations in early auditory evoked potentials in multiple sclerosis patients. Brazilian Journal of Otorhinolaryngology, 2009, 75, 177-181.	1.0	5
63	HTLV-1-Associated Myelopathy/Tropical Spastic Paraparesis (HAM/TSP) Inflammatory Network. Inflammation and Allergy: Drug Targets, 2008, 7, 98-107.	1.8	48
64	Interpretation and use of caloric testing. Brazilian Journal of Otorhinolaryngology, 2008, 74, 440-446.	1.0	52
65	Otorhinolaryngological and esophageal manifestations of epidermolysis bullosa. Brazilian Journal of Otorhinolaryngology, 2008, 74, 657-661.	1.0	5
66	Flexible nasolaryngoscopy accuracy in laryngomalacia diagnosis. Brazilian Journal of Otorhinolaryngology, 2008, 74, 29-32.	1.0	16
67	Vestibular-Evoked Myogenic Potential (VEMP) to Evaluate Cervical Myelopathy in Human T-Cell Lymphotropic Virus Type I Infection. Spine, 2008, 33, 1180-1184.	2.0	18
68	Manifestações otorrinolaringológicas e esofágicas da epidermólise bolhosa. Revista Brasileira De Otorrinolaringologia, 2008, 74, 657-661.	0.2	0
69	Potencial evocado miogênico vestibular (Vemp): avaliação das respostas em indivíduos normais. Pró-fono: Revista De Atualização Científica, 2008, 20, 249-254.	0.5	18
70	Interpretação e utilidade da prova calórica. Revista Brasileira De Otorrinolaringologia, 2008, 74, 440-446.	0.2	13
71	Acuidade no diagnóstico da laringomalácia através da nasofibrolaringoscopia. Revista Brasileira De Otorrinolaringologia, 2008, 74, 29-32.	0.2	3
72	Manifestações cutâneas da infecção e das doenças relacionadas ao vírus linfotrópico de células T humanas do tipo 1. Anais Brasileiros De Dermatologia, 2008, 83, 393-407.	1.1	4

#	ARTICLE	IF	CITATIONS
73	Cheilitis granulomatosa associated with melkersson-roenthal syndrome. Brazilian Journal of Otorhinolaryngology, 2007, 73, 132-133.	1.0	10
74	Sensorineural hearing loss in chronic suppurative otitis media with and without cholesteatoma. Brazilian Journal of Otorhinolaryngology, 2007, 73, 671-674.	1.0	39
75	Queilite granulomatosa associada Ã sÃndrome de Melkersson-Rosenthal. Revista Brasileira De Otorrinolaringologia, 2007, 73, 138-139.	0.2	3
76	Perda auditiva sensÃ³rio-neural na otite mÃ©dia crÃ¢nica supurativa em pacientes com e sem coleteatoma. Revista Brasileira De Otorrinolaringologia, 2007, 73, 671-674.	0.2	2
77	Evaluation of the caffeine effect in the vestibular test. Brazilian Journal of Otorhinolaryngology, 2005, 71, 758-762.	1.0	10
78	AvaliaÃ§Ã£o do efeito da cafeÃ±a no teste vestibular. Revista Brasileira De Otorrinolaringologia, 2005, 71, 758-762.	0.2	9
79	DERMATOLOGIC LESIONS IN ASYMPTOMATIC BLOOD DONORS SEROPOSITIVE FOR HUMAN T CELL LYMPHOTROPIC VIRUS TYPE-1. American Journal of Tropical Medicine and Hygiene, 2003, 68, 562-565.	1.4	50
80	Simultaneous Occurrence of HTLV-I Associated Myelopathy, Uveitis and Smouldering Adult T Cell Leukaemia. International Journal of STD and AIDS, 1999, 10, 336-337.	1.1	20