

Yong-Geun Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6776944/publications.pdf>

Version: 2024-02-01

26
papers

764
citations

687220

13
h-index

610775

24
g-index

26
all docs

26
docs citations

26
times ranked

1222
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional outcomes and length of stay with early and high-intensity rehabilitation after simultaneous bilateral total knee arthroplasty. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2022, , 1-9.	0.4	1
2	Is it worth to perform initial non-operative treatment for patients with acute ACL injury?: a prospective cohort prognostic study. <i>Knee Surgery and Related Research</i> , 2021, 33, 11.	1.8	10
3	Safety of a single intra-articular injection of LBSA0103 hyaluronic acid in patients with osteoarthritis of the knee: a multicenter, single-arm, prospective, cohort study. <i>Current Medical Research and Opinion</i> , 2021, 37, 1573-1580.	0.9	3
4	Intra-Articular Injection of a Novel DVS Cross-Linked Hyaluronic Acid Manufactured by Biological Fermentation (YYD302) in Patients With Knee Osteoarthritis: A Double-Blind, Randomized, Multicenter, Noninferiority Study. <i>Clinical Therapeutics</i> , 2021, 43, 1843-1860.	1.1	6
5	Poor Dietary Protein Intake in Elderly Population with Sarcopenia and Osteosarcopenia: A Nationwide Population-Based Study. <i>Journal of Bone Metabolism</i> , 2020, 27, 301-310.	0.5	10
6	Variability of the Composition of Growth Factors and Cytokines in Platelet-Rich Plasma From the Knee With Osteoarthritis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2878-2884.e1.	1.3	24
7	Comparison of Undifferentiated Versus Chondrogenic Predifferentiated Mesenchymal Stem Cells Derived From Human Umbilical Cord Blood for Cartilage Repair in a Rat Model. <i>American Journal of Sports Medicine</i> , 2019, 47, 451-461.	1.9	18
8	Current Trends for Treating Lateral Epicondylitis. <i>Clinics in Shoulder and Elbow</i> , 2019, 22, 227-234.	0.5	19
9	Prediction Models to Improve the Diagnostic Value of Plain Radiographs in Children With Complete Discoid Lateral Meniscus. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 479-489.e3.	1.3	14
10	Improvement of Osteoporosis Medication after Multimodal Intervention in Patients with Hip Fracture: Prospective Multicenter Study. <i>Journal of Bone Metabolism</i> , 2018, 25, 107.	0.5	2
11	Preoperative prediction of anterior cruciate ligament tibial footprint size by anthropometric variables. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1638-1645.	2.3	10
12	Restoration of a large osteochondral defect of the knee using a composite of umbilical cord blood-derived mesenchymal stem cells and hyaluronic acid hydrogel: a case report with a 5-year follow-up. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 59.	0.8	21
13	Wiring technique for lesser trochanter fixation in proximal IM nailing of unstable intertrochanteric fractures: A modified candy-package wiring technique. <i>Injury</i> , 2017, 48, 406-413.	0.7	28
14	Cartilage Regeneration in Osteoarthritic Patients by a Composite of Allogeneic Umbilical Cord Blood-Derived Mesenchymal Stem Cells and Hyaluronate Hydrogel: Results from a Clinical Trial for Safety and Proof-of-Concept with 7 Years of Extended Follow-Up. <i>Stem Cells Translational Medicine</i> , 2017, 6, 613-621.	1.6	289
15	Rotational Alignment of the Distal Femur in Korean Female Patients with Osteoarthritis Using a Computer Image Program. <i>The Journal of the Korean Orthopaedic Association</i> , 2017, 52, 272.	0.0	0
16	Effect of Transplanting Various Concentrations of a Composite of Human Umbilical Cord Blood-Derived Mesenchymal Stem Cells and Hyaluronic Acid Hydrogel on Articular Cartilage Repair in a Rabbit Model. <i>PLoS ONE</i> , 2016, 11, e0165446.	1.1	23
17	Anatomic placement of the femoral tunnel by a modified transtibial technique using a large-offset femoral tunnel guide: A cadaveric study. <i>Knee</i> , 2016, 23, 659-665.	0.8	6
18	Increased Range of Motion Is Important for Functional Outcome and Satisfaction After Total Knee Arthroplasty in Asian Patients. <i>Journal of Arthroplasty</i> , 2016, 31, 1199-1203.	1.5	46

#	ARTICLE	IF	CITATIONS
19	Incidence and Fate of "Symptomatic" Venous Thromboembolism After Knee Arthroplasty Without Pharmacologic Prophylaxis in an Asian Population. <i>Journal of Arthroplasty</i> , 2016, 31, 1072-1077.	1.5	19
20	Selective Medial Release Technique Using the Pie-Crusting Method for Medial Tightness During Primary Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 1005-1010.	1.5	23
21	Are the Current Outcome Measurement Tools Appropriate for the Evaluation of the Knee Status in Deep Flexion Range?. <i>Journal of Arthroplasty</i> , 2016, 31, 87-91.	1.5	10
22	Trend in Hip Fracture Incidence and Mortality in Korea: A Prospective Cohort Study from 2002 to 2011. <i>Journal of Korean Medical Science</i> , 2015, 30, 483.	1.1	59
23	Emphysematous Cystitis Found Incidentally in a Patient Undergoing Hip Arthroplasty. <i>JBJS Case Connector</i> , 2015, 5, e83.	0.1	0
24	Cartilage Repair Using Composites of Human Umbilical Cord Blood-Derived Mesenchymal Stem Cells and Hyaluronic Acid Hydrogel in a Minipig Model. <i>Stem Cells Translational Medicine</i> , 2015, 4, 1044-1051.	1.6	87
25	Systemic capillary leak syndrome induced by influenza type A infection. <i>Clinical and Experimental Emergency Medicine</i> , 2014, 1, 126-129.	0.5	2
26	Morbidity and Mortality in Jeju Residents over 50-Years of Age with Hip Fracture with Mean 6-Year Follow-Up: A Prospective Cohort Study. <i>Journal of Korean Medical Science</i> , 2013, 28, 1089.	1.1	34