

Peter A Bretscher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6777362/publications.pdf>

Version: 2024-02-01

83
papers

3,488
citations

201385

27
h-index

143772

57
g-index

85
all docs

85
docs citations

85
times ranked

2333
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of cytokines in determining the Th1/Th2 phenotype of an immune response: Coherence of the T cell response and the Cytokine Implementation Hypothesis. <i>Scandinavian Journal of Immunology</i> , 2022, 95, e13110.	1.3	6
2	Information overload and resilience in facing foundational issues. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	3
3	Facing the Increased Prevalence of Antibiotic-Resistant <i>M. tuberculosis</i> : Exploring the Feasibility of Realising Koch's Aspirations of Immunotherapy of Tuberculosis. <i>Antibiotics</i> , 2022, 11, 371.	1.5	3
4	The historical postulate: Is it the basis, at the level of the system, for self-nonself discrimination?. <i>Scandinavian Journal of Immunology</i> , 2021, 94, e13033.	1.3	6
5	Differential sensitivity of inflammatory macrophages and alternatively activated macrophages to ferroptosis. <i>European Journal of Immunology</i> , 2021, 51, 2417-2429.	1.6	22
6	Can interruption/withdrawal of anti-retroviral therapy provide personalized immunotherapy against HIV-1?. <i>Scandinavian Journal of Immunology</i> , 2020, 92, e12934.	1.3	5
7	On T cell development, T cell signals, T cell specificity and sensitivity, and the autoimmunity facilitated by lymphopenia. <i>Scandinavian Journal of Immunology</i> , 2020, 91, e12888.	1.3	4
8	On Analyzing How the Th1/Th2 Phenotype of an Immune Response Is Determined: Classical Observations Must Not Be Ignored. <i>Frontiers in Immunology</i> , 2019, 10, 1234.	2.2	34
9	On how the immune system preferentially interacts with antigen-specific molecules bound to antigen over unbound molecules, with emphasis on B cell receptor signalling. <i>Scandinavian Journal of Immunology</i> , 2019, 90, e12795.	1.3	3
10	The history of the two-signal model of lymphocyte activation: A personal perspective. <i>Scandinavian Journal of Immunology</i> , 2019, 89, e12762.	1.3	26
11	A hypothesis for the existence of two types of tuberculosis, reflecting two distinct types of immune failure to control the pathogen, based upon prevalence of mycobacterium-specific IgG subclasses. <i>Scandinavian Journal of Immunology</i> , 2018, 87, e12665.	1.3	13
12	Does T Cell Activation Require a Quorum of Lymphocytes?. <i>Journal of Immunology</i> , 2018, 201, 2855-2861.	0.4	26
13	Immune Class Regulation and Its Medical Significance Part II of a Report of a Workshop on Foundational Concepts of Immune Regulation. <i>Scandinavian Journal of Immunology</i> , 2017, 85, 242-250.	1.3	4
14	Is the Framework of Cohn's Tritope Model for How T Cell Receptors Recognize Peptide/Self-MHC Complexes and Allo-MHC Plausible?. <i>Scandinavian Journal of Immunology</i> , 2016, 83, 311-313.	1.3	7
15	A Conversation with Cohn on the Activation of CD4 T Cells. <i>Scandinavian Journal of Immunology</i> , 2015, 82, 147-159.	1.3	2
16	Phospholipid oxidation generates potent anti-inflammatory lipid mediators that mimic structurally related pro-resolving eicosanoids by activating Nrf2. <i>EMBO Molecular Medicine</i> , 2015, 7, 593-607.	3.3	81
17	Total Synthesis of Prostaglandin 15d-PG ₂ and Investigation of its Effect on the Secretion of IL-6 and IL-12. <i>Organic Letters</i> , 2015, 17, 4340-4343.	2.4	37
18	The Activation and Inactivation of Mature CD4 T cells: A Case for Peripheral Self-Nonself Discrimination. <i>Scandinavian Journal of Immunology</i> , 2014, 79, 348-360.	1.3	25

#	ARTICLE	IF	CITATIONS
19	Discovery of a Highly Potent Anti-inflammatory Epoxyisoprostane-Derived Lactone. <i>Journal of the American Chemical Society</i> , 2014, 136, 17382-17385.	6.6	28
20	On the Mechanism Determining the Th1/Th2 Phenotype of an Immune Response, and its Pertinence to Strategies for the Prevention, and Treatment, of Certain Infectious Diseases. <i>Scandinavian Journal of Immunology</i> , 2014, 79, 361-376.	1.3	89
21	The Number of Responding CD4 T Cells and the Dose of Antigen Conjointly Determine the Th1/Th2 Phenotype by Modulating B7/CD28 Interactions. <i>Journal of Immunology</i> , 2014, 192, 5140-5150.	0.4	34
22	Immune response and its correlation with the disease activity in patients with advanced colorectal cancer (aCRC): Results from a prospective observational study.. <i>Journal of Clinical Oncology</i> , 2014, 32, 471-471.	0.8	1
23	MULTIPLE SCLEROSIS AND THE IMMUNE SYSTEM: A COMMENTARY. , 2014, , .		0
24	IMMUNOLOGY IS NOT A SCIENCE OF COMPLEXITY: IMPLICATIONS FOR CONTEMPORARY WAYS OF UNDERSTANDING. , 2014, , .		0
25	Synthesis of Epoxyisoprostanes: Effects in Reducing Secretion of Pro-inflammatory Cytokines IL6 and IL12. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 5382-5385.	7.2	46
26	Antigen Presenting B Cells Facilitate CD4 T Cell Cooperation Resulting in Enhanced Generation of Effector and Memory CD4 T Cells. <i>PLoS ONE</i> , 2013, 8, e77346.	1.1	21
27	Direct demonstration of CD4 T cell cooperation in the primary in vivo generation of CD4 effector T cells. <i>International Immunology</i> , 2012, 24, 519-527.	1.8	9
28	Distinct roles of dendritic and B cells in the activation of naive CD4 ⁺ T cells. <i>Immunotherapy</i> , 2012, 4, 355-357.	1.0	7
29	The activation, by antigen, of na ^{ve} TCR transgenic CD4 T cells cultured at physiological, rather than artificially high, frequencies more accurately reflects the in vivo activation of normal numbers of na ^{ve} CD4 ⁺ T cells. <i>Cellular Immunology</i> , 2012, 274, 115-120.	1.4	3
30	Development of Th1 Imprints to rBCG Expressing a Foreign Protein: Implications for Vaccination against HIV-1 and Diverse Influenza Strains. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-8.	3.0	1
31	Immunization of newborn and adult mice with low numbers of BCG leads to Th1 responses, Th1 imprints and enhanced protection upon BCG challenge. <i>Immunotherapy</i> , 2010, 2, 25-35.	1.0	23
32	CD4 T cell cooperation is required for the in vivo activation of CD4 T cells. <i>International Immunology</i> , 2009, 21, 1213-1224.	1.8	16
33	Macroimmunology and immunotherapy of cancer. <i>Immunotherapy</i> , 2009, 1, 367-383.	1.0	8
34	Different immune correlates associated with tumor progression and regression: implications for prevention and treatment of cancer. <i>Cancer Immunology, Immunotherapy</i> , 2008, 57, 1125-1136.	2.0	36
35	Activation of thymic T cells by MHC alloantigen requires syngeneic, activated CD4 ⁺ T cells and B cells as APC. <i>International Immunology</i> , 2006, 18, 719-728.	1.8	9
36	Increasing the foreignness of an antigen, by coupling a second and foreign antigen to it, increases the T helper type 2 component of the immune response to the first antigen. <i>Immunology</i> , 2005, 115, 34-41.	2.0	34

#	ARTICLE	IF	CITATIONS
37	Cooperation between CD4 T helper cells is required for the generation of alloantigen-specific, IFN γ -producing human CD4 T cells. <i>Immunology and Cell Biology</i> , 2005, 83, 175-181.	1.0	1
38	Analysis of cytokine-producing Th cells from hen egg lysozyme-immunized mice reveals large numbers specific for 'cryptic' peptides and different repertoires among different Th populations. <i>European Journal of Immunology</i> , 2005, 35, 56-65.	1.6	13
39	Living with the ups and downs of the two signal model. <i>Immunology and Cell Biology</i> , 2004, 82, 141-148.	1.0	9
40	What information is needed to design effective vaccination against intracellular pathogens causing chronic disease?. <i>Expert Review of Vaccines</i> , 2002, 1, 179-192.	2.0	7
41	Two Signal Models of Lymphocyte Activation Incorporate a Mechanism of Peripheral Tolerance, and Have Implications for Achieving Immunological Unresponsiveness and Effective Transplantation. <i>Vox Sanguinis</i> , 2002, 83, 155-158.	0.7	3
42	Cell-to-cell interactions and signaling within the immune system: Towards integrating mechanism and physiology. <i>NeuroImmune Biology</i> , 2001, 1, 71-85.	0.2	0
43	More antigen-dependent CD4+ T cell / CD4+ T cell interactions are required for the primary generation of Th2 than of Th1 cells. <i>European Journal of Immunology</i> , 2001, 31, 1765-1771.	1.6	29
44	Immune Elimination of <i>Leishmania major</i> in Mice: Implications for Immune Memory, Vaccination, and Reactivation Disease. <i>Journal of Immunology</i> , 2001, 167, 6967-6974.	0.4	164
45	Distinct Immunity in Patients with Visceral Leishmaniasis from that in Subclinically Infected and Drug-Cured People: Implications for the Mechanism Underlying Drug Cure. <i>Journal of Infectious Diseases</i> , 2001, 184, 112-115.	1.9	38
46	Anti-IL-4 antibody therapy causes regression of chronic lesions caused by medium-dose <i>Leishmania major</i> infection in BALB/c mice. <i>European Journal of Immunology</i> , 2001, 31, 3175-84.	1.6	11
47	Contemporary models for peripheral tolerance and the classical 'historical postulate'™. <i>Seminars in Immunology</i> , 2000, 12, 221-229.	2.7	15
48	A two-step, two-signal model for the primary activation of precursor helper T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 185-190.	3.3	313
49	A valid ELISPOT assay for enumeration of ex vivo, antigen-specific, IFN γ -producing T cells. <i>Journal of Immunological Methods</i> , 1999, 227, 99-107.	0.6	76
50	The Th1/Th2 nature of concurrent immune responses to unrelated antigens can be independent. <i>Journal of Immunology</i> , 1999, 163, 4842-50.	0.4	30
51	Parasite dose determines the Th1/Th2 nature of the response to <i>Leishmania major</i> independently of infection route and strain of host or parasite. <i>European Journal of Immunology</i> , 1998, 28, 4020-4028.	1.6	103
52	Mycobacterial Dose Defines the Th1/Th2 Nature of the Immune Response Independently of Whether Immunization Is Administered by the Intravenous, Subcutaneous, or Intradermal Route. <i>Infection and Immunity</i> , 1998, 66, 5743-5750.	1.0	160
53	Distinct immunological states in murine cutaneous leishmaniasis by immunising with different amounts of antigen: the generation of beneficial, potentially harmful, harmful and potentially extremely harmful states. <i>Behring Institute Mitteilungen</i> , 1997, , 153-9.	0.2	12
54	Towards a strategy of universally efficacious vaccination against pathogens uniquely susceptible to cell-mediated attack. <i>Journal of Biotechnology</i> , 1996, 44, 1-4.	1.9	10

#	ARTICLE	IF	CITATIONS
55	Characterization of the immunological memory state generated in mice susceptible to Leishmania major following exposure to low doses of L. major and resulting in resistance to a normally pathogenic challenge. <i>European Journal of Immunology</i> , 1996, 26, 243-249.	1.6	65
56	Tuberculosis and HIV: light after darkness.. <i>Thorax</i> , 1994, 49, 537-539.	2.7	6
57	Prospects for Low Dose BCG Vaccination against Tuberculosis. <i>Immunobiology</i> , 1994, 191, 548-554.	0.8	20
58	A strategy for prophylactic vaccination against HIV. <i>Science</i> , 1993, 260, 1270-1272.	6.0	205
59	Response. <i>Science</i> , 1993, 262, 1075-1076.	6.0	6
60	Establishment of stable, cell-mediated immunity that makes "susceptible" mice resistant to Leishmania major. <i>Science</i> , 1992, 257, 539-542.	6.0	527
61	Cyclosporin A can switch the immune response induced by antigen from a humoral to a cell-mediated mode. <i>European Journal of Immunology</i> , 1992, 22, 349-355.	1.6	25
62	Antigen-specific CD8+ T cells switch the immune response induced by antigen from an IgG to a cell-mediated mode. <i>Journal of Immunology</i> , 1992, 148, 397-403.	0.4	15
63	The regulatory functions of CD4+ and CD8+ T-cell subsets in immune class regulation. <i>Research in Immunology</i> , 1991, 142, 45-50.	0.9	27
64	T cells expressing delayed-type hypersensitivity can be derived from a humorally immune lymphocyte population. <i>European Journal of Immunology</i> , 1987, 17, 949-954.	1.6	12
65	A cascade of T-T interactions, mediated by the linked recognition of antigen, in the induction of T cells able to help delayed-type hypersensitivity responses. <i>Journal of Immunology</i> , 1986, 137, 3726-33.	0.4	25
66	Hapten-Ficoll conjugates induce T-cell-dependent IgM anti-hapten responses and T cells mediating hapten-specific delayed-type hypersensitivity. <i>Cellular Immunology</i> , 1984, 85, 396-405.	1.4	4
67	In Vitro Induction of Specific T Cells Able to Help in the Generation of Delayed-Type Hypersensitivity by Thymus-Dependent and Type-II 'Thymus-Independent' Antigens. <i>Scandinavian Journal of Immunology</i> , 1984, 20, 519-525.	1.3	1
68	Regulation of the class of immune response induced by antigen. <i>Cellular Immunology</i> , 1983, 81, 345-356.	1.4	34
69	In vitro analysis of the cellular interactions between unprimed lymphocytes responsible for determining the class of response an antigen induces: specific T cells switch a cell-mediated response to a humoral response. <i>Journal of Immunology</i> , 1983, 131, 1103-7.	0.4	20
70	T cells cooperating in the induction of delayed-type hypersensitivity act via the linked recognition of antigenic determinants.. <i>Journal of Experimental Medicine</i> , 1982, 155, 1037-1049.	4.2	67
71	Significance and mechanisms of cellular regulation of the immune response. <i>Federation Proceedings</i> , 1981, 40, 1473-8.	1.3	12
72	In vitro induction of delayed-type hypersensitivity. <i>European Journal of Immunology</i> , 1979, 9, 311-316.	1.6	26

#	ARTICLE	IF	CITATIONS
73	Requirement for antigen in lipopolysaccharide-dependent induction of B cells. <i>European Journal of Immunology</i> , 1978, 8, 534-537.	1.6	21
74	Helper T cells are required for the polyclonal stimulation of cytotoxic T cells by concanavalin A.. <i>Journal of Experimental Medicine</i> , 1977, 145, 1237-1249.	4.2	17
75	Discrimination of suppressor T cells of humoral and cell-mediated immunity by anti-Ly and anti-Ia sera. <i>Cellular Immunology</i> , 1977, 31, 364-369.	1.4	84
76	Regulation of the immune response II. Repressor T cells in cyclophosphamide-induced tolerant mice. <i>European Journal of Immunology</i> , 1977, 7, 180-185.	1.6	73
77	Regulation of the immune response. I. Suppression of delayed-type hypersensitivity by T cells from mice expressing humoral immunity. <i>European Journal of Immunology</i> , 1976, 6, 674-679.	1.6	144
78	The Two Signal Model. <i>Immunological Reviews</i> , 1975, 23, 37-48.	2.8	24
79	On the control between cell-mediated, IgM and IgG immunity. <i>Cellular Immunology</i> , 1974, 13, 171-195.	1.4	111
80	Hypothesis: A model for generalised autoimmunity. <i>Cellular Immunology</i> , 1973, 6, 1-11.	1.4	57
81	The Control of Humoral and Associative Antibody Synthesis. <i>Immunological Reviews</i> , 1972, 11, 217-267.	2.8	24
82	Models for Haem-Haem Interaction. <i>Nature</i> , 1968, 219, 606-607.	13.7	18
83	Minimal Model for the Mechanism of Antibody Induction and Paralysis by Antigen. <i>Nature</i> , 1968, 220, 444-448.	13.7	151