

# Carina A Thorstensson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6778136/publications.pdf>

Version: 2024-02-01

27  
papers

1,305  
citations

430754

18  
h-index

526166

27  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1894  
citing authors

#	ARTICLE	IF	CITATIONS
1	Osteoarthritis: Models for appropriate care across the disease continuum. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016, 30, 503-535.	1.4	123
2	Better Management of Patients with Osteoarthritis: Development and Nationwide Implementation of an Evidence-Based Supported Osteoarthritis Self-Management Programme. <i>Musculoskeletal Care</i> , 2015, 13, 67-75.	0.6	121
3	Identification of phenotypes with different clinical outcomes in knee osteoarthritis: Data from the osteoarthritis initiative. <i>Arthritis Care and Research</i> , 2011, 63, 1535-1542.	1.5	115
4	Serum levels of Cartilage Oligomeric Matrix Protein (COMP) increase temporarily after physical exercise in patients with knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 98.	0.8	94
5	Association of lower muscle strength with self-reported knee instability in osteoarthritis of the knee: Results from the Amsterdam Osteoarthritis Cohort. <i>Arthritis Care and Research</i> , 2012, 64, 38-45.	1.5	92
6	Is knee osteoarthritis a symmetrical disease? Analysis of a 12 year prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 153.	0.8	85
7	Risk of sick leave and disability pension in working-age women and men with knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 401-405.	0.5	85
8	Six-week high-intensity exercise program for middle-aged patients with knee osteoarthritis: a randomized controlled trial [ISRCTN20244858]. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 27.	0.8	82
9	Dissatisfied patients after total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 229-233.	1.2	60
10	The effect of education and supervised exercise on physical activity, pain, quality of life and self-efficacy - an intervention study with a reference group. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 198.	0.8	57
11	How do middle-aged patients conceive exercise as a form of treatment for knee osteoarthritis?. <i>Disability and Rehabilitation</i> , 2006, 28, 51-59.	0.9	53
12	Help-seeking behaviour among people living with chronic hip or knee pain in the community. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 153.	0.8	52
13	A Web-Based Platform for Patients With Osteoarthritis of the Hip and Knee: A Pilot Study. <i>JMIR Research Protocols</i> , 2016, 5, e115.	0.5	49
14	Choosing surgery: patients' preferences within a trial of treatments for anterior cruciate ligament injury. A qualitative study. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 100.	0.8	45
15	Sickness absence in musculoskeletal disorders - patients' experiences of interactions with the Social Insurance Agency and health care. A qualitative study. <i>BMC Public Health</i> , 2011, 11, 107.	1.2	34
16	High self-efficacy â€” a predictor of reduced pain and higher levels of physical activity among patients with osteoarthritis: an observational study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 380.	0.8	27
17	Similar Problem in the Activities of Daily Living but Different Experience: A Qualitative Analysis in Six Rheumatic Conditions and Eight European Countries. <i>Musculoskeletal Care</i> , 2014, 12, 22-33.	0.6	23
18	Knee joint stabilization therapy in patients with osteoarthritis of the knee and knee instability: Subgroup analyses in a randomized, controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 703-707.	0.8	18

#	ARTICLE	IF	CITATIONS
19	Cooperation between gatekeepers in sickness insurance – the perspective of social insurance officers. A qualitative study. <i>BMC Health Services Research</i> , 2008, 8, 231.	0.9	16
20	Health enhancing physical activity in patients with hip or knee osteoarthritis - an observational intervention study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 42.	0.8	16
21	Chronic widespread pain and its associations with quality of life and function at a 20-year follow-up of individuals with chronic knee pain at inclusion. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 592.	0.8	13
22	Relationship between finger flexion and extension force in healthy women and women with rheumatoid arthritis. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 605-608.	0.8	12
23	Differences in muscle activity during hand-dexterity tasks between women with arthritis and a healthy reference group. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 154.	0.8	12
24	Change in self-efficacy after participation in a supported self-management program for osteoarthritis – an observational study of 11 906 patients. <i>Disability and Rehabilitation</i> , 2020, 42, 2133-2140.	0.9	12
25	Physiotherapist as primary assessor for patients with suspected knee osteoarthritis in primary care – a randomised controlled pragmatic study. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 329.	0.8	4
26	Physiotherapist or physician as primary assessor for patients with suspected knee osteoarthritis in primary care – a cost-effectiveness analysis of a pragmatic trial. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 260.	0.8	4
27	Invited Commentary. <i>Physical Therapy</i> , 2008, 88, 1541-1543.	1.1	1