## Erik C Garnett

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6778269/erik-c-garnett-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

12,460 91 37 97 h-index g-index citations papers 6.76 13,887 13.9 97 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
91	Directional quantum dot emission by soft-stamping on silicon Mie resonators <i>Nanoscale Advances</i> , <b>2022</b> , 4, 1088-1097	5.1	O
90	Direct Patterning of CsPbBr Nanocrystals via Electron-Beam Lithography <i>ACS Applied Energy Materials</i> , <b>2022</b> , 5, 1672-1680	6.1	1
89	Energy-resolved plasmonic chemistry in individual nanoreactors. <i>Nature Nanotechnology</i> , <b>2021</b> ,	28.7	10
88	Ultrafast Thermal Imprinting of Plasmonic Hotspots. Advanced Materials, 2021, e2105192	24	5
87	Integrating Sphere Fourier Microscopy of Highly Directional Emission. ACS Photonics, 2021, 8, 1143-115	16.3	Ο
86	Fano Lineshapes and Rabi Splittings: Can They Be Artificially Generated or Obscured by the Numerical Aperture?. <i>ACS Photonics</i> , <b>2021</b> , 8, 1271-1276	6.3	1
85	Intermittency of CsPbBr Perovskite Quantum Dots Analyzed by an Unbiased Statistical Analysis. Journal of Physical Chemistry C, <b>2021</b> , 125, 12061-12072	3.8	2
84	Ultrafast Photoinduced Heat Generation by Plasmonic HfN Nanoparticles. <i>Advanced Optical Materials</i> , <b>2021</b> , 9, 2100510	8.1	6
83	Shaping Tin Nanocomposites through Transient Local Conversion Reactions. <i>Crystal Growth and Design</i> , <b>2021</b> , 21, 4500-4505	3.5	3
82	Photonics for Photovoltaics: Advances and Opportunities. ACS Photonics, 2021, 8, 61-70	6.3	26
81	Passivation Properties and Formation Mechanism of Amorphous Halide Perovskite Thin Films. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2010330	15.6	4
80	Unlocking Higher Power Efficiencies in Luminescent Solar Concentrators through Anisotropic Luminophore Emission. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2021</b> , 13, 40742-40753	9.5	3
79	Recombination and localization: Unfolding the pathways behind conductivity losses in Cs2AgBiBr6 thin films. <i>Applied Physics Letters</i> , <b>2021</b> , 119, 131908	3.4	3
78	Phase-Resolved Surface Plasmon Scattering Probed by Cathodoluminescence Holography. <i>ACS Photonics</i> , <b>2020</b> , 7, 1476-1482	6.3	8
77	The Application of Electron Backscatter Diffraction on Halide Perovskite Materials. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2000364	21.8	12
76	Nanophotonic Emission Control for Improved Photovoltaic Efficiency. ACS Photonics, 2020, 7, 1589-1602	26.3	6
75	Close-Packed Ultrasmooth Self-assembled Monolayer of CsPbBr Perovskite Nanocubes. <i>ACS Applied Materials &amp; Discourse (Materials &amp; Discourse)</i> , 12, 31764-31769	9.5	9

## (2018-2020)

74	Quantifying Strain and Dislocation Density at Nanocube Interfaces after Assembly and Epitaxy. <i>ACS Applied Materials &amp; Dislocation Density</i> , 12, 8788-8794	9.5	2
73	Controlling Optically Driven Atomic Migration Using Crystal-Facet Control in Plasmonic Nanocavities. <i>ACS Nano</i> , <b>2020</b> , 14, 10562-10568	16.7	18
72	Using Hot Electrons and Hot Holes for Simultaneous Cocatalyst Deposition on Plasmonic Nanostructures. <i>ACS Applied Materials &amp; Acs Applied &amp; Acs A</i>	9.5	9
71	Nanocube Imprint Lithography. ACS Nano, <b>2020</b> , 14, 11009-11016	16.7	10
7°	Photovoltaics Reaching for the ShockleyQueisser Limit. ACS Energy Letters, 2020, 5, 3029-3033	20.1	46
69	Self-Optimized Catalysts: Hot-Electron Driven Photosynthesis of Catalytic Photocathodes. <i>ACS Applied Materials &amp; Discours (Materials &amp; Discours)</i> 11, 35713-35719	9.5	10
68	A monolithic immersion metalens for imaging solid-state quantum emitters. <i>Nature Communications</i> , <b>2019</b> , 10, 2392	17.4	33
67	Spatial Resolution of Coherent Cathodoluminescence Super-Resolution Microscopy. <i>ACS Photonics</i> , <b>2019</b> , 6, 1067-1072	6.3	15
66	Increasing Photoluminescence Quantum Yield by Nanophotonic Design of Quantum-Confined Halide Perovskite Nanowire Arrays. <i>Nano Letters</i> , <b>2019</b> , 19, 2850-2857	11.5	44
65	Introduction: 1D Nanomaterials/Nanowires. <i>Chemical Reviews</i> , <b>2019</b> , 119, 8955-8957	68.1	56
64	Local Crystal Misorientation Influences Non-radiative Recombination in Halide Perovskites. <i>Joule</i> , <b>2019</b> , 3, 3048-3060	27.8	99
63	Tunable plasmonic HfN nanoparticles and arrays. <i>Nanoscale</i> , <b>2019</b> , 11, 20252-20260	7.7	11
62	Perovskite solar cells with a hybrid electrode structure. <i>AIP Advances</i> , <b>2019</b> , 9, 125037	1.5	12
61	General Considerations for Improving Photovoltage in Metal-Insulator-Semiconductor Photoanodes. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 5462-5471	3.8	40
60	Nanoscale chiral valley-photon interface through optical spin-orbit coupling. <i>Science</i> , <b>2018</b> , 359, 443-44	733.3	141
59	Localized photodeposition of catalysts using nanophotonic resonances in silicon photocathodes. <i>Beilstein Journal of Nanotechnology</i> , <b>2018</b> , 9, 2097-2105	3	O
58	Charge carrier-selective contacts for nanowire solar cells. <i>Nature Communications</i> , <b>2018</b> , 9, 3248	17.4	22
57	Transparent Quasi-Interdigitated Electrodes for Semitransparent Perovskite Back-Contact Solar Cells. <i>ACS Applied Energy Materials</i> , <b>2018</b> , 1, 4473-4478	6.1	23

56	Shape-preserving transformation of carbonate minerals into lead halide perovskite semiconductors based on ion exchange/insertion reactions. <i>Nature Chemistry</i> , <b>2018</b> , 10, 740-745	17.6	37
55	Broadband highly directive 3D nanophotonic lenses. <i>Nature Communications</i> , <b>2018</b> , 9, 4742	17.4	18
54	Understanding Detrimental and Beneficial Grain Boundary Effects in Halide Perovskites. <i>Advanced Materials</i> , <b>2018</b> , 30, e1804792	24	90
53	Fundamentals of the nanowire solar cell: Optimization of the open circuit voltage. <i>Applied Physics Reviews</i> , <b>2018</b> , 5, 031106	17.3	51
52	Surface recombination velocity of methylammonium lead bromide nanowires in anodic aluminium oxide templates. <i>Molecular Systems Design and Engineering</i> , <b>2018</b> , 3, 723-728	4.6	5
51	Integrating Sphere Microscopy for Direct Absorption Measurements of Single Nanostructures. <i>ACS Nano</i> , <b>2017</b> , 11, 1412-1418	16.7	20
50	Benchmarking photoactive thin-film materials using a laser-induced steady-state photocarrier grating. <i>Progress in Photovoltaics: Research and Applications</i> , <b>2017</b> , 25, 605-613	6.8	3
49	Monocrystalline Nanopatterns Made by Nanocube Assembly and Epitaxy. <i>Advanced Materials</i> , <b>2017</b> , 29, 1701064	24	12
48	3D multi-energy deconvolution electron microscopy. <i>Nanoscale</i> , <b>2017</b> , 9, 684-689	7.7	13
47	Indirect to direct bandgap transition in methylammonium lead halide perovskite. <i>Energy and Environmental Science</i> , <b>2017</b> , 10, 509-515	35.4	237
46	Perovskite Nanowire Extrusion. <i>Nano Letters</i> , <b>2017</b> , 17, 6557-6563	11.5	33
45	Direct Observation of Halide Migration and its Effect on the Photoluminescence of Methylammonium Lead Bromide Perovskite Single Crystals. <i>Advanced Materials</i> , <b>2017</b> , 29, 1703451	24	68
44	Halide Perovskite 3D Photonic Crystals for Distributed Feedback Lasers. ACS Photonics, 2017, 4, 2522-2	2508	47
43	Nano-antenna enhanced two-focus fluorescence correlation spectroscopy. <i>Scientific Reports</i> , <b>2017</b> , 7, 5985	4.9	5
42	Controlling crystallization to imprint nanophotonic structures into halide perovskites using soft lithography. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 8301-8307	7.1	37
41	Nanoscale Back Contact Perovskite Solar Cell Design for Improved Tandem Efficiency. <i>Nano Letters</i> , <b>2017</b> , 17, 5206-5212	11.5	72
40	Interfacial engineering of metal-insulator-semiconductor junctions for efficient and stable photoelectrochemical water oxidation. <i>Nature Communications</i> , <b>2017</b> , 8, 15968	17.4	132
39	Quantifying losses and thermodynamic limits in nanophotonic solar cells. <i>Nature Nanotechnology</i> , <b>2016</b> , 11, 1071-1075	28.7	36

38	Generalized antireflection coatings for complex bulk metamaterials. <i>Physical Review B</i> , <b>2016</b> , 93,	3.3	4
37	Carrier Diffusion Lengths in Hybrid Perovskites: Processing, Composition, Aging, and Surface Passivation Effects. <i>Chemistry of Materials</i> , <b>2016</b> , 28, 5259-5263	9.6	74
36	Solution-Grown Silver Nanowire Ordered Arrays as Transparent Electrodes. <i>Advanced Materials</i> , <b>2016</b> , 28, 905-9	24	89
35	Growth and Characterization of PDMS-Stamped Halide Perovskite Single Microcrystals. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 6475-6481	3.8	23
34	Engineering the kinetics and interfacial energetics of Ni/NiMo catalyzed amorphous silicon carbide photocathodes in alkaline media. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 6842-6852	13	30
33	Measuring n and k at the Microscale in Single Crystals of CH3NH3PbBr3 Perovskite. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 616-620	3.8	58
32	AgFeS -Nanowire-Modified BiVO Photoanodes for Photoelectrochemical Water Splitting. <i>ChemPlusChem</i> , <b>2016</b> , 81, 1075-1082	2.8	5
31	Super-resolution imaging of light-matter interactions near single semiconductor nanowires. <i>Nature Communications</i> , <b>2016</b> , 7, 13950	17.4	17
30	Photovoltaic materials: Present efficiencies and future challenges. <i>Science</i> , <b>2016</b> , 352, aad4424	33.3	1192
29	Metal-Insulator-Semiconductor Nanowire Network Solar Cells. <i>Nano Letters</i> , <b>2016</b> , 16, 3689-95	11.5	22
28	Preparation of Organometal Halide Perovskite Photonic Crystal Films for Potential Optoelectronic Applications. <i>ACS Applied Materials &amp; Descriptions (Note of Section 2016)</i> 8, 25489-95	9.5	34
27	Opportunities and Limitations for Nanophotonic Structures To Exceed the Shockley-Queisser Limit. <i>ACS Nano</i> , <b>2016</b> , 10, 8620-31	16.7	37
26	Boosting Solar Cell Photovoltage via Nanophotonic Engineering. <i>Nano Letters</i> , <b>2016</b> , 16, 6467-6471	11.5	47
25	Resonant Nanophotonic Spectrum Splitting for Ultrathin Multijunction Solar Cells. <i>ACS Photonics</i> , <b>2015</b> , 2, 816-821	6.3	34
24	Transformation of Ag nanowires into semiconducting AgFeS2 nanowires. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 4340-3	16.4	16
23	The expanding world of hybrid perovskites: materials properties and emerging applications. <i>MRS Communications</i> , <b>2015</b> , 5, 7-26	2.7	105
22	Au-Cu2O core-shell nanowire photovoltaics. <i>Applied Physics Letters</i> , <b>2015</b> , 106, 023501	3.4	16
21	Solution-phase epitaxial growth of quasi-monocrystalline cuprous oxide on metal nanowires. <i>Nano Letters</i> , <b>2014</b> , 14, 5891-8	11.5	23

20	Metamaterial mirrors in optoelectronic devices. <i>Nature Nanotechnology</i> , <b>2014</b> , 9, 542-7	28.7	136
19	Large-area free-standing ultrathin single-crystal silicon as processable materials. <i>Nano Letters</i> , <b>2013</b> , 13, 4393-8	11.5	126
18	Extreme light absorption in thin semiconductor films wrapped around metal nanowires. <i>Nano Letters</i> , <b>2013</b> , 13, 3173-8	11.5	81
17	Optimization of non-periodic plasmonic light-trapping layers for thin-film solar cells. <i>Nature Communications</i> , <b>2013</b> , 4, 2095	17.4	107
16	Passivation coating on electrospun copper nanofibers for stable transparent electrodes. <i>ACS Nano</i> , <b>2012</b> , 6, 5150-6	16.7	161
15	Self-limited plasmonic welding of silver nanowire Junctions. <i>Nature Materials</i> , <b>2012</b> , 11, 241-9	27	891
14	Hybrid silicon nanocone-polymer solar cells. <i>Nano Letters</i> , <b>2012</b> , 12, 2971-6	11.5	380
13	Absorption of light in a single-nanowire silicon solar cell decorated with an octahedral silver nanocrystal. <i>Nano Letters</i> , <b>2011</b> , 11, 5189-95	11.5	65
12	Nanowire Solar Cells. Annual Review of Materials Research, <b>2011</b> , 41, 269-295	12.8	493
11	Oligo- and polythiophene/ZnO hybrid nanowire solar cells. <i>Nano Letters</i> , <b>2010</b> , 10, 334-40	11.5	370
10	Fast and scalable printing of large area monolayer nanoparticles for nanotexturing applications. <i>Nano Letters</i> , <b>2010</b> , 10, 2989-94	11.5	76
9	Light trapping in silicon nanowire solar cells. <i>Nano Letters</i> , <b>2010</b> , 10, 1082-7	11.5	1783
8	Silicon nanowire hybrid photovoltaics <b>2010</b> ,		6
7	Enhanced thermoelectric performance of rough silicon nanowires <b>2010</b> , 111-115		
6	Dopant profiling and surface analysis of silicon nanowires using capacitance-voltage measurements. <i>Nature Nanotechnology</i> , <b>2009</b> , 4, 311-4	28.7	145
5	Enhanced thermoelectric performance of rough silicon nanowires. <i>Nature</i> , <b>2008</b> , 451, 163-7	50.4	3293
4	Silicon nanowire radial p-n junction solar cells. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 922	<b>4-5</b> 6.4	774
3	Growth and Electrical Characteristics of Platinum-Nanoparticle-Catalyzed Silicon Nanowires. <i>Advanced Materials</i> , <b>2007</b> , 19, 2946-2950	24	79

## LIST OF PUBLICATIONS

Effects of Nafion as a binding agent for unsupported nanoparticle catalysts. *Journal of Power Sources*, **2003**, 115, 35-39

8.9 53

Direct write contacts for solar cells

-8