

Karina W Davidson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6780032/karina-w-davidson-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

372
papers

31,820
citations

76
h-index

173
g-index

404
ext. papers

39,886
ext. citations

10.2
avg, IF

7.22
L-index

#	Paper	IF	Citations
372	Presenting Characteristics, Comorbidities, and Outcomes Among 5700 Patients Hospitalized With COVID-19 in the New York City Area. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2052-2059	27.4	5108
371	Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: a collaborative meta-analysis of 102 prospective studies. <i>Lancet, The</i> , 2010 , 375, 2215-22	40	2745
370	C-reactive protein concentration and risk of coronary heart disease, stroke, and mortality: an individual participant meta-analysis. <i>Lancet, The</i> , 2010 , 375, 132-40	40	1584
369	Screening for Colorectal Cancer: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2564-2575	27.4	1133
368	The epidemiology, pathophysiology, and management of psychosocial risk factors in cardiac practice: the emerging field of behavioral cardiology. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 637-51	15.1	901
367	Screening for Breast Cancer: U.S. Preventive Services Task Force Recommendation Statement. <i>Annals of Internal Medicine</i> , 2016 , 164, 279-96	8	840
366	Screening for Depression in Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 380-7	27.4	755
365	Core outcome domains and measures for pediatric acute and chronic/recurrent pain clinical trials: PedIMMPACT recommendations. <i>Journal of Pain</i> , 2008 , 9, 771-83	5.2	585
364	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , 2018 , 391, 1513-1523	40	530
363	Screening for Prostate Cancer: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1901-1913	27.4	505
362	Screening for Cervical Cancer: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 674-686	27.4	430
361	Anxiety disorders and comorbid medical illness. <i>General Hospital Psychiatry</i> , 2008 , 30, 208-25	5.6	417
360	Masked hypertension. <i>Hypertension</i> , 2002 , 40, 795-6	8.5	399
359	Screening for Obesity in Children and Adolescents: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 2417-2426	27.4	378
358	Association of Cardiometabolic Multimorbidity With Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 52-60	27.4	365
357	Losing life and livelihood: a systematic review and meta-analysis of unemployment and all-cause mortality. <i>Social Science and Medicine</i> , 2011 , 72, 840-54	5.1	351
356	Statin Use for the Primary Prevention of Cardiovascular Disease in Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1997-2007	27.4	343

355	Evidence-based behavioral medicine: what is it and how do we achieve it?. <i>Annals of Behavioral Medicine</i> , 2003 , 26, 161-71	4.5	292
354	Fitbit [®] : An accurate and reliable device for wireless physical activity tracking. <i>International Journal of Cardiology</i> , 2015 , 185, 138-40	3.2	271
353	Toward a causal model of cardiovascular responses to stress and the development of cardiovascular disease. <i>Psychosomatic Medicine</i> , 2003 , 65, 22-35	3.7	266
352	Do depression symptoms predict early hypertension incidence in young adults in the CARDIA study? Coronary Artery Risk Development in Young Adults. <i>Archives of Internal Medicine</i> , 2000 , 160, 1495-500		264
351	Enhanced depression care for patients with acute coronary syndrome and persistent depressive symptoms: coronary psychosocial evaluation studies randomized controlled trial. <i>Archives of Internal Medicine</i> , 2010 , 170, 600-8		242
350	World Health Organization cardiovascular disease risk charts: revised models to estimate risk in 21 global regions. <i>The Lancet Global Health</i> , 2019 , 7, e1332-e1345	13.6	239
349	Posttraumatic stress disorder prevalence and risk of recurrence in acute coronary syndrome patients: a meta-analytic review. <i>PLoS ONE</i> , 2012 , 7, e38915	3.7	238
348	Screening for Osteoporosis to Prevent Fractures: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 2521-2531	27.4	217
347	Don't worry, be happy: positive affect and reduced 10-year incident coronary heart disease: the Canadian Nova Scotia Health Survey. <i>European Heart Journal</i> , 2010 , 31, 1065-70	9.5	216
346	Usual and unusual care: existing practice control groups in randomized controlled trials of behavioral interventions. <i>Psychosomatic Medicine</i> , 2011 , 73, 323-35	3.7	195
345	Large-scale gene-centric meta-analysis across 32 studies identifies multiple lipid loci. <i>American Journal of Human Genetics</i> , 2012 , 91, 823-38	11	189
344	Behavioral Weight Loss Interventions to Prevent Obesity-Related Morbidity and Mortality in Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1163-1171	27.4	189
343	Meta-analysis of perceived stress and its association with incident coronary heart disease. <i>American Journal of Cardiology</i> , 2012 , 110, 1711-6	3	172
342	Prevalence of SARS-CoV-2 Antibodies in Health Care Personnel in the New York City Area. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 893-895	27.4	169
341	Persistent depression affects adherence to secondary prevention behaviors after acute coronary syndromes. <i>Journal of General Internal Medicine</i> , 2006 , 21, 1178-83	4	167
340	Interventions to Prevent Perinatal Depression: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 580-587	27.4	166
339	The role of angry rumination and distraction in blood pressure recovery from emotional arousal. <i>Psychosomatic Medicine</i> , 2006 , 68, 64-72	3.7	162
338	Risk Assessment, Genetic Counseling, and Genetic Testing for BRCA-Related Cancer: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 652-665	27.4	161

337	Screening and Behavioral Counseling Interventions to Reduce Unhealthy Alcohol Use in Adolescents and Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1899-1909	27.4	160
336	Screening for Skin Cancer: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 429-35	27.4	151
335	Folic Acid Supplementation for the Prevention of Neural Tube Defects: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 183-189	27.4	148
334	COVID-19 in kidney transplant recipients. <i>American Journal of Transplantation</i> , 2020 , 20, 1819-1825	8.7	145
333	Interventions to Prevent Falls in Community-Dwelling Older Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1696-1704	27.4	144
332	Vitamin D supplementation for depressive symptoms: a systematic review and meta-analysis of randomized controlled trials. <i>Psychosomatic Medicine</i> , 2014 , 76, 190-6	3.7	138
331	Preexposure Prophylaxis for the Prevention of HIV Infection: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 2203-2213	27.4	137
330	Course of depressive symptoms and medication adherence after acute coronary syndromes: an electronic medication monitoring study. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 2218-2221	15.1	136
329	Screening for Thyroid Cancer: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 1882-1887	27.4	135
328	Gene-centric meta-analysis in 87,736 individuals of European ancestry identifies multiple blood-pressure-related loci. <i>American Journal of Human Genetics</i> , 2014 , 94, 349-60	11	131
327	Screening for Ovarian Cancer: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 588-594	27.4	126
326	Characteristics, Cardiac Involvement, and Outcomes of Multisystem Inflammatory Syndrome of Childhood Associated with severe acute respiratory syndrome coronavirus 2 Infection. <i>Journal of Pediatrics</i> , 2020 , 224, 141-145	3.6	125
325	Assessment and treatment of depression in patients with cardiovascular disease: National Heart, Lung, and Blood Institute Working Group Report. <i>Psychosomatic Medicine</i> , 2006 , 68, 645-50	3.7	121
324	Screening for Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults: US Preventive Services Task Force Final Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1678-1687	27.4	121
323	Loci influencing blood pressure identified using a cardiovascular gene-centric array. <i>Human Molecular Genetics</i> , 2013 , 22, 1663-78	5.6	119
322	Screening for Preeclampsia: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 1661-1667	27.4	118
321	Interactive computer-based interventions for weight loss or weight maintenance in overweight or obese people. <i>The Cochrane Library</i> , 2012 , CD007675	5.2	116
320	Screening for Latent Tuberculosis Infection in Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 962-9	27.4	115

319	Screening for Hepatitis C Virus Infection in Adolescents and Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 970-975	27.4	109
318	Association Between Learning Environment Interventions and Medical Student Well-being: A Systematic Review. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 2237-2252	27.4	107
317	Screening for Chronic Obstructive Pulmonary Disease: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 1372-7	27.4	107
316	Screening for Atrial Fibrillation With Electrocardiography: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 478-484	27.4	103
315	Association of anhedonia with recurrent major adverse cardiac events and mortality 1 year after acute coronary syndrome. <i>Archives of General Psychiatry</i> , 2010 , 67, 480-8		103
314	Vitamin D, Calcium, or Combined Supplementation for the Primary Prevention of Fractures in Community-Dwelling Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1592-1599	27.4	99
313	Hormone Therapy for the Primary Prevention of Chronic Conditions in Postmenopausal Women: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 2224-2233	27.4	99
312	Screening for Obstructive Sleep Apnea in Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 407-414	27.4	97
311	Mental disorders and cardiovascular disease among adults in the United States. <i>Journal of Psychiatric Research</i> , 2009 , 43, 239-46	5.2	97
310	Optimism and Unrealistic Optimism have an Interacting Impact on Health-Promoting Behavior and Knowledge Changes. <i>Personality and Social Psychology Bulletin</i> , 1997 , 23, 617-625	4.1	97
309	Persistent depressive symptoms lower aspirin adherence after acute coronary syndromes. <i>American Heart Journal</i> , 2006 , 152, 922-7	4.9	96
308	Screening for Pancreatic Cancer: US Preventive Services Task Force Reaffirmation Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 438-444	27.4	95
307	Myocardial infarction: survivors' and spouses' stress, coping, and support. <i>Journal of Advanced Nursing</i> , 2000 , 31, 1351-60	3.1	95
306	Screening for Lipid Disorders in Children and Adolescents: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 625-33	27.4	92
305	The short-term effects of a hostility-reduction intervention on male coronary heart disease patients. <i>Health Psychology</i> , 1999 , 18, 416-420	5	92
304	Centralized, stepped, patient preference-based treatment for patients with post-acute coronary syndrome depression: CODIACS vanguard randomized controlled trial. <i>JAMA Internal Medicine</i> , 2013 , 173, 997-1004	11.5	89
303	The clinical impact of negative psychological states: expanding the spectrum of risk for coronary artery disease. <i>Psychosomatic Medicine</i> , 2005 , 67 Suppl 1, S10-4	3.7	87
302	Role of depression and inflammation in incident coronary heart disease events. <i>American Journal of Cardiology</i> , 2005 , 96, 1016-21	3	82

301	Screening for Cognitive Impairment in Older Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 757-763	27.4	80
300	Screening for HIV Infection: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 2326-2336	27.4	79
299	Posttraumatic stress due to an acute coronary syndrome increases risk of 42-month major adverse cardiac events and all-cause mortality. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1621-6	5.2	79
298	Exaggerated serotonin-mediated platelet reactivity as a possible link in depression and acute coronary syndromes. <i>American Journal of Cardiology</i> , 2002 , 89, 331-3	3	79
297	Screening for Abdominal Aortic Aneurysm: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 2211-2218	27.4	76
296	Screening for Syphilis Infection in Nonpregnant Adults and Adolescents: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2321-7	27.4	73
295	Limitations of current validation protocols for home blood pressure monitors for individual patients. <i>Blood Pressure Monitoring</i> , 2002 , 7, 313-8	1.3	72
294	An historical context for behavioral models of hypertension. <i>Journal of Psychosomatic Research</i> , 2000 , 48, 369-77	4.1	71
293	Personalizing Behavioral Interventions Through Single-Patient (N-of-1) Trials. <i>Social and Personality Psychology Compass</i> , 2014 , 8, 408-421	3	70
292	Depressive symptoms and cardiovascular health by the American Heart Association's definition in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) study. <i>PLoS ONE</i> , 2012 , 7, e52771	3.7	70
291	N-of-1 Randomized Intervention Trials in Health Psychology: A Systematic Review and Methodology Critique. <i>Annals of Behavioral Medicine</i> , 2018 , 52, 731-742	4.5	69
290	Behavioral mechanisms, elevated depressive symptoms, and the risk for myocardial infarction or death in individuals with coronary heart disease: the REGARDS (Reason for Geographic and Racial Differences in Stroke) study. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 622-30	15.1	69
289	Health behaviour change in cardiovascular disease prevention and management: meta-review of behaviour change techniques to affect self-regulation. <i>Health Psychology Review</i> , 2020 , 14, 43-65	7.1	68
288	Screening for Peripheral Artery Disease and Cardiovascular Disease Risk Assessment With the Ankle-Brachial Index: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 177-183	27.4	64
287	Behavioral Counseling to Promote a Healthful Diet and Physical Activity for Cardiovascular Disease Prevention in Adults Without Cardiovascular Risk Factors: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 167-174	27.4	64
286	Screening for Unhealthy Drug Use: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2301-2309	27.4	63
285	Behavioral Counseling to Prevent Skin Cancer: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1134-1142	27.4	63
284	Risk Assessment for Cardiovascular Disease With Nontraditional Risk Factors: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 272-280	27.4	63

283	Identifying patients at high risk of a cardiovascular event in the near future: current status and future directions: report of a national heart, lung, and blood institute working group. <i>Circulation</i> , 2010 , 121, 1447-54	16.7	63
282	Anxiety is a better predictor of platelet reactivity in coronary artery disease patients than depression. <i>European Heart Journal</i> , 2010 , 31, 1573-82	9.5	63
281	Gender differences in associations of diurnal blood pressure variation, awake physical activity, and sleep quality with negative affect: the work site blood pressure study. <i>Hypertension</i> , 2001 , 38, 997-1002	8.5	63
280	Practical behavioral trials to advance evidence-based behavioral medicine. <i>Annals of Behavioral Medicine</i> , 2006 , 31, 5-13	4.5	62
279	History of depression and survival after acute myocardial infarction. <i>Psychosomatic Medicine</i> , 2009 , 71, 253-9	3.7	61
278	Perspective-Taking Humor: Accounting for Stress Moderation. <i>Journal of Social and Clinical Psychology</i> , 1995 , 14, 373-391	1.6	60
277	Postdischarge thromboembolic outcomes and mortality of hospitalized patients with COVID-19: the CORE-19 registry. <i>Blood</i> , 2021 , 137, 2838-2847	2.2	59
276	Group support for couples coping with a cardiac condition. <i>Journal of Advanced Nursing</i> , 2001 , 33, 190-9	3.1	58
275	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021 , 42, 2439-2454	9.5	58
274	Relations between QRS T angle, cardiac risk factors, and mortality in the third National Health and Nutrition Examination Survey (NHANES III). <i>American Journal of Cardiology</i> , 2012 , 109, 981-7	3	57
273	Interventions to improve hospital patient satisfaction with healthcare providers and systems: a systematic review. <i>BMJ Quality and Safety</i> , 2017 , 26, 596-606	5.4	56
272	Medication Use to Reduce Risk of Breast Cancer: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 857-867	27.4	56
271	Using Behavioral Analytics to Increase Exercise: A Randomized N-of-1 Study. <i>American Journal of Preventive Medicine</i> , 2018 , 54, 559-567	6.1	56
270	Relation of inflammation to depression and incident coronary heart disease (from the Canadian Nova Scotia Health Survey [NSHS95] Prospective Population Study). <i>American Journal of Cardiology</i> , 2009 , 103, 755-61	3	56
269	Depressive symptoms have an independent, gradient risk for coronary heart disease incidence in a random, population-based sample. <i>Annals of Epidemiology</i> , 2005 , 15, 316-20	6.4	56
268	A Critical Appraisal of Self-Report Defense Mechanism Measures. <i>Journal of Personality</i> , 1998 , 66, 965-992	4.4	55
267	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression: An Individual Participant Data Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 978-89	14.5	54
266	Screening for Cardiovascular Disease Risk With Electrocardiography: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 2308-2314	27.4	54

265	The association of emergency department crowding during treatment for acute coronary syndrome with subsequent posttraumatic stress disorder symptoms. <i>JAMA Internal Medicine</i> , 2013 , 173, 472-4	11.5	54
264	Screening for Iron Deficiency Anemia in Young Children: USPSTF Recommendation Statement. <i>Pediatrics</i> , 2015 , 136, 746-52	7.4	53
263	Constructive anger verbal behavior predicts blood pressure in a population-based sample.. <i>Health Psychology</i> , 2000 , 19, 55-64	5	53
262	Vision Screening in Children Aged 6 Months to 5 Years: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 836-844	27.4	52
261	Franz Volhard lecture: should doctors still measure blood pressure? The missing patients with masked hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 2259-67	1.9	52
260	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019 , 40, 621-631	9.5	52
259	Emotional triggers in myocardial infarction: do they matter?. <i>European Heart Journal</i> , 2013 , 34, 300-6	9.5	51
258	Using EHRs to integrate research with patient care: promises and challenges. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2012 , 19, 684-7	8.6	51
257	Psychological theories of depression: potential application for the prevention of acute coronary syndrome recurrence. <i>Psychosomatic Medicine</i> , 2004 , 66, 165-73	3.7	51
256	Definitions and distinctions among depressive syndromes and symptoms: implications for a better understanding of the depression-cardiovascular disease association. <i>Psychosomatic Medicine</i> , 2005 , 67 Suppl 1, S6-9	3.7	51
255	Screening for Celiac Disease: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 1252-1257	27.4	50
254	Depressive symptoms predict medical care utilization in a population-based sample. <i>Psychological Medicine</i> , 2002 , 32, 903-8	6.9	50
253	Cardiovascular reactivity: status quo and a research agenda for the new millennium. <i>Psychosomatic Medicine</i> , 2003 , 65, 5-8	3.7	49
252	Does Stress Result in You Exercising Less? Or Does Exercising Result in You Being Less Stressed? Or Is It Both? Testing the Bi-directional Stress-Exercise Association at the Group and Person (N of 1) Level. <i>Annals of Behavioral Medicine</i> , 2017 , 51, 799-809	4.5	48
251	Screening for Social Determinants of Health: The Known and Unknown. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1037-1038	27.4	48
250	Depressive symptoms are independently predictive of carotid atherosclerosis. <i>American Journal of Cardiology</i> , 2005 , 95, 547-50	3	48
249	Patent foramen ovale. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 15086	51.1	47
248	Behavioral Counseling Interventions to Promote a Healthy Diet and Physical Activity for Cardiovascular Disease Prevention in Adults With Cardiovascular Risk Factors: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 2019-2075	27.4	47

247	Primary Care Interventions to Support Breastfeeding: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1688-1693	27.4	46
246	Negative impact of depression on outcomes in patients with coronary artery disease: mechanisms, treatment considerations, and future directions. <i>Journal of Thrombosis and Haemostasis</i> , 2005 , 3, 897-908	15.4	46
245	Depression and multimorbidity: Considering temporal characteristics of the associations between depression and multiple chronic diseases. <i>Health Psychology</i> , 2019 , 38, 802-811	5	46
244	Screening for Adolescent Idiopathic Scoliosis: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 165-172	27.4	45
243	Depressive symptoms are not associated with leukocyte telomere length: findings from the Nova Scotia Health Survey (NSHS95), a population-based study. <i>PLoS ONE</i> , 2012 , 7, e48318	3.7	44
242	Humor As a Stress Moderator in the Prediction of Blood Pressure Obtained during Five Stressful Tasks. <i>Journal of Research in Personality</i> , 1997 , 31, 523-542	2.8	43
241	Invitation to a dialogue between researchers and clinicians about evidence-based behavioral medicine. <i>Annals of Behavioral Medicine</i> , 2005 , 30, 125-37	4.5	43
240	Screening for Gynecologic Conditions With Pelvic Examination: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 947-953	27.4	40
239	Clostridium Difficile Infection in Acute Care Hospitals: Systematic Review and Best Practices for Prevention. <i>Infection Control and Hospital Epidemiology</i> , 2017 , 38, 476-482	2	39
238	Psychologic factors as precursors to hypertension. <i>Current Hypertension Reports</i> , 2001 , 3, 25-32	4.7	39
237	Screening for Syphilis Infection in Pregnant Women: US Preventive Services Task Force Reaffirmation Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 911-917	27.4	39
236	Assessment of the white-coat effect. <i>Journal of Hypertension</i> , 2006 , 24, 67-74	1.9	38
235	Accumulation of non-traditional risk factors for coronary heart disease is associated with incident coronary heart disease hospitalization and death. <i>PLoS ONE</i> , 2014 , 9, e90475	3.7	37
234	Screening for Prediabetes and Type 2 Diabetes: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 736-743	27.4	37
233	Anger expression and risk of coronary heart disease: evidence from the Nova Scotia Health Survey. <i>American Heart Journal</i> , 2010 , 159, 199-206	4.9	35
232	Depression and coronary heart disease. <i>ISRN Cardiology</i> , 2012 , 2012, 743813		35
231	Association Between Depressive Symptoms and Incident Cardiovascular Diseases. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 2396-2405	27.4	35
230	Is it time to treat depression in patients with cardiovascular disease?. <i>Circulation</i> , 2009 , 120, 99-100	16.7	33

229	Reducing Health Inequities in the U.S.: Recommendations From the NHLBI's Health Inequities ThinkTank Meeting. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 517-524	15.1	32
228	Sequential multiple assignment randomized trial (SMART) with adaptive randomization for quality improvement in depression treatment program. <i>Biometrics</i> , 2015 , 71, 450-9	1.8	32
227	A real-time screening alert improves patient recruitment efficiency 2011 , 2011, 1489-98	0.7	32
226	Sleep Disturbances and Depression in the Multi-Ethnic Study of Atherosclerosis. <i>Sleep</i> , 2016 , 39, 915-25	1.1	31
225	The 'perfect storm' and acute coronary syndrome onset: do psychosocial factors play a role?. <i>Progress in Cardiovascular Diseases</i> , 2013 , 55, 601-10	8.5	31
224	Global Psychological Distress and Risk of Atrial Fibrillation Among Women: The Women's Health Study. <i>Journal of the American Heart Association</i> , 2012 , 1, e001107	6	31
223	Screening for Hypertension in Adults: US Preventive Services Task Force Reaffirmation Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 1650-1656	27.4	31
222	Primary Care Interventions for Prevention and Cessation of Tobacco Use in Children and Adolescents: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1590-1598	27.4	30
221	Screening for Hepatitis B Virus Infection in Pregnant Women: US Preventive Services Task Force Reaffirmation Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 349-354	27.4	29
220	Development and cross-cultural and clinical validation of a brief comprehensive scale for assessing hostility in medical settings. <i>Journal of Behavioral Medicine</i> , 2001 , 24, 1-15	3.6	29
219	Serotonin reuptake inhibitor use, depression, and long-term outcomes after an acute coronary syndrome: a prospective cohort study. <i>JAMA Internal Medicine</i> , 2013 , 173, 1150-1	11.5	28
218	A structural evaluation of the expanded multidimensional health locus of control scale with a diverse sample of caucasian/european, native, and black canadian women. <i>Journal of Health Psychology</i> , 2001 , 6, 447-55	3.1	28
217	Psychological stress and 30-day all-cause hospital readmission in acute coronary syndrome patients: an observational cohort study. <i>PLoS ONE</i> , 2014 , 9, e91477	3.7	28
216	Effects of Concurrent Depressive Symptoms and Perceived Stress on Cardiovascular Risk in Low- and High-Income Participants: Findings From the Reasons for Geographical and Racial Differences in Stroke (REGARDS) Study. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	28
215	Screening for Asymptomatic Bacteriuria in Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1188-1194	27.4	27
214	Observational study of the differential impact of time-varying depressive symptoms on all-cause and cause-specific mortality by health status in community-dwelling adults: the REGARDS study. <i>BMJ Open</i> , 2018 , 8, e017385	3	26
213	Depressive symptoms and all-cause mortality in unstable angina pectoris (from the Coronary Psychosocial Evaluation Studies [COPES]). <i>American Journal of Cardiology</i> , 2010 , 106, 1104-7	3	26
212	A Biobehavioral Framework to Address the Emerging Challenge of Multimorbidity. <i>Psychosomatic Medicine</i> , 2016 , 78, 281-9	3.7	26

211	A test of the diathesis-stress model in the emergency department: who develops PTSD after an acute coronary syndrome?. <i>Journal of Psychiatric Research</i> , 2014 , 53, 8-13	5.2	25
210	Relation between leukocyte telomere length and incident coronary heart disease events (from the 1995 Canadian Nova Scotia Health Survey). <i>American Journal of Cardiology</i> , 2013 , 111, 962-7	3	25
209	Observed hostility and the risk of incident ischemic heart disease: a prospective population study from the 1995 Canadian Nova Scotia Health Survey. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 1222-8	15.1	25
208	Treating persistent depressive symptoms in post-ACS patients: the project COPES phase-I randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2008 , 29, 231-40	2.3	25
207	A primer on current evidence-based review systems and their implications for behavioral medicine. <i>Annals of Behavioral Medicine</i> , 2004 , 28, 226-38	4.5	25
206	It's not just FaceTime: core competencies for the Medical Virtualist. <i>International Journal of Emergency Medicine</i> , 2019 , 12, 8	3.9	24
205	Confluence of depression and acute psychological stress among patients with stable coronary heart disease: effects on myocardial perfusion. <i>Journal of the American Heart Association</i> , 2014 , 3, e000898	6	24
204	Is depression after an acute coronary syndrome simply a marker of known prognostic factors for mortality?. <i>Psychosomatic Medicine</i> , 2009 , 71, 697-703	3.7	24
203	The effect of enhanced depression care on adherence to risk-reducing behaviors after acute coronary syndromes: findings from the COPES trial. <i>American Heart Journal</i> , 2012 , 164, 524-9	4.9	23
202	Cost-effectiveness of enhanced depression care after acute coronary syndrome: results from the Coronary Psychosocial Evaluation Studies randomized controlled trial. <i>Archives of Internal Medicine</i> , 2012 , 172, 1682-4		23
201	Depression vulnerabilities in patients with different levels of depressive symptoms after acute coronary syndromes. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 353-61	9.4	23
200	Hospitalization cost offset of a hostility intervention for coronary heart disease patients. <i>Journal of Consulting and Clinical Psychology</i> , 2007 , 75, 657-62	6.5	23
199	Development and preliminary testing of a brief intervention for modifying CHD-predictive hostility components. <i>Journal of Behavioral Medicine</i> , 1996 , 19, 203-20	3.6	23
198	Gene-centric meta-analyses for central adiposity traits in up to 57 412 individuals of European descent confirm known loci and reveal several novel associations. <i>Human Molecular Genetics</i> , 2014 , 23, 2498-510	5.6	22
197	Perceived Stress After Acute Myocardial Infarction: A Comparison Between Young and Middle-Aged Women Versus Men. <i>Psychosomatic Medicine</i> , 2017 , 79, 50-58	3.7	22
196	Increasing constructive anger verbal behavior decreases resting blood pressure: a secondary analysis of a randomized controlled hostility intervention. <i>International Journal of Behavioral Medicine</i> , 1999 , 6, 268-78	2.6	22
195	Use of Decision Models in the Development of Evidence-Based Clinical Preventive Services Recommendations: Methods of the U.S. Preventive Services Task Force. <i>Annals of Internal Medicine</i> , 2016 , 165, 501-508	8	22
194	Ocular Prophylaxis for Gonococcal Ophthalmia Neonatorum: US Preventive Services Task Force Reaffirmation Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 394-398	27.4	21

193	Screening for Bacterial Vaginosis in Pregnant Persons to Prevent Preterm Delivery: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1286-1292	27.4	21
192	Validation of the Fitbit One [®] for physical activity measurement at an upper torso attachment site. <i>BMC Research Notes</i> , 2016 , 9, 213	2.3	21
191	Screening for Impaired Visual Acuity in Older Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 908-14	27.4	21
190	Evidence Searching for Evidence-based Psychology Practice. <i>Professional Psychology: Research and Practice</i> , 2010 , 41, 550-557	2.2	21
189	Gender as a health determinant and implications for health education. <i>Health Education and Behavior</i> , 2006 , 33, 731-43; discussion 744-6	4.2	21
188	Commentary: the Journal of Pediatric Psychology should adopt the CONSORT statement as a way of improving the evidence base in pediatric psychology. <i>Journal of Pediatric Psychology</i> , 2003 , 28, 169-71 ^{3,2}		21
187	Outcomes following coronary artery bypass grafting and percutaneous transluminal coronary angioplasty in the stent era: a prospective study of all 9890 consecutive patients operated on in Scotland over a two year period. <i>British Heart Journal</i> , 2001 , 85, 662-6		21
186	Selected psychological comorbidities in coronary heart disease: Challenges and grand opportunities. <i>American Psychologist</i> , 2018 , 73, 1019-1030	9.5	21
185	Serologic Screening for Genital Herpes Infection: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 2525-2530	27.4	21
184	Effect of Depression Screening After Acute Coronary Syndromes on Quality of Life: The CODIACS-QoL Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2020 , 180, 45-53	11.5	21
183	Aspirin Use to Prevent Preeclampsia and Related Morbidity and Mortality: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1186-1191	27.4	21
182	Conflicts of Interest in Clinical Guidelines: Update of U.S. Preventive Services Task Force Policies and Procedures. <i>American Journal of Preventive Medicine</i> , 2018 , 54, S70-S80	6.1	20
181	Directionality of the relationship between depressive symptom dimensions and C-reactive protein in patients with acute coronary syndromes. <i>Psychosomatic Medicine</i> , 2011 , 73, 370-7	3.7	20
180	The medication Adherence and Blood Pressure Control (ABC) trial: a multi-site randomized controlled trial in a hypertensive, multi-cultural, economically disadvantaged population. <i>Contemporary Clinical Trials</i> , 2007 , 28, 459-71	2.3	20
179	Interventions to Prevent Child Maltreatment: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2122-2128	27.4	20
178	Long-term outcomes of enhanced depression treatment in patients with acute coronary syndromes. <i>American Journal of Medicine</i> , 2014 , 127, 1012-6	2.4	19
177	Association between troponin I levels and mortality in stable hemodialysis patients. <i>American Journal of Medicine</i> , 2003 , 114, 224-6	2.4	19
176	Depression and cardiovascular disease: selected findings, controversies, and clinical implications from 2009. <i>Cleveland Clinic Journal of Medicine</i> , 2010 , 77 Suppl 3, S20-6	2.8	19

175	Screening for Asymptomatic Carotid Artery Stenosis: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 476-481	27.4	19
174	The association of short sleep after acute coronary syndrome with recurrent cardiac events and mortality. <i>International Journal of Cardiology</i> , 2014 , 171, e11-2	3.2	18
173	Incident and recurrent major depressive disorder and coronary artery disease severity in acute coronary syndrome patients. <i>Journal of Psychiatric Research</i> , 2008 , 42, 670-5	5.2	18
172	Relation between C reactive protein and depression remission status in patients presenting with acute coronary syndrome. <i>Heart</i> , 2006 , 92, 1316-8	5.1	18
171	Persistent depressive symptoms after acute coronary syndrome are associated with compromised white matter integrity in the anterior cingulate: a pilot study. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 149-55	9.4	17
170	Aspirin adherence, aspirin dosage, and C-reactive protein in the first 3 months after acute coronary syndrome. <i>American Journal of Cardiology</i> , 2010 , 106, 1090-4	3	17
169	Anxiety Disorders and Comorbid Medical Illness. <i>Focus (American Psychiatric Publishing)</i> , 2008 , 6, 467-485	1.1	17
168	Screening for Vitamin D Deficiency in Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 1436-1442	27.4	17
167	Rapid Emergence of SARS-CoV-2 in the Greater New York Metropolitan Area: Geolocation, Demographics, Positivity Rates, and Hospitalization for 46 793 Persons Tested by Northwell Health. <i>Clinical Infectious Diseases</i> , 2020 , 71, 3204-3213	11.6	16
166	Are Nomothetic or Ideographic Approaches Superior in Predicting Daily Exercise Behaviors?. <i>Methods of Information in Medicine</i> , 2017 , 56, 452-460	1.5	16
165	Commentary: De-implementation Science: A Virtuous Cycle of Ceasing and Desisting Low-Value Care Before Implementing New High Value Care. <i>Ethnicity and Disease</i> , 2017 , 27, 463-468	1.8	16
164	Is vitamin D deficiency a risk factor for ischemic heart disease in patients with established cardiovascular disease? 10-year follow-up of the Nova Scotia Health Survey. <i>International Journal of Cardiology</i> , 2011 , 148, 387-9	3.2	16
163	Aspirin adherence, depression and one-year prognosis after acute coronary syndrome. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 316-8	9.4	16
162	Multidisciplinary learning in continuing professional education: The heart health Nova Scotia experience. <i>Journal of Continuing Education in the Health Professions</i> , 1996 , 16, 50-60	2.1	16
161	Screening for Hepatitis B Virus Infection in Adolescents and Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 2415-2422	27.4	16
160	Personalized (N-of-1) Trials for Depression: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2018 , 38, 218-225	1.7	15
159	Gender differences in the relation between interview-derived hostility scores and resting blood pressure. <i>Journal of Behavioral Medicine</i> , 1996 , 19, 185-201	3.6	15
158	Suppression and repression in discrepant self-other ratings: relations with thought control and cardiovascular reactivity. <i>Journal of Personality</i> , 1993 , 61, 669-91	4.4	15

157	Post-traumatic stress disorder (PTSD) symptoms predict delay to hospital in patients with acute coronary syndrome. <i>PLoS ONE</i> , 2011 , 6, e27640	3.7	15
156	Emotional predictors and behavioral triggers of acute coronary syndrome. <i>Cleveland Clinic Journal of Medicine</i> , 2008 , 75 Suppl 2, S15-9	2.8	15
155	Behavioral Counseling Interventions to Prevent Sexually Transmitted Infections: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 674-681	27.4	15
154	Differential Association of Psychosocial Comorbidities With Subclinical Atherosclerosis in Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2015 , 67, 1335-44	4.7	14
153	Depression and clinical inertia in patients with uncontrolled hypertension. <i>JAMA Internal Medicine</i> , 2014 , 174, 818-9	11.5	14
152	Women, but not men, have prolonged QT interval if depressed after an acute coronary syndrome. <i>Europace</i> , 2012 , 14, 267-71	3.9	14
151	Women and Anxiety Disorders: Implications for Diagnosis and Treatment. <i>CNS Spectrums</i> , 2004 , 9, 1-3	1.8	14
150	Developing Primary Care-Based Recommendations for Social Determinants of Health: Methods of the U.S. Preventive Services Task Force. <i>Annals of Internal Medicine</i> , 2020 , 173, 461-467	8	14
149	Behavioral Counseling Interventions for Healthy Weight and Weight Gain in Pregnancy: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 2087-2093	27.4	14
148	Primary Care-Based Interventions to Prevent Illicit Drug Use in Children, Adolescents, and Young Adults: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2060-2066	27.4	13
147	Envisioning a future for precision health psychology: innovative applied statistical approaches to N-of-1 studies. <i>Health Psychology Review</i> , 2017 , 11, 292-294	7.1	13
146	Perfect storm: concurrent stress and depressive symptoms increase risk of myocardial infarction or death. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015 , 8, 146-54	5.8	13
145	War-related stress exposure and mortality: a meta-analysis. <i>International Journal of Epidemiology</i> , 2010 , 39, 1499-509	7.8	13
144	Comment on "negative emotions and acute cardiovascular responses to laboratory challenges". <i>Annals of Behavioral Medicine</i> , 1999 , 21, 223-4	4.5	13
143	Screening for Atrial Fibrillation: US Preventive Services Task Force Recommendation Statement.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 360-367	27.4	13
142	Using Rigorous Methods to Advance Behaviour Change Science. <i>Nature Human Behaviour</i> , 2018 , 2, 797-798	27.4	13
141	Developing Recommendations for Evidence-Based Clinical Preventive Services for Diverse Populations: Methods of the U.S. Preventive Services Task Force. <i>Annals of Internal Medicine</i> , 2017 , 166, 565-571	8	12
140	Increasing the Precision of Hypertension Treatment Through Personalized Trials: a Pilot Study. <i>Journal of General Internal Medicine</i> , 2019 , 34, 839-845	4	12

139	Relation of patients living without a partner or spouse to being physically active after acute coronary syndromes (from the PULSE accelerometry substudy). <i>American Journal of Cardiology</i> , 2013 , 111, 1264-9	3	12
138	Design and baseline data from the vanguard of the Comparison of Depression Interventions after Acute Coronary Syndrome (CODIACS) randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2012 , 33, 1003-10	2.3	12
137	Psychosocial vulnerabilities to depression after acute coronary syndrome: the pivotal role of rumination in predicting and maintaining depression. <i>Frontiers in Psychology</i> , 2012 , 3, 288	3.4	12
136	Gender differences in calls to 9-1-1 during an acute coronary syndrome. <i>American Journal of Cardiology</i> , 2013 , 111, 58-62	3	12
135	Exposure to tricyclic antidepressants is associated with an increased risk of incident CHD events in a population-based study. <i>International Journal of Cardiology</i> , 2010 , 145, 124-5	3.2	12
134	Men's organisational affiliations in later life: the influence of social class and marital status on informal group membership. <i>Ageing and Society</i> , 2003 , 23, 69-82	1.7	12
133	What does potential for hostility measure? Gender differences in the expression of hostility. <i>Journal of Behavioral Medicine</i> , 1995 , 18, 233-47	3.6	12
132	Reliability of an idiographic Q-sort measure of defense mechanisms. <i>Journal of Personality Assessment</i> , 1996 , 66, 624-39	2.8	12
131	Screening for High Blood Pressure in Children and Adolescents: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1878-1883	27.4	12
130	Aspirin Use to Prevent Cardiovascular Disease: US Preventive Services Task Force Recommendation Statement.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 1577-1584	27.4	12
129	Depressive symptoms and decision-making preferences in patients with comorbid illnesses. <i>Journal of Psychosomatic Research</i> , 2017 , 92, 63-66	4.1	11
128	An Electronic Adherence Measurement Intervention to Reduce Clinical Inertia in the Treatment of Uncontrolled Hypertension: The MATCH Cluster Randomized Clinical Trial. <i>Journal of General Internal Medicine</i> , 2016 , 31, 1294-1300	4	11
127	Meta-Analysis for Sociology - A Measure-Driven Approach. <i>BMS Bulletin of Sociological Methodology/ Bulletin De Methodologie Sociologique</i> , 2013 , 117, 75-92	0.8	11
126	Do Different Depression Phenotypes Have Different Risks for Recurrent Coronary Heart Disease?. <i>Health Psychology Review</i> , 2012 , 6, 165-179	7.1	11
125	Social Determinants as a Preventive Service: U.S. Preventive Services Task Force Methods Considerations for Research. <i>American Journal of Preventive Medicine</i> , 2019 , 57, S6-S12	6.1	11
124	Developing an evidence base in clinical psychology. <i>Journal of Clinical Psychology</i> , 2006 , 62, 259-71	2.8	10
123	Hostility is an independent predictor of recurrent coronary heart disease events in men but not women: results from a population based study. <i>Heart</i> , 2005 , 91, 1609-10	5.1	10
122	Screening for Chlamydia and Gonorrhea: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 949-956	27.4	10

121	Patients and primary care providers identify opportunities for personalized (N-of-1) trials in the mobile health era. <i>Journal of Clinical Epidemiology</i> , 2017 , 89, 236-237	5.7	9
120	U.S. Preventive Services Task Force Methods to Communicate and Disseminate Clinical Preventive Services Recommendations. <i>American Journal of Preventive Medicine</i> , 2018 , 54, S81-S87	6.1	9
119	Parathyroid hormone is related to QT interval independent of serum calcium in patients with coronary artery disease. <i>Annals of Noninvasive Electrocardiology</i> , 2018 , 23, e12496	1.5	9
118	The psychosocial context impacts medication adherence after acute coronary syndrome. <i>Annals of Behavioral Medicine</i> , 2014 , 47, 158-64	4.5	9
117	Finding the glass half full? Optimism is protective of 10-year incident CHD in a population-based study: the Canadian Nova Scotia Health Survey. <i>International Journal of Cardiology</i> , 2010 , 145, 603-4	3.2	9
116	Computer-based interventions for weight loss or weight maintenance in overweight or obese people 2009 ,		9
115	The misperception of aggression in behaviorally hostile men. <i>Cognitive Therapy and Research</i> , 1996 , 20, 377-389	2.7	9
114	Increases in depression after cholesterol-lowering drug treatment. <i>Behavioral Medicine</i> , 1996 , 22, 82-4	4.4	9
113	The Influence of Daily Stress on Sedentary Behavior: Group and Person (N of 1) Level Results of a 1-Year Observational Study. <i>Psychosomatic Medicine</i> , 2018 , 80, 620-627	3.7	9
112	Understanding and predicting health behaviour change: a contemporary view through the lenses of meta-reviews. <i>Health Psychology Review</i> , 2020 , 14, 1-5	7.1	8
111	N-of-1 randomized trials for psychological and health behavior outcomes: a systematic review protocol. <i>Systematic Reviews</i> , 2015 , 4, 87	3	8
110	An inexpensive device for monitoring patients' weights via automated hovering. <i>International Journal of Cardiology</i> , 2014 , 172, e263-4	3.2	8
109	Depression is associated with longer emergency department length of stay in acute coronary syndrome patients. <i>BMC Emergency Medicine</i> , 2012 , 12, 14	2.4	8
108	Expanding the Role of N-of-1 Trials in the Precision Medicine Era: Action Priorities and Practical Considerations. <i>NAM Perspectives</i> ,	2.8	8
107	Screening for Gestational Diabetes: US Preventive Services Task Force Recommendation Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 531-538	27.4	8
106	Diagnosing medication non-adherence in a patient with myocardial infarction. <i>Frontiers in Psychology</i> , 2012 , 3, 267	3.4	7
105	Coder gender and potential for hostility ratings.. <i>Health Psychology</i> , 1996 , 15, 298-302	5	7
104	Actions to Transform US Preventive Services Task Force Methods to Mitigate Systemic Racism in Clinical Preventive Services. <i>JAMA - Journal of the American Medical Association</i> , 2021 ,	27.4	7

103	Relations among depressive symptoms, electrocardiographic hypertrophy, and cardiac events in non-ST elevation acute coronary syndrome patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016 , 5, 455-60	4.3	6
102	Behavioral economics implementation: Regret lottery improves mHealth patient study adherence. <i>Contemporary Clinical Trials Communications</i> , 2019 , 15, 100387	1.8	6
101	Patient preferences for personalized (N-of-1) trials: a conjoint analysis. <i>Journal of Clinical Epidemiology</i> , 2018 , 102, 12-22	5.7	6
100	Relationship between premature ventricular complexes and depressive symptoms in non-ST-elevation acute coronary syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2013 , 2, 61-7	4.3	6
99	Understanding Research Gaps and Priorities for Improving Behavioral Counseling Interventions: Lessons Learned From the U.S. Preventive Services Task Force. <i>American Journal of Preventive Medicine</i> , 2015 , 49, S158-65	6.1	6
98	Treatment preferences among depressed patients after acute coronary syndrome: the COPES observational cohort. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 380-2	9.4	6
97	The relation between defense use and adaptive behavior. <i>Journal of Research in Personality</i> , 2004 , 38, 105-129	2.8	6
96	Using Machine Learning to Derive Just-In-Time and Personalized Predictors of Stress: Observational Study Bridging the Gap Between Nomothetic and Ideographic Approaches. <i>Journal of Medical Internet Research</i> , 2019 , 21, e12910	7.6	6
95	Screening for Cervical Cancer: US Preventive Services Task Force Recommendation Statement. <i>Obstetrical and Gynecological Survey</i> , 2018 , 73, 689-690	2.4	6
94	Incorporation of Social Risk in US Preventive Services Task Force Recommendations and Identification of Key Challenges for Primary Care. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1410-1415	27.4	6
93	Stress management in the workplace for employees with hypertension: a randomized controlled trial. <i>Translational Behavioral Medicine</i> , 2018 , 8, 761-770	3.2	5
92	U.S. Preventive Services Task Force Priorities for Prevention Research. <i>American Journal of Preventive Medicine</i> , 2018 , 54, S95-S103	6.1	5
91	Rationale, design, and baseline data for a multicenter randomized clinical trial comparing depression screening strategies after acute coronary syndrome: The comparison of depression identification after acute Coronary Syndromes-Quality of Life and Cost Outcomes (CODIACS-QOL) trial. <i>Contemporary Clinical Trials</i> , 2019 , 84, 105826	2.3	5
90	Prevalence and characteristics of anergia (lack of energy) in patients with acute coronary syndrome. <i>American Journal of Cardiology</i> , 2012 , 110, 1213-8	3	5
89	The effect of enhanced depression care on anxiety symptoms in acute coronary syndrome patients: findings from the COPES trial. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 245-7	9.4	5
88	Potential for hostility and faking-good in high-hostile men. <i>Journal of Behavioral Medicine</i> , 1997 , 20, 47-54	6	5
87	Standardizing the comparison of systolic blood pressure vs. pulse pressure for predicting coronary heart disease. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 411-3	2.3	5
86	Adaptive defense use and resting blood pressure in a population-based sample. <i>Journal of Psychosomatic Research</i> , 2003 , 55, 531-41	4.1	5

85	The role of emotional regulation in the development of hypertension. <i>International Congress Series</i> , 2002 , 1241, 91-97		5
84	Three top Canadian and personal health concerns of a random sample of Nova Scotian women. <i>Canadian Journal of Public Health</i> , 2001 , 92, 53-6	3.2	5
83	Self- and Expert-Reported Emotion Inhibition: On the Utility of Both Data Sources. <i>Journal of Research in Personality</i> , 1996 , 30, 535-549	2.8	5
82	Towards a psychosocial mediator model of hostility and CHD. <i>Psychology and Health</i> , 1996 , 11, 421-429	2.9	5
81	The Association of Structural Inequities and Race With Out-of-Hospital Sudden Death During the COVID-19 Pandemic. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021 , 14, e009646	6.4	5
80	Sex differences and the prognosis of depressive and nondepressive patients with cardiovascular risk factors: the Japan Morning Surge-Home Blood Pressure (J-HOP) study. <i>Hypertension Research</i> , 2018 , 41, 965-972	4.7	5
79	Relations between depressive symptoms, anxiety, and T Wave abnormalities in subjects without clinically-apparent cardiovascular disease (from the Multi-Ethnic Study of Atherosclerosis [MESA]). <i>American Journal of Cardiology</i> , 2014 , 114, 1917-22	3	4
78	The benefits of neighborhood racial diversity: neighborhood factors and its association with increased physical activity in ACS patients. <i>International Journal of Cardiology</i> , 2014 , 173, 517-8	3.2	4
77	Blood Pressure Reactivity to an Anger Provocation Interview Does Not Predict Incident Cardiovascular Disease Events: The Canadian Nova Scotia Health Survey (NSHS95) Prospective Population Study. <i>International Journal of Hypertension</i> , 2012 , 2012, 658128	2.4	4
76	Who likes Bar SideHumor?. <i>Humor</i> , 1997 , 10,	0.7	4
75	Is depression a risk factor for coronary heart disease?. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 472-3; author reply 473-4	15.1	4
74	Cautionary Note on the Use of Pulse Pressure as a Risk Factor for Coronary Heart Disease. <i>Circulation</i> , 2001 , 104,	16.7	4
73	Comparison of Different Algorithms for Sentiment Analysis: Psychological Stress Notes. <i>Studies in Health Technology and Informatics</i> , 2017 , 245, 1292	0.5	4
72	Using early phase studies to advance intervention research: The science of behavior change. <i>Health Psychology</i> , 2020 , 39, 731-735	5	4
71	USPSTF Approach to Addressing Sex and Gender When Making Recommendations for Clinical Preventive Services. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1953-1961	27.4	4
70	Experimental Designs to Optimize Treatments for Individuals: Personalized N-of-1 Trials. <i>JAMA Pediatrics</i> , 2021 , 175, 404-409	8.3	4
69	Improving value-add work and satisfaction in medical residents training: a resident-led quality improvement project employing the lean method to improve hospital supply usage. <i>Postgraduate Medical Journal</i> , 2017 , 93, 193-197	2	3
68	Evolution of the U.S. Preventive Services Task Force's Methods. <i>American Journal of Preventive Medicine</i> , 2020 , 58, 332-335	6.1	3

67	Clinical Usefulness of Bright White Light Therapy for Depressive Symptoms in Cancer Survivors: Results from a Series of Personalized (N-of-1) Trials. <i>Healthcare (Switzerland)</i> , 2019 , 8,	3.4	3
66	Enhancing the Evidence for Behavioral Counseling: A Perspective From the Society of Behavioral Medicine. <i>American Journal of Preventive Medicine</i> , 2015 , 49, S184-93	6.1	3
65	Epidemiology and Management of Depression Following Coronary Heart Disease Diagnosis in Women. <i>Current Cardiovascular Risk Reports</i> , 2012 , 6, 210-218	0.9	3
64	Men's and women's health beliefs differentially predict coronary heart disease incidence in a population-based sample. <i>Health Education and Behavior</i> , 2013 , 40, 231-9	4.2	3
63	Anhedonia predicts adverse cardiac events in people with acute coronary syndromes. <i>Evidence-Based Mental Health</i> , 2011 , 13, 109-109	11.1	3
62	Cholesterol and aggression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 303-4	7.2	3
61	Work stress and hypertension: a call from research into intervention. <i>Annals of Behavioral Medicine</i> , 2004 , 28, 1-3	4.5	3
60	Environmental illness prevalence: A population-based study in Nova Scotia. <i>British Journal of Health Psychology</i> , 2002 , 7, 23-9	8.3	3
59	How Should We Treat Depression in Patients with Cardiovascular Disease? 2012 , 17, 126-133		3
58	Applying Deep Learning to Understand Predictors of Tooth Mobility Among Urban Latinos. <i>Studies in Health Technology and Informatics</i> , 2018 , 251, 241-244	0.5	3
57	Machine Learning to Identify Behavioral Determinants of Oral Health in Inner City Older Hispanic Adults. <i>Studies in Health Technology and Informatics</i> , 2018 , 251, 253-256	0.5	3
56	Let Sleeping Patients Lie, avoiding unnecessary overnight vitals monitoring using a clinically based deep-learning model. <i>Npj Digital Medicine</i> , 2020 , 3, 149	15.7	3
55	A within-subject comparison of the effect of two putative sham light therapies on mood and fatigue in cancer survivors: Results from a series of N-of-1 trials. <i>Psychiatry Research</i> , 2019 , 279, 385-386	9.9	2
54	Screening for Preeclampsia: US Preventive Services Task Force Recommendation Statement. <i>Obstetrical and Gynecological Survey</i> , 2017 , 72, 515-517	2.4	2
53	Psychological stress and cardiovascular disease with emphasis on acute coronary syndromes. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1339; author reply 1339	15.1	2
52	The use of defenses and physician health care costs: are physician health care costs lower in persons with more adaptive defense profiles?. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 315-23	9.4	2
51	U-curved relation between total fasting serum cholesterol and hostility: A population-based study. <i>International Journal of Behavioral Medicine</i> , 2001 , 8, 282-292	2.6	2
50	Men's and Women's Hostility Is Perceived Differently. <i>Journal of Research in Personality</i> , 2000 , 34, 252-261	18	2

49	Is there an association among low untreated serum lipid levels, anger, and hazardous driving?. <i>International Journal of Behavioral Medicine</i> , 1996 , 3, 321-36	2.6	2
48	Thromboembolic Outcomes of Hospitalized COVID-19 Patients in the 90-Day Post-Discharge Period: Early Data from the Northwell CORE-19 Registry. <i>Blood</i> , 2020 , 136, 33-34	2.2	2
47	Geriatrics-focused indicators predict mortality more than age in older adults hospitalized with COVID-19. <i>BMC Geriatrics</i> , 2021 , 21, 554	4.1	2
46	Estimating the predictive value of negative severe acute respiratory coronavirus virus 2 (SARS-CoV-2) results: A prospective study. <i>Infection Control and Hospital Epidemiology</i> , 2021 , 42, 1257-1259	2.59	2
45	Personal preferences for Personalised Trials among patients with chronic diseases: an empirical Bayesian analysis of a conjoint survey. <i>BMJ Open</i> , 2020 , 10, e036056	3	2
44	Effectiveness of SARS-CoV-2 Decontamination and Containment in a COVID-19 ICU. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
43	Economic outcomes of depression screening after acute coronary syndromes: The CODIACS-QoL randomized clinical trial. <i>General Hospital Psychiatry</i> , 2021 , 71, 47-54	5.6	2
42	Examination of patient characteristics and hydroxychloroquine use based on the US Food and Drug Administration's recommendation: a cross-sectional analysis in New York. <i>BMJ Open</i> , 2021 , 11, e042965 ³	3	2
41	Open access to economic outcome data will help to bridge the gap between clinical trials and clinical guidelines. <i>BMJ, The</i> , 2015 , 350, h3091	5.9	1
40	Anxiety Sensitivity and Physical Inactivity in a National Sample of Adults with a History of Myocardial Infarction. <i>International Journal of Behavioral Medicine</i> , 2020 , 27, 520-526	2.6	1
39	Additional Considerations for Screening and Treatment of Depression in Patients With Acute Coronary Syndrome-Reply. <i>JAMA Internal Medicine</i> , 2020 , 180, 473-474	11.5	1
38	Implementing an antidepressant treatment strategy for post-MI depression does not reduce risk of further cardiovascular events or mortality. <i>Evidence-Based Mental Health</i> , 2013 , 16, 72	11.1	1
37	Group support for couples coping with a cardiac condition. <i>Journal of Advanced Nursing</i> , 2008 , 33, 190-199	3.1	1
36	Letter by Kronish et al regarding article, "Residual arachidonic acid-induced platelet activation via an adenosine diphosphate-dependent but cyclooxygenase-1- and cyclooxygenase-2-independent pathway: a 700-patient study of aspirin resistance". <i>Circulation</i> , 2007 , 115, e45; author reply e46	16.7	1
35	Introducing the new Health Psychology series "Evidence-based treatment reviews": Progress not perfection.. <i>Health Psychology</i> , 2006 , 25, 1-2	5	1
34	Secondary prevention in acute coronary syndrome patients: a comparison of behavioural medicine and medication randomised controlled interventions. <i>Evidence - Based Integrative Medicine</i> , 2004 , 1, 137-143	1	1
33	Psychological factors and coronary artery disease. <i>New England Journal of Medicine</i> , 2001 , 344, 608-9; author reply 610-1	59.2	1
32	Comparison of three theories relating facial expressiveness to blood pressure in male and female undergraduates.. <i>Health Psychology</i> , 1994 , 13, 404-411	5	1

31	Introducing the MAVEN Leadership Training Initiative to diversify the scientific workforce. <i>ELife</i> , 2021 , 10,	8.9	1
30	Using N-of-1 Methods to Explore Habit Formation 2018 , 231-245		1
29	Racial and ethnic minority patient participation in N-of-1 trials: perspectives of healthcare providers and patients. <i>Personalized Medicine</i> , 2021 , 18, 347-359	2.2	1
28	Single case designs for early phase behavioral translational research in health psychology. <i>Health Psychology</i> , 2021 ,	5	1
27	Social Determinants of Health, Race, and Diabetes Population Health Improvement: Black/African Americans as a Population Exemplar.. <i>Current Diabetes Reports</i> , 2022 , 22, 117	5.6	1
26	A look at the increasing demographic representation within behavioral medicine. <i>Journal of Behavioral Medicine</i> , 2019 , 42, 57-66	3.6	0
25	Depression and Incident Cardiovascular Disease-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 1680	27.4	0
24	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis. <i>General Hospital Psychiatry</i> , 2021 , 71, 27-35	5.6	0
23	Screening for Eating Disorders in Adolescents and Adults: US Preventive Services Task Force Recommendation Statement.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 1061-1067	27.4	0
22	Impact of Sleep Duration and Race on Recurrent Cardiovascular Events Following Acute Coronary Syndrome. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 701-703	15.1	
21	Depression, Anxiety, and Stress 2018 , 391-411		
20	Should You Screen for and Manage Depression in Patients With a Recent Acute Coronary Syndrome?. <i>Annals of Internal Medicine</i> , 2017 , 167, 750-751	8	
19	Antidepressant use is associated with reduced myocardial mIBG uptake in CAD patients. <i>International Journal of Cardiology</i> , 2015 , 201, 291-2	3.2	
18	An innovative or disconcerting approach to the psychosocial care of your patient with a cardiac condition: are you a lump or a splitter?. <i>JAMA Internal Medicine</i> , 2014 , 174, 936-7	11.5	
17	Exercise, cardiac rehabilitation, and post-acute coronary syndrome depression--reply. <i>JAMA Internal Medicine</i> , 2014 , 174, 166-7	11.5	
16	Centralized, stepped, patient preference based, depression treatment for patients after acute coronary syndrome. CODIACS vanguard randomized controlled trial. <i>European Heart Journal</i> , 2013 , 34, P4301-P4301	9.5	
15	APA, NAMI, NMHA, and evidence-based behavioural medicine: a comment. <i>Evidence-Based Mental Health</i> , 2006 , 9, 32-4	11.1	
14	Toni M. Calasanti and Kathleen F. Slevin, Gender, Social Inequalities and Aging, AltaMira, Walnut Creek, California, 2001, 235 pp., pbk £17.95, ISBN 0 7591 0186 8.. <i>Ageing and Society</i> , 2003 , 23, 686-687	1.7	

13	Heart Disease in Women. <i>CNS Spectrums</i> , 2004 , 9, 12-13	1.8
12	Carol L. Jenkins (ed.), <i>Widows and Divorcees in Later Life: On Their Own Again</i> , Haworth, New York, 2003, 202 pp., pbk \$24.95, ISBN 0 7890 2192 7. Co-published simultaneously in <i>Journal of Women and Aging</i> , 15, 2/3.. <i>Ageing and Society</i> , 2004 , 24, 818-819	1.7
11	Depression as another possible explanation for worse outcomes in myocardial infarction during off-hours. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 2172; author reply 2172-3	15.1
10	Stigma-Reducing Clinician Training to Improve Primary Clinical Care. <i>JAMA Network Open</i> , 2021 , 4, e2131512	15.1
9	Secondary review reduced inpatient MRI orders and avoidable hospital days. <i>Clinical Imaging</i> , 2021 , 82, 156-160	2.7
8	Preventing opioid use disorder and misuse in asymptomatic primary care patients: A call for relevant primary prevention intervention research. <i>Preventive Medicine</i> , 2021 , 106898	4.3
7	Overcoming challenges in preventive cardiology research. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320928175	3.9
6	Accomplishing breakthroughs in behavioural medicine research. <i>Nature Human Behaviour</i> , 2021 , 5, 813-815	15.8
5	The US Preventive Services Task Force Recommendation Statement About Screening Asymptomatic Adults for Carotid Stenosis-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 89-90	27.4
4	Differences in the Prevalence of Screen-Detected Depression After Acute Coronary Syndrome Between Health Systems in the USA: Findings from CODIACS-QoL Randomized Controlled Trial. <i>Journal of General Internal Medicine</i> , 2021 , 1	4
3	The US Preventive Services Task Force Recommendation on Lung Cancer Screening-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 441	27.4
2	Trustworthy Clinical Practice Guidelines of Pharmacological Treatments for Hospitalized Patients With COVID-19-A Scarce Resource. <i>JAMA Network Open</i> , 2021 , 4, e2138621	10.4
1	Effectiveness of stepped depression care among patients with screen-identified depression after acute coronary syndromes: A secondary analysis of the CODIACS-QoL randomized clinical trial.. <i>General Hospital Psychiatry</i> , 2022 ,	5.6