

# Kent D Stewart

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/678187/kent-d-stewart-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93  
papers

3,977  
citations

37  
h-index

61  
g-index

96  
ext. papers

4,192  
ext. citations

4.9  
avg, IF

4.05  
L-index

#	Paper	IF	Citations
93	Synthesis and Biological Characterization of Aryl Uracil Inhibitors of Hepatitis C Virus NS5B Polymerase: Discovery of ABT-072, a trans-Stilbene Analog with Good Oral Bioavailability. <i>Journal of Medicinal Chemistry</i> , <b>2018</b> , 61, 1153-1163	8.3	13
92	Structure activity optimization of 6H-pyrrolo[2,3-e][1,2,4]triazolo[4,3-a]pyrazines as Jak1 kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2015</b> , 25, 4399-404	2.9	12
91	Azaindole-Based Inhibitors of Cdc7 Kinase: Impact of the Pre-DFG Residue, Val 195. <i>ACS Medicinal Chemistry Letters</i> , <b>2013</b> , 4, 211-5	4.3	19
90	Design and synthesis of tricyclic cores for kinase inhibition. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2013</b> , 23, 693-8	2.9	19
89	Aryl uracil inhibitors of hepatitis C virus NS5B polymerase: synthesis and characterization of analogs with a fused 5,6-bicyclic ring motif. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2013</b> , 23, 3487-90 <sup>2.9</sup>	2.9	6
88	Thienopyridine ureas as dual inhibitors of the VEGF and Aurora kinase families. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2012</b> , 22, 3208-12	2.9	20
87	Hit to Lead optimization of a novel class of squarate-containing polo-like kinases inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2012</b> , 22, 7615-22	2.9	11
86	Pyrazole diaminopyrimidines as dual inhibitors of KDR and Aurora B kinases. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2012</b> , 22, 4750-5	2.9	12
85	Exploration of diverse hinge-binding scaffolds for selective Aurora kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2012</b> , 22, 4528-31	2.9	4
84	Contribution of indazolinone tautomers to kinase activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2012</b> , 22, 4502-5	2.9	1
83	The Drug Guru Project <b>2012</b> , 183-198		1
82	Discovery of potent and selective thienopyrimidine inhibitors of Aurora kinases. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2011</b> , 21, 5620-4	2.9	40
81	Hepatitis C NS5B polymerase inhibitors: functional equivalents for the benzothiadiazine moiety. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2011</b> , 21, 1876-9	2.9	9
80	Cheminformatic tools for medicinal chemists. <i>Journal of Medicinal Chemistry</i> , <b>2010</b> , 53, 4830-41	8.3	63
79	Non-peptide entry inhibitors of HIV-1 that target the gp41 coiled coil pocket. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2010</b> , 20, 612-7	2.9	26
78	Imidazo[2,1-b]thiazoles: multitargeted inhibitors of both the insulin-like growth factor receptor and members of the epidermal growth factor family of receptor tyrosine kinases. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2010</b> , 20, 2452-5	2.9	45
77	Discovery of 3H-benzo[4,5]thieno[3,2-d]pyrimidin-4-ones as potent, highly selective, and orally bioavailable inhibitors of the human protooncogene proviral insertion site in moloney murine leukemia virus (PIM) kinases. <i>Journal of Medicinal Chemistry</i> , <b>2009</b> , 52, 6621-36	8.3	73

76	Synthesis and biological characterization of B-ring amino analogues of potent benzothiadiazine hepatitis C virus polymerase inhibitors. <i>Journal of Medicinal Chemistry</i> , <b>2009</b> , 52, 3174-83	8.3	32
75	3-amino-benzo[d]isoxazoles as novel multitargeted inhibitors of receptor tyrosine kinases. <i>Journal of Medicinal Chemistry</i> , <b>2008</b> , 51, 1231-41	8.3	29
74	Identification of aminopyrazolopyridine ureas as potent VEGFR/PDGFR multitargeted kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2008</b> , 18, 386-90	2.9	35
73	Scaffold oriented synthesis. Part 2: Design, synthesis and biological evaluation of pyrimido-diazepines as receptor tyrosine kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2008</b> , 18, 2691-5	2.9	28
72	Hepatitis C NS5B polymerase inhibitors: 4,4-Dialkyl-1-hydroxy-3-oxo-3,4-dihydronaphthalene-3-yl benzothiadiazine derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2008</b> , 18, 3887-90	2.9	18
71	Isoxazolo[3,4-b]quinoline-3,4(1H,9H)-diones as unique, potent and selective inhibitors for Pim-1 and Pim-2 kinases: chemistry, biological activities, and molecular modeling. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2008</b> , 18, 5206-8	2.9	52
70	7-Aminopyrazolo[1,5-a]pyrimidines as potent multitargeted receptor tyrosine kinase inhibitors. <i>Journal of Medicinal Chemistry</i> , <b>2008</b> , 51, 3777-87	8.3	44
69	Discovery of N-(4-(3-amino-1H-indazol-4-yl)phenyl)-N'-(2-fluoro-5-methylphenyl)urea (ABT-869), a 3-aminoindazole-based orally active multitargeted receptor tyrosine kinase inhibitor. <i>Journal of Medicinal Chemistry</i> , <b>2007</b> , 50, 1584-97	8.3	160
68	Discovery of 1,4-dihydroindeno[1,2-c]pyrazoles as a novel class of potent and selective checkpoint kinase 1 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , <b>2007</b> , 15, 2759-67	3.4	33
67	Pyrrolidine-constrained phenethylamines: The design of potent, selective, and pharmacologically efficacious dipeptidyl peptidase IV (DPP4) inhibitors from a lead-like screening hit. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2007</b> , 17, 2005-12	2.9	30
66	Synthesis and biological evaluation of 5-substituted 1,4-dihydroindeno[1,2-c]pyrazoles as multitargeted receptor tyrosine kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2007</b> , 17, 3136-40	2.9	15
65	1,4-Dihydroindeno[1,2-c]pyrazoles as potent checkpoint kinase 1 inhibitors: extended exploration on phenyl ring substitutions and preliminary ADME/PK studies. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2007</b> , 17, 3618-23	2.9	11
64	Cyanopyridyl containing 1,4-dihydroindeno[1,2-c]pyrazoles as potent checkpoint kinase 1 inhibitors: improving oral bioavailability. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2007</b> , 17, 5665-70	2.9	5
63	Discovery of 4'-(1,4-dihydro-indeno[1,2-c]pyrazol-3-yl)-benzonnitriles and 4'-(1,4-dihydro-indeno[1,2-c]pyrazol-3-yl)-pyridine-2' carbonitriles as potent checkpoint kinase 1 (Chk1) inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2007</b> , 17, 5944-51	2.9	25
62	Thienopyridine urea inhibitors of KDR kinase. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2007</b> , 17, 1246-9	2.9	40
61	Identification and characterization of mutations conferring resistance to an HCV RNA-dependent RNA polymerase inhibitor in vitro. <i>Antiviral Research</i> , <b>2007</b> , 76, 93-7	10.8	38
60	Design and characterization of an engineered gp41 protein from human immunodeficiency virus-1 as a tool for drug discovery. <i>Journal of Computer-Aided Molecular Design</i> , <b>2007</b> , 21, 121-30	4.2	6
59	Identification and structural characterization of I84C and I84A mutations that are associated with high-level resistance to human immunodeficiency virus protease inhibitors and impair viral replication. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2007</b> , 51, 732-5	5.9	13

58	Discovery and structure-activity relationships of piperidinone- and piperidine-constrained phenethylamines as novel, potent, and selective dipeptidyl peptidase IV inhibitors. <i>Journal of Medicinal Chemistry</i> , <b>2007</b> , 50, 1983-7	8.3	71
57	Pharmacological and functional comparison of the polo-like kinase family: insight into inhibitor and substrate specificity. <i>Biochemistry</i> , <b>2007</b> , 46, 9551-63	3.2	89
56	Structure-based design, synthesis, and biological evaluation of potent and selective macrocyclic checkpoint kinase 1 inhibitors. <i>Journal of Medicinal Chemistry</i> , <b>2007</b> , 50, 1514-27	8.3	68
55	Design, synthesis, and biological activity of 5,10-dihydro-dibenzo[b,e][1,4]diazepin-11-one-based potent and selective Chk-1 inhibitors. <i>Journal of Medicinal Chemistry</i> , <b>2007</b> , 50, 4162-76	8.3	35
54	Xanthine mimetics as potent dipeptidyl peptidase IV inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2006</b> , 16, 6226-30	2.9	17
53	Discovery, structure-activity relationship, and pharmacological evaluation of (5-substituted-pyrrolidinyl-2-carbonyl)-2-cyanopyrrolidines as potent dipeptidyl peptidase IV inhibitors. <i>Journal of Medicinal Chemistry</i> , <b>2006</b> , 49, 3520-35	8.3	54
52	Crystal structures of DPP-IV (CD26) from rat kidney exhibit flexible accommodation of peptidase-selective inhibitors. <i>Biochemistry</i> , <b>2006</b> , 45, 7474-82	3.2	39
51	Discovery of ((4R,5S)-5-amino-4-(2,4,5-trifluorophenyl)cyclohex-1-enyl)-(3-(trifluoromethyl)-5,6-dihydro-[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-yl)methanone (ABT-341), a highly potent, selective, orally efficacious, and safe dipeptidyl peptidase IV inhibitor for the treatment of type 2 diabetes. <i>Journal of Medicinal Chemistry</i> , <b>2006</b> , 49, 1102-10	8.3	47
50	Discovery of 2-[4-{{2-(2S,5R)-2-cyano-5-ethynyl-1-pyrrolidinyl}-2-oxoethyl}amino]-4-methyl-1-piperidinyl]-4-pyridinecarboxylic acid (ABT-279): a very potent, selective, effective, and well-tolerated inhibitor of dipeptidyl peptidase-IV, useful for the treatment of diabetes. <i>Journal of Medicinal Chemistry</i> , <b>2006</b> , 49, 6416-20	8.3	37
49	Hit-to-lead optimization of 1,4-dihydroindeno[1,2-c]pyrazoles as a novel class of KDR kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2006</b> , 16, 4371-5	2.9	23
48	Isothiazolopyrimidines and isoxazolopyrimidines as novel multi-targeted inhibitors of receptor tyrosine kinases. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2006</b> , 16, 4326-30	2.9	21
47	1,4-Dihydroindeno[1,2-c]pyrazoles as novel multitargeted receptor tyrosine kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2006</b> , 16, 4266-71	2.9	23
46	Drug Guru: a computer software program for drug design using medicinal chemistry rules. <i>Bioorganic and Medicinal Chemistry</i> , <b>2006</b> , 14, 7011-22	3.4	86
45	Structure-based characterization and optimization of novel hydrophobic binding interactions in a series of pyrrolidine influenza neuraminidase inhibitors. <i>Journal of Medicinal Chemistry</i> , <b>2005</b> , 48, 3980-90	8.3	54
44	An unusual intramolecular hetero-Diels-Alder cycloaddition. <i>Journal of Organic Chemistry</i> , <b>2005</b> , 70, 3332-5	2.9	3
43	Thienopyrimidine ureas as novel and potent multitargeted receptor tyrosine kinase inhibitors. <i>Journal of Medicinal Chemistry</i> , <b>2005</b> , 48, 6066-83	8.3	142
42	Design, synthesis, and structural analysis of inhibitors of influenza neuraminidase containing a 2,3-disubstituted tetrahydrofuran-5-carboxylic acid core. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2005</b> , 15, 125-8	2.9	25
41	Naphthamide urokinase plasminogen activator inhibitors with improved pharmacokinetic properties. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2005</b> , 15, 93-8	2.9	17

40	Novel transient receptor potential vanilloid 1 receptor antagonists for the treatment of pain: structure-activity relationships for ureas with quinoline, isoquinoline, quinazoline, phthalazine, quinoxaline, and cinnoline moieties. <i>Journal of Medicinal Chemistry</i> , <b>2005</b> , 48, 744-52	8.3	134
39	An intramolecular ionic hydrogen bond stabilizes a cis amide bond rotamer of a ring-opened rapamycin-degradation product. <i>Magnetic Resonance in Chemistry</i> , <b>2005</b> , 43, 41-6	2.1	8
38	Synthesis and activity of N-acyl azacyclic urea HIV-1 protease inhibitors with high potency against multiple drug resistant viral strains. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2005</b> , 15, 5499-503	2.9	20
37	Establishment and characterization of 7 new monoclonal antibodies to tissue inhibitor of metalloproteinases-1. <i>Tumor Biology</i> , <b>2005</b> , 26, 71-80	2.9	22
36	Mutations conferring resistance to a hepatitis C virus (HCV) RNA-dependent RNA polymerase inhibitor alone or in combination with an HCV serine protease inhibitor in vitro. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2005</b> , 49, 4305-14	5.9	117
35	Mutations conferring resistance to a potent hepatitis C virus serine protease inhibitor in vitro. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2004</b> , 48, 2260-6	5.9	155
34	Conserved residues in the coiled-coil pocket of human immunodeficiency virus type 1 gp41 are essential for viral replication and interhelical interaction. <i>Virology</i> , <b>2004</b> , 329, 319-27	3.6	38
33	Isoindolinone ureas: a novel class of KDR kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2004</b> , 14, 4505-9	2.9	27
32	Formation, isolation and characterization of an AB-biaryl atropisomer of oritavancin. <i>Tetrahedron</i> , <b>2004</b> , 60, 10611-10618	2.4	3
31	An inside-the-box approach to drug resistance. <i>Chemistry and Biology</i> , <b>2004</b> , 11, 1327-8		
30	Interaction with the S1 beta-pocket of urokinase: 8-heterocycle substituted and 6,8-disubstituted 2-naphthamidine urokinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2004</b> , 14, 3063-8	2.9	9
29	Identification of novel binding interactions in the development of potent, selective 2-naphthamidine inhibitors of urokinase. Synthesis, structural analysis, and SAR of N-phenyl amide 6-substitution. <i>Journal of Medicinal Chemistry</i> , <b>2004</b> , 47, 303-24	8.3	65
28	Interaction with the S1β-pocket of urokinase: 8-heterocycle substituted and 6,8-disubstituted 2-naphthamidine urokinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2004</b> , 14, 3063-3068	2.9	20
27	Characterization of resistant HIV variants generated by in vitro passage with lopinavir/ritonavir. <i>Antiviral Research</i> , <b>2003</b> , 59, 173-80	10.8	29
26	Influenza neuraminidase inhibitors: structure-based design of a novel inhibitor series. <i>Biochemistry</i> , <b>2003</b> , 42, 718-27	3.2	104
25	Design, synthesis, and neuraminidase inhibitory activity of GS-4071 analogues that utilize a novel hydrophobic paradigm. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2002</b> , 12, 3425-9	2.9	18
24	X-ray crystallographic structure of ABT-378 (lopinavir) bound to HIV-1 protease. <i>Bioorganic and Medicinal Chemistry</i> , <b>2002</b> , 10, 2803-6	3.4	88
23	In vitro selection and characterization of influenza A (A/N9) virus variants resistant to a novel neuraminidase inhibitor, A-315675. <i>Journal of Virology</i> , <b>2002</b> , 76, 5380-6	6.6	42

22	Synthesis of an influenza neuraminidase inhibitor intermediate via a highly diastereoselective coupling reaction. <i>Organic Letters</i> , <b>2002</b> , 4, 1427-30	6.2	21
21	Species specificity of amidine-based urokinase inhibitors. <i>Biochemistry</i> , <b>2001</b> , 40, 9125-31	3.2	24
20	Design, synthesis, and structural analysis of influenza neuraminidase inhibitors containing pyrrolidine cores. <i>Journal of Medicinal Chemistry</i> , <b>2001</b> , 44, 1192-201	8.3	124
19	Structure-directed discovery of potent non-peptidic inhibitors of human urokinase that access a novel binding subsite. <i>Structure</i> , <b>2000</b> , 8, 553-63	5.2	51
18	The 2.2 Å structure of the rRNA methyltransferase ErmC and its complexes with cofactor and cofactor analogs: implications for the reaction mechanism. <i>Journal of Molecular Biology</i> , <b>1999</b> , 289, 277-91	6.5	85
17	Discovery of a new cyclooxygenase-2 lead compound through 3-D database searching and combinatorial chemistry. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>1998</b> , 8, 529-34	2.9	23
16	ABT-378, a highly potent inhibitor of the human immunodeficiency virus protease. <i>Antimicrobial Agents and Chemotherapy</i> , <b>1998</b> , 42, 3218-24	5.9	419
15	In vitro selection and characterization of human immunodeficiency virus type 1 variants with increased resistance to ABT-378, a novel protease inhibitor. <i>Journal of Virology</i> , <b>1998</b> , 72, 7532-41	6.6	128
14	Lack of stereospecificity in the binding of the P2 amino acid of ritonavir to HIV protease. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>1997</b> , 7, 699-704	2.9	4
13	A novel, picomolar inhibitor of human immunodeficiency virus type 1 protease. <i>Journal of Medicinal Chemistry</i> , <b>1996</b> , 39, 392-7	8.3	60
12	Investigation into the diastereomeric composition of a pyruvamide dimer. <i>Journal of Heterocyclic Chemistry</i> , <b>1993</b> , 30, 1153-1154	1.9	1
11	Survey of the DNA binding properties of natural and synthetic polyamino compounds. <i>Journal of Physical Organic Chemistry</i> , <b>1992</b> , 5, 461-466	2.1	46
10	DOCKing ligands into receptors: The test case of E. coli chymotrypsin. <i>Tetrahedron Computer Methodology</i> , <b>1990</b> , 3, 713-722		11
9	New shapes in HIV protease inhibitors. <i>Protein Engineering, Design and Selection</i> , <b>1990</b> , 4, 1-2	1.9	3
8	Computerized Probe Analysis of the Energetically Favored Binding Sites of an Aspartyl Protease. <i>Annals of the New York Academy of Sciences</i> , <b>1990</b> , 616, 611-612	6.5	
7	Designed DNA Interactions <b>1990</b> , 75-80		
6	Molecular basis for potentiation of bleomycin-mediated degradation of DNA by polyamines. Experimental and molecular mechanical studies. <i>Journal of Molecular Recognition</i> , <b>1989</b> , 2, 158-66	2.6	44
5	The effect of structural changes in a polyamine backbone on its DNA-binding properties. <i>Biochemical and Biophysical Research Communications</i> , <b>1988</b> , 152, 1441-6	3.4	44

4	Host-guest complexation. 42. Preorganization strongly enhances the tendency of hemispherands to form hemispherplexes. <i>Journal of the American Chemical Society</i> , <b>1987</b> , 109, 3098-3107	16.4	73
3	Host-guest complexation. 40. Synthesis and complexation of macrocyclic hosts containing cyclic ureas, anisyls, and steric barriers. <i>Journal of Organic Chemistry</i> , <b>1986</b> , 51, 4327-4337	4.2	8
2	The catalytic oxidation of dithiols by a semisynthetic enzyme. <i>Journal of the American Chemical Society</i> , <b>1986</b> , 108, 3480-3483	16.4	12
1	Complementary solutes enter nonpolar preorganized cavities in lipophilic noncomplementary media. <i>Journal of the American Chemical Society</i> , <b>1985</b> , 107, 2574-2575	16.4	57