

Stanley B Pounds

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6782297/stanley-b-pounds-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

199 papers	14,597 citations	57 h-index	119 g-index
222 ext. papers	17,330 ext. citations	9 avg, IF	5.74 L-index

#	Paper	IF	Citations
199	Genome-wide analysis of genetic alterations in acute lymphoblastic leukaemia. <i>Nature</i> , 2007 , 446, 758-64	50.4	1398
198	The genetic basis of early T-cell precursor acute lymphoblastic leukaemia. <i>Nature</i> , 2012 , 481, 157-63	50.4	1163
197	The genomic landscape of diffuse intrinsic pontine glioma and pediatric non-brainstem high-grade glioma. <i>Nature Genetics</i> , 2014 , 46, 444-450	36.3	659
196	Novel mutations target distinct subgroups of medulloblastoma. <i>Nature</i> , 2012 , 488, 43-8	50.4	590
195	Subtypes of medulloblastoma have distinct developmental origins. <i>Nature</i> , 2010 , 468, 1095-9	50.4	590
194	NKAML: a pilot study to determine the safety and feasibility of haploidentical natural killer cell transplantation in childhood acute myeloid leukemia. <i>Journal of Clinical Oncology</i> , 2010 , 28, 955-9	2.2	458
193	Minimal residual disease-directed therapy for childhood acute myeloid leukaemia: results of the AML02 multicentre trial. <i>Lancet Oncology</i> , 2010 , 11, 543-52	21.7	432
192	The genomic landscape of pediatric and young adult T-lineage acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2017 , 49, 1211-1218	36.3	430
191	Pan-cancer genome and transcriptome analyses of 1,699 paediatric leukaemias and solid tumours. <i>Nature</i> , 2018 , 555, 371-376	50.4	380
190	A novel retinoblastoma therapy from genomic and epigenetic analyses. <i>Nature</i> , 2012 , 481, 329-34	50.4	364
189	Gene expression profiling of pediatric acute myelogenous leukemia. <i>Blood</i> , 2004 , 104, 3679-87	2.2	357
188	Estimating the occurrence of false positives and false negatives in microarray studies by approximating and partitioning the empirical distribution of p-values. <i>Bioinformatics</i> , 2003 , 19, 1236-42	7.2	309
187	The landscape of somatic mutations in infant MLL-rearranged acute lymphoblastic leukemias. <i>Nature Genetics</i> , 2015 , 47, 330-7	36.3	303
186	Cross-species genomics matches driver mutations and cell compartments to model ependymoma. <i>Nature</i> , 2010 , 466, 632-6	50.4	283
185	Comparison of droplet digital PCR to real-time PCR for quantitative detection of cytomegalovirus. <i>Journal of Clinical Microbiology</i> , 2013 , 51, 540-6	9.7	233
184	High Frequency and Poor Outcome of Philadelphia Chromosome-Like Acute Lymphoblastic Leukemia in Adults. <i>Journal of Clinical Oncology</i> , 2017 , 35, 394-401	2.2	227
183	A mouse model of the most aggressive subgroup of human medulloblastoma. <i>Cancer Cell</i> , 2012 , 21, 168-80	24.3	208

182	PAX5-driven subtypes of B-progenitor acute lymphoblastic leukemia. <i>Nature Genetics</i> , 2019 , 51, 296-307	36.3	189
181	Genome-wide interrogation of germline genetic variation associated with treatment response in childhood acute lymphoblastic leukemia. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 393-403	27.4	174
180	An Inv(16)(p13.3q24.3)-encoded CBFA2T3-GLIS2 fusion protein defines an aggressive subtype of pediatric acute megakaryoblastic leukemia. <i>Cancer Cell</i> , 2012 , 22, 683-97	24.3	161
179	High-resolution genomic profiling of chronic lymphocytic leukemia reveals new recurrent genomic alterations. <i>Blood</i> , 2012 , 120, 4783-94	2.2	156
178	Comparative analysis of different approaches to measure treatment response in acute myeloid leukemia. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3625-32	2.2	151
177	The genomic landscape of core-binding factor acute myeloid leukemias. <i>Nature Genetics</i> , 2016 , 48, 1551-1556	36.56	147
176	Genomic analysis reveals few genetic alterations in pediatric acute myeloid leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 12944-9	11.5	143
175	The genetic basis and cell of origin of mixed phenotype acute leukaemia. <i>Nature</i> , 2018 , 562, 373-379	50.4	140
174	Acute mixed lineage leukemia in children: the experience of St Jude Children's Research Hospital. <i>Blood</i> , 2009 , 113, 5083-9	2.2	135
173	Gene expression profiling of childhood adrenocortical tumors. <i>Cancer Research</i> , 2007 , 67, 600-8	10.1	127
172	Robust estimation of the false discovery rate. <i>Bioinformatics</i> , 2006 , 22, 1979-87	7.2	126
171	Phase I pharmacokinetic and pharmacodynamic study of the multikinase inhibitor sorafenib in combination with clofarabine and cytarabine in pediatric relapsed/refractory leukemia. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3293-300	2.2	124
170	The genomic landscape of childhood and adolescent melanoma. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 816-823	4.3	121
169	Genomic landscape of paediatric adrenocortical tumours. <i>Nature Communications</i> , 2015 , 6, 6302	17.4	116
168	Improving false discovery rate estimation. <i>Bioinformatics</i> , 2004 , 20, 1737-45	7.2	114
167	Higher-order oligomerization promotes localization of SPOP to liquid nuclear speckles. <i>EMBO Journal</i> , 2016 , 35, 1254-75	13	113
166	Molecular heterogeneity and CXorf67 alterations in posterior fossa group A (PFA) ependymomas. <i>Acta Neuropathologica</i> , 2018 , 136, 211-226	14.3	111
165	Histone H3.3 K27M Accelerates Spontaneous Brainstem Glioma and Drives Restricted Changes in Bivalent Gene Expression. <i>Cancer Cell</i> , 2019 , 35, 140-155.e7	24.3	109

164	Multicenter comparison of different real-time PCR assays for quantitative detection of Epstein-Barr virus. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 157-63	9.7	107
163	Clinical significance of residual disease during treatment in childhood acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2003 , 123, 243-52	4.5	107
162	Multi-organ Mapping of Cancer Risk. <i>Cell</i> , 2016 , 166, 1132-1146.e7	56.2	83
161	Prophylactic antibiotics reduce morbidity due to septicemia during intensive treatment for pediatric acute myeloid leukemia. <i>Cancer</i> , 2008 , 113, 376-82	6.4	82
160	MPH-26 MOLECULAR REFINEMENT OF PEDIATRIC POSTERIOR FOSSA EPENDYMOMA. <i>Neuro-Oncology</i> , 2015 , 17, v144.1-v144	1	78
159	Robust detection method for differential expression studies. <i>BMC Bioinformatics</i> , 2008 , 9,	3.6	78
158	OR02-1 DNA Methylation Profiling in Pediatric Adrenocortical Tumors Reveals Distinct Methylation Signatures with Prognostic Significance: A Report from the International Pediatric Adrenocortical Tumor Registry. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
157	SAT-LB058 Effect of a Genetic Modifier of Cancer Risk in TP53 Mutation Carriers. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
156	RB1 gene inactivation by chromothripsis in human retinoblastoma. <i>Oncotarget</i> , 2014 , 5, 438-50	3.3	77
155	Prognostic factors and outcome of recurrence in childhood acute myeloid leukemia. <i>Cancer</i> , 2007 , 109, 157-63	6.4	71
154	Pharmacogenetics of deoxycytidine kinase: identification and characterization of novel genetic variants. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 323, 935-45	4.7	70
153	A therapeutic trial of decitabine and vorinostat in combination with chemotherapy for relapsed/refractory acute lymphoblastic leukemia. <i>American Journal of Hematology</i> , 2014 , 89, 889-95	7.1	68
152	Clinical and biologic features and treatment outcome of children with newly diagnosed acute myeloid leukemia and hyperleukocytosis. <i>Cancer</i> , 2008 , 113, 522-9	6.4	68
151	Estimation and control of multiple testing error rates for microarray studies. <i>Briefings in Bioinformatics</i> , 2006 , 7, 25-36	13.4	67
150	Premedication with acetaminophen or diphenhydramine for transfusion with leucoreduced blood products in children. <i>British Journal of Haematology</i> , 2005 , 130, 781-7	4.5	67
149	Classification analysis of the transcriptome of nonlesional cultured dermal fibroblasts from systemic sclerosis patients with early disease. <i>Arthritis and Rheumatism</i> , 2005 , 52, 865-76		67
148	Communtability of the First World Health Organization International Standard for Human Cytomegalovirus. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 3325-33	9.7	62
147	IDH1 and IDH2 mutations in pediatric acute leukemia. <i>Leukemia</i> , 2011 , 25, 1570-7	10.7	62

146	Galactomannan antigenemia in pediatric oncology patients with invasive aspergillosis. <i>Pediatric Infectious Disease Journal</i> , 2008 , 27, 815-9	3.4	62
145	High-resolution genomic profiling of adult and pediatric core-binding factor acute myeloid leukemia reveals new recurrent genomic alterations. <i>Blood</i> , 2012 , 119, e67-75	2.2	59
144	Analysis of MDM2 and MDM4 single nucleotide polymorphisms, mRNA splicing and protein expression in retinoblastoma. <i>PLoS ONE</i> , 2012 , 7, e42739	3.7	59
143	Gut Microbiome Composition Predicts Infection Risk During Chemotherapy in Children With Acute Lymphoblastic Leukemia. <i>Clinical Infectious Diseases</i> , 2018 , 67, 541-548	11.6	57
142	TERT promoter mutations and prognosis in solitary fibrous tumor. <i>Modern Pathology</i> , 2016 , 29, 1511-1522	2.8	57
141	CONSORTING: integrating copy-number analysis with structural-variation detection. <i>Nature Methods</i> , 2015 , 12, 527-30	21.6	56
140	Genomic subtyping and therapeutic targeting of acute erythroleukemia. <i>Nature Genetics</i> , 2019 , 51, 694-704	7.4	54
139	Reference alignment of SNP microarray signals for copy number analysis of tumors. <i>Bioinformatics</i> , 2009 , 25, 315-21	7.2	52
138	Sample size determination for the false discovery rate. <i>Bioinformatics</i> , 2005 , 21, 4263-71	7.2	50
137	Impact of age on outcome of pediatric acute myeloid leukemia: a report from 2 institutions. <i>Cancer</i> , 2006 , 106, 2495-502	6.4	47
136	A phase II clinical trial of adoptive transfer of haploidentical natural killer cells for consolidation therapy of pediatric acute myeloid leukemia 2019 , 7, 81		46
135	Activity of the multikinase inhibitor sorafenib in combination with cytarabine in acute myeloid leukemia. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 893-905	9.7	45
134	Successive clinical trials for childhood acute myeloid leukemia at St Jude Children's Research Hospital, from 1980 to 2000. <i>Leukemia</i> , 2005 , 19, 2125-9	10.7	45
133	Mutational landscape and patterns of clonal evolution in relapsed pediatric acute lymphoblastic leukemia. <i>Blood Cancer Discovery</i> , 2020 , 1, 96-111	7	44
132	Effect of body mass index on the outcome of children with acute myeloid leukemia. <i>Cancer</i> , 2012 , 118, 5989-96	6.4	44
131	Combination of cladribine and cytarabine is effective for childhood acute myeloid leukemia: results of the St Jude AML97 trial. <i>Leukemia</i> , 2009 , 23, 1410-6	10.7	44
130	H3.3 K27M depletion increases differentiation and extends latency of diffuse intrinsic pontine glioma growth in vivo. <i>Acta Neuropathologica</i> , 2019 , 137, 637-655	14.3	43
129	Effect of race on outcome of white and black children with acute myeloid leukemia: the St. Jude experience. <i>Pediatric Blood and Cancer</i> , 2007 , 48, 10-5	3	43

128	Clinical significance of CD33 nonsynonymous single-nucleotide polymorphisms in pediatric patients with acute myeloid leukemia treated with gemtuzumab-ozogamicin-containing chemotherapy. <i>Clinical Cancer Research</i> , 2013 , 19, 1620-7	12.9	41
127	Feasibility, efficacy, and adverse effects of outpatient antibacterial prophylaxis in children with acute myeloid leukemia. <i>Cancer</i> , 2014 , 120, 1985-92	6.4	40
126	N-myc coordinates retinal growth with eye size during mouse development. <i>Genes and Development</i> , 2008 , 22, 179-93	12.6	39
125	Genetic variants in cytosolic 5S nucleotidase II are associated with its expression and cytarabine sensitivity in HapMap cell lines and in patients with acute myeloid leukemia. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 339, 9-23	4.7	37
124	Comprehensive genetic analysis of cytarabine sensitivity in a cell-based model identifies polymorphisms associated with outcome in AML patients. <i>Blood</i> , 2013 , 121, 4366-76	2.2	36
123	Venetoclax in combination with cytarabine with or without idarubicin in children with relapsed or refractory acute myeloid leukaemia: a phase 1, dose-escalation study. <i>Lancet Oncology</i> , 2020 , 21, 551-560	21.7	34
122	Cross-species genomic and epigenomic landscape of retinoblastoma. <i>Oncotarget</i> , 2013 , 4, 844-59	3.3	34
121	Rapid Antimicrobial Susceptibility Testing Using Forward Laser Light Scatter Technology. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 2701-2706	9.7	33
120	Gliomatosis cerebri in children shares molecular characteristics with other pediatric gliomas. <i>Acta Neuropathologica</i> , 2016 , 131, 299-307	14.3	32
119	Identification of clinical coryneform bacterial isolates: comparison of biochemical methods and sequence analysis of 16S rRNA and rpoB genes. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 921-7	9.7	32
118	Comparative evaluation of three commercial quantitative cytomegalovirus standards by use of digital and real-time PCR. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 1500-5	9.7	31
117	Gemtuzumab ozogamicin can reduce minimal residual disease in patients with childhood acute myeloid leukemia. <i>Cancer</i> , 2013 , 119, 4036-43	6.4	31
116	Prognostic features in acute megakaryoblastic leukemia in children without Down syndrome: a report from the AML02 multicenter trial and the Children's Oncology Group Study POG 9421. <i>Leukemia</i> , 2013 , 27, 731-4	10.7	31
115	OCTN1 Is a High-Affinity Carrier of Nucleoside Analogues. <i>Cancer Research</i> , 2017 , 77, 2102-2111	10.1	30
114	Statistical significance threshold criteria for analysis of microarray gene expression data. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2004 , 3, Article36	1.2	30
113	Severe cardiopulmonary complications consistent with systemic inflammatory response syndrome caused by leukemia cell lysis in childhood acute myelomonocytic or monocytic leukemia. <i>Pediatric Blood and Cancer</i> , 2005 , 44, 63-9	3	30
112	Coding polymorphisms in CD33 and response to gemtuzumab ozogamicin in pediatric patients with AML: a pilot study. <i>Leukemia</i> , 2009 , 23, 402-4	10.7	29
111	False discovery rate paradigms for statistical analyses of microarray gene expression data. <i>Bioinformatics</i> , 2007 , 1, 436-46	1.1	29

110	Treatment outcome in older patients with childhood acute myeloid leukemia. <i>Cancer</i> , 2012 , 118, 6253-9	6.4	28
109	Persistent hyperplastic primary vitreous due to somatic mosaic deletion of the arf tumor suppressor. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 491-9		28
108	Statistical development and evaluation of microarray gene expression data filters. <i>Journal of Computational Biology</i> , 2005 , 12, 482-95	1.7	27
107	Hypoxia-induced upregulation of BMX kinase mediates therapeutic resistance in acute myeloid leukemia. <i>Journal of Clinical Investigation</i> , 2018 , 128, 369-380	15.9	25
106	Bacterial Factors Required for Transmission of Streptococcus pneumoniae in Mammalian Hosts. <i>Cell Host and Microbe</i> , 2019 , 25, 884-891.e6	23.4	23
105	Decreased relapsed rate and treatment-related mortality contribute to improved outcomes for pediatric acute myeloid leukemia in successive clinical trials. <i>Cancer</i> , 2017 , 123, 3791-3798	6.4	22
104	Identification of Clinical and Biologic Correlates Associated With Outcome in Children With Adrenocortical Tumors Without Germline TP53 Mutations: A St Jude Adrenocortical Tumor Registry and Children's Oncology Group Study. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3956-3963	2.2	22
103	Genome scan implicates adhesion biological pathways in secondary leukemia. <i>Leukemia</i> , 2007 , 21, 2128-36	36.7	22
102	Comparative Performance of Reagents and Platforms for Quantitation of Cytomegalovirus DNA by Digital PCR. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 2602-8	9.7	21
101	RRM1 and RRM2 pharmacogenetics: association with phenotypes in HapMap cell lines and acute myeloid leukemia patients. <i>Pharmacogenomics</i> , 2013 , 14, 1449-66	2.6	21
100	Identification of predictive markers of cytarabine response in AML by integrative analysis of gene-expression profiles with multiple phenotypes. <i>Pharmacogenomics</i> , 2011 , 12, 327-39	2.6	21
99	Bithalamic gliomas may be molecularly distinct from their unilateral high-grade counterparts. <i>Brain Pathology</i> , 2018 , 28, 112-120	6	20
98	Combination of cladribine plus topotecan for recurrent or refractory pediatric acute myeloid leukemia. <i>Cancer</i> , 2010 , 116, 98-105	6.4	20
97	Integrated Transcriptomic and Genomic Sequencing Identifies Prognostic Constellations of Driver Mutations in Acute Myeloid Leukemia and Myelodysplastic Syndromes. <i>Blood</i> , 2019 , 134, LBA-4-LBA-4	2.2	20
96	Integrative genomic analyses reveal mechanisms of glucocorticoid resistance in acute lymphoblastic leukemia. <i>Nature Cancer</i> , 2020 , 1, 329-344	15.4	19
95	Malignant rhabdoid tumors originating within and outside the central nervous system are clinically and molecularly heterogeneous. <i>Acta Neuropathologica</i> , 2018 , 136, 315-326	14.3	19
94	Inherited variation in OATP1B1 is associated with treatment outcome in acute myeloid leukemia. <i>Clinical Pharmacology and Therapeutics</i> , 2016 , 99, 651-60	6.1	19
93	Integrated epigenetic and genetic analysis identifies markers of prognostic significance in pediatric acute myeloid leukemia. <i>Oncotarget</i> , 2018 , 9, 26711-26723	3.3	19

92	Network-based systems pharmacology reveals heterogeneity in LCK and BCL2 signaling and therapeutic sensitivity of T-cell acute lymphoblastic leukemia. <i>Nature Cancer</i> , 2021 , 2, 284-299	15.4	19
91	Contribution of the TP53 R337H mutation to the cancer burden in southern Brazil: Insights from the study of 55 families of children with adrenocortical tumors. <i>Cancer</i> , 2017 , 123, 3150-3158	6.4	18
90	Prognostic Significance of Major Histocompatibility Complex Class II Expression in Pediatric Adrenocortical Tumors: A St. Jude and Children's Oncology Group Study. <i>Clinical Cancer Research</i> , 2016 , 22, 6247-6255	12.9	18
89	Quantitative real-time PCR detection of adenovirus in clinical blood specimens: a comparison of plasma, whole blood and peripheral blood mononuclear cells. <i>Journal of Clinical Virology</i> , 2007 , 40, 295-300	14.5	18
88	ChIP-PaM: an algorithm to identify protein-DNA interaction using ChIP-Seq data. <i>Theoretical Biology and Medical Modelling</i> , 2010 , 7, 18	2.3	16
87	Comparison of two multiplexed PCR assays for the detection of HSV-1, HSV-2, and VZV with extracted and unextracted cutaneous and mucosal specimens. <i>Journal of Clinical Virology</i> , 2013 , 58, 84-88	14.5	15
86	Clofarabine Can Replace Anthracyclines and Etoposide in Remission Induction Therapy for Childhood Acute Myeloid Leukemia: The AML08 Multicenter, Randomized Phase III Trial. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2072-2081	2.2	14
85	Impact of genetic variation in FKBP5 on clinical response in pediatric acute myeloid leukemia patients: a pilot study. <i>Leukemia</i> , 2011 , 25, 1354-6	10.7	14
84	PROMISE: a tool to identify genomic features with a specific biologically interesting pattern of associations with multiple endpoint variables. <i>Bioinformatics</i> , 2009 , 25, 2013-9	7.2	14
83	A six-gene leukemic stem cell score identifies high risk pediatric acute myeloid leukemia. <i>Leukemia</i> , 2020 , 34, 735-745	10.7	14
82	A new system identification approach to identify genetic variants in sequencing studies for a binary phenotype. <i>Human Heredity</i> , 2014 , 78, 104-16	1.1	13
81	A genomic random interval model for statistical analysis of genomic lesion data. <i>Bioinformatics</i> , 2013 , 29, 2088-95	7.2	13
80	Quantitative Assessment of Commutability for Clinical Viral Load Testing Using a Digital PCR-Based Reference Standard. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 1616-1623	9.7	13
79	MicroRNA-mRNA Pairs Associated with Outcome in AML: From In Vitro Cell-Based Studies to AML Patients. <i>Frontiers in Pharmacology</i> , 2015 , 6, 324	5.6	12
78	An R package that automatically collects and archives details for reproducible computing. <i>BMC Bioinformatics</i> , 2014 , 15, 138	3.6	11
77	Integrated analysis of pharmacologic, clinical and SNP microarray data using Projection Onto the Most Interesting Statistical Evidence with Adaptive Permutation Testing. <i>International Journal of Data Mining and Bioinformatics</i> , 2011 , 5, 143-57	0.5	11
76	Randomized trial of 2 dosages of prophylactic granulocyte-colony-stimulating factor after induction chemotherapy in pediatric acute myeloid leukemia. <i>Cancer</i> , 2011 , 117, 1313-20	6.4	11
75	A procedure to statistically evaluate agreement of differential expression for cross-species genomics. <i>Bioinformatics</i> , 2011 , 27, 2098-103	7.2	11

74	Sorafenib Population Pharmacokinetics and Skin Toxicities in Children and Adolescents with Refractory/Relapsed Leukemia or Solid Tumor Malignancies. <i>Clinical Cancer Research</i> , 2019 , 25, 7320-7330	12.9	10
73	Definition of cure in childhood acute myeloid leukemia. <i>Cancer</i> , 2014 , 120, 2490-6	6.4	10
72	Comparative Evaluation of Four Real-Time PCR Methods for the Quantitative Detection of Epstein-Barr Virus from Whole Blood Specimens. <i>Journal of Molecular Diagnostics</i> , 2016 , 18, 527-34	5.1	10
71	Empirical bayesian selection of hypothesis testing procedures for analysis of sequence count expression data. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2012 , 11,	1.2	9
70	Baseline mannose binding lectin levels may not predict infection among children with leukemia. <i>Pediatric Blood and Cancer</i> , 2008 , 50, 866-8	3	9
69	The acquisition of molecular drivers in pediatric therapy-related myeloid neoplasms. <i>Nature Communications</i> , 2021 , 12, 985	17.4	9
68	The most informative spacing test effectively discovers biologically relevant outliers or multiple modes in expression. <i>Bioinformatics</i> , 2014 , 30, 1400-8	7.2	8
67	Assumption Adequacy Averaging as a Concept to Develop More Robust Methods for Differential Gene Expression Analysis. <i>Computational Statistics and Data Analysis</i> , 2009 , 53, 1604-1612	1.6	8
66	Molecular classification improves risk assessment in adult BCR-ABL1-negative B-ALL. <i>Blood</i> , 2021 , 138, 948-958	2.2	7
65	Forty-five patient-derived xenografts capture the clinical and biological heterogeneity of Wilms tumor. <i>Nature Communications</i> , 2019 , 10, 5806	17.4	7
64	Comparative evaluation of whole blood versus plasma for quantitative detection of cytomegalovirus using an automated system. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016 , 85, 23-5	2.9	6
63	PAIR: paired allelic log-intensity-ratio-based normalization method for SNP-CGH arrays. <i>Bioinformatics</i> , 2013 , 29, 299-307	7.2	6
62	Regression analysis of longitudinal data with informative observation times and application to medical cost data. <i>Statistics in Medicine</i> , 2011 , 30, 1429-40	2.3	6
61	Phase Separation mediates NUP98 Fusion Oncoprotein Leukemic Transformation.. <i>Cancer Discovery</i> , 2021 ,	24.4	6
60	Pharmacogenomics of intracellular methotrexate polyglutamates in patientsSleukemia cells in vivo. <i>Journal of Clinical Investigation</i> , 2020 , 130, 6600-6615	15.9	6
59	Genome-wide association analysis identifies SNPs predictive of leukemic cell sensitivity to cytarabine in pediatric AML. <i>Oncotarget</i> , 2018 , 9, 34859-34875	3.3	6
58	DNA Methylation-Based Epigenetic Repression of SLC22A4 Promotes Resistance to Cytarabine in Acute Myeloid Leukemia. <i>Clinical and Translational Science</i> , 2021 , 14, 137-142	4.9	6
57	Clinical significance of in vivo cytarabine-induced gene expression signature in AML. <i>Leukemia and Lymphoma</i> , 2016 , 57, 909-20	1.9	5

56	Comprehensive Ara-C SNP score predicts leukemic cell intracellular ara-CTP levels in pediatric acute myeloid leukemia patients. <i>Pharmacogenomics</i> , 2018 , 19, 1101-1110	2.6	5
55	Uncovering the Genomic Landscape in Newly Diagnosed and Relapsed Pediatric Cytogenetically Normal FLT3-ITD AML. <i>Clinical and Translational Science</i> , 2019 , 12, 641-647	4.9	5
54	Joint analysis of longitudinal data and recurrent episodes data with application to medical cost analysis. <i>Biometrical Journal</i> , 2013 , 55, 5-16	1.5	5
53	SVSI: fast and powerful set-valued system identification approach to identifying rare variants in sequencing studies for ordered categorical traits. <i>Annals of Human Genetics</i> , 2015 , 79, 294-309	2.2	5
52	Statistical analysis of data from retroviral clonal experiments in the developing retina. <i>Brain Research</i> , 2008 , 1192, 178-85	3.7	5
51	Transcriptome profiling of patient derived xenograft models established from pediatric acute myeloid leukemia patients confirm maintenance of FLT3-ITD mutation. <i>Leukemia and Lymphoma</i> , 2017 , 58, 247-250	1.9	4
50	MLF1 is a proapoptotic antagonist of HOP complex-mediated survival. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017 , 1864, 719-727	4.9	4
49	DNA Methylation Profiling Reveals Prognostically Significant Groups in Pediatric Adrenocortical Tumors: A Report From the International Pediatric Adrenocortical Tumor Registry. <i>JCO Precision Oncology</i> , 2019 , 3,	3.6	4
48	A Robust and Powerful Set-Valued Approach to Rare Variant Association Analyses of Secondary Traits in Case-Control Sequencing Studies. <i>Genetics</i> , 2017 , 205, 1049-1062	4	3
47	CC-PROMISE effectively integrates two forms of molecular data with multiple biologically related endpoints. <i>BMC Bioinformatics</i> , 2016 , 17, 382	3.6	3
46	An empirical Bayes approach for analysis of diverse periodic trends in time-course gene expression data. <i>Bioinformatics</i> , 2013 , 29, 182-8	7.2	3
45	The Beta-Binomial Distribution for Estimating the Number of False Rejections in Microarray Gene Expression Studies. <i>Computational Statistics and Data Analysis</i> , 2009 , 53, 1688-1700	1.6	3
44	Metabolomics Profiling Reveals Markers for Chemosensitivity and Clinical Outcomes in Pediatric AML Patients. <i>Blood</i> , 2018 , 132, 1536-1536	2.2	3
43	Genomic Landscape of Pediatric Mixed Phenotype Acute Leukemia. <i>Blood</i> , 2016 , 128, 454-454	2.2	3
42	Statistical Methods for Overdispersion in mRNA-Seq Count Data. <i>Open Bioinformatics Journal</i> , 2013 , 7, 34-40	0.8	3
41	SequenceErr: measuring and suppressing sequencer errors in next-generation sequencing data. <i>Genome Biology</i> , 2021 , 22, 37	18.3	3
40	Statistical selection of biological models for genome-wide association analyses. <i>Methods</i> , 2018 , 145, 67-75	4.6	3
39	MicroRNAs Mediated Regulation of Expression of Nucleoside Analog Pathway Genes in Acute Myeloid Leukemia. <i>Genes</i> , 2019 , 10,	4.2	2

38	Acute Megakaryoblastic Leukemia (AMKL) in Children without Down Syndrome.. <i>Blood</i> , 2009 , 114, 482-482	2	
37	The Genomic Landscape of Childhood and Adult Acute Erythroid Leukemia. <i>Blood</i> , 2016 , 128, 39-39	2.2	2
36	Polygenic Ara-C Response Score Identifies Pediatric Patients With Acute Myeloid Leukemia in Need of Chemotherapy Augmentation.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2101422	2.2	2
35	Integrated Genome Wide Association Study (GWAS) Identifies SNPs Associated with Outcome in Pediatric AML. <i>Blood</i> , 2018 , 132, 2758-2758	2.2	2
34	The Genomic Landscape of Childhood Acute Lymphoblastic Leukemia. <i>Blood</i> , 2019 , 134, 649-649	2.2	2
33	Cellular Metabolomics Profiles Associated With Drug Chemosensitivity in AML. <i>Frontiers in Oncology</i> , 2021 , 11, 678008	5.3	2
32	The Common Germline Mutation Is Hypomorphic and Confers Incomplete Penetrance and Late Tumor Onset in a Mouse Model. <i>Cancer Research</i> , 2021 , 81, 2442-2456	10.1	2
31	A Conditional Approach for Regression Analysis of Longitudinal Data with Informative Observation Time and Non-negligible Observation Duration. <i>Communications in Statistics - Theory and Methods</i> , 2014 , 43, 4998-5011	0.5	1
30	Integrated Analysis of Pharmacokinetic, Clinical, and SNP Microarray Data Using Projection onto the Most Interesting Statistical Evidence with Adaptive Permutation Testing 2009 ,		1
29	Prognostic significance of myeloperoxidase expression in childhood acute myeloid leukemia. <i>Pediatric Blood and Cancer</i> , 2008 , 50, 542-8	3	1
28	Filtration-based culture methods improve recovery of fungal pathogens in respiratory specimens. <i>Diagnostic Microbiology and Infectious Disease</i> , 2006 , 56, 221-3	2.9	1
27	Estimating the fraction of clonable genomic DNA. <i>Bulletin of Mathematical Biology</i> , 2001 , 63, 995-1002	2.1	1
26	Clinical Activity, Pharmacokinetics, and Pharmacodynamics of Sorafenib In Pediatric Acute Myeloid Leukemia.. <i>Blood</i> , 2010 , 116, 1073-1073	2.2	1
25	Characterization of Novel Subtypes in B Progenitor Acute Lymphoblastic Leukemia. <i>Blood</i> , 2018 , 132, 565-565	2.2	1
24	Gene Expression Patterns Associated with Cytarabine Pharmacology and Outcome in Pediatric Acute Myeloid Leukemia.. <i>Blood</i> , 2009 , 114, 114-114	2.2	1
23	POST: A framework for set-based association analysis in high-dimensional data. <i>Methods</i> , 2018 , 145, 76-84	16	1
22	Integrative Analysis of Pediatric Acute Leukemia Identifies Immature Subtypes That Span a T Lineage and Myeloid Continuum with Distinct Prognoses. <i>Blood</i> , 2019 , 134, 918-918	2.2	0
21	Integrative Genomic Analysis of Pediatric Myeloid-Related Acute Leukemias Identifies Novel Subtypes and Prognostic Indicators. <i>Blood Cancer Discovery</i> , 2021 , 2, 586-599	7	0

- 20 Clinical Features and Cyto-reduction Therapy in Children with Newly Diagnosed Acute Myeloid Leukemia and Hyperleukocytosis. *Blood*, **2021**, 138, 2295-2295 2.2
- 19 Outcome after Relapse of Childhood Acute Myeloid Leukemia: The St. Jude Experience.. *Blood*, **2005**, 106, 273-273 2.2
- 18 Genes Regulating B-Cell Development and Differentiation Are Mutated in 40% of Pediatric Acute Lymphoblastic Leukemia.. *Blood*, **2006**, 108, 217-217 2.2
- 17 Pediatric LSC3 (pLSC3) Score Derived from DNMT3B-CD34-GPR56 As a Prognostic Tool to Predict AML Patient Outcome: Results from Two Independent Pediatric AML Cohorts. *Blood*, **2018**, 132, 290-290^{2.2}
- 16 Venetoclax in Combination with High-Dose Chemotherapy Is Active and Well-Tolerated in Children with Relapsed or Refractory Acute Myeloid Leukemia. *Blood*, **2019**, 134, 178-178 2.2
- 15 A 5-Gene Ara-C, Daunorubicin and Etoposide (ADE) Drug Response Score As a Prognostic Tool to Predict AML Treatment Outcome. *Blood*, **2019**, 134, 1429-1429 2.2
- 14 High-Throughput, High-Content siRNA/Drug Modifier Screen for Validation of Transcriptional Profiles Predictive of Cytarabine Response in AML. *Blood*, **2014**, 124, 3615-3615 2.2
- 13 The methylome of pediatric acute myeloid leukemia.. *Journal of Clinical Oncology*, **2015**, 33, 10027-10027. 2.2
- 12 Methylation of DNMT3B Strongly Associates with the Methylome, Cytogenetic Risk Groups, and Prognosis of Pediatric Acute Myeloid Leukemia. *Blood*, **2015**, 126, 2434-2434 2.2
- 11 Linking Subclonal Genetic Diversity with Functional Heterogeneity Identifies Diagnosis Subclones Destined to Relapse. *Blood*, **2016**, 128, 605-605 2.2
- 10 Genomic Profiling Identifies Novel Mutations and Fusion Genes in Newly Diagnosed and Relapsed Pediatric FLT3-ITD-Positive AML. *Blood*, **2016**, 128, 2838-2838 2.2
- 9 Gene Expression Profiling of Acute Myeloid Leukemia Shows Therapeutically Meaningful Patterns of Association with Ara-CTP Pharmacokinetics and Pharmacodynamics. *Blood*, **2008**, 112, 215-215 2.2
- 8 Minimal Residual Disease-Directed Therapy for Childhood Acute Myeloid Leukemia: Results of the AML02 Multicenter Trial.. *Blood*, **2009**, 114, 16-16 2.2
- 7 5Nucleotidase (NT5C2) Genotype Influences Leukemic Blast Concentration of Ara-CTP in Pediatric Patients with Acute Myeloid Leukemia.. *Blood*, **2009**, 114, 593-593 2.2
- 6 Pathway Based Pharmacogenomics of Cytarabine In Pediatric Acute Myeloid Leukemia. *Blood*, **2010**, 116, 294-294 2.2
- 5 High-Resolution Genomic Profiling of Adult and Pediatric Core Binding Factor Acute Myeloid Leukemia Reveals New Recurrent Genomic Aberrations. *Blood*, **2010**, 116, 849-849 2.2
- 4 IDH1 and IDH2 Mutations In Pediatric Acute Myeloid Leukemia. *Blood*, **2010**, 116, 1699-1699 2.2
- 3 Discovery of Novel Recurrent Mutations in Childhood Early T-Cell Precursor Acute Lymphoblastic Leukemia by Whole Genome Sequencing - a Report From the St Jude Children's Research Hospital - Washington University Pediatric Cancer Genome Project. *Blood*, **2011**, 118, 68-68 2.2

- | | | |
|---|---|-----|
| 2 | Cytarabine-Induced Gene Expression Signatures in AML Patients and Its Association with Clinical Outcome.. <i>Blood</i> , 2012 , 120, 2470-2470 | 2.2 |
| 1 | Gene-set distance analysis (GSDA): a powerful tool for gene-set association analysis. <i>BMC Bioinformatics</i> , 2021 , 22, 207 | 3.6 |