
Toshimasa Sone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6782426/publications.pdf Version: 2024-02-01



TOSHIMASA SONE

#	Article	IF	CITATIONS
1	Sense of Life Worth Living (Ikigai) and Mortality in Japan: Ohsaki Study. Psychosomatic Medicine, 2008, 70, 709-715.	2.0	131
2	The Ohsaki Cohort 2006 Study: Design of Study and Profile of Participants at Baseline. Journal of Epidemiology, 2010, 20, 253-258.	2.4	70
3	Factors Associated With Psychological Distress in a Community-Dwelling Japanese Population: The Ohsaki Cohort 2006 Study. Journal of Epidemiology, 2009, 19, 294-302.	2.4	64
4	Longitudinal association between time-varying social isolation and psychological distress after the Great East Japan Earthquake. Social Science and Medicine, 2016, 152, 96-101.	3.8	64
5	Participation in health check-ups and mortality using propensity score matched cohort analyses. Preventive Medicine, 2010, 51, 397-402.	3.4	43
6	The association between self-reported history of physical diseases and psychological distress in a community-dwelling Japanese population: the Ohsaki Cohort 2006 Study. European Journal of Public Health, 2014, 24, 45-49.	0.3	32
7	Personality traits and coping styles explain anxiety in lung cancer patients to a greater extent than other factors. Japanese Journal of Clinical Oncology, 2015, 45, 456-463.	1.3	29
8	The Efficacy of Omega-3 Fatty Acids for Depressive Symptoms among Pregnant Women in Japan and Taiwan: A Randomized, Double-Blind, Placebo-Controlled Trial (SYNCHRO; NCT01948596). Psychotherapy and Psychosomatics, 2019, 88, 122-124.	8.8	18
9	Omegaâ€3 fatty acid supplementation for expectant mothers with depressive symptoms in Japan and Taiwan: An open″abel trial. Psychiatry and Clinical Neurosciences, 2016, 70, 253-254.	1.8	13
10	Effect of olfactory stimulation with essential oils on cardiovascular reactivity during the moving beans task in stroke patients with anxiety. Complementary Therapies in Medicine, 2018, 36, 20-24.	2.7	11
11	Maladjustment to Academic Life and Employment Anxiety in University Students with Irritable Bowel Syndrome. PLoS ONE, 2015, 10, e0129345.	2.5	10
12	The synchronized trial on expectant mothers with depressive symptoms by omega-3 PUFAs (SYNCHRO): Study protocol for a randomized controlled trial. BMC Psychiatry, 2016, 16, 321.	2.6	10
13	Functions necessary for gait independence in patients with stroke: A study using decision tree. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104998.	1.6	9
14	Functional and cognitive variables predicting successful use of chopsticks or a spoon by the paretic upper extremity in patients following stroke: a cross-sectional study. Topics in Stroke Rehabilitation, 2019, 26, 1-5.	1.9	8
15	Attitude and practice of physical activity and social problem-solving ability among university students. Environmental Health and Preventive Medicine, 2017, 22, 18.	3.4	7
16	Functional disability among partners and community activity in elderly Japanese: The Ohsaki Cohort 2006 Study. Archives of Gerontology and Geriatrics, 2018, 78, 150-154.	3.0	7
17	Prediction of Upper Limb Recovery in the Acute Phase of Cerebrovascular Disease: Evaluation of "Functional Hand―Using the Manual Function Test. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 815-822.	1.6	6
18	Spouse's functional disability and mortality: The Ohsaki Cohort 2006 Study. Geriatrics and Gerontology International, 2019, 19, 774-779.	1.5	6

TOSHIMASA SONE

#	Article	IF	CITATIONS
19	Effects of the Interaction among Motor Functions on Self-care in Individuals with Stroke. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 104387.	1.6	6
20	The association between psychological distress and risk of incident functional disability in elderly survivors after the Great East Japan Earthquake: The mediating effect of lifestyle and bodily pain. Journal of Affective Disorders, 2021, 295, 552-558.	4.1	5
21	Relationship between the number of samples and the accuracy of the prediction model for dressing independence using artificial neural networks in stroke patients. , 2020, 11, 28-34.		5
22	Psychological Distress among Individuals Whose Partners Have Cancer. Tohoku Journal of Experimental Medicine, 2017, 243, 27-33.	1.2	4
23	Risk of psychological distress in partners with functional disability among older Japanese adults. Geriatrics and Gerontology International, 2018, 18, 775-782.	1.5	4
24	Differences between Japan and Taiwan in the treatment of pregnant women with depressive symptoms by omega-3 fatty acids: An open-label pilot study. Nutritional Neuroscience, 2019, 22, 63-71.	3.1	4
25	Propensity-matched analysis of the gap between capacity and actual performance of dressing in patients with stroke. Journal of Physical Therapy Science, 2016, 28, 1883-1887.	0.6	3
26	Cardiovascular Responses Associated with the Moving Beans Task: Influence of Psychological Characteristics. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 2013-2018.	1.6	3
27	Interactions of Cognitive and Physical Functions Associated with Toilet Independence in Stroke Patients. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105641.	1.6	3
28	Clinical Indicators and Thresholds for Determining Discharge Destination from Acute Stroke Ward. Asian Journal of Occupational Therapy, 2019, 15, 27-35.	0.2	1
29	All-cause mortality among Japanese whose cohabiting partners are diagnosed with cancer: the Ohsaki Cohort 2006 study. Acta Oncológica, 2019, 58, 425-431.	1.8	1
30	How long would you like to live? A 25-year prospective observation of the association between desired longevity and mortality Journal of Epidemiology, 2022, , .	2.4	1
31	Effect of a financial incentive (shopping point) on increasing the number of daily walking steps among community-dwelling adults in Japan: a randomised controlled trial. BMJ Open, 2020, 10, e037303.	1.9	Ο
32	A Cross-Sectional Study on the Characteristics of Physical Activity in Pre-Frail Older Adults. International Journal of Environmental Research and Public Health, 2021, 18, 12328.	2.6	0
33	Impact of Sensory Impairment on Improvement of Upper-limb Function in Patients under 75 Years of Age with Subacute Stroke: A Preliminary Study. Progress in Rehabilitation Medicine, 2021, 6, n/a.	0.9	0