

# Peter J Schoenmakers

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6782577/publications.pdf>

Version: 2024-02-01

237  
papers

9,047  
citations

36203

51  
h-index

58464

82  
g-index

249  
all docs

249  
docs citations

249  
times ranked

4636  
citing authors

#	ARTICLE	IF	CITATIONS
1	Gradient selection in reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1978, 149, 519-537.	1.8	429
2	Recent Developments in Two-Dimensional Liquid Chromatography: Fundamental Improvements for Practical Applications. <i>Analytical Chemistry</i> , 2019, 91, 240-263.	3.2	251
3	Comprehensive two-dimensional liquid chromatography of polymers. <i>Journal of Chromatography A</i> , 2003, 1000, 693-709.	1.8	222
4	Systematic study of ternary solvent behaviour in reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1981, 218, 261-284.	1.8	197
5	Use of the solubility parameter for predicting selectivity and retention in chromatography. <i>Journal of Chromatography A</i> , 1976, 122, 185-203.	1.8	187
6	Synthesis and characterization of telechelic polymethacrylates via RAFT polymerization. <i>Journal of Polymer Science Part A</i> , 2005, 43, 959-973.	2.5	181
7	Optimizing separations in online comprehensive two-dimensional liquid chromatography. <i>Journal of Separation Science</i> , 2018, 41, 68-98.	1.3	176
8	Use of gradient elution for rapid selection of isocratic conditions in reversed-phase high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1981, 205, 13-30.	1.8	174
9	Comprehensive two-dimensional gas chromatography (GC <sup>2</sup> -GC) and its applicability to the characterization of complex (petrochemical) mixtures. <i>Journal of High Resolution Chromatography</i> , 1997, 20, 539-544.	2.0	173
10	Description of solute retention over the full range of mobile phase compositions in reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1983, 282, 107-121.	1.8	142
11	Gas chromatographic methods for oil analysis. <i>Journal of Chromatography A</i> , 2002, 972, 137-173.	1.8	139
12	A protocol for designing comprehensive two-dimensional liquid chromatography separation systems. <i>Journal of Chromatography A</i> , 2006, 1120, 282-290.	1.8	137
13	Proper Tuning of Comprehensive Two-Dimensional Gas Chromatography (GC <sup>2</sup> -GC) to Optimize the Separation of Complex Oil Fractions. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 182-188.	2.0	136
14	Tailoring the Morphology of Methacrylate Ester-Based Monoliths for Optimum Efficiency in Liquid Chromatography. <i>Analytical Chemistry</i> , 2005, 77, 7342-7347.	3.2	133
15	A new measure of orthogonality for multi-dimensional chromatography. <i>Analytica Chimica Acta</i> , 2014, 838, 93-101.	2.6	130
16	Modelling retention in reversed-phase liquid chromatography as a function of pH and solvent composition. <i>Journal of Chromatography A</i> , 1992, 592, 157-182.	1.8	119
17	Comparison of comprehensive two-dimensional gas chromatography and gas chromatography-mass spectrometry for the characterization of complex hydrocarbon mixtures. <i>Journal of Chromatography A</i> , 2000, 892, 29-46.	1.8	119
18	Automatic Selection of Optimal Savitzky-Golay Smoothing. <i>Analytical Chemistry</i> , 2006, 78, 4598-4608.	3.2	111

#	ARTICLE	IF	CITATIONS
19	Quantitative analysis of target components by comprehensive two-dimensional gas chromatography. <i>Journal of Chromatography A</i> , 2003, 1019, 15-29.	1.8	110
20	Comprehensive two-dimensional liquid chromatography for the characterization of functional acrylate polymers. <i>Journal of Chromatography A</i> , 2005, 1076, 51-61.	1.8	104
21	Modelling retention of ionogenic solutes in liquid chromatography as a function of pH for optimization purposes. <i>Journal of Chromatography A</i> , 1993, 656, 577-590.	1.8	103
22	Reducing Dilution and Analysis Time in Online Comprehensive Two-Dimensional Liquid Chromatography by Active Modulation. <i>Analytical Chemistry</i> , 2016, 88, 1785-1793.	3.2	93
23	Development of an algorithm for peak detection in comprehensive two-dimensional chromatography. <i>Journal of Chromatography A</i> , 2007, 1156, 14-24.	1.8	92
24	Challenges in polymer analysis by liquid chromatography. <i>Polymer Chemistry</i> , 2012, 3, 2313.	1.9	91
25	Efficiency of methacrylate monolithic columns in reversed-phase liquid chromatographic separations. <i>Journal of Chromatography A</i> , 2007, 1175, 81-88.	1.8	83
26	Determination of molecular weight and size distribution and branching characteristics of PVAc by means of size exclusion chromatography/multi-angle laser light scattering (SEC/MALLS). <i>Polymer</i> , 2004, 45, 39-48.	1.8	82
27	Effects of pH in reversed-phase liquid chromatography. <i>Analytica Chimica Acta</i> , 1991, 250, 1-19.	2.6	81
28	A graphical method for understanding the kinetics of peak capacity production in gradient elution liquid chromatography. <i>Journal of Chromatography A</i> , 2006, 1125, 177-181.	1.8	81
29	Breakthrough of polymers in interactive liquid chromatography. <i>Journal of Chromatography A</i> , 2002, 982, 55-68.	1.8	80
30	Mass Spectrometric Characterization of Functional Poly(methyl methacrylate) in Combination with Critical Liquid Chromatography. <i>Analytical Chemistry</i> , 2003, 75, 5517-5524.	3.2	80
31	Comprehensive Two-Dimensional Liquid Chromatography with Stationary-Phase-Assisted Modulation Coupled to High-Resolution Mass Spectrometry Applied to Proteome Analysis of <i>Saccharomyces cerevisiae</i> . <i>Analytical Chemistry</i> , 2015, 87, 5387-5394.	3.2	80
32	Retention and selectivity characteristics of a non-polar perfluorinated stationary phase for liquid chromatography. <i>Journal of Chromatography A</i> , 1981, 218, 443-454.	1.8	79
33	Controlling the surface chemistry and chromatographic properties of methacrylate-ester-based monolithic capillary columns via photografting. <i>Journal of Separation Science</i> , 2007, 30, 407-413.	1.3	78
34	Untargeted Comprehensive Two-Dimensional Liquid Chromatography Coupled with High-Resolution Mass Spectrometry Analysis of Rice Metabolome Using Multivariate Curve Resolution. <i>Analytical Chemistry</i> , 2017, 89, 7675-7683.	3.2	72
35	Comprehensive multi-dimensional chromatographic studies on the separation of saturated hydrocarbon ring structures in petrochemical samples. <i>Journal of Chromatography A</i> , 2005, 1086, 12-20.	1.8	71
36	Theories to support method development in comprehensive two-dimensional liquid chromatography – A review. <i>Journal of Separation Science</i> , 2012, 35, 1697-1711.	1.3	70

#	ARTICLE	IF	CITATIONS
37	RES, an expert system for the set-up and interpretation of a ruggedness test in HPLC method validation. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1991, 10, 337-347.	1.8	67
38	Performance limits of monolithic and packed capillary columns in high-performance liquid chromatography and capillary electrochromatography. <i>Journal of Chromatography A</i> , 2006, 1104, 256-262.	1.8	66
39	Band broadening in size-exclusion chromatography of polydisperse samples. <i>Journal of Chromatography A</i> , 2004, 1060, 237-252.	1.8	65
40	Fast and efficient size-based separations of polymers using ultra-high-pressure liquid chromatography. <i>Journal of Chromatography A</i> , 2011, 1218, 1509-1518.	1.8	63
41	Program for the interpretive optimization of two-dimensional resolution. <i>Journal of Chromatography A</i> , 2016, 1450, 29-37.	1.8	63
42	Molar-Mass Characterization of Cationic Polymers for Gene Delivery by Aqueous Size-Exclusion Chromatography. <i>Pharmaceutical Research</i> , 2006, 23, 595-603.	1.7	62
43	Lattice models for the description of partitioning/ adsorption and retention in reversed-phase liquid chromatography, including surface and shape effects. <i>Journal of Chromatography A</i> , 1993, 656, 135-196.	1.8	61
44	Comprehensive two-dimensional liquid chromatography with on-line Fourier-transform-infrared-spectroscopy detection for the characterization of copolymers. <i>Journal of Chromatography A</i> , 2005, 1098, 104-110.	1.8	59
45	Characterization of polymer-based monolithic capillary columns by inverse size-exclusion chromatography and mercury-intrusion porosimetry. <i>Journal of Chromatography A</i> , 2008, 1182, 161-168.	1.8	59
46	Comparison of on-line flow-cell and off-line solvent-elimination interfaces for size-exclusion chromatography and Fourier-transform infrared spectroscopy in polymer analysis. <i>Journal of Chromatography A</i> , 2003, 1017, 83-96.	1.8	58
47	Multi-Dimensional Separations of Polymers. <i>Analytical Chemistry</i> , 2014, 86, 6172-6179.	3.2	58
48	High-efficiency liquid chromatography–mass spectrometry separations with 50mm, 250mm, and 1m long polymer-based monolithic capillary columns for the characterization of complex proteolytic digests. <i>Journal of Chromatography A</i> , 2010, 1217, 6610-6615.	1.8	57
49	Recent applications of retention modelling in liquid chromatography. <i>Journal of Separation Science</i> , 2021, 44, 88-114.	1.3	57
50	Evaluation of size-exclusion chromatography and size-exclusion electrochromatography calibration curves. <i>Journal of Chromatography A</i> , 2002, 957, 127-137.	1.8	56
51	Comprehensive Two-Dimensional Ultrahigh-Pressure Liquid Chromatography for Separations of Polymers. <i>Analytical Chemistry</i> , 2012, 84, 7802-7809.	3.2	56
52	Rhodium-Mediated Stereospecific Carbene Polymerization: From Homopolymers to Random and Block Copolymers. <i>Macromolecules</i> , 2010, 43, 8892-8903.	2.2	54
53	Branched-polymer separations using comprehensive two-dimensional molecular-topology fractionation—size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2008, 1201, 208-214.	1.8	51
54	Comparison of the efficiency of microparticulate and monolithic capillary columns. <i>Journal of Separation Science</i> , 2004, 27, 1431-1440.	1.3	49

#	ARTICLE	IF	CITATIONS
55	Thermodynamic model for supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 1984, 315, 1-18.	1.8	48
56	Nanoparticle Analysis by Online Comprehensive Two-Dimensional Liquid Chromatography combining Hydrodynamic Chromatography and Size-Exclusion Chromatography with Intermediate Sample Transformation. <i>Analytical Chemistry</i> , 2017, 89, 9167-9174.	3.2	48
57	Monitoring the in Vitro Enzyme-Mediated Degradation of Degradable Poly(ester amide) for Controlled Drug Delivery by LC-ToF-MS. <i>Biomacromolecules</i> , 2011, 12, 3243-3251.	2.6	46
58	Correction of the resolution function for non-ideal peaks. <i>Journal of Chromatography A</i> , 1988, 458, 355-370.	1.8	44
59	Optimizing the peak capacity per unit time in one-dimensional and off-line two-dimensional liquid chromatography for the separation of complex peptide samples. <i>Journal of Chromatography A</i> , 2009, 1216, 7368-7374.	1.8	44
60	Towards ultra-high peak capacities and peak-production rates using spatial three-dimensional liquid chromatography. <i>Lab on A Chip</i> , 2015, 15, 4415-4422.	3.1	44
61	Fast size-exclusion chromatography—Theoretical and practical considerations. <i>Journal of Chromatography A</i> , 2005, 1099, 92-102.	1.8	42
62	Preparation of monolithic columns with target mesopore-size distribution for potential use in size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2007, 1150, 279-289.	1.8	42
63	Recent applications of chemometrics in one- and two-dimensional chromatography. <i>Journal of Separation Science</i> , 2020, 43, 1678-1727.	1.3	42
64	Separation and characterization of functional poly(n-butyl acrylate) by critical liquid chromatography. <i>Journal of Chromatography A</i> , 2004, 1055, 123-133.	1.8	41
65	Calculation of pressure, density and temperature profiles in packed-column supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 1987, 395, 91-110.	1.8	40
66	Distinguishing drug isomers in the forensic laboratory: GC–VUV in addition to GC–MS for orthogonal selectivity and the use of library match scores as a new source of information. <i>Forensic Science International</i> , 2019, 302, 109900.	1.3	40
67	Comparison of stationary phases for packed-column supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 1990, 506, 563-578.	1.8	39
68	Stochastic Theory of Size Exclusion Chromatography: Peak Shape Analysis on Single Columns. <i>Analytical Chemistry</i> , 2005, 77, 3138-3148.	3.2	39
69	Selection of comparison criteria and experimental conditions to evaluate the kinetic performance of monolithic and packed-bed columns. <i>Journal of Chromatography A</i> , 2006, 1130, 108-114.	1.8	39
70	Characterization of Dye Extracts from Historical Cultural-Heritage Objects Using State-of-the-Art Comprehensive Two-Dimensional Liquid Chromatography and Mass Spectrometry with Active Modulation and Optimized Shifting Gradients. <i>Analytical Chemistry</i> , 2019, 91, 3062-3069.	3.2	38
71	Pillar-structured microchannels for on-chip liquid chromatography: Evaluation of the permeability and separation performance. <i>Journal of Separation Science</i> , 2007, 30, 1453-1460.	1.3	37
72	Determination of the amylose–amylopectin ratio of starches by iodine-affinity capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004, 1053, 227-234.	1.8	36

#	ARTICLE	IF	CITATIONS
73	Classification of highly similar crude oils using data sets from comprehensive two-dimensional gas chromatography and multivariate techniques. <i>Journal of Chromatography A</i> , 2005, 1096, 156-164.	1.8	36
74	Practical aspects of using methacrylate-ester-based monolithic columns in capillary electrochromatography. <i>Journal of Chromatography A</i> , 2006, 1109, 74-79.	1.8	36
75	Applicability of retention modelling in hydrophilic-interaction liquid chromatography for algorithmic optimization programs with gradient-scanning techniques. <i>Journal of Chromatography A</i> , 2017, 1530, 104-111.	1.8	36
76	Novel system for classifying chromatographic applications, exemplified by comprehensive two-dimensional gas chromatography and multivariate analysis. <i>Journal of Chromatography A</i> , 2005, 1071, 229-237.	1.8	35
77	Characterization of complex polyether polyols using comprehensive two-dimensional liquid chromatography hyphenated to high-resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2018, 1569, 128-138.	1.8	35
78	Latest Trends on the Future of Three-Dimensional Separations in Chromatography. <i>Chemical Reviews</i> , 2021, 121, 12016-12034.	23.0	35
79	Effect of pressure on retention in supercritical-fluid chromatography with packed columns. <i>Journal of Chromatography A</i> , 1986, 352, 315-328.	1.8	34
80	Robust isocratic liquid chromatographic separation of functional poly(methyl methacrylate). <i>Journal of Chromatography A</i> , 2003, 1018, 19-27.	1.8	34
81	Application of the reversed-phase liquid chromatographic model to describe the retention behaviour of polydisperse macromolecules in gradient and isocratic liquid chromatography. <i>Journal of Chromatography A</i> , 2003, 988, 53-67.	1.8	34
82	Z-RAFT star polymerization of styrene: Comprehensive characterization using size-exclusion chromatography. <i>Polymer</i> , 2008, 49, 5199-5208.	1.8	34
83	Gradient-elution parameters in capillary liquid chromatography for high-speed separations of peptides and intact proteins. <i>Journal of Chromatography A</i> , 2014, 1355, 149-157.	1.8	34
84	Development of a resolution metric for comprehensive two-dimensional chromatography. <i>Journal of Chromatography A</i> , 2007, 1146, 232-241.	1.8	33
85	Isotopic and elemental profiling of ammonium nitrate in forensic explosives investigations. <i>Forensic Science International</i> , 2015, 248, 101-112.	1.3	33
86	Fractionation of human serum lipoproteins and simultaneous enzymatic determination of cholesterol and triglycerides. <i>Analytica Chimica Acta</i> , 2009, 654, 85-91.	2.6	32
87	Analytical methodology for sulfonated lignins. <i>Journal of Separation Science</i> , 2010, 33, 439-452.	1.3	32
88	Hydrodynamic chromatography of macromolecules using polymer monolithic columns. <i>Journal of Chromatography A</i> , 2011, 1218, 8638-8645.	1.8	31
89	Design of a microfluidic device for comprehensive spatial two-dimensional liquid chromatography. <i>Journal of Separation Science</i> , 2015, 38, 1123-1129.	1.3	31
90	Characterization of synthetic dyes by comprehensive two-dimensional liquid chromatography combining ion-exchange chromatography and fast ion-pair reversed-phase chromatography. <i>Journal of Chromatography A</i> , 2016, 1436, 141-146.	1.8	31

#	ARTICLE	IF	CITATIONS
91	Enhancing detectability of anabolic-steroid residues in bovine urine by actively modulated online comprehensive two-dimensional liquid chromatography – high-resolution mass spectrometry. <i>Analytica Chimica Acta</i> , 2018, 1013, 87-97.	2.6	31
92	Comprehensive two-dimensional liquid chromatography: Ion chromatography–reversed-phase liquid chromatography for separation of low-molar-mass organic acids. <i>Journal of Chromatography A</i> , 2010, 1217, 6742-6746.	1.8	30
93	Supercritical-fluid chromatography – prospects and problems. <i>TrAC - Trends in Analytical Chemistry</i> , 1987, 6, 10-17.	5.8	29
94	Characterization of polyethylene glycols and polypropylene glycols by capillary zone electrophoresis and micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2003, 985, 479-491.	1.8	29
95	Determination of major carotenoids in vegetables by capillary electrochromatography. <i>Journal of Separation Science</i> , 2006, 29, 660-665.	1.3	29
96	Mapping degradation pathways of natural and synthetic dyes with LC-MS: Influence of solvent on degradation mechanisms. <i>Journal of Cultural Heritage</i> , 2019, 38, 29-36.	1.5	29
97	Development of comprehensive two-dimensional low-flow liquid-chromatography setup coupled to high-resolution mass spectrometry for shotgun proteomics. <i>Analytica Chimica Acta</i> , 2021, 1156, 3383-349.	2.6	29
98	Comprehensive 2D chromatography of random and block methacrylate copolymers. <i>Journal of Separation Science</i> , 2010, 33, 1414-1420.	1.3	28
99	Selection of Column Dimensions and Gradient Conditions to Maximize the Peak-Production Rate in Comprehensive Off-Line Two-Dimensional Liquid Chromatography Using Monolithic Columns. <i>Analytical Chemistry</i> , 2010, 82, 7015-7020.	3.2	28
100	RES, an expert system for the set-up and interpretation of a ruggedness test in HPLC method validation. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1991, 11, 37-55.	1.8	27
101	Gradient elution methods for predicting isocratic conditions. <i>Journal of Chromatography A</i> , 1991, 550, 425-447.	1.8	27
102	Criteria for developing rugged high-performance liquid chromatographic methods. <i>Journal of Chromatography A</i> , 1995, 697, 3-16.	1.8	27
103	Predicting the behaviour of polydisperse polymers in liquid chromatography under isocratic and gradient conditions. <i>Journal of Chromatography A</i> , 2002, 965, 93-107.	1.8	27
104	Fourier transform infrared spectroscopy with a sample deposition interface as a quantitative detector in size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2002, 948, 257-265.	1.8	27
105	Switching solvent and enhancing analyte concentrations in small effluent fractions using in-column focusing. <i>Journal of Chromatography A</i> , 2016, 1427, 90-95.	1.8	27
106	Effect of model inaccuracy on selectivity optimization procedures in reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1987, 384, 117-133.	1.8	26
107	Criteria for optimizing the separation of target analytes in complex chromatograms. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1996, 35, 67-86.	1.8	26
108	Experimental investigation of the band broadening originating from the top and bottom walls in micromachined nonporous pillar array columns. <i>Journal of Separation Science</i> , 2007, 30, 2605-2613.	1.3	26

#	ARTICLE	IF	CITATIONS
109	Study on the performance of different types of three-dimensional chromatographic systems. <i>Journal of Chromatography A</i> , 2013, 1271, 137-143.	1.8	26
110	Study of the influence of the aspect ratio on efficiency, flow resistance and retention factors of packed capillary columns in pressure- and electrically-driven liquid chromatography. <i>Journal of Chromatography A</i> , 2004, 1044, 311-316.	1.8	25
111	Determination of the degree of substitution and its distribution of carboxymethylcelluloses by capillary zone electrophoresis. <i>Carbohydrate Research</i> , 2004, 339, 1917-1924.	1.1	25
112	Poppe plots for size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2005, 1073, 87-91.	1.8	25
113	Titanium-scaffolded organic-monolithic stationary phases for ultra-high-pressure liquid chromatography. <i>Journal of Chromatography A</i> , 2014, 1359, 162-169.	1.8	25
114	Fabrication of columns for open-tubular liquid chromatography using photopolymerization of acrylates. <i>Journal of Chromatography A</i> , 1990, 516, 301-312.	1.8	23
115	Deformation and degradation of polymers in ultra-high-pressure liquid chromatography. <i>Journal of Chromatography A</i> , 2011, 1218, 6930-6942.	1.8	23
116	Comprehensive two-dimensional liquid chromatography of heavy oil. <i>Journal of Chromatography A</i> , 2018, 1564, 110-119.	1.8	23
117	Immobilized-enzyme reactors integrated into analytical platforms: Recent advances and challenges. <i>TrAC - Trends in Analytical Chemistry</i> , 2021, 144, 116419.	5.8	23
118	Practical implementation of neural networks for the interpretation of infrared spectra. <i>Vibrational Spectroscopy</i> , 1993, 4, 263-272.	1.2	22
119	A cyclic-olefin-copolymer microfluidic immobilized-enzyme reactor for rapid digestion of proteins from dried blood spots. <i>Journal of Chromatography A</i> , 2017, 1491, 36-42.	1.8	22
120	Measuring and using scanning-gradient data for use in method optimization for liquid chromatography. <i>Journal of Chromatography A</i> , 2021, 1636, 461780.	1.8	22
121	Field-flow fractionation for molecular-interaction studies of labile and complex systems: A critical review. <i>Analytica Chimica Acta</i> , 2022, 1193, 339396.	2.6	22
122	Contribution of the polymer standards' polydispersity to the observed band broadening in size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2003, 986, 1-15.	1.8	21
123	Characterization of hydroxypropylmethylcellulose (HPMC) using comprehensive two-dimensional liquid chromatography. <i>Journal of Chromatography A</i> , 2011, 1218, 5787-5793.	1.8	21
124	Size-exclusion chromatography using core-shell particles. <i>Journal of Chromatography A</i> , 2017, 1486, 96-102.	1.8	21
125	Effect of sample size of retention in packed column super-critical fluid chromatography. <i>Journal of Chromatography A</i> , 1988, 459, 201-213.	1.8	20
126	Optimisation of the chlorthalidone chiral separation by capillary electrochromatography using an achiral stationary phase and cyclodextrin in the mobile phase. <i>Analytica Chimica Acta</i> , 2004, 509, 11-19.	2.6	20



#	ARTICLE	IF	CITATIONS
127	Fast in vitro hydrolytic degradation of polyester urethane acrylate biomaterials: Structure elucidation, separation and quantification of degradation products. <i>Journal of Chromatography A</i> , 2011, 1218, 449-458.	1.8	20
128	Design and evaluation of microfluidic devices for two-dimensional spatial separations. <i>Journal of Chromatography A</i> , 2016, 1434, 127-135.	1.8	20
129	On-line microfluidic immobilized-enzyme reactors: A new tool for characterizing synthetic polymers. <i>Analytica Chimica Acta</i> , 2019, 1053, 62-69.	2.6	20
130	Effects of modifiers in packed and open-tubular supercritical fluid chromatography. <i>Journal of Chromatography A</i> , 1991, 552, 527-537.	1.8	19
131	One-dimensional and two-dimensional liquid chromatography of sulphonated lignins. <i>Journal of Chromatography A</i> , 2008, 1201, 196-201.	1.8	19
132	Accurate modelling of the retention behaviour of peptides in gradient-elution hydrophilic interaction liquid chromatography. <i>Journal of Chromatography A</i> , 2020, 1614, 460650.	1.8	19
133	Spotting isomer mixtures in forensic illicit drug casework with GC-UV using automated coelution detection and spectral deconvolution. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1173, 122675.	1.2	19
134	Explanations and advice provided by an expert system for system optimization in high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1989, 485, 219-236.	1.8	18
135	Chemical variance, a useful tool for the interpretation and analysis of two-dimensional chromatograms. <i>Journal of Chromatography A</i> , 2006, 1120, 273-281.	1.8	18
136	Mucin-based stationary phases as tool for the characterization of drug-mucus interaction. <i>Journal of Chromatography A</i> , 2014, 1351, 70-81.	1.8	18
137	Peak-Tracking Algorithm for Use in Automated Interpretive Method-Development Tools in Liquid Chromatography. <i>Analytical Chemistry</i> , 2018, 90, 14011-14019.	3.2	18
138	Two-dimensional insertable separation tool (TWIST) for flow confinement in spatial separations. <i>Journal of Chromatography A</i> , 2018, 1577, 120-123.	1.8	18
139	Development of a rational optimisation procedure for the automated sample clean-up with column switching in pesticide residue analysis. <i>Journal of Chromatography A</i> , 1991, 552, 113-135.	1.8	17
140	Analysis of low-molar-mass materials in commercial rubber samples by Soxhlet and headspace extractions followed by GC-MS analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004, 35, 1059-1073.	1.4	17
141	Methacrylate monolithic capillary columns for gradient peptide separations. <i>Journal of Chromatography A</i> , 2008, 1208, 109-115.	1.8	17
142	Perspectives on the future of multi-dimensional platforms. <i>Faraday Discussions</i> , 2019, 218, 72-100.	1.6	17
143	Application of supercritical fluid chromatography to the analysis of liquid-crystal mixtures. <i>Journal of Chromatography A</i> , 1986, 371, 121-134.	1.8	16
144	Optimization of chromatographic methods by a combination of optimization software and expert systems. <i>Journal of Chromatography A</i> , 1990, 506, 169-184.	1.8	16

#	ARTICLE	IF	CITATIONS
145	Contactless conductivity detection of synthetic polymers in non-aqueous size-exclusion electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2005, 1068, 183-187.	1.8	16
146	Molar mass distributions by gradient liquid chromatography: predicting and tailoring selectivity. <i>Journal of Chromatography A</i> , 2005, 1065, 219-229.	1.8	16
147	Topographic structures and chromatographic supports in microfluidic separation devices. <i>Journal of Chromatography A</i> , 2008, 1184, 560-572.	1.8	15
148	Low-molecular-weight model study of peroxide cross-linking of ethylene- $\alpha$ -propylene- $\alpha$ -diene rubber using gas chromatography and mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1201, 151-160.	1.8	15
149	Construction and initial evaluation of an apparatus for spatial comprehensive two-dimensional liquid-phase separations. <i>Analytica Chimica Acta</i> , 2011, 701, 92-97.	2.6	15
150	Pareto-optimality study into the comparison of the separation potential of comprehensive two-dimensional liquid chromatography in the column and spatial modes. <i>Journal of Chromatography A</i> , 2012, 1235, 39-48.	1.8	15
151	Pentaerythritol tetranitrate (PETN) profiling in post-explosion residues to constitute evidence of crime-scene presence. <i>Forensic Science International</i> , 2013, 230, 37-45.	1.3	15
152	Impurity profiling of trinitrotoluene using vacuum-outlet gas chromatography- $\alpha$ -mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1374, 224-230.	1.8	15
153	Fabrication of polymer monoliths within the confines of non-transparent 3D-printed polymer housings. <i>Journal of Chromatography A</i> , 2020, 1623, 461159.	1.8	15
154	Development of an on-line coupling of liquid- $\alpha$ -liquid extraction, normal-phase liquid chromatography and high-resolution gas chromatography producing an analytical marker for the prediction of mutagenicity and carcinogenicity of bitumen and bitumen fumes. <i>Journal of Chromatography A</i> , 1999, 849, 483-494.	1.8	14
155	Two-dimensional chromatography as a tool for studying band broadening in size-exclusion chromatography. <i>Journal of Separation Science</i> , 2005, 28, 1457-1466.	1.3	14
156	Characterization of Z $\alpha$ -RAFT Star Polymerization of Butyl acrylate by Size- $\alpha$ -Exclusion Chromatography. <i>Macromolecular Symposia</i> , 2009, 275- $\alpha$ -276, 184-196.	0.4	14
157	Alternative sample-introduction technique to avoid breakthrough in gradient-elution liquid chromatography of polymers. <i>Journal of Chromatography A</i> , 2010, 1217, 6595-6598.	1.8	14
158	Optimization and evaluation of radially interconnected versus bifurcating flow distributors using computational fluid dynamics modelling. <i>Journal of Chromatography A</i> , 2015, 1380, 88-95.	1.8	14
159	Analysis of charged acrylic particles by on-line comprehensive two-dimensional liquid chromatography and automated data-processing. <i>Analytica Chimica Acta</i> , 2019, 1054, 184-192.	2.6	14
160	Confinement of Monolithic Stationary Phases in Targeted Regions of 3D-Printed Titanium Devices Using Thermal Polymerization. <i>Analytical Chemistry</i> , 2020, 92, 2589-2596.	3.2	14
161	Reducing the influence of geometry-induced gradient deformation in liquid chromatographic retention modelling. <i>Journal of Chromatography A</i> , 2021, 1635, 461714.	1.8	14
162	Microfluidic Pressure Driven Liquid Chromatography of Biologically Relevant Samples. <i>Chromatographia</i> , 2012, 75, 1225-1234.	0.7	13

#	ARTICLE	IF	CITATIONS
163	Feasibility study for the construction of an integrated expert system in high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1992, 589, 31-43.	1.8	12
164	Strip-based regression: A method to obtain comprehensive co-polymer architectures from matrix-assisted laser desorption ionisation-mass spectrometry data. <i>Journal of Chromatography A</i> , 2010, 1217, 4150-4159.	1.8	12
165	Determination of cholesterol and triglycerides in serum lipoproteins using flow field-flow fractionation coupled to gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2011, 706, 361-366.	2.6	12
166	Freeze-thaw valves as a flow control mechanism in spatially complex 3D-printed fluidic devices. <i>Chemical Engineering Science</i> , 2019, 207, 1040-1048.	1.9	12
167	Experimental and numerical study of band-broadening effects associated with analyte transfer in microfluidic devices for spatial two-dimensional liquid chromatography created by additive manufacturing. <i>Journal of Chromatography A</i> , 2019, 1598, 77-84.	1.8	12
168	Emerging techniques for the detection of pyrotechnic residues from seized postal packages containing fireworks. <i>Forensic Science International</i> , 2020, 308, 110160.	1.3	12
169	Low-molecular-weight model study of peroxide cross-linking of ethylene-propylene (-diene) rubber using gas chromatography and mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1201, 141-150.	1.8	11
170	Aggregation behavior of fullerenes in aqueous solutions: a capillary electrophoresis and asymmetric flow field-flow fractionation study. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 8035-8045.	1.9	11
171	Integrating expert systems for high-performance liquid chromatographic method development. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1991, 11, 27-35.	1.8	10
172	Characterisation of fluorinated copolymers using liquid chromatography coupled on-line to mass spectrometry, with automated data interpretation. <i>Journal of Chromatography A</i> , 2004, 1043, 239-248.	1.8	10
173	Towards unsupervised analysis of second-order chromatographic data: Automated selection of number of components in multivariate curve-resolution methods. <i>Journal of Chromatography A</i> , 2007, 1158, 258-272.	1.8	10
174	Characterization of aggregates of surface modified fullerenes by asymmetrical flow field-flow fractionation with multi-angle light scattering detection. <i>Journal of Chromatography A</i> , 2015, 1408, 197-206.	1.8	10
175	Multicomponent characterization and differentiation of flash bangers – Part II: Elemental profiling of plastic caps. <i>Forensic Science International</i> , 2018, 290, 336-348.	1.3	10
176	Peak-tracking algorithm for use in comprehensive two-dimensional liquid chromatography – Application to monoclonal-antibody peptides. <i>Journal of Chromatography A</i> , 2021, 1639, 461922.	1.8	10
177	Mobile and stationary phases for SFC: Effects of using modifiers. <i>Mikrochimica Acta</i> , 1991, 104, 337-351.	2.5	9
178	Chromatography in Industry. <i>Annual Review of Analytical Chemistry</i> , 2009, 2, 333-357.	2.8	9
179	Transfer-volume effects in two-dimensional chromatography: Adsorption-phenomena in second-dimension size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2011, 1218, 1147-1152.	1.8	9
180	Chromatographic examination of the chemical composition and sequence distribution of copolymers from ethyl and benzyl diazoacetate. <i>Journal of Chromatography A</i> , 2012, 1255, 259-266.	1.8	9

#	ARTICLE	IF	CITATIONS
181	Decreasing the uncertainty of peak assignments for the analysis of synthetic cathinones using multi-dimensional ultra-high performance liquid chromatography. <i>Analytical Methods</i> , 2018, 10, 3178-3187.	1.3	9
182	Thermal modulation to enhance two-dimensional liquid chromatography separations of polymers. <i>Journal of Chromatography A</i> , 2021, 1653, 462429.	1.8	9
183	Influence of pore size on the separation of random and block copolymers by interactive liquid chromatography. <i>Journal of Chromatography A</i> , 2006, 1130, 54-63.	1.8	8
184	Pyrolysis-gas chromatography-mass spectrometry for studying N-vinyl-2-pyrrolidone-co-vinyl acetate copolymers and their dissolution behaviour. <i>Analytica Chimica Acta</i> , 2011, 706, 305-311.	2.6	8
185	Accurate quantitation of pentaerythritol tetranitrate and its degradation products using liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1338, 111-116.	1.8	8
186	Temperature control in large-internal-diameter scaffolded monolithic columns operated at ultra-high pressures. <i>Journal of Chromatography A</i> , 2015, 1401, 60-68.	1.8	8
187	Optimizing design and employing permeability differences to achieve flow confinement in devices for spatial multidimensional liquid chromatography. <i>Journal of Chromatography A</i> , 2020, 1612, 460665.	1.8	8
188	Characterization of glycerin-based polyols by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004, 1046, 263-269.	1.8	8
189	Comparing different light-degradation approaches for the degradation of crystal violet and eosin Y. <i>Dyes and Pigments</i> , 2022, 197, 109882.	2.0	8
190	Co-Polymer sequence determination over the molar mass distribution by size-exclusion chromatography combined with pyrolysis - gas chromatography. <i>Journal of Chromatography A</i> , 2022, 1670, 462973.	1.8	8
191	Expert system for repeatability testing of high-performance liquid chromatographic methods. <i>Journal of Chromatography A</i> , 1991, 550, 257-266.	1.8	7
192	Expert systems for method development and validation in HPLC. <i>Mikrochimica Acta</i> , 1991, 104, 493-503.	2.5	7
193	Hydrolytic degradation of poly(d,l-lactide-co-glycolide 50/50)-di-acrylate network as studied by liquid chromatography-mass spectrometry. <i>Polymer Degradation and Stability</i> , 2011, 96, 1589-1601.	2.7	7
194	Molar mass, chemical-composition, and functionality-type distributions of poly(2-oxazoline)s revealed by a variety of separation techniques. <i>Journal of Chromatography A</i> , 2012, 1265, 123-132.	1.8	7
195	Visualization procedures for proteins and peptides on flat-bed monoliths and their effects on matrix-assisted laser-desorption/ionization time-of-flight mass spectrometric detection. <i>Journal of Chromatography A</i> , 2013, 1286, 222-228.	1.8	7
196	Charge-based separation of synthetic macromolecules by non-aqueous ion exchange chromatography. <i>Journal of Chromatography A</i> , 2020, 1626, 461351.	1.8	7
197	Critical comparison of background correction algorithms used in chromatography. <i>Analytica Chimica Acta</i> , 2022, 1201, 339605.	2.6	7
198	An FTIR Study on the Solid-state Copolymerization of bis(2-hydroxyethyl)terephthalate and Poly(butylene terephthalate) and the Resulting Copolymers. <i>Macromolecular Symposia</i> , 2008, 265, 290-296.	0.4	6

#	ARTICLE	IF	CITATIONS
199	Effect of initial estimates and constraints selection in multivariate curve resolution—Alternating least squares. Application to low-resolution NMR data. <i>Analytica Chimica Acta</i> , 2009, 641, 37-45.	2.6	6
200	Detailed study of polystyrene solubility using pyrolysis—gas chromatography—mass spectrometry and combination with size-exclusion chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 459-465.	1.9	6
201	Multicomponent characterization and differentiation of flash bangers — Part I: Sample collection and visual examination. <i>Forensic Science International</i> , 2018, 290, 327-335.	1.3	6
202	Heterogeneity analysis of polymeric carboxylic acid functionality by selective derivatization followed by size exclusion chromatography. <i>Analytica Chimica Acta</i> , 2019, 1072, 87-94.	2.6	6
203	Multichannel separation device with parallel electrochemical detection. <i>Journal of Chromatography A</i> , 2020, 1610, 460537.	1.8	6
204	Living with Breakthrough: Two-Dimensional Liquid-Chromatography Separations of a Water-Soluble Synthetically Grafted Bio-Polymer. <i>Separations</i> , 2020, 7, 41.	1.1	6
205	Asymmetrical flow field-flow fractionation to probe the dynamic association equilibria of $\beta$ -D-galactosidase. <i>Journal of Chromatography A</i> , 2021, 1635, 461719.	1.8	6
206	Accurate prediction of the retention behaviour of polydisperse macromolecules based on a minimum number of experiments. <i>Journal of Chromatography A</i> , 2004, 1041, 43-51.	1.8	5
207	Hydrophobic polymer monoliths as novel phase separators: Application in continuous liquid—liquid extraction systems. <i>Analytica Chimica Acta</i> , 2012, 720, 63-70.	2.6	5
208	A versatile system for studying the enzymatic degradation of multi-block poly(ester amide)s. <i>Journal of Chromatography A</i> , 2013, 1286, 29-40.	1.8	5
209	Acid monomer analysis in waterborne polymer systems by targeted labeling of carboxylic acid functionality, followed by pyrolysis — gas chromatography. <i>Journal of Chromatography A</i> , 2018, 1560, 63-70.	1.8	5
210	Charge-Based Separation of Acid-Functional Polymers by Non-aqueous Capillary Electrophoresis Employing Deprotonation and Heteroconjugation Approaches. <i>Analytical Chemistry</i> , 2021, 93, 5924-5930.	3.2	5
211	Poly(acrylamide-co-N,N'-methylenebisacrylamide) Monoliths for High-Peak-Capacity Hydrophilic-Interaction Chromatography—High-Resolution Mass Spectrometry of Intact Proteins at Low Trifluoroacetic Acid Content. <i>Analytical Chemistry</i> , 2021, 93, 16000-16007.	3.2	5
212	Methacrylate monolithic stationary phases for gradient elution separations in microfluidic devices. <i>Journal of Chromatography A</i> , 2011, 1218, 5292-5297.	1.8	4
213	Fast determination of functionality-type—molecular-weight distribution of propoxylates with varying numbers of hydroxyl end-groups using gradient—normal-phase liquid chromatography—ultra-high pressure size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2021, 1659, 462644.	1.8	4
214	Improving retention-time prediction in supercritical-fluid chromatography by multivariate modelling. <i>Journal of Chromatography A</i> , 2022, 1668, 462909.	1.8	4
215	Branched polymers characterized by comprehensive two-dimensional separations with fully orthogonal mechanisms: Molecular-topology fractionation—size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2014, 1366, 54-64.	1.8	3
216	Fabrication of monolithic frits and columns for chip-based multidimensional separation devices. <i>Journal of Separation Science</i> , 2022, , .	1.3	3

#	ARTICLE	IF	CITATIONS
217	2: Knowledge-based Systems in Chemical Analysis. Data Handling in Science and Technology, 1993, 13, 13-77.	3.1	2
218	Chemical Analysis for Polymer Engineers. , 0, , 1015-1046.		2
219	Evaluation of comprehensive on-line liquid chromatography thermally assisted hydrolysis and methylation-gas chromatography-mass spectrometry for characterization of sulfonated lignins. Journal of Separation Science, 2010, 33, 3604-3611.	1.3	2
220	Rapid forensic chemical classification of confiscated flash banger fireworks using capillary electrophoresis. Forensic Chemistry, 2019, 16, 100187.	1.7	2
221	Chapter 8 Supercritical-fluid chromatography. Journal of Chromatography Library, 1992, 51, A339-A391.	0.1	1
222	Analysis of Polymer Molecules: Reaction Monitoring and Control. , 0, , 160-185.		1
223	Editorial on "Molecular dynamic theories in chromatography" by A. Felinger. Journal of Chromatography A, 2008, 1184, 19.	1.8	1
224	Mass spectrometry: Innovation and application. Part VI. Journal of Chromatography A, 2010, 1217, 3907.	1.8	1
225	Mass spectrometry: Innovation and application. Part VII. Journal of Chromatography A, 2012, 1259, 1-2.	1.8	1
226	Analysis of Polymer Molecules including Reaction Monitoring and Control. , 2013, , 187-212.		1
227	Reply to "Comments to the early history of gas chromatographic methods for oil analysis" by L.S. Ettre. Journal of Chromatography A, 2003, 993, 221.	1.8	0
228	Aqueous size-exclusion chromatography of cationic polymers for gene delivery. Journal of Controlled Release, 2006, 116, e69-e71.	4.8	0
229	Foreword. Journal of Chromatography A, 2008, 1201, 133.	1.8	0
230	"Perfect synergy"™ shines again. TrAC - Trends in Analytical Chemistry, 2008, 27, 271-273.	5.8	0
231	Editorial on "Critical overview of selected contemporary sample preparation techniques" by L. Ramos. Journal of Chromatography A, 2012, 1221, 83.	1.8	0
232	Separation and characterization of natural and synthetic macromolecules. Analytical and Bioanalytical Chemistry, 2013, 405, 8957-8958.	1.9	0
233	Professor Marja-Liisa Riekkola's 60th birthday. Journal of Chromatography A, 2013, 1317, 1-2.	1.8	0
234	Editorial on "Polymer separations by liquid interaction chromatography: Principles " prospects " limitations" by Wolfgang Radke. Journal of Chromatography A, 2014, 1335, 61.	1.8	0

#	ARTICLE	IF	CITATIONS
235	Editorial to "Recent advances and trends in the liquid-chromatography-mass spectrometry analysis of flavonoids" by Andr� de Villiers, Pieter Venter and Harald Pasch. Journal of Chromatography A, 2016, 1430, 15.	1.8	0
236	A compound post-column re-focusing approach in supercritical fluid chromatography. Journal of Chromatography A, 2021, 1660, 462642.	1.8	0
237	Introduction of Octadecyl-Bonded Porous Particles in 3D-Printed Transparent Housings with Multiple Outlets. Chromatographia, 0, , .	0.7	0