

Xing-Yue Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6782699/publications.pdf>

Version: 2024-02-01

205
papers

1,810
citations

393982

19
h-index

454577

30
g-index

208
all docs

208
docs citations

208
times ranked

591
citing authors

#	ARTICLE	IF	CITATIONS
1	Evolution of lacewings and allied orders using anchored phylogenomics (<sc>N</sc>europtera,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 42	1.7	133
2	Mitochondrial phylogenomics illuminates the evolutionary history of Neuropterida. Cladistics, 2017, 33, 617-636.	1.5	117
3	Liverwort Mimesis in a Cretaceous Lacewing Larva. Current Biology, 2018, 28, 1475-1481.e1.	1.8	53
4	An integrative phylogenomic approach to elucidate the evolutionary history and divergence times of Neuropterida (Insecta: Holometabola). BMC Evolutionary Biology, 2020, 20, 64.	3.2	48
5	Early Morphological Specialization for Insect-Spider Associations in Mesozoic Lacewings. Current Biology, 2016, 26, 1590-1594.	1.8	47
6	The First Mitochondrial Genome for the Fishfly Subfamily Chauliodinae and Implications for the Higher Phylogeny of Megaloptera. PLoS ONE, 2012, 7, e47302.	1.1	42
7	Early Evolution and Historical Biogeography of Fishflies (Megaloptera: Chauliodinae): Implications from a Phylogeny Combining Fossil and Extant Taxa. PLoS ONE, 2012, 7, e40345.	1.1	37
8	A new genus of mantidflies discovered in the <sc>O</sc>riental region, with a higherâ€level phylogeny of <sc>M</sc>antispidae (<sc>N</sc>europtera) using <sc>DNA</sc> sequences and morphology. Systematic Entomology, 2015, 40, 183-206.	1.7	36
9	Homology of the genital sclerites of <sc>M</sc>egaloptera (<sc>I</sc>nsecta:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 42	1.7	33
10	Is diversification in male reproductive traits driven by evolutionary trade-offs between weapons and nuptial gifts?. Proceedings of the Royal Society B: Biological Sciences, 2015, 282, 20150247.	1.2	32
11	Phylogeny of the family <sc>S</sc>ialidae (<sc>I</sc>nsecta: <sc>M</sc>egaloptera) inferred from morphological data, with implications for generic classification and historical biogeography. Cladistics, 2015, 31, 18-49.	1.5	30
12	The complete mitochondrial genome and its remarkable secondary structure for a stonefly Acroneuria hainana Wu (Insecta: Plecoptera, Perlidae). Gene, 2015, 557, 52-60.	1.0	28
13	High niche diversity in Mesozoic pollinating lacewings. Nature Communications, 2018, 9, 3793.	5.8	26
14	The First Mitochondrial Genome for Caddisfly (Insecta: Trichoptera) with Phylogenetic Implications. International Journal of Biological Sciences, 2014, 10, 53-63.	2.6	22
15	Phylogeny of pleasing lacewings (Neuroptera: Dilaridae) with a revised generic classification and description of a new subfamily. Systematic Entomology, 2017, 42, 448-471.	1.7	22
16	Wing Base Structural Data Support the Sister Relationship of Megaloptera and Neuroptera (Insecta:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 42	1.1	21
17	The First Mitochondrial Genomes of Antlion (Neuroptera: Myrmeleontidae) and Split-footed Lacewing (Neuroptera: Nymphidae), with Phylogenetic Implications of Myrmeleontiformia. International Journal of Biological Sciences, 2014, 10, 895-908.	2.6	21
18	Phylogeny of the subfamily Chauliodinae (Megaloptera: Corydalidae), with description of a new genus from the Oriental Realm. Systematic Entomology, 2006, 31, 652-670.	1.7	20

#	ARTICLE	IF	CITATIONS
19	The complete mitochondrial genome of a fishfly, <i>Dysmicohermes ingens</i> (Chandler) (Megaloptera: Corydalidae: Chauliodinae). <i>Mitochondrial DNA</i> , 2016, 27, 1092-1093.	0.6	19
20	Phylogenetic review of the Chinese species of <i>Acanthacorydalis</i> (Megaloptera, Corydalidae). <i>Zoologica Scripta</i> , 2005, 34, 373-387.	0.7	18
21	Systematics of the <i>Protohermes costalis</i> species-group (Megaloptera: Corydalidae). <i>Zootaxa</i> , 2007, 1439, .	0.2	17
22	Revision of Chinese Dilaridae (Insecta: Neuroptera) (Part I): Species of the genus <i>Dilar</i> Rambur from northern China. <i>Zootaxa</i> , 2014, 3753, 10-24.	0.2	17
23	New transitional fossil snakeflies from China illuminate the early evolution of Raphidioptera. <i>BMC Evolutionary Biology</i> , 2014, 14, 84.	3.2	17
24	The phylogeny of brown lacewings (Neuroptera: Hemerobiidae) reveals multiple reductions in wing venation. <i>BMC Evolutionary Biology</i> , 2016, 16, 192.	3.2	17
25	Evolution of green lacewings (Neuroptera: Chrysopidae): an anchored phylogenomics approach. <i>Systematic Entomology</i> , 2019, 44, 514-526.	1.7	17
26	New genera and species of the minute snakeflies (Raphidioptera: Mesoraphidiidae: Nanoraphidiini) from the mid Cretaceous of Myanmar. <i>Zootaxa</i> , 2016, 4103, 301-24.	0.2	16
27	Discovery of the family Babinskaiidae (Insecta: Neuroptera) in mid-Cretaceous amber from Myanmar. <i>Cretaceous Research</i> , 2017, 71, 14-23.	0.6	16
28	The Neuropterida from the mid-Cretaceous of Myanmar: A spectacular palaeodiversity bridging the Mesozoic and present faunas. <i>Cretaceous Research</i> , 2021, 121, 104727.	0.6	16
29	Systematics and biogeography of the fishfly genus <i>Parachauliodes</i> (Megaloptera: Corydalidae) endemic to the east Asian islands. <i>Systematic Entomology</i> , 2008, 33, 560-578.	1.7	15
30	New long-proboscid lacewings of the mid-Cretaceous provide insights into ancient plant-pollinator interactions. <i>Scientific Reports</i> , 2016, 6, 25382.	1.6	15
31	Revision of the <i>Protohermes changningensis</i> species group from China (Megaloptera: Corydalidae: Tj ETQq1 1 0.784314 rgBT / Overlook 0.6 13	0.6	13
32	Revision of the <i>Neochauliodes sinensis</i> species-group (Megaloptera: Corydalidae: Chauliodinae). <i>Zootaxa</i> , 2007, 1511, 29-54.	0.2	13
33	Contribution to understanding the evolution of holometaboly: transformation of internal head structures during the metamorphosis in the green lacewing <i>Chrysopa pallens</i> (Neuroptera: Tj ETQq1 1 0.784314 rgBT / Overlook 10 T 5	1.0	10
34	A review of the alderfly genus <i>Leptosialis</i> Esben-Petersen (Megaloptera, Sialidae) with description of a new species from South Africa. <i>ZooKeys</i> , 2012, 201, 27-41.	0.5	12
35	Revision of Chinese Dilaridae (Insecta: Neuroptera) (Part III): Species of the genus <i>Dilar</i> Rambur from the southern part of mainland China. <i>Zootaxa</i> , 2015, 3974, 451-94.	0.2	12
36	The <i>Protohermes differentialis</i> group (Megaloptera: Corydalidae: Corydalinae) from China, with description of one new species. <i>Aquatic Insects</i> , 2006, 28, 219-227.	0.6	11

#	ARTICLE	IF	CITATIONS
37	A remarkable new genus of basal snakeflies (Insecta: Raphidioptera: Priscaenigmatomorpha) from the Early Cretaceous of China. <i>Cretaceous Research</i> , 2013, 45, 306-313.	0.6	11
38	Description of the final-instarlarva and pupa of <i>Acanthacorydalis orientalis</i> (McLachlan, 1899) (Megaloptera: Corydalidae) with some life history notes. <i>Zootaxa</i> , 2013, 3691, 145-52.	0.2	11
39	Comparative Mitogenomic Analysis Reveals Sexual Dimorphism in a Rare Montane Lacewing (Insecta: Tj ETQq1 1 0.784314 rgBT /Over	1.1	11
40	Revision of Chinese Dilaridae (Insecta: Neuroptera) (Part II): Species of the genus <i>Dilar</i> Rambur from Tibet. <i>Zootaxa</i> , 2014, 3878, 551-62.	0.2	11
41	Mitochondrial phylogenomic analysis resolves the subfamily placement of enigmatic green lacewing genus <i>Nothancyla</i> (Neuroptera: Chrysopidae). <i>Austral Entomology</i> , 2017, 56, 322-331.	0.8	11
42	Phylogenetic relationships among tribes of the green lacewing subfamily Chrysopinae recovered based on mitochondrial phylogenomics. <i>Scientific Reports</i> , 2017, 7, 7218.	1.6	11
43	Evolution of green lacewings (Neuroptera: Chrysopidae): a molecular supermatrix approach. <i>Systematic Entomology</i> , 2019, 44, 499-513.	1.7	11
44	Cretaceous diversity and disparity in a lacewing lineage of predators (Neuroptera: Mantispidae). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20200629.	1.2	11
45	Similar pattern, different paths: tracing the biogeographical history of Megaloptera (Insecta: Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.5	11
46	Systematics and biogeography of the dobsonfly genus <i>Nevromus</i> Rambur (Megaloptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	1.7	10
47	<i>Sinoneurorthus yunnanicus</i> n. gen. et n. sp. – a spectacular new species and genus of Nevrothidae (Insecta: Neuroptera) from China, with phylogenetic and biogeographical implications. <i>Aquatic Insects</i> , 2012, 34, 131-141.	0.6	10
48	Taxonomic notes on Babinskaiidae from the Cretaceous Burmese amber, with the description of a new species (Insecta, Neuroptera). <i>ZooKeys</i> , 2018, 748, 31-46.	0.5	10
49	Notes on the genus <i>Neochauliodes</i> from Guangxi, China (Megaloptera: Corydalidae). <i>Zootaxa</i> , 2005, 1045, 1.	0.2	9
50	Systematics of the <i>Protohermes davidi</i> species-group (Megaloptera: Corydalidae) with notes on phylogeny and biogeography. <i>Invertebrate Systematics</i> , 2006, 20, 477.	0.5	9
51	Revision of the fishfly genus <i>Ctenochauliodes</i> van der Weele (Megaloptera, Corydalidae). <i>Zoologica Scripta</i> , 2006, 35, 473-490.	0.7	9
52	Systematics of the <i>Protohermes xanthodes</i> species-group in eastern Asia (Megaloptera: Corydalidae). <i>Entomological Science</i> , 2006, 9, 399-409.	0.3	9
53	Species of the <i>Inocellia fulvostigmata</i> group (Raphidioptera, Inocelliidae) from China. <i>Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift</i> , 2010, 57, 223-232.	0.3	9
54	The Inocelliidae of Southeast Asia: A review of present knowledge (Raphidioptera). <i>Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift</i> , 2011, 58, 259-274.	0.3	9

#	ARTICLE	IF	CITATIONS
55	Systematic revision reveals underestimated diversity of the South African endemic fishfly genus <i>Taeniochauliodes</i> Esben-Petersen (Megaloptera: Corydalidae). <i>Systematic Entomology</i> , 2013, 38, 543-560.	1.7	9
56	A review of the pleasing lacewing genus <i>Dilar</i> Rambur (Neuroptera, Dilaridae) from Southeast Asia. <i>Zootaxa</i> , 2016, 4105, 124-44.	0.2	9
57	Phylogenetic position of Corydasialidae (Insecta: Neuropterida) revisited based on a significant new fossil in Cretaceous amber of Myanmar. <i>Journal of Systematic Palaeontology</i> , 2017, 15, 571-581.	0.6	9
58	New genera and species of the family Dipteromantispidae (Insecta: Neuroptera) from the Cretaceous amber of Myanmar and New Jersey. <i>Cretaceous Research</i> , 2017, 72, 18-25.	0.6	9
59	Evolutionary history of the complex polymorphic dobsonfly genus <i>Neoneuromus</i> (Megaloptera: Tj ETQq1 1 0,784314,rgBT /Over	1.7	9
60	A revision of the genus <i>Neoneuromus</i> in China (Megaloptera: Corydalidae). <i>Hydrobiologia</i> , 2004, 517, 147-159.	1.0	8
61	Notes on the genus <i>Neochauliodes</i> Weele (Megaloptera: Corydalidae) from Henan, China. <i>Entomological Science</i> , 2005, 8, 293-300.	0.3	8
62	<i>Inocellia elegans</i> sp. n. (Raphidioptera, Inocelliidae) - A new and spectacular snakefly from China. <i>Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift</i> , 2009, 56, 317-321.	0.3	8
63	New species of the snakefly genus <i>Inocellia</i> Schneider, 1843 (Raphidioptera: Inocelliidae) from Yunnan, China. <i>Zootaxa</i> , 2012, 3298, 43.	0.2	8
64	Revision of the Megaloptera (Insecta: Neuropterida) of Madagascar.	0.2	8
65	First record of the fossil snakefly genus <i>Mesoraphidia</i> (Insecta: Raphidioptera: Mesoraphidiidae) from the Middle Jurassic of China, with description of a new species. <i>Zootaxa</i> , 2015, 3999, 560.	0.2	8
66	The first moth lacewing (Insecta: Neuroptera: Ithonidae) from the mid-Cretaceous amber of Myanmar. <i>Cretaceous Research</i> , 2017, 78, 78-83.	0.6	8
67	Review of the fossil snakefly family Mesoraphidiidae (Insecta: Raphidioptera) in the Middle Jurassic of China, with description of a new species. <i>Alcheringa</i> , 2017, 41, 403-412.	0.5	8
68	Systematic revision of the fossil snakefly family Baissopteridae (Insecta: Raphidioptera) from the Lower Cretaceous of China, with description of a new genus and three new species. <i>Cretaceous Research</i> , 2017, 80, 13-26.	0.6	8
69	Neuropterida (Insecta: Megaloptera, Raphidioptera, Neuroptera) of Pakistan: a catalogue and faunistic review. <i>Zootaxa</i> , 2019, 4686, zootaxa.4686.4.3.	0.2	8
70	New antlions (Insecta: Neuroptera: Myrmeleontidae) from the mid-Cretaceous of Myanmar and their phylogenetic implications. <i>Journal of Systematic Palaeontology</i> , 2019, 17, 1215-1232.	0.6	8
71	Gene Selection and Evolutionary Modeling Affect Phylogenomic Inference of Neuropterida Based on Transcriptome Data. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1072.	1.8	8
72	Origin and spatio-temporal diversification of a fishfly lineage endemic to the islands of East Asia (Megaloptera: Corydalidae). <i>Systematic Entomology</i> , 2021, 46, 124-139.	1.7	8

#	ARTICLE	IF	CITATIONS
73	The Nevrothidae, mistaken at all times: phylogeny and review of present knowledge (Holometabola,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Entomologische Zeitschrift, 2017, 64, 77-110.	0.3	8
74	The <i>Protohermes fruhstorferi</i> species group (Megaloptera: Corydalidae: Corydalinae), with description of a new species from Vietnam. Aquatic Insects, 2007, 29, 307-317.	0.6	7
75	The <i>Protohermes guangxiensis</i> species-group (Megaloptera: Corydalidae), with descriptions of four new species. Zootaxa, 2008, 1851, 29.	0.2	7
76	Complete mitochondrial genomes of two Oriental dobsonflies, <i>Neoneuromus tonkinensis</i> (van der Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Corydalinae. Zootaxa, 2015, 3964, 44-62.	0.2	7
77	Complete mitochondrial genome of a Neotropical dobsonfly <i>Chloronia mirifica</i> Navás, 1925 (Megaloptera: Corydalidae), with phylogenetic implications for the genus <i>Chloronia</i> Banks, 1908. Zootaxa, 2016, 4162, 46.	0.2	7
78	Taxonomic notes on <i>Cretarophalis patrickmuelleri</i> Wichard, 2017 (Insecta: Neuroptera: Nevrothidae) from the mid-Cretaceous of Myanmar, and its phylogenetic significance. Zootaxa, 2018, 4370, 591-600.	0.2	7
79	The first green lacewing (Insecta: Neuroptera: Chrysopidae) from the mid-Cretaceous amber of Myanmar. Zootaxa, 2018, 4399, 563-570.	0.2	7
80	Taxonomic notes on dustywings of Aleuropteryginae (Insecta, Neuroptera, Coniopterygidae) from the mid-Cretaceous Burmese amber. Cretaceous Research, 2019, 98, 122-135.	0.6	7
81	New beaded lacewings (Neuroptera: Berothidae) from the mid-Cretaceous of Myanmar with specialized cephalic structures. Cretaceous Research, 2020, 108, 104348.	0.6	7
82	The first chromosome-level genome assembly of a green lacewing <i>Chrysopa pallens</i> and its implication for biological control. Molecular Ecology Resources, 2022, 22, 755-767.	2.2	7
83	Species of the <i>Protohermes sabahensis</i> group (Megaloptera: Corydalidae) from eastern Malaysia. Zootaxa, 2008, 1782, 49.	0.2	7
84	Discovery of <i>Amurinocellia</i> H. Aspöck & U. Aspöck (Raphidioptera: Inocelliidae) in China, with description of two new species. Zootaxa, 2009, 2264, 41-50.	0.2	7
85	Systematics and biogeography of the Indo-Malaysian endemic <i>Neochauliodes sunndaicus</i> species-group (Megaloptera: Corydalidae). European Journal of Entomology, 2010, 107, 425-440.	1.2	7
86	Species of the pleasing lacewing genus <i>Dilar</i> Rambur (Neuroptera, Dilaridae) from islands of East Asia. Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift, 2014, 61, 141-153.	0.3	7
87	Elevational Diversity Patterns of Green Lacewings (Neuroptera: Chrysopidae) Uncovered With DNA Barcoding in a Biodiversity Hotspot of Southwest China. Frontiers in Ecology and Evolution, 2021, 9, .	1.1	7
88	A new species of <i>Psyllipsocus</i> (Psocodea: Trogiomorpha: Psyllipsocidae) from the mid-Cretaceous amber of Myanmar. Zootaxa, 2021, 5072, 81-87.	0.2	7
89	Revision of the alderfly genus <i>Indosialis</i> Lestage (Megaloptera: Sialidae). Zootaxa, 2008, 1677, 47.	0.2	6
90	New genus and species of silky lacewing (Insecta: Neuroptera: Psychopsidae) from the mid-Cretaceous Burmese amber. Zootaxa, 2017, 4291, .	0.2	6

#	ARTICLE	IF	CITATIONS
91	A new and diverse paleofauna of the extinct snakefly family Baissopteridae from the mid-Cretaceous of Myanmar (Raphidioptera). <i>Organisms Diversity and Evolution</i> , 2020, 20, 565-595.	0.7	6
92	The <i>Inocellia crassicornis</i> species group (Raphidioptera: Inocelliidae) in mainland China, with description of two new species. <i>Zootaxa</i> , 2010, 2529, 40.	0.2	6
93	Revision of the fishfly genus <i>Platychauliodes</i> Esben-Petersen (Megaloptera: Corydalidae) endemic to South Africa. <i>Zootaxa</i> , 2011, 2909, .	0.2	6
94	Taxonomic notes and updated phylogeny of the fishfly genus <i>Ctenochauliodes</i> van der Weele (Megaloptera: Corydalidae). <i>Zootaxa</i> , 2011, 2981, 23.	0.2	6
95	Taxonomic notes of the Neotropical alderfly genus <i>Ilyobius</i> Enderlein, 1910 (Megaloptera, Sialidae), with description of a new species. <i>Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift</i> , 2015, 62, 55-63.	0.3	6
96	Systematics of the <i>Protohermes parvus</i> species group (Megaloptera: Corydalidae), with notes on its phylogeny and biogeography. <i>Journal of Natural History</i> , 2009, 43, 355-372.	0.2	5
97	The <i>Protohermes latus</i> species group (Megaloptera: Corydalidae), with description of two new species from India and Myanmar. <i>Zootaxa</i> , 2013, 3609, 513-9.	0.2	5
98	Discovery of the female of <i>Protohermes niger</i> ; Yang & Yang (Megaloptera: Corydalidae): Sexual dimorphism in coloration of a dobsonfly revealed by molecular evidence. <i>Zootaxa</i> , 2013, 3745, 84.	0.2	5
99	Discovery of the twisted-wing parasite family Myrmecolacidae (Insecta: Strepsiptera) from China, with description of two new species of the genus <i>Myrmecolax</i> Westwood, 1861. <i>Zootaxa</i> , 2014, 3881, 385-95.	0.2	5
100	A remarkable new genus of the snakefly family Mesoraphidiidae (Insecta: Raphidioptera) from the Lower Cretaceous of China, with description of a new species. <i>Cretaceous Research</i> , 2018, 89, 119-125.	0.6	5
101	Notes on the pleasing lacewing genus <i>Dilar Rambur</i> , 1838 (Neuroptera, Dilaridae), with description of a new species from Vietnam. <i>Zootaxa</i> , 2018, 4425, 193-200.	0.2	5
102	Early evolution of Nemopteridae illuminated with the first and oldest thread-winged lacewing in Cretaceous amber. <i>Systematic Entomology</i> , 2019, 44, 262-272.	1.7	5
103	The snakefly family Mesoraphidiidae (Insecta: Raphidioptera) from the Lower Cretaceous Yixian Formation, China: systematic revision and phylogenetic implications. <i>Journal of Systematic Palaeontology</i> , 2020, 18, 1743-1768.	0.6	5
104	Taxonomic notes on owlflies from Pakistan (Neuroptera: Myrmeleontidae: Ascalaphinae). <i>Zootaxa</i> , 2021, 4970, 401452.	0.2	5
105	Revision of the <i>Protohermes</i> species from Tibet, China (Megaloptera: Corydalidae). <i>Zootaxa</i> , 2006, 1199, 49-60.	0.2	5
106	The genus <i>Sialis</i> ; Latreille, 1802 (Megaloptera: Sialidae) in Palaeartic China, with description of a new species. <i>Entomologica Fennica</i> , 2006, 17, .	0.6	5
107	The Dilaridae of the Balkan Peninsula and of Anatolia (Insecta, Neuroptera). <i>Mitteilungen Aus Dem Museum Fur Naturkunde in Berlin - Deutsche Entomologische Zeitschrift</i> , 2015, 62, 123-135.	0.3	5
108	A DNA barcode reference library of Neuroptera (Insecta, Neuroptera) from Beijing. <i>ZooKeys</i> , 2018, 807, 127-147.	0.5	5

#	ARTICLE	IF	CITATIONS
109	Unraveling the evolutionary history of the snakefly family Inocelliidae (Insecta: Raphidioptera) through integrative phylogenetics. <i>Cladistics</i> , 2022, 38, 515-537.	1.5	5
110	New species of the snakefly genus <i>Mongoloraphidia</i> (Raphidioptera: Raphidiidae) from Japan and Taiwan, with phylogenetic and biogeographical remarks on the Raphidiidae of Eastern Asia. <i>Entomological Science</i> , 2010, 13, 408-416.	0.3	4
111	Revision of the <i>Protohermes davidi</i> species group (Megaloptera: Corydalidae), with updated notes on its phylogeny and zoogeography. <i>Aquatic Insects</i> , 2010, 32, 299-319.	0.6	4
112	The <i>Protohermes dichrous</i> species group (Megaloptera: Corydalidae), with description of two new species from eastern Malaysia. <i>Zootaxa</i> , 2013, 3620, 501-17.	0.2	4
113	Taxonomic notes on the <i>Protohermes changninganus</i> species group (Megaloptera: Corydalidae), with description of two new species. <i>Zootaxa</i> , 2013, 3722, 569.	0.2	4
114	<i>Inocellia rara</i> sp. nov. (Raphidioptera: Inocelliidae), a new snakefly species from Taiwan, with remarks on systematics and biogeography of the Inocelliidae of the island. <i>Zootaxa</i> , 2014, 3753, 226-32.	0.2	4
115	New species of the genus <i>Nipponeurorthus</i> (Neuroptera: Nevrothidae) from China. <i>Zootaxa</i> , 2014, 3838, 224.	0.2	4
116	A new genus and species of the paraneopteran family Archipsyllidae in mid-Cretaceous amber of Myanmar. <i>Zootaxa</i> , 2016, 4105, 483-90.	0.2	4
117	First description of female of <i>Haplosialodes liui</i> Huang et al., 2016 (Megaloptera: Sialidae) from Cretaceous Burmese amber. <i>Zootaxa</i> , 2017, 4258, 172.	0.2	4
118	Mitochondrial genomes of two Australian fishflies with an evolutionary timescale of Chauliodinae. <i>Scientific Reports</i> , 2017, 7, 4481.	1.6	4
119	New species and records of Corydalidae (Insecta: Megaloptera) from Myanmar. <i>Zootaxa</i> , 2017, 4306, .	0.2	4
120	Mining the Species Diversity of Lacewings: New Species of the Pleasing Lacewing Genus <i>Dilar Rambur</i> , 1838 (Neuroptera, Dilaridae) from the Oriental Region. <i>Insects</i> , 2021, 12, 451.	1.0	4
121	New Cretaceous antlion-like lacewings promote a phylogenetic reappraisal of the extinct myrmeleontoid family Babinskaiidae. <i>Scientific Reports</i> , 2021, 11, 16431.	1.6	4
122	Low-Coverage Whole Genomes Reveal the Higher Phylogeny of Green Lacewings. <i>Insects</i> , 2021, 12, 857.	1.0	4
123	An unusual new genus and species of beaded lacewings (Neuroptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 2, 453-464.	0.4	4
124	Discovery in China of <i>Dorypteryx Aaron</i> (Psocoptera: Trogiomorpha: Psyllipsocidae), with one new species. <i>Zootaxa</i> , 2009, 1983, 63-65.	0.2	4
125	Notes on the genus <i>Protohermes van der Weele</i> (Megaloptera: Corydalidae) from Vietnam, with description of two new species. <i>Zootaxa</i> , 2009, 2146, 22-34.	0.2	4
126	Revision of the fishfly genus <i>Neochauliodes van der Weele</i> (Megaloptera: Corydalidae) from India and adjacent regions of South Asia. <i>Zootaxa</i> , 2010, 2692, 33.	0.2	4

#	ARTICLE	IF	CITATIONS
127	A review of the montane lacewing genus <i>Rapisma</i> McLachlan (Neuroptera, Ithonidae) from China, with description of two new species. <i>Zoosystematics and Evolution</i> , 2017, 94, 57-71.	0.4	4
128	New dustywings (Insecta: Neuroptera: Coniopterygidae) from the Miocene Zhangpu amber. <i>Palaeoworld</i> , 2023, 32, 686-692.	0.5	4
129	A new genus and species of the family Archaeatropidae (Psocodea: Trogiomorpha) from mid-Cretaceous amber of northern Myanmar. <i>Cretaceous Research</i> , 2022, 138, 105233.	0.6	4
130	Molecular systematics of the fishfly genus <i>Anachauliodes</i> (Megaloptera: Corydalidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 617.1d (Chauliodinae)&		
131	DNA barcoding and taxonomic review of the barklouse genus <i>Stenopsocus</i> (Psocoptera: Stenopsocidae) from Taiwan. <i>Zootaxa</i> , 2015, 4057, 191.	0.2	3
132	A review of the beaded lacewings (Neuroptera: Berothidae) from China. <i>Zootaxa</i> , 2018, 4500, 235.	0.2	3
133	A new species of the fishfly genus <i>Neochauliodes</i> van der Weele (Megaloptera: Corydalidae) from India. <i>Zootaxa</i> , 2019, 4652, zootaxa.4652.1.12.	0.2	3
134	A review of the pleasing lacewing genus <i>Dilar</i> Rambur (Neuroptera, Dilaridae) from Central Asia. <i>Zootaxa</i> , 2019, 4671, 35-54.	0.2	3
135	First description of the male of <i>Cretaconiopteryx grandis</i> Liu & Lu, 2017 (Neuroptera: Tj ETQq1 1 0.784314 rgBT /Overlock 0.2 3		
136	First development and characterization of 27 novel microsatellite markers in the dobsonfly <i>Neoneuromus ignobilis</i> (Megaloptera: Corydalidae) at genome-scale level. <i>Applied Entomology and Zoology</i> , 2020, 55, 149-158.	0.6	3
137	A new sexually dimorphic mantidfly species of <i>Allomantispa</i> Liu et al., 2015 from China (Neuroptera: Tj ETQq1 1 0.784314 rgBT /Overlock 0.4 3		
138	First record of the dobsonfly genus <i>Protohermes</i> van der Weele, 1907 from Pakistan (Megaloptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 617.1d		
139	Morphological and molecular identification of <i>Liposcelis corrodens</i> (Heymons, 1909) (Psocodea: Tj ETQq1 1 0.784314 rgBT /Overlock 1.2 3		
140	A new genus and species of Mesochrysopidae (Neuroptera) from the mid-Cretaceous Burmese amber. <i>Palaeoentomology</i> , 2021, 4, 077-084.	0.4	3
141	First record of female pleasing lacewings of Berothellinae (Neuroptera: Dilaridae) with a description of two new species of <i>Berothella</i> Banks from China. <i>Insect Systematics and Evolution</i> , 2021, 52, 1-17.	0.2	3
142	A new genus and species of the family Cormopsocidae (Psocodea: Trogiomorpha) from mid-Cretaceous amber of Myanmar. <i>Cretaceous Research</i> , 2022, 130, 105049.	0.6	3
143	Phylogeography of the Oriental dobsonfly, <i>Neoneuromus ignobilis</i> (Navás), suggests Pleistocene allopatric isolation and glacial dispersal shaping its wide distribution. <i>Systematic Entomology</i> , 0, , .	1.7	3
144	A new fishfly species (Megaloptera: Corydalidae: Chauliodinae) from Eocene Baltic amber. <i>Palaeoentomology</i> , 2020, 3, 188-195.	0.4	3

#	ARTICLE	IF	CITATIONS
145	<i>Sialis navasi</i> , a new alderfly species from China (Megaloptera: Sialidae). <i>Zootaxa</i> , 2009, 2230, 64-68.	0.2	3
146	The Genus <i>Neochauliodes</i> Van Der Weele (Megaloptera: Corydalidae) from Indochina, with Description of Three New Species. <i>Annales Zoologici</i> , 2010, 60, 109-124.	0.1	3
147	New spongillaflies of the genus <i>Sisyryna</i> Banks, 1939 (Neuroptera: Sisyridae) from the Oriental faunal region. <i>Zootaxa</i> , 2021, 5052, 552-566.	0.2	3
148	Taxonomic notes on the antlion genus <i>Distoleon</i> Banks (Neuroptera: Myrmeleontidae) from Pakistan. <i>Zootaxa</i> , 2020, 4869, zootaxa.4869.3.3.	0.2	3
149	A world checklist of extant and extinct species of Megaloptera (Insecta: Neuropterida). <i>European Journal of Taxonomy</i> , 0, 812, .	0.6	3
150	A New Species of Alderfly (Megaloptera: Sialidae) from Yunnan, China. <i>Entomological News</i> , 2012, 122, 265-269.	0.1	2
151	New fishfly species of the <i>Neochauliodes bowringi</i> group (Megaloptera: Corydalidae: Chauliodinae). <i>Zootaxa</i> , 2012, 3230, 59.	0.2	2
152	New species of alderfly genus <i>Sialis</i> (Megaloptera: Sialisidae) from Asia. <i>Entomological Science</i> , 2015, 18, 452-460.	0.3	2
153	<i>Inocellia indica</i> , sp. nov. (Raphidioptera: Inocelliidae): a new snakefly species from northeastern India. <i>Zootaxa</i> , 2015, 4040, 393.	0.2	2
154	New species of the snakefly genus <i>Mongoloraphidia</i> (Raphidioptera: Raphidiidae) from China. <i>Zootaxa</i> , 2018, 4527, 87.	0.2	2
155	Discovery of a new species of Inocelliidae (Insecta: Raphidioptera) in an altitude of nearly 3500 m in China. <i>Zootaxa</i> , 2018, 4471, 585-589.	0.2	2
156	Discovery of Raphidioptera (Insecta: Neuropterida) in Xizang, China, with description of a new species of <i>Inocellia</i> Schneider. <i>Zootaxa</i> , 2019, 4712, zootaxa.4712.3.6.	0.2	2
157	First description of the larvae of the fishfly genus <i>Anachauliodes</i> Kimmins, 1954 (Megaloptera: Corydalidae: Chauliodinae). <i>Zootaxa</i> , 2019, 4700, 270-278.	0.2	2
158	Asian Megaloptera in the Upper Silesian Museum Collection, Poland, with description of a new species of <i>Protohermes</i> van der Weele (Corydalidae: Corydalinae) from Vietnam. <i>Zootaxa</i> , 2019, 4544, 178-188.	0.2	2
159	New dipteromantispids (Insecta: Neuroptera: Dipteromantispidae) from mid-Cretaceous Myanmar amber. <i>Cretaceous Research</i> , 2020, 116, 104579.	0.6	2
160	New species of the pleasing lacewing genus <i>Dilar</i> Rambur, 1838 (Neuroptera, Dilaridae) from the Hengduan Mountains, southwestern China. <i>Journal of Asia-Pacific Entomology</i> , 2020, 23, 915-922.	0.4	2
161	The alderfly genus <i>Indosialis</i> Lestage, 1927 (Megaloptera: Sialidae) in Thailand and Laos, with a description of a new species. <i>Zootaxa</i> , 2020, 4786, zootaxa.4786.2.5.	0.2	2
162	A review of the pleasing lacewing genus <i>Dilar</i> Rambur (Neuroptera, Dilaridae) from Vietnam. <i>Zootaxa</i> , 2020, 4786, zootaxa.4786.2.5.	0.2	2

#	ARTICLE	IF	CITATIONS
163	<p><p>The green lacewing genus Anachrysa H&Auml;lzel, 1973 stat. nov. (Neuroptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 Td 281-290.</p>	0.2	2
164	<p>The first mitochondrial genome of spongillafly from Asia (Neuroptera: Sisyridae: <i>Sisyra</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td Resources, 2021, 6, 2369-2370.</p>	0.2	2
165	<p><p>New beaded lacewings (Insecta: Neuroptera: Berothidae) from Indochina</p>. Zootaxa, 2020, 4890, 509-520.</p>	0.2	2
166	<p>A New Fishfly Species (Megaloptera: Corydalidae: Neohermes Banks) Discovered from North America by a Systematic Revision, with Phylogenetic and Biogeographic Implications. PLoS ONE, 2016, 11, e0148319.</p>	1.1	2
167	<p>Megaloptera of Canada. ZooKeys, 2019, 819, 393-396.</p>	0.5	2
168	<p>Notes on the green lacewing subgenus Ankylopteryx Brauer, 1864 (s. str.) (Neuroptera, Chrysopidae) from China, with description of a new species. ZooKeys, 2020, 906, 41-71.</p>	0.5	2
169	<p>A remarkable new thorny lacewing from mid-Cretaceous amber from northern Myanmar (Neuroptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 Td</p>	0.8	2
170	<p>First description of immature stages of the antlion <i>Bullanga florida</i> (Nav&Auml;s, 1913) (Neuroptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td</p>	0.2	2
171	<p>Evolution of holometaboly revealed by developmental transformation of internal thoracic structures in a green lacewing <i>Chrysopa pallens</i> (Neuroptera: Chrysopidae). Insect Science, 2022, 29, 767-782.</p>	1.5	2
172	<p>Unveiling the Evolutionary History of a Puzzling Antlion Genus<i>Gatzara</i>Nav&Auml;s (Neuroptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td Biogeographic Inference. Insect Systematics and Diversity, 2022, 6, .</p>	0.7	2
173	<p>Unearthing underground predators: The head morphology of larvae of the moth lacewing genus <i>Ithone</i> Newman (Neuroptera: Ithonidae) and its functional and phylogenetic implications. Systematic Entomology, 2022, 47, 618-636.</p>	1.7	2
174	<p>Taxonomic notes on the antlion tribe Myrmeleontini Latreille (Neuroptera, Myrmeleontidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td 831, 1-44.</p>	0.6	2
175	<p>&lt;i>Graphopsocus</i> (Psocoptera: Stenopsocidae) newly recorded from Vietnam, with one new species. Zootaxa, 2013, 3666, 41-8.</p>	0.2	1
176	<p><i>Sialis primitivus</i> sp. nov. (Megaloptera: Sialidae), a remarkable new alderfly species from China. Zootaxa, 2015, 4033, 593-9.</p>	0.2	1
177	<p>First description and bionomic notes for the final-instar larva and pupa of an Oriental dobsonfly species, <i>Neoneuromus sikkimensis</i> (van der Weele, 1907) (Megaloptera: Corydalidae). Zootaxa, 2016, 4179, 288.</p>	0.2	1
178	<p>A new species of the montane lacewing genus <i>Rapisma</i> McLachlan (Neuroptera, Ithonidae) from China. Zootaxa, 2018, 4531, 266.</p>	0.2	1
179	<p>Description of the final-instar larva and pupa of <i>Neoneuromus ignobilis</i> Nav&Auml;s, 1932 (Megaloptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 Td</p>	0.2	1
180	<p>A new species of the montane lacewing genus <i>Rapisma</i> McLachlan (Neuroptera, Ithonidae) from northwestern Yunnan, China. Zootaxa, 2020, 4763, zootaxa.4763.3.9.</p>	0.2	1

#	ARTICLE	IF	CITATIONS
181	The complete mitochondrial genome of <i>Nothochrysa sinica</i> (Neuroptera: Chrysopidae): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 74 2021, 6, 1632-1633.	0.2	1
182	A new species of the fishfly genus <i>Ctenochauliodes</i> van der Weele (Megaloptera: Corydalidae) from Vietnam. <i>Oriental Insects</i> , 2022, 56, 160-170.	0.1	1
183	Discovery of the pleasing lacewing subfamily Berothellinae (Neuroptera: Dilaridae) from Borneo, with description of a new species of <i>Berothella</i> Banks. <i>Zootaxa</i> , 2021, 5005, 388-394.	0.2	1
184	A new species of the fishfly genus <i>Neochauliodes</i> van der Weele discovered from southwestern China through an integrative approach based on morphological and molecular evidence (Megaloptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6	0.2	1
185	Comparative mitochondrial genomics and phylogenetics among species of the Oriental dobsonfly genus <i>Neoneuromus</i> van der Weele, 1909 (Megaloptera: Corydalidae). <i>Journal of Asia-Pacific Entomology</i> , 2021, , .	0.4	1
186	The identity of <i>Inocellia sinensis</i> Navás, 1936 (Raphidioptera: Inocelliidae) clarified. <i>Zootaxa</i> , 2021, 5016, 571-578.	0.2	1
187	Taxonomic notes on the antlion genus <i>Dendroleon</i> Brauer, 1866 (Neuroptera, Myrmeleontidae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 10 <i>Zootaxa</i> , 2022, 5099, 344-354.	0.2	1
188	New Cretaceous fossil mantispids highlight the palaeodiversity of the extinct subfamily Doratomantispinae (Neuroptera: Mantispidae). <i>Organisms Diversity and Evolution</i> , 0, , 1.	0.7	1
189	<i>Cretoneuronema</i> gen. nov. (Neuroptera: Hemerobiidae), a new brown lacewing genus from the mid-Cretaceous Kachin amber. <i>Palaeoentomology</i> , 2022, 5, .	0.4	1
190	Re-description of a chrysopid-like lacewing <i>Burmotachinymphes bilobata</i> from mid-Cretaceous Burmese amber (Insecta, Neuroptera, Mesochrysopidae). <i>Cretaceous Research</i> , 2022, 138, 105271.	0.6	1
191	Taxonomic revision of the antlion genus <i>Cueta</i> Navás, 1911 (Neuroptera: Myrmeleontidae:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 10 0.1	0.1	1
192	<i>Brockphasma spinifemoralis</i> gen. et spec. nov.: a new phasmid genus and new species of Neohiraseini (Phasmida: Necrosiinae) from Vietnam. <i>Zootaxa</i> , 2014, 3826, 282-90.	0.2	0
193	First description of female of <i>Haplosialodes liui</i> Huang et al., 2016 (Megaloptera: Sialidae) from Cretaceous Burmese amber. <i>Zootaxa</i> , 2017, 4254, 593.	0.2	0
194	The bark louse family Stenopsocidae (Psocodea: Psocomorpha) newly recorded from Laos, with description of three new species. <i>Zootaxa</i> , 2017, 4243, 589.	0.2	0
195	<p>The green lacewing genus <i>Austrochrysa</i> Esben-Petersen, 1928 (Neuroptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 10 101-112.</p>	0.2	0
196	<p>The first record of the bark louse genus <i>Symbiopsocus</i> (Psocodea: Psocidae) from Vietnam, with description of a new species</p>	0.2	0
197	<p>Two new species of the green lacewing subgenus <i>Ankylopteryx</i> Brauer, 1864 (s.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 10 0.2</p>	0.2	0
198	The complete mitochondrial genome of <i>Micromus paganus</i> (Linnaeus, 1767) (Neuroptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6 1842-1843.	0.2	0

#	ARTICLE	IF	CITATIONS
199	A new species of the bark louse genus <i>Clematoscenea</i> (Psocodea: Psocidae) from Xizang, China. <i>Zootaxa</i> , 2021, 5047, 45-52.	0.2	0
200	New snakeflies of the genus <i>Inocellia</i> Schneider, 1843 (Raphidioptera: Inocelliidae) from the Hengduan Mountains, China. <i>Journal of Asia-Pacific Entomology</i> , 2021, 24, 1070-1076.	0.4	0
201	A new antlion genus (Neuroptera: Myrmeleontidae) from mid-Cretaceous amber of northern Myanmar. <i>Cretaceous Research</i> , 2022, , 105162.	0.6	0
202	New snakeflies of the genus <i>Mongoloraphidia</i> H. Aspöck & U. Aspöck, 1968 (Raphidioptera: Tj ETQq0 0 0 rgBT /Overlock 1	0.2	0
203	New Cretaceous Lacewings in a Transitional Lineage of Myrmeleontoidea and Their Phylogenetic Implications. <i>Insects</i> , 2022, 13, 429.	1.0	0
204	First record of the order Megaloptera Latreille from the Philippines. <i>Zootaxa</i> , 2022, 5138, 584-590.	0.2	0
205	Phylogenetic implications of the complete mitochondrial genome of <i>Ogcogaster segmentator</i> (Westwood, 1847) and first record of the genus <i>Ogcogaster</i> Westwood, 1847 from China (Neuroptera,.) Tj ETQq1 0.0.784314 rgBT /Ov	0.0	0