

Mariana F Fernandez

List of Publications by Citations

Source: <https://exaly.com/author-pdf/678274/mariana-f-fernandez-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178 papers	7,416 citations	50 h-index	78 g-index
193 ext. papers	8,798 ext. citations	6.8 avg, IF	5.66 L-index

#	Paper	IF	Citations
178	Ambient air pollution and low birthweight: a European cohort study (ESCAPE). <i>Lancet Respiratory Medicine</i> , 2013 , 1, 695-704	35.1	369
177	Cohort Profile: the INMA--Infancia y Medio Ambiente--(Environment and Childhood) Project. <i>International Journal of Epidemiology</i> , 2012 , 41, 930-40	7.8	368
176	Urinary concentrations of phthalates and phenols in a population of Spanish pregnant women and children. <i>Environment International</i> , 2011 , 37, 858-66	12.9	304
175	In vitro study on the agonistic and antagonistic activities of bisphenol-S and other bisphenol-A congeners and derivatives via nuclear receptors. <i>Toxicology and Applied Pharmacology</i> , 2013 , 272, 127-36	4.6	260
174	Bisphenol-A and chlorinated derivatives in adipose tissue of women. <i>Reproductive Toxicology</i> , 2007 , 24, 259-64	3.4	211
173	Human exposure to endocrine-disrupting chemicals and prenatal risk factors for cryptorchidism and hypospadias: a nested case-control study. <i>Environmental Health Perspectives</i> , 2007 , 115 Suppl 1, 8-14	8.4	168
172	Hair mercury levels, fish consumption, and cognitive development in preschool children from Granada, Spain. <i>Environmental Research</i> , 2010 , 110, 96-104	7.9	143
171	Breast cancer risk and the combined effect of environmental estrogens. <i>Cancer Causes and Control</i> , 2004 , 15, 591-600	2.8	138
170	The E-SCREEN Assay as a Tool to Identify Estrogens: An Update on Estrogenic Environmental Pollutants. <i>Environmental Health Perspectives</i> , 1995 , 103, 113	8.4	136
169	Breast Cancer and Its Relationship with the Microbiota. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	128
168	Association of traffic-related air pollution with cognitive development in children. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 223-8	5.1	127
167	Air pollution during pregnancy and childhood cognitive and psychomotor development: six European birth cohorts. <i>Epidemiology</i> , 2014 , 25, 636-47	3.1	119
166	Dual effects of phytoestrogens result in u-shaped dose-response curves. <i>Environmental Health Perspectives</i> , 2002 , 110, 743-8	8.4	116
165	Bisphenol A: Human exposure and neurobehavior. <i>NeuroToxicology</i> , 2015 , 49, 174-84	4.4	114
164	Dietary and sociodemographic determinants of bisphenol A urine concentrations in pregnant women and children. <i>Environment International</i> , 2013 , 56, 10-8	12.9	94
163	Steroid receptor profiling of vinclozolin and its primary metabolites. <i>Toxicology and Applied Pharmacology</i> , 2006 , 216, 44-54	4.6	93
162	Exposure to Bisphenol A and Phthalates during Pregnancy and Ultrasound Measures of Fetal Growth in the INMA-Sabadell Cohort. <i>Environmental Health Perspectives</i> , 2016 , 124, 521-8	8.4	93

161	Circulating 25-hydroxyvitamin D3 in pregnancy and infant neuropsychological development. <i>Pediatrics</i> , 2012 , 130, e913-20	7.4	92
160	European birth cohorts for environmental health research. <i>Environmental Health Perspectives</i> , 2012 , 120, 29-37	8.4	89
159	Determination of Bisphenol A and its chlorinated derivatives in placental tissue samples by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 3363-9	3.2	80
158	A new liquid chromatography-tandem mass spectrometry method for determination of parabens in human placental tissue samples. <i>Talanta</i> , 2011 , 84, 702-9	6.2	79
157	Assessment of total effective xenoestrogen burden in adipose tissue and identification of chemicals responsible for the combined estrogenic effect. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 379, 163-70	4.4	77
156	Prenatal Ambient Air Pollution, Placental Mitochondrial DNA Content, and Birth Weight in the INMA (Spain) and ENVIRONAGE (Belgium) Birth Cohorts. <i>Environmental Health Perspectives</i> , 2016 , 124, 659-65	8.4	77
155	Concentrations of organochlorine pesticides and polychlorinated biphenyls in human serum and adipose tissue from Bolivia. <i>Environmental Research</i> , 2012 , 112, 40-7	7.9	74
154	Adipose tissue concentrations of persistent organic pollutants and prevalence of type 2 diabetes in adults from Southern Spain. <i>Environmental Research</i> , 2013 , 122, 31-7	7.9	73
153	PBDEs and PBBs in the adipose tissue of women from Spain. <i>Chemosphere</i> , 2007 , 66, 377-83	8.4	73
152	Prenatal exposure to PCB-153, p,p'DDE and birth outcomes in 9000 mother-child pairs: exposure-response relationship and effect modifiers. <i>Environment International</i> , 2015 , 74, 23-31	12.9	72
151	Human exposure to endocrine disruptors: standardisation of a marker of estrogenic exposure in adipose tissue. <i>Apmis</i> , 2001 , 109, 185-97	3.4	69
150	Sperm counts may have declined in young university students in Southern Spain. <i>Andrology</i> , 2013 , 1, 408-13	4.2	67
149	Nonylphenol and octylphenol in adipose tissue of women in Southern Spain. <i>Chemosphere</i> , 2009 , 76, 847-52	8.4	67
148	Urinary bisphenol A concentrations are associated with reproductive parameters in young men. <i>Environmental Research</i> , 2018 , 161, 122-128	7.9	67
147	Prenatal co-exposure to neurotoxic metals and neurodevelopment in preschool children: The Environment and Childhood (INMA) Project. <i>Science of the Total Environment</i> , 2018 , 621, 340-351	10.2	66
146	Differential estrogenic effects of the persistent organochlorine pesticides dieldrin, endosulfan, and lindane in primary neuronal cultures. <i>Toxicological Sciences</i> , 2011 , 120, 413-27	4.4	65
145	Determination of benzophenones in human placental tissue samples by liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2011 , 85, 1848-55	6.2	64
144	Lack of activity of cadmium in in vitro estrogenicity assays. <i>Toxicology and Applied Pharmacology</i> , 2006 , 216, 20-8	4.6	63

143	Cohort Profile: Pregnancy And Childhood Epigenetics (PACE) Consortium. <i>International Journal of Epidemiology</i> , 2018 , 47, 22-23u	7.8	62
142	Exposure to brominated flame retardants, perfluorinated compounds, phthalates and phenols in European birth cohorts: ENRIECO evaluation, first human biomonitoring results, and recommendations. <i>International Journal of Hygiene and Environmental Health</i> , 2013 , 216, 230-42	6.9	62
141	Oestrogenicity of paper and cardboard extracts used as food containers. <i>Food Additives and Contaminants</i> , 2007 , 24, 95-102		59
140	Bisphenol A and other phenols in human placenta from children with cryptorchidism or hypospadias. <i>Reproductive Toxicology</i> , 2016 , 59, 89-95	3.4	58
139	Occupational Exposure to Endocrine-Disrupting Chemicals and Birth Weight and Length of Gestation: A European Meta-Analysis. <i>Environmental Health Perspectives</i> , 2016 , 124, 1785-1793	8.4	58
138	Assessment of estrogenic and anti-androgenic activities of the mycotoxin zearalenone and its metabolites using in vitro receptor-specific bioassays. <i>Food and Chemical Toxicology</i> , 2014 , 74, 233-9	4.7	56
137	Associations of accumulated exposure to persistent organic pollutants with serum lipids and obesity in an adult cohort from Southern Spain. <i>Environmental Pollution</i> , 2014 , 195, 9-15	9.3	55
136	Urinary 1-hydroxypyrene and PAH exposure in 4-year-old Spanish children. <i>Science of the Total Environment</i> , 2009 , 407, 1562-9	10.2	55
135	Polychlorinated biphenyls (PCBs) and hydroxy-PCBs in adipose tissue of women in Southeast Spain. <i>Chemosphere</i> , 2008 , 71, 1196-205	8.4	55
134	Genome-wide DNA methylation study in human placenta identifies novel loci associated with maternal smoking during pregnancy. <i>International Journal of Epidemiology</i> , 2016 , 45, 1644-1655	7.8	55
133	Predictors of concentrations of hexachlorobenzene in human adipose tissue: a multivariate analysis by gender in Southern Spain. <i>Environment International</i> , 2009 , 35, 27-32	12.9	54
132	Multivariate models to predict human adipose tissue PCB concentrations in Southern Spain. <i>Environment International</i> , 2010 , 36, 705-13	12.9	52
131	Newborn TSH concentration and its association with cognitive development in healthy boys. <i>European Journal of Endocrinology</i> , 2010 , 163, 901-9	6.5	51
130	Bisphenol A and its analogues: A comprehensive review to identify and prioritize effect biomarkers for human biomonitoring. <i>Environment International</i> , 2020 , 144, 105811	12.9	50
129	Urinary levels of bisphenol A, benzophenones and parabens in Tunisian women: A pilot study. <i>Science of the Total Environment</i> , 2016 , 562, 81-88	10.2	50
128	Risk of second cancers cancer after a first primary breast cancer: a systematic review and meta-analysis. <i>Gynecologic Oncology</i> , 2015 , 136, 158-71	4.9	49
127	Exposure to electromagnetic fields (non-ionizing radiation) and its relationship with childhood leukemia: a systematic review. <i>Science of the Total Environment</i> , 2010 , 408, 3062-9	10.2	46
126	Historical exposure to persistent organic pollutants and risk of incident hypertension. <i>Environmental Research</i> , 2015 , 138, 217-23	7.9	44

125	Exposure to trihalomethanes through different water uses and birth weight, small for gestational age, and preterm delivery in Spain. <i>Environmental Health Perspectives</i> , 2011 , 119, 1824-30	8.4	43
124	Assumed non-persistent environmental chemicals in human adipose tissue; matrix stability and correlation with levels measured in urine and serum. <i>Environmental Research</i> , 2017 , 156, 120-127	7.9	41
123	Serum and adipose tissue as matrices for assessment of exposure to persistent organic pollutants in breast cancer patients. <i>Environmental Research</i> , 2015 , 142, 633-43	7.9	41
122	Prenatal exposure to mixtures of xenoestrogens and repetitive element DNA methylation changes in human placenta. <i>Environment International</i> , 2014 , 71, 81-7	12.9	41
121	Exposure to bisphenol A and behavior in school-age children. <i>NeuroToxicology</i> , 2016 , 53, 12-19	4.4	39
120	Proposal of guidelines for the appraisal of SEMen QUALity studies (SEMQUA). <i>Human Reproduction</i> , 2013 , 28, 10-21	5.7	39
119	Determination of bisphenol A and bisphenol S concentrations and assessment of estrogen- and anti-androgen-like activities in thermal paper receipts from Brazil, France, and Spain. <i>Environmental Research</i> , 2019 , 170, 406-415	7.9	39
118	Prenatal exposure to organochlorine pesticides and TSH status in newborns from Southern Spain. <i>Science of the Total Environment</i> , 2011 , 409, 3281-7	10.2	38
117	Spatial and temporal variability of personal environmental exposure to radio frequency electromagnetic fields in children in Europe. <i>Environment International</i> , 2018 , 117, 204-214	12.9	38
116	Human adipose tissue levels of persistent organic pollutants and metabolic syndrome components: Combining a cross-sectional with a 10-year longitudinal study using a multi-pollutant approach. <i>Environment International</i> , 2017 , 104, 48-57	12.9	37
115	Environmental phenols and parabens in adipose tissue from hospitalized adults in Southern Spain. <i>Environment International</i> , 2018 , 119, 203-211	12.9	37
114	Semen quality and reproductive hormone levels in men from Southern Spain. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 1-10		37
113	Organochlorine pesticide exposure in children living in southern Spain. <i>Environmental Research</i> , 2008 , 106, 1-6	7.9	37
112	Maternal and paternal preconception exposure to bisphenols and size at birth. <i>Human Reproduction</i> , 2018 , 33, 1528-1537	5.7	36
111	Placental metal concentrations and birth outcomes: The Environment and Childhood (INMA) project. <i>International Journal of Hygiene and Environmental Health</i> , 2019 , 222, 468-478	6.9	35
110	Air Pollution Exposure During Pregnancy and Symptoms of Attention Deficit and Hyperactivity Disorder in Children in Europe. <i>Epidemiology</i> , 2018 , 29, 618-626	3.1	34
109	Association of breast and gut microbiota dysbiosis and the risk of breast cancer: a case-control clinical study. <i>BMC Cancer</i> , 2019 , 19, 495	4.8	33
108	Associations of persistent organic pollutants in serum and adipose tissue with breast cancer prognostic markers. <i>Science of the Total Environment</i> , 2016 , 566-567, 41-49	10.2	33

107	Human exposure to p,p'-dichlorodiphenyldichloroethylene (p,p'-DDDE) in urban and semi-rural areas in southeast Spain: a gender perspective. <i>Science of the Total Environment</i> , 2013 , 458-460, 209-16	10.2	33
106	Simultaneous determination of the UV-filters benzyl salicylate, phenyl salicylate, octyl salicylate, homosalate, 3-(4-methylbenzylidene) camphor and 3-benzylidene camphor in human placental tissue by LC-MS/MS. Assessment of their in vitro endocrine activity. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 936, 80-7	3.2	33
105	Developing a Marker of Exposure to Xenoestrogen Mixtures in Human Serum. <i>Environmental Health Perspectives</i> , 1997 , 105, 647	8.4	33
104	The Influence of Meteorological Factors and Atmospheric Pollutants on the Risk of Preterm Birth. <i>American Journal of Epidemiology</i> , 2017 , 185, 247-258	3.8	32
103	A multiclass method for endocrine disrupting chemical residue analysis in human placental tissue samples by UHPLC-MS/MS. <i>Analytical Methods</i> , 2011 , 3, 2073	3.2	32
102	Maternal occupation during pregnancy, birth weight, and length of gestation: combined analysis of 13 European birth cohorts. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015 , 41, 384-396	4.3	32
101	Assessment of parabens and ultraviolet filters in human placenta tissue by ultrasound-assisted extraction and ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2017 , 1487, 153-161	4.5	30
100	Total Effective Xenoestrogen Burden in Serum Samples and Risk for Breast Cancer in a Population-Based Multicase-Control Study in Spain. <i>Environmental Health Perspectives</i> , 2016 , 124, 1575-1582	8.4	30
99	Compensated reduction in Leydig cell function is associated with lower semen quality variables: a study of 8182 European young men. <i>Human Reproduction</i> , 2016 , 31, 947-57	5.7	29
98	Storage conditions and stability of global DNA methylation in placental tissue. <i>Epigenomics</i> , 2013 , 5, 341-8	4.4	29
97	Placental concentrations of heavy metals in a mother-child cohort. <i>Environmental Research</i> , 2013 , 120, 63-70	7.9	29
96	Concentrations of bisphenol A and parabens in socks for infants and young children in Spain and their hormone-like activities. <i>Environment International</i> , 2019 , 127, 592-600	12.9	27
95	Socio-economic inequalities in health, habits and self-care during pregnancy in Spain. <i>Maternal and Child Health Journal</i> , 2013 , 17, 1315-24	2.4	27
94	Urinary concentrations of parabens and reproductive parameters in young men. <i>Science of the Total Environment</i> , 2018 , 621, 201-209	10.2	27
93	Contribution of Persistent Organic Pollutant Exposure to the Adipose Tissue Oxidative Microenvironment in an Adult Cohort: A Multipollutant Approach. <i>Environmental Science & Technology</i> , 2016 , 50, 13529-13538	10.3	26
92	Biotransformation of genistein and bisphenol A in cell lines used for screening endocrine disruptors. <i>Toxicology in Vitro</i> , 2008 , 22, 1595-604	3.6	26
91	Does exposure to environmental radiofrequency electromagnetic fields cause cognitive and behavioral effects in 10-year-old boys?. <i>Bioelectromagnetics</i> , 2016 , 37, 25-36	1.6	26
90	Male specific association between xenoestrogen levels in placenta and birthweight. <i>Environment International</i> , 2013 , 51, 174-81	12.9	25

89	Assessment of the total effective xenoestrogen burden in extracts of human placentas. <i>Biomarkers</i> , 2009 , 14, 271-7	2.6	25
88	Bisphenol A shapes children's brain and behavior: towards an integrated neurotoxicity assessment including human data. <i>Environmental Health</i> , 2020 , 19, 66	6	24
87	Adipose tissue concentrations of persistent organic pollutants and total cancer risk in an adult cohort from Southern Spain: preliminary data from year 9 of the follow-up. <i>Science of the Total Environment</i> , 2014 , 500-501, 243-9	10.2	24
86	QuEChERS and ultra-high performance liquid chromatography-tandem mass spectrometry method for the determination of parabens and ultraviolet filters in human milk samples. <i>Journal of Chromatography A</i> , 2018 , 1546, 1-9	4.5	23
85	Determination of endocrine-disrupting chemicals in human milk by dispersive liquid-liquid microextraction. <i>Bioanalysis</i> , 2016 , 8, 1777-91	2.1	22
84	Outdoor characterization of radio frequency electromagnetic fields in a Spanish birth cohort. <i>Environmental Research</i> , 2015 , 138, 136-43	7.9	21
83	Personal exposure to radio-frequency electromagnetic fields in Europe: Is there a generation gap?. <i>Environment International</i> , 2018 , 121, 216-226	12.9	21
82	Analysis of population characteristics related to the total effective xenoestrogen burden: a biomarker of xenoestrogen exposure in breast cancer. <i>European Journal of Cancer</i> , 2007 , 43, 1290-9	7.5	20
81	Determination of personal care products -benzophenones and parabens- in human menstrual blood. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1035, 57-66	3.2	20
80	Towards a systematic use of effect biomarkers in population and occupational biomonitoring. <i>Environment International</i> , 2021 , 146, 106257	12.9	17
79	Bisphenol A and reproductive hormones and cortisol in peripubertal boys: The INMA-Granada cohort. <i>Science of the Total Environment</i> , 2018 , 618, 1046-1053	10.2	17
78	Screening of hormone-like activities in bottled waters available in Southern Spain using receptor-specific bioassays. <i>Environment International</i> , 2015 , 74, 125-35	12.9	16
77	Predictors of the total effective xenoestrogen burden (TEXB) in human adipose tissue. A pilot study. <i>Reproductive Toxicology</i> , 2012 , 33, 45-52	3.4	16
76	Thyroid status and its association with cognitive functioning in healthy boys at 10 years of age. <i>European Journal of Endocrinology</i> , 2015 , 172, 129-39	6.5	16
75	The total effective xenoestrogen burden, a biomarker of exposure to xenoestrogen mixtures, is predicted by the (anti)estrogenicity of its components. <i>Reproductive Toxicology</i> , 2008 , 26, 8-12	3.4	16
74	Presence of Bisphenol A and Parabens in a Neonatal Intensive Care Unit: An Exploratory Study of Potential Sources of Exposure. <i>Environmental Health Perspectives</i> , 2019 , 127, 117004	8.4	16
73	Urinary concentrations of benzophenone-type ultra violet light filters and reproductive parameters in young men. <i>International Journal of Hygiene and Environmental Health</i> , 2018 , 221, 531-540	6.9	15
72	Bisphenols and Oxidative Stress Biomarkers-Associations Found in Human Studies, Evaluation of Methods Used, and Strengths and Weaknesses of the Biomarkers. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	14

71	Adipose tissue concentrations of non-persistent environmental phenols and local redox balance in adults from Southern Spain. <i>Environment International</i> , 2019 , 133, 105118	12.9	14
70	In utero exposure to mixtures of xenoestrogens and child neuropsychological development. <i>Environmental Research</i> , 2014 , 134, 98-104	7.9	14
69	Prenatal exposure to hexachlorobenzene (HCB) and reproductive effects in a multicentre birth cohort in Spain. <i>Science of the Total Environment</i> , 2014 , 466-467, 770-6	10.2	14
68	Association of ADHD symptoms and social competence with cognitive status in preschoolers. <i>European Child and Adolescent Psychiatry</i> , 2013 , 22, 153-64	5.5	14
67	Dioxins in adipose tissue of women in Southern Spain. <i>Chemosphere</i> , 2008 , 73, 967-71	8.4	14
66	The Spanish Environment and Childhood Research Network (INMA study). <i>International Journal of Hygiene and Environmental Health</i> , 2007 , 210, 491-3	6.9	14
65	Chemicals in the environment and human male fertility. <i>Occupational and Environmental Medicine</i> , 2007 , 64, 430-1	2.1	14
64	Bisphenol A and adiposity measures in peripubertal boys from the INMA-Granada cohort. <i>Environmental Research</i> , 2019 , 173, 443-451	7.9	13
63	Trends in children's exposure to second-hand smoke in the INMA-Granada cohort: an evaluation of the Spanish anti-smoking law. <i>Environmental Research</i> , 2015 , 138, 461-8	7.9	13
62	Prenatal exposure to mixtures of xenoestrogens and genome-wide DNA methylation in human placenta. <i>Epigenomics</i> , 2016 , 8, 43-54	4.4	13
61	Evaluation of estrogenic, antiestrogenic and genotoxic activity of nemorosone, the major compound found in brown Cuban propolis. <i>BMC Complementary and Alternative Medicine</i> , 2013 , 13, 201	4.7	13
60	Levels of polychlorinated dibenzo-p-dioxins, dibenzofurans and dioxin-like polychlorinated biphenyls in placentas from the Spanish INMA birth cohort study. <i>Science of the Total Environment</i> , 2012 , 441, 49-56	10.2	13
59	Adipose tissue concentrations of arsenic, nickel, lead, tin, and titanium in adults from GraMo cohort in Southern Spain: An exploratory study. <i>Science of the Total Environment</i> , 2020 , 719, 137458	10.2	12
58	Socio-demographic, lifestyle, and dietary determinants of essential and possibly-essential trace element levels in adipose tissue from an adult cohort. <i>Environmental Pollution</i> , 2018 , 236, 878-888	9.3	12
57	Antitumoral, mutagenic and (anti)estrogenic activities of tingenone and pristimerin. <i>Revista Brasileira De Farmacognosia</i> , 2011 , 21, 963-971	2	12
56	Association of Urinary Levels of Bisphenols A, F, and S with Endometriosis Risk: Preliminary Results of the EndEA Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	11
55	Characterization of indoor extremely low frequency and low frequency electromagnetic fields in the INMA-Granada cohort. <i>PLoS ONE</i> , 2014 , 9, e106666	3.7	11
54	Endocrine disrupting chemicals-Linking internal exposure to vitellogenin levels and ovotestis in <i>Abramis brama</i> from Dutch surface waters. <i>Environmental Toxicology and Pharmacology</i> , 2010 , 30, 209-23	5.8	11

53	Urinary metabolites of non-persistent pesticides and serum hormones in Spanish adolescent males. <i>Environmental Research</i> , 2021 , 197, 111016	7.9	11
52	A novel biomarker for anti-androgenic activity in placenta reveals risks of urogenital malformations. <i>Reproduction</i> , 2015 , 149, 605-13	3.8	10
51	Characterisation of exposure to non-ionising electromagnetic fields in the Spanish INMA birth cohort: study protocol. <i>BMC Public Health</i> , 2016 , 16, 167	4.1	10
50	Bisphenol A and cognitive function in school-age boys: Is BPA predominantly related to behavior?. <i>NeuroToxicology</i> , 2019 , 74, 162-171	4.4	10
49	Endocrine Disruptors: Time to Act. <i>Current Environmental Health Reports</i> , 2014 , 1, 325-332	6.5	10
48	Relationship between occupational social class and exposure to organochlorine pesticides during pregnancy. <i>Chemosphere</i> , 2011 , 83, 831-8	8.4	10
47	The INMA-INFancia y Medio Ambiente-(Environment and Childhood) project: More than 10 years contributing to environmental and neuropsychological research. <i>International Journal of Hygiene and Environmental Health</i> , 2017 , 220, 647-658	6.9	9
46	Endocrine disruption. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 372-3	5.1	9
45	Human exposure to endocrine disruptors: Standardisation of a marker of estrogenic exposure in adipose tissue. <i>Apmis</i> , 2001 , 109, S189-S202	3.4	9
44	Bisphenol F and bisphenol S promote lipid accumulation and adipogenesis in human adipose-derived stem cells. <i>Food and Chemical Toxicology</i> , 2021 , 152, 112216	4.7	9
43	Receptor-based in vitro activities to assess human exposure to chemical mixtures and related health impacts. <i>Environment International</i> , 2021 , 146, 106191	12.9	9
42	Development of a marker of estrogenic exposure in breast cancer patients. <i>Advances in Experimental Medicine and Biology</i> , 1998 , 444, 29-40	3.6	8
41	Association of placental concentrations of phenolic endocrine disrupting chemicals with cognitive functioning in preschool children from the Environment and Childhood (INMA) Project. <i>International Journal of Hygiene and Environmental Health</i> , 2020 , 230, 113597	6.9	8
40	Assessment of perfluoroalkyl substances in placenta by coupling salt assisted liquid-liquid extraction with dispersive liquid-liquid microextraction prior to liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2021 , 221, 121577	6.2	8
39	Influence of a Multidisciplinary Program of Diet, Exercise, and Mindfulness on the Quality of Life of Stage IIA-IIB Breast Cancer Survivors. <i>Integrative Cancer Therapies</i> , 2020 , 19, 1534735420924757	3	7
38	Biomonitoring of environmental estrogens in human tissues. <i>International Journal of Hygiene and Environmental Health</i> , 2007 , 210, 429-32	6.9	7
37	The effect of AH 26 and AH Plus on MCF-7 breast cancer cell proliferation in vitro. <i>International Endodontic Journal</i> , 2002 , 35, 551-6	5.4	7
36	Biomarkers of effect as determined in human biomonitoring studies on hexavalent chromium and cadmium in the period 2008-2020. <i>Environmental Research</i> , 2021 , 197, 110998	7.9	7

35	Radiofrequency exposure in the Neonatal Medium Care Unit. <i>Environmental Research</i> , 2017 , 152, 66-72	7.9	6
34	Exposure to Perfluoroalkyl acids and foetal and maternal thyroid status: a review. <i>Environmental Health</i> , 2020 , 19, 107	6	6
33	Concentrations of bisphenol-A in adults from the general population: A systematic review and meta-analysis. <i>Science of the Total Environment</i> , 2021 , 775, 145755	10.2	6
32	Cosmetic and personal care product use, urinary levels of parabens and benzophenones, and risk of endometriosis: results from the EndEA study. <i>Environmental Research</i> , 2021 , 196, 110342	7.9	6
31	Concentrations of perfluoroalkyl substances in donor breast milk in Southern Spain and their potential determinants. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 236, 113796	6.9	6
30	Reproducibility of adipogenic responses to metabolism disrupting chemicals in the 3T3-L1 pre-adipocyte model system: An interlaboratory study. <i>Toxicology</i> , 2021 , 461, 152900	4.4	6
29	Adherence to reporting guidelines in observational studies concerning exposure to persistent organic pollutants and effects on semen parameters. <i>Human Reproduction</i> , 2014 , 29, 1122-33	5.7	5
28	Endocrine disrupting chemicals: harmful substances and how to test them. <i>Cadernos De Saude Publica</i> , 2002 , 18, 489-94	3.2	5
27	Associations of persistent organic pollutants in human adipose tissue with retinoid levels and their relevance to the redox microenvironment. <i>Environmental Research</i> , 2021 , 195, 110764	7.9	5
26	Organophosphate pesticide exposure, hormone levels, and interaction with PON1 polymorphisms in male adolescents. <i>Science of the Total Environment</i> , 2021 , 769, 144563	10.2	5
25	Endocrine disruption in Crohn's disease: Bisphenol A enhances systemic inflammatory response in patients with gut barrier translocation of dysbiotic microbiota products. <i>FASEB Journal</i> , 2021 , 35, e21697	7.9	5
24	Placental DNA methylation signatures of maternal smoking during pregnancy and potential impacts on fetal growth. <i>Nature Communications</i> , 2021 , 12, 5095	17.4	5
23	Changes in the total effective xenoestrogen burden (TEXB) of breast cancer patients during an 18-month post-surgical follow-up. <i>Reproductive Toxicology</i> , 2017 , 69, 212-220	3.4	4
22	Contribution of sociodemographic, occupational, lifestyle and dietary characteristics to the oxidative stress microenvironment in adipose tissue. <i>Environmental Research</i> , 2019 , 175, 52-62	7.9	4
21	Alkylphenols and bisphenol-A and its chlorinated derivatives in adipose tissue of children 2008 ,		4
20	Lead (Pb) and neurodevelopment: A review on exposure and biomarkers of effect (BDNF, HDL) and susceptibility. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 238, 113855	6.9	4
19	Metabolic Syndrome and Endocrine Disrupting Chemicals: An Overview of Exposure and Health Effects.. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
18	Anogenital distance and reproductive outcomes in 9- to 11-year-old boys: the INMA-Granada cohort study. <i>Andrology</i> , 2018 , 6, 874-881	4.2	3

17	Placental DNA methylation signatures of maternal smoking during pregnancy and potential impacts on fetal growth		3
16	Reproducibility and Validity of a Food Frequency Questionnaire for Dietary Assessment in Adolescents in a Self-Reported Way. <i>Nutrients</i> , 2020 , 12,	6.7	3
15	Endocrine disrupting potential of replacement flame retardants - Review of current knowledge for nuclear receptors associated with reproductive outcomes. <i>Environment International</i> , 2021 , 153, 106550	12.9	3
14	BDNF as a potential mediator between childhood BPA exposure and behavioral function in adolescent boys from the INMA-Granada cohort. <i>Science of the Total Environment</i> , 2022 , 803, 150014	10.2	3
13	Assessment of hormone-like activities in Ginkgo biloba, Elettaria cardamomum and Plantago ovata extracts using in vitro receptor-specific bioassays. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015 , 32, 1531-41	3.2	2
12	Developmental Exposure to Endocrine Disruptors and Male Urogenital Tract Malformations 2012 , 225-239		2
11	A human biomonitoring (HBM) Global Registry Framework: Further advancement of HBM research following the FAIR principles. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 238, 113828	6.9	2
10	Presence of Bisphenol A and Parabens in a Neonatal Intensive Care Unit: An Exploratory Study of Potential Sources of Exposure. <i>Environmental Health Perspectives</i> , 2019 , 127, 117004	8.4	1
9	Controversial Messages on Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 6171-2	1.7	1
8	Exploring the relationship between metal exposure, BDNF, and behavior in adolescent males. <i>International Journal of Hygiene and Environmental Health</i> , 2022 , 239, 113877	6.9	1
7	Associations between urinary concentrations of bisphenol A and sperm DNA fragmentation in young men. <i>Environmental Research</i> , 2021 , 199, 111289	7.9	1
6	In utero exposure to bisphenols and asthma, wheeze, and lung function in school-age children: a prospective meta-analysis of 8 European birth cohorts.. <i>Environment International</i> , 2022 , 107178	12.9	1
5	Concentrations and determinants of lead, mercury, cadmium, and arsenic in pooled donor breast milk in Spain.. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 240, 113914	6.9	0
4	Associations of residential and occupational history with the distribution of persistent pollutant mixtures in adipose tissue samples. <i>Environmental Research</i> , 2021 , 194, 110687	7.9	0
3	Assessment of chemical mixtures using biomarkers of combined biological activity: A screening study in human placentas. <i>Reproductive Toxicology</i> , 2021 , 100, 143-154	3.4	0
2	Exposure to non-persistent pesticides, BDNF, and behavioral function in adolescent males: Exploring a novel effect biomarker approach.. <i>Environmental Research</i> , 2022 , 113115	7.9	0
1	The Mixture of Bisphenol-A and Its Substitutes Bisphenol-S and Bisphenol-F Exerts Obesogenic Activity on Human Adipose-Derived Stem Cells. <i>Toxics</i> , 2022 , 10, 287	4.7	0