

Derrick A Bennett

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6783972/derrick-a-bennett-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221 papers	102,445 citations	90 h-index	237 g-index
237 ext. papers	130,102 ext. citations	16.3 avg, IF	7.9 L-index

#	Paper	IF	Citations
221	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019.. <i>Lancet Diabetes and Endocrinology</i> , 2022 ,	18.1	4
220	Burden of non-communicable diseases among adolescents aged 10-24 years in the EU, 1990-2019: a systematic analysis of the Global Burden of Diseases Study 2019.. <i>The Lancet Child and Adolescent Health</i> , 2022 ,	14.5	4
219	Genetic associations of adult height with risk of cardioembolic and other subtypes of ischemic stroke: A mendelian randomization study in multiple ancestries.. <i>PLoS Medicine</i> , 2022 , 19, e1003967	11.6	0
218	Dairy consumption and risks of total and site-specific cancers in Chinese adults: an 11-year prospective study of 0.5 million people.. <i>BMC Medicine</i> , 2022 , 20, 134	11.4	1
217	The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study.. <i>Archives of Public Health</i> , 2022 , 80, 142	2.6	0
216	Frequency and types of clusters of major chronic diseases in 0.5 million adults in urban and rural China. <i>Journal of Multimorbidity and Comorbidity</i> , 2022 , 12, 263355652210983		0
215	Resting heart rate and risk of left and right heart failure in 0.5 million Chinese adults. <i>Open Heart</i> , 2022 , 9, e001963	3	0
214	Blood pressure lowering and risk of new-onset type 2 diabetes: an individual participant data meta-analysis. <i>Lancet, The</i> , 2021 , 398, 1803-1810	40	11
213	Modification effect of ideal cardiovascular health metrics on genetic association with incident heart failure in the China Kadoorie Biobank and the UK Biobank. <i>BMC Medicine</i> , 2021 , 19, 259	11.4	0
212	Association of physical activity with risk of hepatobiliary diseases in China: a prospective cohort study of 0.5 million people. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1024-1033	10.3	5
211	Genetic susceptibility, elevated blood pressure, and risk of atrial fibrillation: a Mendelian randomization study. <i>Genome Medicine</i> , 2021 , 13, 38	14.4	4
210	Associations of Skeletal Muscle Mass and Fat Mass With Incident Cardiovascular Disease and All-Cause Mortality: A Prospective Cohort Study of UK Biobank Participants. <i>Journal of the American Heart Association</i> , 2021 , 10, e019337	6	9
209	Stroke risk prediction using machine learning: a prospective cohort study of 0.5 million Chinese adults. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2021 , 28, 1719-1727	8.6	6
208	Development and external validation of a breast cancer absolute risk prediction model in Chinese population. <i>Breast Cancer Research</i> , 2021 , 23, 62	8.3	0
207	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health, The</i> , 2021 , 6, e482-e499	22.4	11
206	Associations of toothbrushing behaviour with risks of vascular and nonvascular diseases in Chinese adults. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13634	4.6	1
205	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 397, 2337-2360	40	97

204	Association of heart rate and diabetes among 0.5 million adults in the China Kadoorie biobank: Results from observational and Mendelian randomization analyses. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2328-2337	4.5	1
203	Long-term solid fuel use and risks of major eye diseases in China: A population-based cohort study of 486,532 adults. <i>PLoS Medicine</i> , 2021 , 18, e1003716	11.6	5
202	Regional and seasonal variations in household and personal exposures to air pollution in one urban and two rural Chinese communities: A pilot study to collect time-resolved data using static and wearable devices. <i>Environment International</i> , 2021 , 146, 106217	12.9	6
201	Improved prediction of fracture risk leveraging a genome-wide polygenic risk score. <i>Genome Medicine</i> , 2021 , 13, 16	14.4	7
200	Reallocation of time between device-measured movement behaviours and risk of incident cardiovascular disease. <i>British Journal of Sports Medicine</i> , 2021 ,	10.3	5
199	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 398, 870-905	40	43
198	Utility of single versus sequential measurements of risk factors for prediction of stroke in Chinese adults. <i>Scientific Reports</i> , 2021 , 11, 17575	4.9	
197	Global, regional, and national burden of stroke and its risk factors, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology, The</i> , 2021 , 20, 795-820	24.1	229
196	Accelerometer measured physical activity and the incidence of cardiovascular disease: Evidence from the UK Biobank cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003487	11.6	17
195	Global Burden of Cardiovascular Diseases and Risk Factors, 1990-2019: Update From the GBD 2019 Study. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2982-3021	15.1	922
194	Prevalence and attributable health burden of chronic respiratory diseases, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet Respiratory Medicine, the</i> , 2020 , 8, 585-596	35.1	334
193	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000-17: analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020 , 395, 1779-1801	40	30
192	Mortality and recurrent vascular events after first incident stroke: a 9-year community-based study of 0.5 million Chinese adults. <i>The Lancet Global Health</i> , 2020 , 8, e580-e590	13.6	59
191	Socioeconomic differences in health-care use and outcomes for stroke and ischaemic heart disease in China during 2009-16: a prospective cohort study of 0.5 million adults. <i>The Lancet Global Health</i> , 2020 , 8, e591-e602	13.6	10
190	Red meat, poultry and fish consumption and risk of diabetes: a 9-year prospective cohort study of the China Kadoorie Biobank. <i>Diabetologia</i> , 2020 , 63, 767-779	10.3	14
189	Genetically Elevated LDL Associates with Lower Risk of Intracerebral Hemorrhage. <i>Annals of Neurology</i> , 2020 , 88, 56-66	9.4	12
188	Systemic inflammation is associated with incident stroke and heart disease in East Asians. <i>Scientific Reports</i> , 2020 , 10, 5605	4.9	10
187	Population-Based Health Studies: An Overview of Principles and Methods 2020 , 1-25		

186	Measuring stroke and transient ischemic attack burden in New Zealand: Protocol for the fifth Auckland Regional Community Stroke Study (ARCOS V). <i>International Journal of Stroke</i> , 2020 , 15, 573-583 ^{6.3}		
185	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases, The</i> , 2020 , 20, 37-59	25.5	37
184	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases, The</i> , 2020 , 20, 60-79	25.5	46
183	Menopause and risk of hip fracture in middle-aged Chinese women: a 10-year follow-up of China Kadoorie Biobank. <i>Menopause</i> , 2020 , 27, 311-318	2.5	1
182	Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1204-1222	40	1847
181	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950-2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1160-1203	40	228
180	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1038-e1060	13.6	12
179	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020 , 26, i125-i153	3.2	12
178	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1162-e1185	13.6	27
177	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i96-i114	3.2	39
176	Cancer incidence in relation to body fatness among 0.5 million men and women: Findings from the China Kadoorie Biobank. <i>International Journal of Cancer</i> , 2020 , 146, 987-998	7.5	10
175	Solid fuels for cooking and tobacco use and risk of major chronic liver disease mortality: a prospective cohort study of 0.5 million Chinese adults. <i>International Journal of Epidemiology</i> , 2020 , 49, 45-55	7.8	6
174	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020 , 26, 750-759	50.5	21
173	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i12-i26	3.2	13
172	Morbidity and mortality from road injuries: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i46-i56	3.2	46
171	Physical Activity, Sedentary Leisure Time, Circulating Metabolic Markers, and Risk of Major Vascular Diseases. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, 386-396	5.2	10
170	Smoking Cessation Pharmacotherapy Based on Genetically-Informed Biomarkers: What is the Evidence?. <i>Nicotine and Tobacco Research</i> , 2019 , 21, 1289-1293	4.9	2
169	Body Fat Distribution and Systolic Blood Pressure in 10,000 Adults with Whole-Body Imaging: UK Biobank and Oxford BioBank. <i>Obesity</i> , 2019 , 27, 1200-1206	8	21

168	Assessment of Vascular Event Prevention and Cognitive Function Among Older Adults With Preexisting Vascular Disease or Diabetes: A Secondary Analysis of 3 Randomized Clinical Trials. <i>JAMA Network Open</i> , 2019 , 2, e190223	10.4	9
167	Causal associations of blood lipids with risk of ischemic stroke and intracerebral hemorrhage in Chinese adults. <i>Nature Medicine</i> , 2019 , 25, 569-574	50.5	100
166	Global, regional, and national burden of stroke, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 439-458	24.1	1102
165	Global, regional, and national burden of neurological disorders, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 459-480	24.1	1093
164	Conventional and genetic evidence on alcohol and vascular disease aetiology: a prospective study of 500 000 men and women in China. <i>Lancet, The</i> , 2019 , 393, 1831-1842	40	174
163	Genetic Predisposition to Type 2 Diabetes and Risk of Subclinical Atherosclerosis and Cardiovascular Diseases Among 160,000 Chinese Adults. <i>Diabetes</i> , 2019 , 68, 2155-2164	0.9	20
162	Carotid Intima-Media Thickness but Not Carotid Artery Plaque in Healthy Individuals Is Linked to Lean Body Mass. <i>Journal of the American Heart Association</i> , 2019 , 8, e011919	6	7
161	Physical activity, sedentary leisure-time and risk of incident type 2 diabetes: a prospective study of 512 000 Chinese adults. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000835	4.5	9
160	Reproducibility of dietary intakes of macronutrients, specific food groups, and dietary patterns in 211 050 adults in the UK Biobank study. <i>Journal of Nutritional Science</i> , 2019 , 8, e34	2.7	7
159	Vitamin D and Calcium for the Prevention of Fracture: A Systematic Review and Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e1917789	10.4	91
158	Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Respiratory Medicine, the</i> , 2019 , 7, 69-89	35.1	176
157	Global, regional, and national burden of Alzheimer's disease and other dementias, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 88-106	24.1	782
156	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019 , 18, 56-87	24.1	480
155	Solid Fuel Use and Risks of Respiratory Diseases. A Cohort Study of 280,000 Chinese Never-Smokers. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 199, 352-361	10.2	33
154	Patterns and management of chronic obstructive pulmonary disease in urban and rural China: a community-based survey of 25 000 adults across 10 regions. <i>BMJ Open Respiratory Research</i> , 2018 , 5, e000267	5.6	12
153	Advances in Stroke 2017. <i>Stroke</i> , 2018 , 49, e174-e199	6.7	19
152	Association of Solid Fuel Use With Risk of Cardiovascular and All-Cause Mortality in Rural China. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1351-1361	27.4	120
151	The Burden of Cardiovascular Diseases Among US States, 1990-2016. <i>JAMA Cardiology</i> , 2018 , 3, 375-389	16.2	184

150	Lipids, Lipoproteins, and Metabolites and Risk of Myocardial Infarction and Stroke. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 620-632	15.1	162
149	Smoking and smoking cessation in relation to risk of diabetes in Chinese men and women: a 9-year prospective study of 0.5 million people. <i>Lancet Public Health, The</i> , 2018 , 3, e167-e176	22.4	36
148	Burden of obesity in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 165-176	4	33
147	Association of vitamin D with risk of type 2 diabetes: A Mendelian randomisation study in European and Chinese adults. <i>PLoS Medicine</i> , 2018 , 15, e1002566	11.6	48
146	Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 392, 1015-1035	40	1171
145	Mobile Technology for Primary Stroke Prevention. <i>Stroke</i> , 2018 , STROKEAHA118023058	6.7	27
144	Association of CETP Gene Variants With Risk for Vascular and Nonvascular Diseases Among Chinese Adults. <i>JAMA Cardiology</i> , 2018 , 3, 34-43	16.2	33
143	Burden of cardiovascular diseases in the Eastern Mediterranean Region, 1990-2015: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 137-149	4	40
142	Neonatal, infant, and under-5 mortality and morbidity burden in the Eastern Mediterranean region: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 63-77	4	10
141	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 79-96	4	8
140	Global, regional, and national age-sex-specific mortality and life expectancy, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1684-1735	40	483
139	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788	40	2850
138	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994	40	1964
137	Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051	40	189
136	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 2091-2138	40	210
135	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922	40	1283
134	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , 2018 , 379, 2429-2437	59.2	495
133	Interethnic analyses of blood pressure loci in populations of East Asian and European descent. <i>Nature Communications</i> , 2018 , 9, 5052	17.4	29

132	Excess risk of major vascular diseases associated with airflow obstruction: a 9-year prospective study of 0.5 million Chinese adults. <i>International Journal of COPD</i> , 2018 , 13, 855-865	3	1
131	Age-specific association between blood pressure and vascular and non-vascular chronic diseases in 0.5 million adults in China: a prospective cohort study. <i>The Lancet Global Health</i> , 2018 , 6, e641-e649	13.6	70
130	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 391, 2236-2271	40	381
129	Adiposity and risk of ischaemic and haemorrhagic stroke in 0.5 million Chinese men and women: a prospective cohort study. <i>The Lancet Global Health</i> , 2018 , 6, e630-e640	13.6	29
128	The Standards of Reporting of Neurological Disorders (STROND) checklist: Application to multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 23-33	5	2
127	Association Between Diabetes and Cause-Specific Mortality in Rural and Urban Areas of China. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 280-289	27.4	200
126	Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 165-182	27.4	957
125	Adherence to Healthy Lifestyle and Cardiovascular Diseases in the Chinese Population. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1116-1125	15.1	81
124	Stress and Eating Disturbed Behavior 2017 , 186-209		
123	Fresh fruit consumption and all-cause and cause-specific mortality: findings from the China Kadoorie Biobank. <i>International Journal of Epidemiology</i> , 2017 , 46, 1444-1455	7.8	21
122	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 1-25	15.1	1804
121	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990-2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017 , 390, 231-266	40	352
120	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , 2017 , 377, 13-27	59.2	3027
119	Mendelian randomisation in cardiovascular research: an introduction for clinicians. <i>Heart</i> , 2017 , 103, 1409-140768		
118	Patterns and correlates of major depression in Chinese adults: a cross-sectional study of 0.5 million men and women. <i>Psychological Medicine</i> , 2017 , 47, 958-970	6.9	45
117	Trans-generational changes and rural-urban inequality in household fuel use and cookstove ventilation in China: A multi-region study of 0.5 million adults. <i>International Journal of Hygiene and Environmental Health</i> , 2017 , 220, 1370-1381	6.9	21
116	Systematic review of statistical approaches to quantify, or correct for, measurement error in a continuous exposure in nutritional epidemiology. <i>BMC Medical Research Methodology</i> , 2017 , 17, 146	4.7	34
115	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1084-1150	40	421

114	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1260-1344	40	1152
113	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259	40	3432
112	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1345-1422	40	1378
111	Global, regional, and national burden of neurological disorders during 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , 2017 , 16, 877-897	24.1	984
110	Pharmacotherapy for smoking cessation: effects by subgroup defined by genetically informed biomarkers. <i>The Cochrane Library</i> , 2017 , 9, CD011823	5.2	20
109	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459	40	224
108	Depression and Anxiety Across the First Year After Ischemic Stroke: Findings from a Population-Based New Zealand ARCOS-IV Study. <i>Brain Impairment</i> , 2017 , 18, 265-276	1	1
107	Association of Physical Activity With Risk of Major Cardiovascular Diseases in Chinese Men and Women. <i>JAMA Cardiology</i> , 2017 , 2, 1349-1358	16.2	65
106	Fresh fruit consumption in relation to incident diabetes and diabetic vascular complications: A 7-y prospective study of 0.5 million Chinese adults. <i>PLoS Medicine</i> , 2017 , 14, e1002279	11.6	68
105	Fruit consumption and physical activity in relation to all-cause and cardiovascular mortality among 70,000 Chinese adults with pre-existing vascular disease. <i>PLoS ONE</i> , 2017 , 12, e0173054	3.7	12
104	Association of Random Plasma Glucose Levels With the Risk for Cardiovascular Disease Among Chinese Adults Without Known Diabetes. <i>JAMA Cardiology</i> , 2016 , 1, 813-823	16.2	22
103	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV, the</i> , 2016 , 3, e361-e387	7.8	382
102	A phenome-wide association study of a lipoprotein-associated phospholipase A2 loss-of-function variant in 90 000 Chinese adults. <i>International Journal of Epidemiology</i> , 2016 , 45, 1588-1599	7.8	24
101	Neuropsychological Outcome and its Predictors Across the First Year after Ischaemic Stroke. <i>Brain Impairment</i> , 2016 , 17, 111-122	1	3
100	Fresh Fruit Consumption and Major Cardiovascular Disease in China. <i>New England Journal of Medicine</i> , 2016 , 374, 1332-43	59.2	160
99	Lipoprotein-Associated Phospholipase A2 Loss-of-Function Variant and Risk of Vascular Diseases in 90,000 Chinese Adults. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 230-231	15.1	17
98	Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1775-1812	40	476
97	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658	40	1216

96	How to Distinguish between Statistically Significant Results and Clinically Relevant Results. <i>Frontiers of Neurology and Neuroscience</i> , 2016 , 39, 37-49	1.1	2
95	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544	40	3525
94	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1545-1602	40	3801
93	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724	40	2431
92	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1725-1774	40	413
91	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850	40	302
90	Incidence of Transient Ischemic Attack in Auckland, New Zealand, in 2011 to 2012. <i>Stroke</i> , 2016 , 47, 2183-8	14	
89	Changes in health in England, with analysis by English regions and areas of deprivation, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2257-74	40	231
88	Development of the standards of reporting of neurological disorders (STROND) checklist: a guideline for the reporting of incidence and prevalence studies in neuroepidemiology. <i>European Journal of Epidemiology</i> , 2015 , 30, 569-76	12.1	23
87	Improving Adherence to Secondary Stroke Prevention Strategies Through Motivational Interviewing: Randomized Controlled Trial. <i>Stroke</i> , 2015 , 46, 3451-8	6.7	34
86	Development of the Standards of Reporting of Neurological Disorders (STROND) checklist: A guideline for the reporting of incidence and prevalence studies in neuroepidemiology. <i>Neurology</i> , 2015 , 85, 821-8	6.5	45
85	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91	40	1203
84	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323	40	1776
83	Reply to Garrard and Jacoby and Smith et al. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 416-7	7	1
82	Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71	40	4599
81	Explanation and Elaboration of the Standards of Reporting of Neurological Disorders Checklist: A Guideline for the Reporting of Incidence and Prevalence Studies in Neuroepidemiology. <i>Neuroepidemiology</i> , 2015 , 45, 113-37	5.4	10
80	30-Year Trends in Stroke Rates and Outcome in Auckland, New Zealand (1981-2012): A Multi-Ethnic Population-Based Series of Studies. <i>PLoS ONE</i> , 2015 , 10, e0134609	3.7	52
79	Genomic analysis to guide choice of treatment for smoking cessation 2015 ,		2

78	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800	40	3802
77	Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: The GBD 2013 Study. <i>Neuroepidemiology</i> , 2015 , 45, 161-76	5.4	743
76	Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. <i>Neuroepidemiology</i> , 2015 , 45, 203-14	5.4	117
75	Global and regional burden of stroke during 1990-2010: findings from the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2014 , 383, 245-54	40	2371
74	Geomagnetic storms can trigger stroke: evidence from 6 large population-based studies in Europe and Australasia. <i>Stroke</i> , 2014 , 45, 1639-45	6.7	19
73	Risk prediction in patients with heart failure: a systematic review and analysis. <i>JACC: Heart Failure</i> , 2014 , 2, 440-6	7.9	209
72	Patterns and socio-demographic correlates of domain-specific physical activities and their associations with adiposity in the China Kadoorie Biobank study. <i>BMC Public Health</i> , 2014 , 14, 826	4.1	36
71	Outcomes after emergency percutaneous coronary intervention in patients with unprotected left main stem occlusion: the BCIS national audit of percutaneous coronary intervention 6-year experience. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 969-80	5	43
70	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 766-81	40	7175
69	30 Acute Unprotected Left Mainstem Occlusion Emergency Percutaneous Coronary Intervention: Analysis of the British Cardiovascular Intervention Society Database. <i>Heart</i> , 2014 , 100, A16.1-A16	5.1	
68	Commentary: Mendelian randomization study of tobacco smoking and cardiovascular risk factors: hazards of tobacco smoking greatly outweigh any benefits. <i>International Journal of Epidemiology</i> , 2014 , 43, 1471-2	7.8	1
67	Heart failure care in low- and middle-income countries: a systematic review and meta-analysis. <i>PLoS Medicine</i> , 2014 , 11, e1001699	11.6	135
66	Reducing recurrent stroke: methodology of the motivational interviewing in stroke (MIST) randomized clinical trial. <i>International Journal of Stroke</i> , 2014 , 9, 133-9	6.3	17
65	Effects of homocysteine lowering with B vitamins on cognitive aging: meta-analysis of 11 trials with cognitive data on 22,000 individuals. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 657-66	7	152
64	Methodology of a population-based stroke and TIA incidence and outcomes study: the Auckland Regional Community Stroke Study (ARCOS IV) 2011-2012. <i>International Journal of Stroke</i> , 2014 , 9, 140-7	6.3	14
63	The global burden of ischemic stroke: findings of the GBD 2010 study. <i>Global Heart</i> , 2014 , 9, 107-12	2.9	90
62	The global burden of hemorrhagic stroke: a summary of findings from the GBD 2010 study. <i>Global Heart</i> , 2014 , 9, 101-6	2.9	121
61	UK health performance: findings of the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 381, 997-1020	40	401

60	Global and regional burden of first-ever ischaemic and haemorrhagic stroke during 1990-2010: findings from the Global Burden of Disease Study 2010. <i>The Lancet Global Health</i> , 2013 , 1, e259-81	13.6	761
59	Effects of folic acid supplementation on overall and site-specific cancer incidence during the randomised trials: meta-analyses of data on 50,000 individuals. <i>Lancet, The</i> , 2013 , 381, 1029-36	4.0	233
58	Physical activity and sedentary leisure time and their associations with BMI, waist circumference, and percentage body fat in 0.5 million adults: the China Kadoorie Biobank study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 487-96	7	146
57	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	4.0	5768
56	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2095-128	4.0	8873
55	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	4.0	4971
54	Study protocol: systematic review of the burden of heart failure in low- and middle-income countries. <i>Systematic Reviews</i> , 2012 , 1, 59	3	6
53	Methodology of the global and regional burden of stroke study. <i>Neuroepidemiology</i> , 2012 , 38, 30-40	5.4	25
52	Homocysteine and coronary heart disease: meta-analysis of MTHFR case-control studies, avoiding publication bias. <i>PLoS Medicine</i> , 2012 , 9, e1001177	11.6	135
51	C-reactive protein concentration and the vascular benefits of statin therapy: an analysis of 20,536 patients in the Heart Protection Study. <i>Lancet, The</i> , 2011 , 377, 469-76	4.0	132
50	C-reactive protein in the Heart Protection Study [AuthorsReply]. <i>Lancet, The</i> , 2011 , 377, 1918-1919	4.0	5
49	Text messaging in smoking cessation: the txt2stop trial. <i>Lancet, The</i> , 2011 , 378, 6-7	4.0	16
48	A genome-wide association study in Europeans and South Asians identifies five new loci for coronary artery disease. <i>Nature Genetics</i> , 2011 , 43, 339-44	36.3	528
47	Homocysteine and vascular disease: review of published results of the homocysteine-lowering trials. <i>Journal of Inherited Metabolic Disease</i> , 2011 , 34, 83-91	5.4	70
46	Study protocol: the empirical investigation of methods to correct for measurement error in biobanks with dietary assessment. <i>BMC Medical Research Methodology</i> , 2011 , 11, 135	4.7	1
45	Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2011 , 342, d548	5.9	422
44	Ethnicity and functional outcome after stroke. <i>Stroke</i> , 2011 , 42, 960-4	6.7	27
43	Effects of lowering homocysteine levels with B vitamins on cardiovascular disease, cancer, and cause-specific mortality: Meta-analysis of 8 randomized trials involving 37 485 individuals. <i>Archives of Internal Medicine</i> , 2010 , 170, 1622-31		348

42	An introduction to instrumental variables--part 2: Mendelian randomisation. <i>Neuroepidemiology</i> , 2010 , 35, 307-10	5.4	16
41	An introduction to instrumental variables analysis: part 1. <i>Neuroepidemiology</i> , 2010 , 35, 237-40	5.4	11
40	Genetic Loci associated with C-reactive protein levels and risk of coronary heart disease. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 37-48	27.4	459
39	Stratification for exploring heterogeneity in systematic reviews. <i>Evidence-Based Medicine</i> , 2009 , 14, 162-4		5
38	Worldwide stroke incidence and early case fatality reported in 56 population-based studies: a systematic review. <i>Lancet Neurology</i> , 2009 , 8, 355-69	24.1	1821
37	Common variants at 30 loci contribute to polygenic dyslipidemia. <i>Nature Genetics</i> , 2009 , 41, 56-65	36.3	1095
36	Genetic variants associated with Lp(a) lipoprotein level and coronary disease. <i>New England Journal of Medicine</i> , 2009 , 361, 2518-28	59.2	935
35	Newly identified loci that influence lipid concentrations and risk of coronary artery disease. <i>Nature Genetics</i> , 2008 , 40, 161-9	36.3	1304
34	The exon 1-8C/G SNP in the PSMA6 gene contributes only a small amount to the burden of myocardial infarction in 6946 cases and 2720 controls from a United Kingdom population. <i>European Journal of Human Genetics</i> , 2008 , 16, 480-6	5.3	13
33	Chitosan for overweight or obesity. <i>The Cochrane Library</i> , 2008 , CD003892	5.2	37
32	B vitamins for prevention of cognitive decline: insufficient evidence to justify treatment. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1819-21	27.4	8
31	Falls after stroke: results from the Auckland Regional Community Stroke (ARCOS) Study, 2002 to 2003. <i>Stroke</i> , 2008 , 39, 1890-3	6.7	83
30	Corticosteroids in Patients With Hemorrhagic Stroke. <i>Stroke</i> , 2006 , 37, 1344-1345	6.7	4
29	Lymphotoxin-alpha gene and risk of myocardial infarction in 6,928 cases and 2,712 controls in the ISIS case-control study. <i>PLoS Genetics</i> , 2006 , 2, e107	6	64
28	A population-based cohort study of longer-term changes in health of car drivers involved in serious crashes. <i>Annals of Emergency Medicine</i> , 2006 , 48, 729-36	2.1	36
27	Effect of alcohol on risk of coronary heart disease and stroke: causality, bias, or a bit of both?. <i>Vascular Health and Risk Management</i> , 2006 , 2, 239-49	4.4	62
26	Do n-of-1 trials really tailor treatment?. <i>Lancet</i> , 2005 , 365, 1992-4	4.0	13
25	Risk factors for subarachnoid hemorrhage: an updated systematic review of epidemiological studies. <i>Stroke</i> , 2005 , 36, 2773-80	6.7	524

24	Effect of chitosan on weight loss in overweight and obese individuals: a systematic review of randomized controlled trials. <i>Obesity Reviews</i> , 2005 , 6, 35-42	10.6	77
23	Corticosteroids for aneurysmal subarachnoid haemorrhage and primary intracerebral haemorrhage. <i>The Cochrane Library</i> , 2005 , CD004583	5.2	62
22	Treatment with drugs to lower blood pressure and blood cholesterol based on an individual's absolute cardiovascular risk. <i>Lancet, The</i> , 2005 , 365, 434-441	4.0	328
21	Body mass index and cardiovascular disease in the Asia-Pacific Region: an overview of 33 cohorts involving 310 000 participants. <i>International Journal of Epidemiology</i> , 2004 , 33, 751-8	7.8	247
20	Active and passive smoking and the risk of subarachnoid hemorrhage: an international population-based case-control study. <i>Stroke</i> , 2004 , 35, 633-7	6.7	80
19	Blood Pressure and Stroke. <i>Stroke</i> , 2004 , 35, 1024-1033	6.7	180
18	The effect of the dietary supplement, Chitosan, on body weight: a randomised controlled trial in 250 overweight and obese adults. <i>International Journal of Obesity</i> , 2004 , 28, 1149-56	5.5	94
17	Risk of disability due to car crashes: a review of the literature and methodological issues. <i>Injury</i> , 2004 , 35, 1116-27	2.5	48
16	Blood pressure and stroke: an overview of published reviews. <i>Stroke</i> , 2004 , 35, 776-85	6.7	394
15	Capture-recapture is a potentially useful method for assessing publication bias. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 349-57	5.7	36
14	Systematic review of progressive resistance strength training in older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 48-61	6.4	344
13	Triggers of subarachnoid hemorrhage: role of physical exertion, smoking, and alcohol in the Australasian Cooperative Research on Subarachnoid Hemorrhage Study (ACROSS). <i>Stroke</i> , 2003 , 34, 1771-6	6.7	100
12	Stroke epidemiology: a review of population-based studies of incidence, prevalence, and case-fatality in the late 20th century. <i>Lancet Neurology, The</i> , 2003 , 2, 43-53	24.1	1379
11	A randomized, controlled trial of quadriceps resistance exercise and vitamin D in frail older people: the Frailty Interventions Trial in Elderly Subjects (FITNESS). <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 291-9	5.6	329
10	FDA: untapped source of unpublished trials. <i>Lancet, The</i> , 2003 , 361, 1402-3	4.0	10
9	Progressive resistance strength training for physical disability in older people. <i>Cochrane Database of Systematic Reviews</i> , 2003 , CD002759		92
8	Blood pressure indices and cardiovascular disease in the Asia Pacific region: a pooled analysis. <i>Hypertension</i> , 2003 , 42, 69-75	8.5	134
7	Review of analytical methods for prospective cohort studies using time to event data: single studies and implications for meta-analysis. <i>Statistical Methods in Medical Research</i> , 2003 , 12, 297-319	2.3	17

6	Blood pressure and coronary heart disease: a review of the evidence. <i>Seminars in Vascular Medicine</i> , 2002 , 2, 355-68		47
5	How can I deal with missing data in my study?. <i>Australian and New Zealand Journal of Public Health</i> , 2001 , 25, 464-469	2.3	613
4	Psychological discriminators of subjects at different stages of the eating disturbed spectrum. <i>Personality and Individual Differences</i> , 2001 , 30, 917-929	3.3	
3	Eating disturbance as a manifestation of the stress process: a review of the literature. <i>Stress and Health</i> , 1999 , 15, 167-182		17
2	Psychosocial factors and chronic fatigue syndrome. <i>Psychological Medicine</i> , 1994 , 24, 661-71	6.9	51
1	Reallocating time from device-measured sleep, sedentary behaviour or light physical activity to moderate-to-vigorous physical activity is associated with lower cardiovascular disease risk		1