
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6784113/publications.pdf Version: 2024-02-01



MONICA FEDELE

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Roles of HMGA proteins in cancer. Nature Reviews Cancer, 2007, 7, 899-910.   | 12.8 | 627       |
| 2  | HMGA2 induces pituitary tumorigenesis by enhancing E2F1 activity. Cancer Cell, 2006, 9, 459-471.   | 7.7  | 226       |
| 3  | Lack of the architectural factor HMGA1 causes insulin resistance and diabetes in humans and mice.<br>Nature Medicine, 2005, 11, 765-773.   | 15.2 | 204       |
| 4  | Overexpression of the HMGA2 gene in transgenic mice leads to the onset of pituitary adenomas.<br>Oncogene, 2002, 21, 3190-3198.  | 2.6  | 201       |
| 5  | Expression of the neoplastic phenotype by human thyroid carcinoma cell lines requires NFκB p65<br>protein expression. Oncogene, 1997, 15, 1987-1994.   | 2.6  | 165       |
| 6  | Adenovirus-mediated suppression of HMGI(Y) protein synthesis as potential therapy of human<br>malignant neoplasias. Proceedings of the National Academy of Sciences of the United States of<br>America, 2000, 97, 4256-4261. | 3.3  | 146       |
| 7  | Proneural-Mesenchymal Transition: Phenotypic Plasticity to Acquire Multitherapy Resistance in<br>Glioblastoma. International Journal of Molecular Sciences, 2019, 20, 2746.  | 1.8  | 138       |
| 8  | Transgenic mice overexpressing the wild-type form of the HMGA1 gene develop mixed growth<br>hormone/prolactin cell pituitary adenomas and natural killer cell lymphomas. Oncogene, 2005, 24,<br>3427-3435.                   | 2.6  | 137       |
| 9  | Altered MicroRNA Expression Profile in Human Pituitary GH Adenomas: Down-Regulation of miRNA<br>Targeting HMGA1, HMGA2, and E2F1. Journal of Clinical Endocrinology and Metabolism, 2012, 97,<br>E1128-E1138.                | 1.8  | 136       |
| 10 | CBX7 is a tumor suppressor in mice and humans. Journal of Clinical Investigation, 2012, 122, 612-623.  | 3.9  | 133       |
| 11 | HMGA and Cancer. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2010, 1799, 48-54.  | 0.9  | 132       |
| 12 | Negative Regulation of BRCA1 Gene Expression by HMGA1 Proteins Accounts for the Reduced BRCA1<br>Protein Levels in Sporadic Breast Carcinoma. Molecular and Cellular Biology, 2003, 23, 2225-2238.                           | 1.1  | 119       |
| 13 | Truncated and chimeric HMGI-C genes induce neoplastic transformation of NIH3T3 murine fibroblasts.<br>Oncogene, 1998, 17, 413-418.   | 2.6  | 113       |
| 14 | Role of the high mobility group A proteins in human lipomas. Carcinogenesis, 2001, 22, 1583-1591.  | 1.3  | 110       |
| 15 | HMGA Proteins Up-regulate <i>CCNB2</i> Gene in Mouse and Human Pituitary Adenomas. Cancer<br>Research, 2009, 69, 1844-1850.  | 0.4  | 107       |
| 16 | Haploinsufficiency of the Hmga1 Gene Causes Cardiac Hypertrophy and Myelo-Lymphoproliferative<br>Disorders in Mice. Cancer Research, 2006, 66, 2536-2543.  | 0.4  | 104       |
| 17 | The Epithelial-to-Mesenchymal Transition in Breast Cancer: Focus on Basal-Like Carcinomas. Cancers, 2017, 9, 134.  | 1.7  | 101       |
| 18 | HMGA1 and HMGA2 protein expression in mouse spermatogenesis. Oncogene, 2002, 21, 3644-3650.  | 2.6  | 98        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Phosphorylation of High-Mobility Group Protein A2 by Nek2 Kinase during the First Meiotic Division in Mouse Spermatocytes. Molecular Biology of the Cell, 2004, 15, 1224-1232.   | 0.9 | 97        |
| 20 | Onset of natural killer cell lymphomas in transgenic mice carrying a truncated HMGI-C gene by the chronic stimulation of the IL-2 and IL-15 pathway. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 7970-7975. | 3.3 | 92        |
| 21 | High mobility group I (Y) proteins bind HIPK2, a serine-threonine kinase protein which inhibits cell<br>growth. Oncogene, 2001, 20, 6132-6141.   | 2.6 | 86        |
| 22 | Critical Role of the HMGI(Y) Proteins in Adipocytic Cell Growth and Differentiation. Molecular and Cellular Biology, 2001, 21, 2485-2495.  | 1.1 | 86        |
| 23 | A Novel Member of the BTB/POZ Family, PATZ, Associates with the RNF4 RING Finger Protein and Acts as a Transcriptional Repressor. Journal of Biological Chemistry, 2000, 275, 7894-7901.   | 1.6 | 83        |
| 24 | Downregulation of HMGA-targeting microRNAs has a critical role in human pituitary tumorigenesis.<br>Oncogene, 2012, 31, 3857-3865.   | 2.6 | 82        |
| 25 | High mobility group HMGI(Y) protein expression in human colorectal hyperplastic and neoplastic diseases. International Journal of Cancer, 2001, 91, 147-151.   | 2.3 | 82        |
| 26 | Aptamer-mediated impairment of EGFR-integrin αvl²3 complex inhibits vasculogenic mimicry and growth of triple-negative breast cancers. Scientific Reports, 2017, 7, 46659.   | 1.6 | 78        |
| 27 | PATZ1 gene has a critical role in the spermatogenesis and testicular tumours. Journal of Pathology, 2008, 215, 39-47.  | 2.1 | 72        |
| 28 | Chromobox Protein Homologue 7 Protein, with Decreased Expression in Human Carcinomas, Positively<br>Regulates E-Cadherin Expression by Interacting with the Histone Deacetylase 2 Protein. Cancer<br>Research, 2009, 69, 7079-7087.                        | 0.4 | 72        |
| 29 | HMGA proteins promote ATM expression and enhance cancer cell resistance to genotoxic agents.<br>Oncogene, 2011, 30, 3024-3035.   | 2.6 | 71        |
| 30 | HMCA1 Protein Overexpression in Human Breast Carcinomas. Clinical Cancer Research, 2004, 10, 7637-7644.  | 3.2 | 69        |
| 31 | The High Mobility Group A2 gene is amplified and overexpressed in human prolactinomas. Cancer Research, 2002, 62, 2398-405.  | 0.4 | 69        |
| 32 | Loss of Hmga1 gene function affects embryonic stem cell lymphohematopoietic differentiation. FASEB<br>Journal, 2003, 17, 1-27.   | 0.2 | 63        |
| 33 | The Epithelial–Mesenchymal Transition at the Crossroads between Metabolism and Tumor<br>Progression. International Journal of Molecular Sciences, 2022, 23, 800.   | 1.8 | 59        |
| 34 | HMGA2: A pituitary tumour subtype-specific oncogene?. Molecular and Cellular Endocrinology, 2010, 326, 19-24.  | 1.6 | 58        |
| 35 | Detection of high-mobility group proteins A1 and A2 represents a valid diagnostic marker in post-pubertal testicular germ cell tumours. Journal of Pathology, 2008, 214, 58-64.  | 2.1 | 57        |
| 36 | <i>Hmga1/Hmga2</i> double knock-out mice display a "superpygmy―phenotype. Biology Open, 2014, 3,<br>372-378.   | 0.6 | 54        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Increase in AP-1 activity is a general event in thyroid cell transformation in vitro and in vivo.<br>Oncogene, 1998, 17, 377-385.   | 2.6 | 51        |
| 38 | RNF4 Is a Growth Inhibitor Expressed in Germ Cells but Not in Human Testicular Tumors. American<br>Journal of Pathology, 2001, 159, 1225-1230.  | 1.9 | 49        |
| 39 | PATZ1 interacts with p53 and regulates expression of p53-target genes enhancing apoptosis or cell survival based on the cellular context. Cell Death and Disease, 2013, 4, e963-e963.   | 2.7 | 49        |
| 40 | Aptamer targeting EGFRvIII mutant hampers its constitutive autophosphorylation and affects migration, invasion and proliferation of glioblastoma cells. Oncotarget, 2015, 6, 37570-37587.                                     | 0.8 | 49        |
| 41 | Targeted imaging and inhibition of triple-negative breast cancer metastases by a PDGFRβ aptamer.<br>Theranostics, 2018, 8, 5178-5199.   | 4.6 | 48        |
| 42 | The Homeodomain-Interacting Protein Kinase 2 Gene Is Expressed Late in Embryogenesis and<br>Preferentially in Retina, Muscle, and Neural Tissues. Biochemical and Biophysical Research<br>Communications, 2002, 290, 942-947. | 1.0 | 47        |
| 43 | Optimizing cisplatin delivery to triple-negative breast cancer through novel EGFR aptamer-conjugated polymeric nanovectors. Journal of Experimental and Clinical Cancer Research, 2021, 40, 239.                              | 3.5 | 47        |
| 44 | Identification of the Genes Up- and Down-Regulated by the High Mobility Group A1 (HMGA1) Proteins.<br>Cancer Research, 2004, 64, 5728-5735.   | 0.4 | 46        |
| 45 | Regulation of microRNA expression by HMGA1 proteins. Oncogene, 2009, 28, 1432-1442.   | 2.6 | 44        |
| 46 | PATZ1 acts as a tumor suppressor in thyroid cancer via targeting p53-dependent genes involved in EMT and cell migration. Oncotarget, 2015, 6, 5310-5323.  | 0.8 | 44        |
| 47 | Translational regulation of a novel testis-specific RNF4 transcript. Molecular Reproduction and Development, 2003, 66, 1-7.   | 1.0 | 43        |
| 48 | Establishment of a non-tumorigenic papillary thyroid cell line (FB-2) carrying theRET/PTC1 rearrangement. International Journal of Cancer, 2002, 97, 608-614.   | 2.3 | 41        |
| 49 | The HMGA1-IGF-I/IGFBP System: A Novel Pathway for Modulating Glucose Uptake. Molecular Endocrinology, 2012, 26, 1578-1589.  | 3.7 | 41        |
| 50 | Critical Role of the HMGA2 Gene in Pituitary Adenomas. Cell Cycle, 2006, 5, 2045-2048.  | 1.3 | 40        |
| 51 | High-mobility group A1 proteins are overexpressed in human leukaemias. Biochemical Journal, 2003, 372, 145-150.   | 1.7 | 39        |
| 52 | SOM230, A New Somatostatin Analogue, Is Highly Effective in the Therapy of Growth<br>Hormone/Prolactin-Secreting Pituitary Adenomas. Clinical Cancer Research, 2007, 13, 2738-2744.   | 3.2 | 39        |
| 53 | Aptamer targeted therapy potentiates immune checkpoint blockade in triple-negative breast cancer.<br>Journal of Experimental and Clinical Cancer Research, 2020, 39, 180.   | 3.5 | 38        |
| 54 | A polymorphism of HMGA1 protects against proliferative diabetic retinopathy by impairing<br>HMGA1-induced VEGFA expression. Scientific Reports, 2016, 6, 39429.   | 1.6 | 36        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | TNBC Challenge: Oligonucleotide Aptamers for New Imaging and Therapy Modalities. Pharmaceuticals, 2018, 11, 123.   | 1.7 | 36        |
| 56 | PIT1 upregulation by HMGA proteins has a role in pituitary tumorigenesis. Endocrine-Related Cancer, 2012, 19, 123-135.   | 1.6 | 34        |
| 57 | PATZ Attenuates the RNF4-mediated Enhancement of Androgen Receptor-dependent Transcription.<br>Journal of Biological Chemistry, 2002, 277, 3280-3285.  | 1.6 | 33        |
| 58 | Oligonucleotide aptamers against tyrosine kinase receptors: Prospect for anticancer applications.<br>Biochimica Et Biophysica Acta: Reviews on Cancer, 2018, 1869, 263-277.                      | 3.3 | 33        |
| 59 | PATZ1 is a new prognostic marker of glioblastoma associated with the stem-like phenotype and enriched in the proneural subtype. Oncotarget, 2017, 8, 59282-59300.                                | 0.8 | 30        |
| 60 | HMGA1 protein expression sensitizes cells to cisplatin-induced cell death. Oncogene, 2005, 24, 6809-6819.  | 2.6 | 29        |
| 61 | Tumor suppressor activity of CBX7 in lung carcinogenesis. Cell Cycle, 2012, 11, 1888-1891.   | 1.3 | 29        |
| 62 | Embryonic defects and growth alteration in mice with homozygous disruption of the <i>Patz1</i> gene. Journal of Cellular Physiology, 2013, 228, 646-653.   | 2.0 | 29        |
| 63 | Identification and Characterization of a Novel RING-Finger Gene (RNF4) Mapping at 4p16.3. Genomics, 1998, 47, 258-265.   | 1.3 | 28        |
| 64 | A truncated HMGA1 gene induces proliferation of the 3T3-L1 pre-adipocytic cells: a model of human<br>lipomas. Carcinogenesis, 2003, 24, 1861-1869.   | 1.3 | 28        |
| 65 | Role of the high mobility group A proteins in the regulation of pituitary cell cycle. Journal of<br>Molecular Endocrinology, 2010, 44, 309-318.  | 1.1 | 28        |
| 66 | Epithelial–Mesenchymal Transition (EMT) 2021. International Journal of Molecular Sciences, 2022, 23, 5848.   | 1.8 | 28        |
| 67 | Complementary actions of dopamine D2 receptor agonist and antiâ€vegf therapy on tumoral vessel normalization in a transgenic mouse model. International Journal of Cancer, 2017, 140, 2150-2161. | 2.3 | 25        |
| 68 | The POZ/BTB and AT-Hook Containing Zinc Finger 1 (PATZ1) Transcription Regulator: Physiological Functions and Disease Involvement. International Journal of Molecular Sciences, 2017, 18, 2524.  | 1.8 | 25        |
| 69 | Selective Photo-Assisted Eradication of Triple-Negative Breast Cancer Cells through Aptamer<br>Decoration of Doped Conjugated Polymer Nanoparticles. Pharmaceutics, 2022, 14, 626.               | 2.0 | 24        |
| 70 | E2F1 activation is responsible for pituitary adenomas induced by HMGA2 gene overexpression. Cell Division, 2006, 1, 17.  | 1.1 | 23        |
| 71 | HMGA1 protein is a novel target of the ATM kinase. European Journal of Cancer, 2008, 44, 2668-2679.  | 1.3 | 22        |
| 72 | The dosage of Patz1 modulates reprogramming process. Scientific Reports, 2014, 4, 7519.  | 1.6 | 20        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Novel Aptamers Selected on Living Cells for Specific Recognition of Triple-Negative Breast Cancer.<br>IScience, 2020, 23, 100979.  | 1.9 | 19        |
| 74 | <i>CBX7</i> gene expression plays a negative role in adipocyte cell growth and differentiation.<br>Biology Open, 2014, 3, 871-879.   | 0.6 | 17        |
| 75 | Trabectedin modulates the senescence-associated secretory phenotype and promotes cell death in senescent tumor cells by targeting NF-κB. Oncotarget, 2018, 9, 19929-19944.   | 0.8 | 17        |
| 76 | Profiling Cancer Cells by Cell-SELEX: Use of Aptamers for Discovery of Actionable Biomarkers and Therapeutic Applications Thereof. Pharmaceutics, 2022, 14, 28.  | 2.0 | 17        |
| 77 | Interaction between HMGA1 and Retinoblastoma Protein Is Required for Adipocyte Differentiation.<br>Journal of Biological Chemistry, 2009, 284, 25993-26004.  | 1.6 | 16        |
| 78 | POZ-, AT-hook-, and Zinc Finger-containing Protein (PATZ) Interacts with Human Oncogene B Cell<br>Lymphoma 6 (BCL6) and Is Required for Its Negative Autoregulation. Journal of Biological Chemistry,<br>2012, 287, 18308-18319. | 1.6 | 16        |
| 79 | Impairment of the p27kip1 function enhances thyroid carcinogenesis in TRK-T1 transgenic mice.<br>Endocrine-Related Cancer, 2009, 16, 483-490.  | 1.6 | 15        |
| 80 | IFN-Â gene expression is controlled by the architectural transcription factor HMGA1. International<br>Immunology, 2005, 17, 297-306.   | 1.8 | 13        |
| 81 | Involvement of theHMGI(Y) gene in a microfollicular adenoma of the thyroid. Genes Chromosomes and Cancer, 1999, 24, 286-289.   | 1.5 | 12        |
| 82 | High-mobility-group A1 (HMGA1) proteins down-regulate the expression of the recombination activating gene 2 (RAG2). Biochemical Journal, 2005, 389, 91-97.   | 1.7 | 12        |
| 83 | B-RAF mutations are a rare event in pituitary adenomas. Journal of Endocrinological Investigation, 2007, 30, RC1-RC3.  | 1.8 | 12        |
| 84 | PATZ1 expression correlates positively with BAX and negatively with BCL6 and survival in human diffuse large B cell lymphomas. Oncotarget, 2016, 7, 59158-59172.   | 0.8 | 12        |
| 85 | The Mia/Cd-rap gene expression is downregulated by the high-mobility group A proteins in mouse pituitary adenomas. Endocrine-Related Cancer, 2007, 14, 875-886.  | 1.6 | 11        |
| 86 | PATZ1 is a target of miR-29b that is induced by Ha-Ras oncogene in rat thyroid cells. Scientific Reports, 2016, 6, 25268.  | 1.6 | 11        |
| 87 | HMGA2 cooperates with either p27 <sup>kip1</sup> deficiency or Cdk4 <sup>R24C</sup> mutation in pituitary tumorigenesis. Cell Cycle, 2018, 17, 580-588.  | 1.3 | 11        |
| 88 | PATZ1 Is Overexpressed in Pediatric Glial Tumors and Correlates with Worse Event-Free Survival in High-grade Gliomas. Cancers, 2019, 11, 1537.   | 1.7 | 9         |
| 89 | High mobility group HMGI(Y) protein expression in human colorectal hyperplastic and neoplastic diseases. International Journal of Cancer, 2001, 91, 147-151.   | 2.3 | 7         |
| 90 | Hmga1 null mice are less susceptible to chemically induced skin carcinogenesis. European Journal of<br>Cancer, 2008, 44, 318-325.  | 1.3 | 7         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Transcriptional and post-transcriptional regulation of transmembrane protein 132A. Molecular and<br>Cellular Biochemistry, 2015, 405, 291-299.  | 1.4 | 7         |
| 92  | Loss of One or Two PATZ1 Alleles Has a Critical Role in the Progression of Thyroid Carcinomas<br>Induced by the RET/PTC1 Oncogene. Cancers, 2018, 10, 92.   | 1.7 | 7         |
| 93  | Optimization of Short RNA Aptamers for TNBC Cell Targeting. International Journal of Molecular Sciences, 2022, 23, 3511.  | 1.8 | 7         |
| 94  | Dual Oncogenic/Anti-Oncogenic Role of PATZ1 in FRTL5 Rat Thyroid Cells Transformed by the Ha-RasV12 Oncogene. Genes, 2019, 10, 127.   | 1.0 | 6         |
| 95  | High mobility group A-interacting proteins in cancer: focus on chromobox protein homolog 7,<br>homeodomain interacting protein kinase 2 and PATZ. Journal of Nucleic Acids Investigation, 2012, 3, 1. | 0.5 | 5         |
| 96  | Aptamers and antibodies: rivals or allies in cancer targeted therapy?. Exploration of Targeted Anti-tumor Therapy, 0, , .   | 0.5 | 5         |
| 97  | The Transcription Regulator Patz1 Is Essential for Neural Stem Cell Maintenance and Proliferation.<br>Frontiers in Cell and Developmental Biology, 2021, 9, 657149.                                   | 1.8 | 5         |
| 98  | Thymosin β-10 gene expression as a possible tool in diagnosis of thyroid neoplasias. Oncology Reports,<br>0, , .  | 1.2 | 5         |
| 99  | Animal Models of Human Pathology. Journal of Biomedicine and Biotechnology, 2011, 2011, 1-1.  | 3.0 | 4         |
| 100 | The Tumor Suppressive Role of PATZ1 in Thyroid Cancer: A Matter of Epithelial-Mesenchymal<br>Transition. Chemotherapy, 2016, 05, .  | 0.0 | 4         |
| 101 | Animal Models of Human Pathology 2012. Journal of Biomedicine and Biotechnology, 2012, 2012, 1-2.   | 3.0 | 2         |
| 102 | Metabolic Reprogramming in Thyroid Cancer: Role of the Epithelial-Mesenchymal Transition.<br>Endocrines, 2021, 2, 427-438.  | 0.4 | 2         |
| 103 | The Genetics of Pituitary Adenomas. , 0, , .  |     | 1         |
| 104 | Animal Models of Human Pathology 2013. BioMed Research International, 2014, 2014, 1-2.  | 0.9 | 0         |
| 105 | Animal Models of Human Pathology 2014. BioMed Research International, 2015, 2015, 1-2.  | 0.9 | Ο         |
| 106 | Animal Models of Human Pathology 2016. BioMed Research International, 2016, 2016, 1-2.  | 0.9 | 0         |
| 107 | PATZ1 is a new prognostic marker of diffuse large B cell lymphomas. European Journal of Cancer, 2016, 61, S185-S186.  | 1.3 | 0         |
| 108 | Oligonucleotide aptamers as innovative therapeutic tools for triple-negative breast cancers.<br>European Journal of Cancer, 2016, 61, S117.   | 1.3 | 0         |

MONICA FEDELE

0

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Molecular and cellular mechanisms in recurrent glioblastoma chemoresistance. , 2021, , 365-400.                                       |     | 0         |
| 110 | Pituitary Tumors: New Insights into Molecular Features, Diagnosis and Therapeutic Targeting.<br>Cancers, 2021, 13, 1697.              | 1.7 | 0         |
| 111 | Pituitary Adenoma: Role of HMGA Proteins. , 2013, , 161-168.  |     | 0         |
| 112 | MicroRNAs in pituitary tumours. Endocrine Abstracts, 0, , .   | 0.0 | 0         |
| 113 | Targeting ofPATZ1by miR-29b is a downstream effect of oncogenic Ras signalling in thyroid cells.<br>Endocrine Abstracts, 0, , .       | 0.0 | 0         |
| 114 | PATZ1 downregulation promotes proliferation and migration in Ras-driven thyroid transformation.<br>Endocrine Abstracts, 0, , .        | 0.0 | 0         |
| 115 | Abstract 5256: Toward biomarkers discovery: Profiling triple-negative breast cancer cells by cell-SELEX. , 2020, , .                  |     | 0         |
| 116 | Novel Aptamers Selected on Living Cells for Specific Recognition of Triple-Negative Breast Cancer.<br>SSRN Electronic Journal, 0, , . | 0.4 | 0         |
| 117 | Animal Models of Human Pathology 2020. BioMed Research International, 2022, 2022, 1-2.  | 0.9 | 0         |
|     |   |     |           |

118 Non-Histone Chromatin Proteins. , 2005, , 1299-1301.