
James F Thrasher

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/678558/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of advertising features on smokers' and non-smokers' perceptions of a reduced nicotine cigarette modified risk tobacco product. Tobacco Control, 2023, 32, 6-12.	3.2	5
2	Trends in e-cigarette brands, devices and the nicotine profile of products used by youth in England, Canada and the USA: 2017–2019. Tobacco Control, 2023, 32, 19-29.	3.2	30
3	E-cigarette vending machines: a new access channel for youth in Guatemala City. Tobacco Control, 2023, 32, e269-e270.	3.2	3
4	Heated debates on regulations of heated tobacco products in South Korea: the news valence, source and framing of relative risk/benefit. Tobacco Control, 2022, 31, e57-e63.	3.2	4
5	â€~lt brings light to what you really put into your body': a focus group study of reactions to messages about nicotine reduction in cigarettes. Tobacco Control, 2022, 31, 649-654.	3.2	14
6	Addicted to smoking or addicted to nicotine? A focus group study on perceptions of nicotine and addiction among US adult current smokers, former smokers, nonâ€smokers and dual users of cigarettes and eâ€cigarettes. Addiction, 2022, 117, 472-481.	3.3	12
7	A longitudinal analysis of smokeâ€free laws and smoking initiation disparities among young adults in the United States. Addiction, 2022, 117, 730-738.	3.3	6
8	Examining Truth and State-Sponsored Media Campaigns as a Means of Decreasing Youth Smoking and Related Disparities in the United States. Nicotine and Tobacco Research, 2022, 24, 469-477.	2.6	9
9	Cigarette Pack Price and Its Within-Person Association With Smoking Initiation, Smoking Progression, and Disparities among Young Adults. Nicotine and Tobacco Research, 2022, 24, 519-528.	2.6	5
10	Designing More Effective Cigar Warnings: An Experiment Among Adult Cigar Smokers. Nicotine and Tobacco Research, 2022, 24, 617-622.	2.6	6
11	Strategies to enhance the effects of pictorial warnings for cigarettes: results from a discrete choice experiment. Addiction, 2022, 117, 1095-1104.	3.3	4
12	Effective package warning label systems for communicating relative risks of cigarettes, heated tobacco products, and e-cigarettes: An experimental study with Korean adults. International Journal of Drug Policy, 2022, 99, 103468.	3.3	2
13	Impact of front-of-pack labels on the perceived healthfulness of a sweetened fruit drink: a randomised experiment in five countries. Public Health Nutrition, 2022, 25, 1094-1104.	2.2	4
14	Impact of risk of generalizability biases in adult obesity interventions: A metaâ€epidemiological review and metaâ€enalysis. Obesity Reviews, 2022, 23, e13369.	6.5	9
15	Correlates of Self-Reported and Functional Understanding of Nutrition Labels across 5 Countries in the 2018 International Food Policy Study. Journal of Nutrition, 2022, 152, 13S-24S.	2.9	2
16	Heated tobacco product use, its correlates, and reasons for use among Mexican smokers. Drug and Alcohol Dependence, 2022, 232, 109283.	3.2	1
17	OUP accepted manuscript. Journal of Nutrition, 2022, , .	2.9	1
18	Adults' Exposure to Unhealthy Food and Beverage Marketing: A Multi-Country Study in Australia, Canada, Mexico, the United Kingdom, and the United States. Journal of Nutrition, 2022, 152, 25S-34S.	2.9	7

#	Article	IF	CITATIONS
19	Perceptions of Nicotine Reduction Policy in the United States: A Qualitative Study. Nicotine and Tobacco Research, 2022, 24, 1422-1429.	2.6	4
20	The Conceptual Framework for the International Food Policy Study: Evaluating the Population-Level Impact of Food Policy. Journal of Nutrition, 2022, 152, 1S-12S.	2.9	14
21	Achievements, challenges, priorities and needs to address the current tobacco epidemic in Latin America. Tobacco Control, 2022, 31, 138-141.	3.2	17
22	Do number of smoking friends and changes over time predict smoking relapse? Findings from the International Tobacco Control Four-Country Survey. Journal of Substance Abuse Treatment, 2022, 138, 108763.	2.8	5
23	Feasibility of a primary care patient decision aid for smoking cessation with information about e-cigarettes. Preventive Medicine Reports, 2022, 26, 101745.	1.8	Ο
24	Exposure to Negative News Stories About Vaping, and Harm Perceptions of Vaping, Among Youth in England, Canada, and the United States Before and After the Outbreak of E-cigarette or Vaping-Associated Lung Injury (â€~EVALI'). Nicotine and Tobacco Research, 2022, 24, 1386-1395.	2.6	17
25	Tobacco 21 laws may reduce smoking and tobacco-related health disparities among youth in the U.S. Preventive Medicine Reports, 2022, 27, 101762.	1.8	6
26	Do postâ€quitting experiences predict smoking relapse among former smokers in Australia and the United Kingdom? Findings from the International Tobacco Control Surveys. Drug and Alcohol Review, 2022, 41, 883-889.	2.1	3
27	Associations Between Noticing Nicotine Vaping Product Health Warning Labels, Harm Perceptions, and Use Among Adult Vapers, Current and Former Smokers. Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2022, 24, 1020-1027.	2.6	1
28	Exploring the Potential for Smoke-Free Laws to Reduce Smoking Disparities by Sexual Orientation in the USA. International Journal of Behavioral Medicine, 2022, , .	1.7	0
29	Impact of the Tips From Former Smokers Anti-Smoking Media Campaign on Youth Smoking Behaviors and Anti-Tobacco Attitudes. Nicotine and Tobacco Research, 2022, 24, 1927-1936.	2.6	3
30	Taxation reduces smoking but may not reduce smoking disparities in youth. Tobacco Control, 2021, 30, 264-272.	3.2	7
31	E-cigarette use susceptibility among youth in Mexico: The roles of remote acculturation, parenting behaviors, and internet use frequency. Addictive Behaviors, 2021, 113, 106688.	3.0	5
32	Estimating the price elasticity of demand for JUUL E-cigarettes among teens. Drug and Alcohol Dependence, 2021, 218, 108406.	3.2	4
33	Area-Level Predictors of Tobacco 21 Coverage in the U.S. Before the National Law: Exploring Potential Disparities. American Journal of Preventive Medicine, 2021, 60, 29-37.	3.0	6
34	Tobacco Taxation and Its Prospective Impact on Disparities in Smoking Initiation and Progression Among Young Adults. Journal of Adolescent Health, 2021, 68, 765-772.	2.5	5
35	Primary Care Physician Perspectives on Recommending E-cigarettes to Smokers: a Best-Worst Discrete Choice Experiment. Journal of General Internal Medicine, 2021, 36, 3353-3360.	2.6	3
36	Social norms as a predictor of smoking uptake among youth: a systematic review, metaâ€analysis and metaâ€regression of prospective cohort studies. Addiction, 2021, 116, 2953-2967.	3.3	38

#	Article	IF	CITATIONS
37	The Association between Quitline Characteristics and Smoking Cessation by Educational Attainment, Income, Race/Ethnicity, and Sex. International Journal of Environmental Research and Public Health, 2021, 18, 3297.	2.6	3
38	Smoke-Free Laws and Disparities in Secondhand Smoke Exposure Among Nonsmoking Adults in the United States, 1999–2014. Nicotine and Tobacco Research, 2021, 23, 1527-1535.	2.6	1
39	Recall of government healthy eating campaigns by consumers in five countries. Public Health Nutrition, 2021, 24, 3986-4000.	2.2	6
40	Australian Smokers' Sensory Experiences and Beliefs Associated with Menthol and Non-Menthol Cigarettes. International Journal of Environmental Research and Public Health, 2021, 18, 5501.	2.6	1
41	Evaluating Cigarette Pack Insert Messages with Tips to Quit. Tobacco Regulatory Science (discontinued), 2021, 7, 203-209.	0.2	3
42	News Media Presentations of Heated Tobacco Products (HTPs): A Content Analysis of Newspaper and Television News Coverage in South Korea. Journal of Health Communication, 2021, 26, 299-311.	2.4	2
43	Effects of tobacco product type and characteristics on appeal and perceived harm: Results from a discrete choice experiment among Guatemalan adolescents. Preventive Medicine, 2021, 148, 106590.	3.4	11
44	Profile and patterns of dual use of e-cigarettes and combustible cigarettes among Mexican adults. Salud Publica De Mexico, 2021, 63, 641-652.	0.4	3
45	Youth Exposure to Warnings on Cigar, E-Cigarette, and Waterpipe Tobacco Packages. American Journal of Preventive Medicine, 2021, 61, 80-87.	3.0	9
46	Exploring How Exposure to Truth and State-Sponsored Anti-Tobacco Media Campaigns Affect Smoking Disparities among Young Adults Using a National Longitudinal Dataset, 2002–2017. International Journal of Environmental Research and Public Health, 2021, 18, 7803.	2.6	8
47	Smoke-Free Laws and Disparities in Youth Smoking in the U.S., 2001–2018. American Journal of Preventive Medicine, 2021, 61, 841-851.	3.0	4
48	Estimated Prevalence of Smoking and Smoking-Attributable Mortality Associated With Graphic Health Warnings on Cigarette Packages in the US From 2022 to 2100. JAMA Health Forum, 2021, 2, e212852.	2.2	10
49	State-Level Structural Stigma and Smoking Among Sexual Minority Adults in the USA, 2012–2014. Annals of Behavioral Medicine, 2021, 55, 557-570.	2.9	6
50	Smoking Behaviors, Mental Health, and Risk Perceptions during the Beginning of the COVID-19 Pandemic among Mexican Adult Smokers. International Journal of Environmental Research and Public Health, 2021, 18, 10905.	2.6	7
51	Delphi study among international expert panel to develop waterpipe-specific health warning labels. Tobacco Control, 2020, 29, tobaccocontrol-2018-054718.	3.2	18
52	Smoking-Related Stigma: A Public Health Tool or a Damaging Force?. Nicotine and Tobacco Research, 2020, 22, 96-103.	2.6	14
53	The Influence of Item Characteristics on Acquiescence among Latino Survey Respondents. Field Methods, 2020, 32, 3-22.	0.8	2
54	Addressing Health and Well-Being Through State Policy: Understanding Barriers and Opportunities for Policy-Making to Prevent Adverse Childhood Experiences (ACEs) in South Carolina. American Journal of Health Promotion, 2020, 34, 189-197.	1.7	8

#	Article	IF	CITATIONS
55	Cigarette taxes, prices, and disparities in current smoking in the United States. SSM - Population Health, 2020, 12, 100686.	2.7	10
56	Awareness of Marketing of Heated Tobacco Products and Cigarettes and Support for Tobacco Marketing Restrictions in Japan: Findings from the 2018 International Tobacco Control (ITC) Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 8418.	2.6	14
57	Tobacco Quit Intentions and Behaviors among Cigar Smokers in the United States in Response to COVID-19. International Journal of Environmental Research and Public Health, 2020, 17, 5368.	2.6	72
58	PhenX: Environment measures for Tobacco Regulatory Research. Tobacco Control, 2020, 29, s35-s42.	3.2	3
59	Changes in responses to nicotine vaping product warnings and leaflets in England compared with Canada, the US and Australia: findings from the 2016–2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2020, , tobaccocontrol-2020-055739.	3.2	5
60	Cross-sectional study on the awareness, susceptibility and use of heated tobacco products among adolescents in Guatemala City, Guatemala. BMJ Open, 2020, 10, e039792.	1.9	13
61	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 7084.	2.6	8
62	Smoking trends in Mexico, 2002–2016: before and after the ratification of the WHO's Framework Convention on Tobacco Control. Tobacco Control, 2020, 29, tobaccocontrol-2019-055153.	3.2	22
63	Identification and evaluation of risk of generalizability biases in pilot versus efficacy/effectiveness trials: a systematic review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 19.	4.6	64
64	Exploring practitioner and policymaker perspectives on public health approaches to address Adverse Childhood Experiences (ACEs) in South Carolina. Child Abuse and Neglect, 2020, 102, 104391.	2.6	8
65	Perceptions of Harmfulness of Heated Tobacco Products Compared to Combustible Cigarettes among Adult Smokers in Japan: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 2394.	2.6	35
66	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. International Journal of Drug Policy, 2020, 79, 102754.	3.3	31
67	Cessation Conversations and Quit Attempts: Differences by Ethnicity and Language Preference. American Journal of Health Behavior, 2020, 44, 473-487.	1.4	Ο
68	Disentangling the roles of point-of-sale ban, tobacco retailer density and proximity on cessation and relapse among a cohort of smokers: findings from ITC Canada Survey. Tobacco Control, 2019, 28, tobaccocontrol-2017-054081.	3.2	9
69	Strengthening Policy-Relevant Tobacco Research Capacity in Low- and Middle-Income Countries: Challenges, Opportunities, and Lessons Learned. Nicotine and Tobacco Research, 2019, 21, 1140-1143.	2.6	7
70	Exposure to tobacco in video games and smoking among gamers in Argentina. Tobacco Control, 2019, 28, 427-433.	3.2	4
71	Youth self-reported exposure to and perceptions of vaping advertisements: Findings from the 2017 International Tobacco Control Youth Tobacco and Vaping Survey. Preventive Medicine, 2019, 126, 105775.	3.4	37
72	Social norms towards smoking and vaping and associations with product use among youth in England, Canada, and the US. Drug and Alcohol Dependence, 2019, 205, 107635.	3.2	24

#	Article	IF	CITATIONS
73	Smoke-Free Policies and Smoking Cessation in the United States, 2003–2015. International Journal of Environmental Research and Public Health, 2019, 16, 3200.	2.6	12
74	Socioeconomic patterns of smoking cessation behavior in low and middle-income countries: Emerging evidence from the Global Adult Tobacco Surveys and International Tobacco Control Surveys. PLoS ONE, 2019, 14, e0220223.	2.5	27
75	E-cigarette use frequency and motivations among current users in middle school. Drug and Alcohol Dependence, 2019, 204, 107585.	3.2	21
76	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). Addiction, 2019, 114, 6-14.	3.3	74
77	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. BMJ: British Medical Journal, 2019, 365, l2219.	2.3	217
78	Cross-country comparison of cigarette and vaping product marketing exposure and use: findings from 2016 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2019, 29, tobaccocontrol-2018-054650.	3.2	8
79	Differences in norms towards the use of nicotine vaping products among adult smokers, former smokers and nicotine vaping product users: crossâ€sectional findings from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 97-106.	3.3	13
80	Flavour capsule heat-sticks for heated tobacco products. Tobacco Control, 2019, 28, e158-e159.	3.2	24
81	Reasons for regular vaping and for its discontinuation among smokers and recent exâ€smokers: findings from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 35-48.	3.3	74
82	E-cigarette use and its association with smoking reduction and cessation intentions among Mexican smokers. Salud Publica De Mexico, 2019, 61, 276.	0.4	12
83	Responding to Adverse Childhood Experiences: Understanding the Role of Safe, Stable, and Nurturing Relationships in Reducing Alcohol and Tobacco Related Risk Behaviors. Journal of Child and Adolescent Substance Abuse, 2019, 28, 426-438.	0.5	1
84	Use of Cigarettes With Flavor-Changing Capsules Among Smokers in the United Kingdom: An Online Survey. Nicotine and Tobacco Research, 2019, 21, 1547-1555.	2.6	27
85	"Technophilia― A new risk factor for electronic cigarette use among early adolescents?. Addictive Behaviors, 2019, 91, 193-200.	3.0	31
86	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 71-85.	3.3	17
87	Examining the relationship of vaping to smoking initiation among US youth and young adults: a reality check. Tobacco Control, 2019, 28, 629-635.	3.2	155
88	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. Nicotine and Tobacco Research, 2019, 21, 887-895.	2.6	36
89	Individual-level determinants of waterpipe smoking demand in four Eastern-Mediterranean countries. Health Promotion International, 2019, 34, 1157-1166.	1.8	17
90	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 134-143.	3.3	10

#	Article	IF	CITATIONS
91	Remote Acculturation and Cigarette Smoking Susceptibility Among Youth in Mexico. Journal of Cross-Cultural Psychology, 2019, 50, 63-79.	1.6	12
92	Flavour capsule cigarettes continue to experience strong global growth. Tobacco Control, 2019, 28, 595-596.	3.2	50
93	Young adult susceptible non-smokers' and smokers' responses to capsule cigarettes. Tobacco Control, 2019, 28, 498-505.	3.2	30
94	The role of social norms and socioeconomic status in smoking-related stigma among smokers in Mexico and Uruguay. Critical Public Health, 2019, 29, 215-227.	2.4	3
95	Advancing Tobacco Product Warning Labels Research Methods and Theory: A Summary of a Grantee Meeting Held by the US National Cancer Institute. Nicotine and Tobacco Research, 2019, 21, 855-862.	2.6	41
96	A Mobile Smoking Cessation Intervention for Mexico (Vive sin Tabaco ¡DecÃdete!): Single-Arm Pilot Study. JMIR MHealth and UHealth, 2019, 7, e12482.	3.7	26
97	Which types of anti-smoking television advertisements work better in Taiwan?. Health Promotion International, 2018, 33, daw085.	1.8	7
98	Effects of 30% and 50% Cigarette Pack Graphic Warning Labels on Visual Attention, Negative Affect, Quit Intentions, and Smoking Susceptibility among Disadvantaged Populations in the United States. Nicotine and Tobacco Research, 2018, 20, 859-866.	2.6	26
99	Predictive validity of the tobacco marketing receptivity index among non-smoking youth. Addictive Behaviors, 2018, 80, 150-153.	3.0	4
100	Genome-Wide Association Study of Heavy Smoking and Daily/Nondaily Smoking in the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). Nicotine and Tobacco Research, 2018, 20, 448-457.	2.6	21
101	Evaluation of strategies to communicate harmful and potentially harmful constituent (HPHC) information through cigarette package inserts: a discrete choice experiment. Tobacco Control, 2018, 27, 677-683.	3.2	15
102	The Power of Product Innovation: Smokers' Perceptions of Capsule Cigarettes. Nicotine and Tobacco Research, 2018, 20, 1157-1160.	2.6	36
103	Path analysis of warning label effects on negative emotions and quit attempts: A longitudinal study of smokers in Australia, Canada, Mexico, and the US. Social Science and Medicine, 2018, 197, 226-234.	3.8	103
104	Over-Time Impacts of Pictorial Health Warning Labels and their Differences across Smoker Subgroups: Results from Adult Smokers in Canada and Australia. Nicotine and Tobacco Research, 2018, 20, 888-896.	2.6	29
105	Banning tobacco price promotions, smoking-related beliefs and behaviour: findings from the International Tobacco Control Four Country (ITC 4C) Survey. Tobacco Control, 2018, 27, 310-318.	3.2	15
106	Smoking susceptibility as a predictive measure of cigarette and e-cigarette use among early adolescents. Salud Publica De Mexico, 2018, 60, 423.	0.4	10
107	Assessing Smoking Cessation Messages with a Discrete Choice Experiment. Tobacco Regulatory Science (discontinued), 2018, 4, 73-87.	0.2	26
108	Smokers' Neurological Responses to Novel and Repeated Health Warning Labels (HWLs) From Cigarette Packages. Frontiers in Psychiatry, 2018, 9, 319.	2.6	1

#	Article	IF	CITATIONS
109	Patterns of awareness and use of electronic cigarettes in Mexico, a middle-income country that bans them: Results from a 2016 national survey. Preventive Medicine, 2018, 116, 211-218.	3.4	32
110	Factors associated with changing cigarette consumption patterns among low-intensity smokers: Longitudinal findings across four waves (2008–2012) of ITC Mexico Survey. Addictive Behaviors Reports, 2018, 8, 154-163.	1.9	11
111	Concentrations of nicotine, nitrosamines, and humectants in legal and illegal cigarettes in Mexico. Harm Reduction Journal, 2018, 15, 50.	3.2	0
112	Evidence-based tobacco treatment utilization among dual users of cigarettes and E-cigarettes. Preventive Medicine, 2018, 114, 193-199.	3.4	5
113	The impact and relevance of tobacco control research in low-and middle-income countries globally and to the US. Addictive Behaviors, 2018, 87, 162-168.	3.0	27
114	A Good Idea May Not Be Good Enough: Stakeholder Buy In to QuitConnect, a National Smokers' Registry. American Journal of Health Promotion, 2018, 32, 1187-1195.	1.7	0
115	Movies promote tobacco use amongst adolescents: The need for policies to prevent this phenomenon. Revista De La Asociación Médica Argentina, 2018, 131, 24-31.	0.0	2
116	Perceptions of branded and plain cigarette packaging among Mexican youth. Health Promotion International, 2017, 32, dav117.	1.8	12
117	Mexico <i>SimSmoke</i> : how changes in tobacco control policies would impact smoking prevalence and smoking attributable deaths in Mexico. Global Public Health, 2017, 12, 830-845.	2.0	4
118	Market share for flavour capsule cigarettes is quickly growing, especially in Latin America. Tobacco Control, 2017, 26, 468-470.	3.2	42
119	Resolving ambiguities in accelerometer data due to location of sensor on wrist in application to detection of smoking gesture. , 2017, , .		9
120	The role of negative affect and message credibility in perceived effectiveness of smokeless tobacco health warning labels in Navi Mumbai, India and Dhaka, Bangladesh: A moderated-mediation analysis. Addictive Behaviors, 2017, 73, 22-29.	3.0	21
121	Local-Community Interests and South Carolinian Newspapers' Coverage of Smoke-Free Policies. Health Communication, 2017, 32, 812-819.	3.1	1
122	Tobacco point-of-sale advertising in downtown Buenos Aires, Argentina and compliance with the new tobacco advertising restrictions. Tobacco Control, 2017, 26, 239-240.	3.2	3
123	Nicotine Metabolite Ratio (NMR) Prospectively Predicts Smoking Relapse: Longitudinal Findings From ITC Surveys in Five Countries. Nicotine and Tobacco Research, 2017, 19, 1040-1047.	2.6	25
124	Patterns of Waterpipe Tobacco Smoking Among U.S. Young Adults, 2013â^'2014. American Journal of Preventive Medicine, 2017, 52, 507-512.	3.0	39
125	Parental Style and Its Association With Substance Use in Argentinean Youth. Substance Use and Misuse, 2017, 52, 518-526.	1.4	16
126	A longitudinal study of electronic cigarette use and onset of conventional cigarette smoking and marijuana use among Mexican adolescents. Drug and Alcohol Dependence, 2017, 180, 427-430.	3.2	76

#	Article	IF	CITATIONS
127	Smoking in Movies and Adolescent Smoking Initiation: A Longitudinal Study among Argentinian Adolescents. Journal of Pediatrics, 2017, 180, 222-228.	1.8	21
128	Age of smoking initiation among adolescents in Africa. International Journal of Public Health, 2017, 62, 63-72.	2.3	21
129	Disparagement of health warning labels on cigarette packages and cessation attempts: results from four countries. Health Education Research, 2017, 32, 524-536.	1.9	6
130	Risk factors associated with tobacco, alcohol and drug use among adolescents attending secondary school in three cities from Argentina. Archivos Argentinos De Pediatria, 2017, 115, 155-158.	0.2	10
131	Detecting Smoking Events Using Accelerometer Data Collected Via Smartwatch Technology: Validation Study. JMIR MHealth and UHealth, 2017, 5, e189.	3.7	17
132	The impact of the 2009/2010 enhancement of cigarette health warning labels in Uruguay: longitudinal findings from the International Tobacco Control (ITC) Uruguay Survey. Tobacco Control, 2016, 25, tobaccocontrol-2014-051742.	3.2	29
133	Waterpipe Tobacco Smoking and Susceptibility to Cigarette Smoking Among Young Adults in the United States, 2012–2013. Preventing Chronic Disease, 2016, 13, E24.	3.4	34
134	Physician Advice for e-Cigarette Use. Journal of the American Board of Family Medicine, 2016, 29, 741-747.	1.5	21
135	Influences of Self-Efficacy, Response Efficacy, and Reactance on Responses to Cigarette Health Warnings: A Longitudinal Study of Adult Smokers in Australia and Canada. Health Communication, 2016, 31, 1517-1526.	3.1	80
136	Predictive and External Validity of a Pre-Market Study to Determine the Most Effective Pictorial Health Warning Label Content for Cigarette Packages. Nicotine and Tobacco Research, 2016, 18, 1376-1381.	2.6	18
137	Do more graphic and aversive cigarette health warning labels affect Brazilian smokers' likelihood of quitting?. Addictive Behaviors, 2016, 60, 209-212.	3.0	8
138	Neural response to pictorial health warning labels can predict smoking behavioral change. Social Cognitive and Affective Neuroscience, 2016, 11, 1802-1811.	3.0	20
139	Does neighborhood social cohesion modify the relationship between neighborhood social norms and smoking behaviors in Mexico?. Health and Place, 2016, 40, 145-152.	3.3	17
140	Portrayals of character smoking and drinking in Argentine-, Mexican- and US-produced films. Preventive Medicine, 2016, 90, 143-147.	3.4	9
141	Exploring Relationships Among Experience of Regret, Delay Discounting, and Worries About Future Effects of Smoking Among Current Smokers. Substance Use and Misuse, 2016, 51, 1245-1250.	1.4	5
142	US Smokers' Beliefs, Experiences and Perceptions of Different Cigarette Variants Before and After the FSPTCA Ban on Misleading Descriptors Such as "Light,―"Mild,―or "Low― Nicotine and Tobacco Research, 2016, 18, 2115-2123.	2.6	30
143	Smokers' reactions to the new larger health warning labels on plain cigarette packs in Australia: findings from the ITC Australia project. Tobacco Control, 2016, 25, 181-187.	3.2	38
144	Cigarette brands with flavour capsules in the filter: trends in use and brand perceptions among smokers in the USA, Mexico and Australia, 2012–2014. Tobacco Control, 2016, 25, 275-283.	3.2	72

#	Article	IF	CITATIONS
145	Parental Restriction of Mature-rated Media and Its Association With Substance Use Among Argentinean Adolescents. Academic Pediatrics, 2016, 16, 282-289.	2.0	14
146	Effectiveness of health warnings for waterpipe tobacco smoking among college students. International Journal of Public Health, 2016, 61, 709-715.	2.3	50
147	Prevalence and Correlates of E-Cigarette Perceptions and Trial Among Early Adolescents in Mexico. Journal of Adolescent Health, 2016, 58, 358-365.	2.5	66
148	Cigarette package inserts can promote efficacy beliefs and sustained smoking cessation attempts: A longitudinal assessment of an innovative policy in Canada. Preventive Medicine, 2016, 88, 59-65.	3.4	49
149	Interpersonal communication about pictorial health warnings on cigarette packages: Policy-related influences and relationships with smoking cessation attempts. Social Science and Medicine, 2016, 164, 141-149.	3.8	41
150	Geographic Proximity of Waterpipe Smoking Establishments to Colleges in the U.S American Journal of Preventive Medicine, 2016, 50, e9-e14.	3.0	44
151	Educational differences in the impact of pictorial cigarette warning labels on smokers: findings from the International Tobacco Control (ITC) Europe surveys. Tobacco Control, 2016, 25, 325-332.	3.2	20
152	Depressive symptoms and responses to cigarette pack warning labels among Mexican smokers Health Psychology, 2016, 35, 442-453.	1.6	5
153	Prevalence and predictors of e-cigarette trial among adolescents in Argentina. Tobacco Prevention and Cessation, 2016, 2, .	0.4	21
154	Attention and Recall of Point-of-sale Tobacco Marketing: A Mobile Eye-Tracking Pilot Study. AIMS Public Health, 2016, 3, 13-24.	2.6	13
155	Exposure of Secondary School Adolescents from Argentina and Mexico to Smoking Scenes in Movies: a Population-based Estimation. Revista Argentina De Cardiologia, 2016, 84, 152-158.	0.3	3
156	Increasing availability and consumption of single cigarettes: trends and implications for smoking cessation from the ITC Mexico Survey. Tobacco Control, 2015, 24, iii64-iii70.	3.2	17
157	Evaluating the validity of self-reported smoking in Mexican adolescents. BMJ Open, 2015, 5, e007485.	1.9	19
158	Filter presence and tipping paper color influence consumer perceptions of cigarettes. BMC Public Health, 2015, 15, 1279.	2.9	19
159	Longer term impact of cigarette package warnings in Australia compared with the United Kingdom and Canada. Health Education Research, 2015, 30, 67-80.	1.9	29
160	The Use of Cigarette Package Inserts to Supplement Pictorial Health Warnings: An Evaluation of the Canadian Policy. Nicotine and Tobacco Research, 2015, 17, 870-875.	2.6	39
161	Smoking-related thoughts and microbehaviours, and their predictive power for quitting. Tobacco Control, 2015, 24, 354-361.	3.2	20
162	Impact of the 'Giving Cigarettes is Giving Harm' campaign on knowledge and attitudes of Chinese smokers. Tobacco Control, 2015, 24, iv28-iv34.	3.2	26

#	Article	IF	CITATIONS
163	Neighbourhood deprivation and smoking and quit behaviour among smokers in Mexico: findings from the ITC Mexico Survey. Tobacco Control, 2015, 24, iii56-iii63.	3.2	18
164	The U.S. National <i>Tips From Former Smokers</i> Antismoking Campaign. Health Education and Behavior, 2015, 42, 480-486.	2.5	43
165	Eliciting preferences for waterpipe tobacco smoking using a discrete choice experiment: implications for product regulation. BMJ Open, 2015, 5, e009497.	1.9	39
166	Water pipe tobacco smoking in the United States: Findings from the National Adult Tobacco Survey. Preventive Medicine, 2015, 71, 88-93.	3.4	68
167	Cigarette price and other factors associated with brand choice and brand loyalty in Zambia: findings from the ITC Zambia Survey. Tobacco Control, 2015, 24, iii33-iii40.	3.2	10
168	Pictorial health warning label content and smokers' understanding of smoking-related risksa cross-country comparison. Health Education Research, 2015, 30, 35-45.	1.9	49
169	Media Coverage of Smoke-Free Policies After Their Innovation. Journal of Health Communication, 2015, 20, 297-305.	2.4	15
170	Promoting cessation resources through cigarette package warning labels: a longitudinal survey with adult smokers in Canada, Australia and Mexico. Tobacco Control, 2015, 24, e23-e31.	3.2	28
171	Chilean news media coverage of proposed regulations on tobacco use in national entertainment media, May 2011–February 2013. Tobacco Control, 2015, 24, 521-522.	3.2	3
172	Australian smokers' support for plain or standardised packs before and after implementation: findings from the ITC Four Country Survey. Tobacco Control, 2015, 24, 616-621.	3.2	29
173	The impact of neighbourhood violence and social cohesion on smoking behaviours among a cohort of smokers in Mexico. Journal of Epidemiology and Community Health, 2015, 69, 1083-1090.	3.7	13
174	Stages of change of the readiness to quit smoking among a random sample of minority Arab -male smokers in Israel. BMC Public Health, 2015, 15, 672.	2.9	29
175	Reactions to Smoke-free Policies and Messaging Strategies in Support and Opposition: A Comparison of Southerners and Non-Southerners in the US. Health Behavior and Policy Review, 2015, 2, 408-420.	0.4	5
176	Inter-rater reliability of measures to characterize the tobacco retail environment in Mexico. Salud Publica De Mexico, 2015, 57, 514.	0.4	2
177	Effects of tobacco control policies on smoking prevalence and tobacco-attributable deaths in Mexico: the SimSmoke model. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 38, 316-25.	1.1	10
178	Investigating the Impact of Menu Labeling on Revenue and Profit in a Foodservice Operation. Journal of Foodservice Business Research, 2014, 17, 215-227.	2.3	10
179	Mediational pathways of the impact of cigarette warning labels on quit attempts Health Psychology, 2014, 33, 1410-1420.	1.6	102
180	Tax, price and cigarette brand preferences: a longitudinal study of adult smokers from the ITC Mexico Survey. Tobacco Control, 2014, 23, i80-i85.	3.2	33

#	Article	lF	CITATIONS
181	The impact of product information and trials on demand for smokeless tobacco and cigarettes: Evidence from experimental auctions. Preventive Medicine, 2014, 60, 3-9.	3.4	13
182	The predictive utility of micro indicators of concern about smoking: Findings from the International Tobacco Control Four Country study. Addictive Behaviors, 2014, 39, 1235-1242.	3.0	23
183	Socioeconomic status and smokers' number of smoking friends: Findings from the International Tobacco Control (ITC) Four Country Survey. Drug and Alcohol Dependence, 2014, 143, 158-166.	3.2	64
184	Are movies with tobacco, alcohol, drugs, sex, and violence rated for youth? A comparison of rating systems in Argentina, Brazil, Mexico, and the United States. International Journal of Drug Policy, 2014, 25, 267-275.	3.3	16
185	Adult Smokers' Responses to "Corrective Statements―Regarding Tobacco Industry Deception. American Journal of Preventive Medicine, 2014, 47, 26-36.	3.0	17
186	Neural biomarkers for assessing different types of imagery in pictorial health warning labels for cigarette packaging: a cross-sectional study. BMJ Open, 2014, 4, e006411.	1.9	20
187	The relation between number of smoking friends, and quit intentions, attempts, and success: Findings from the International Tobacco Control (ITC) Four Country Survey Psychology of Addictive Behaviors, 2014, 28, 1144-1152.	2.1	62
188	Level of cigarette consumption and quit behavior in a population of low-intensity smokers—Longitudinal results from the International Tobacco Control (ITC) survey in Mexico. Addictive Behaviors, 2013, 38, 1958-1965.	3.0	46
189	Linking mass media campaigns to pictorial warning labels on cigarette packages: a cross-sectional study to evaluate effects among Mexican smokers. Tobacco Control, 2013, 22, e57-e65.	3.2	50
190	Tobacco smoke exposure in public places and workplaces after smoke-free policy implementation: a longitudinal analysis of smoker cohorts in Mexico and Uruguay. Health Policy and Planning, 2013, 28, 789-798.	2.7	21
191	Cigarette Warning Label Policy Alternatives and Smoking-Related Health Disparities. American Journal of Preventive Medicine, 2012, 43, 590-600.	3.0	147
192	Can pictorial warning labels on cigarette packages address smoking-related health disparities? Field experiments in Mexico to assess pictorial warning label content. Cancer Causes and Control, 2012, 23, 69-80.	1.8	141
193	Modifying placement and simplifying menu labels in a foodservice operation reduces the energy content purchased by patrons. FASEB Journal, 2012, 26, 32.8.	0.5	1
194	Evaluation of a Social Marketing Campaign to Support Mexico City's Comprehensive Smoke-Free Law. American Journal of Public Health, 2011, 101, 328-335.	2.7	60
195	Consumption of single cigarettes and quitting behavior: A longitudinal analysis of Mexican smokers. BMC Public Health, 2011, 11, 134.	2.9	23
196	Policy Support, Norms, and Secondhand Smoke Exposure Before and After Implementation of a Comprehensive Smoke-Free Law in Mexico City. American Journal of Public Health, 2010, 100, 1789-1798.	2.7	72
197	Perceived justice and popular support for public health laws: A case study around comprehensive smoke-free legislation in Mexico City. Social Science and Medicine, 2010, 70, 787-793.	3.8	25
198	The alchemy of Marlboro: transforming 'light' into 'gold' in Mexico. Tobacco Control, 2010, 19, 342-343.	3.2	3

#	Article	IF	CITATIONS
199	Self-reported price of cigarettes, consumption and compensatory behaviours in a cohort of Mexican smokers before and after a cigarette tax increase. Tobacco Control, 2010, 19, 481-487.	3.2	50
200	Differential impact of local and federal smoke-free legislation in Mexico: a longitudinal study among adult smokers. Salud Publica De Mexico, 2010, 52, S244-S253.	0.4	26
201	Smoke-free policies and the social acceptability of smoking in Uruguay and Mexico: Findings from the International Tobacco Control Policy Evaluation Project. Nicotine and Tobacco Research, 2009, 11, 591-599.	2.6	85
202	Exploring the effectiveness of cigarette warning labels: findings from the United States and United Kingdom arms of the International Tobacco Control (ITC) Four Country Survey. International Journal of Nonprofit and Voluntary Sector Marketing, 2008, 13, 263-274.	0.8	13
203	Mistrusting Companies, Mistrusting the Tobacco Industry: Clarifying the Context of Tobacco Prevention Efforts That Focus on the Tobacco Industry. Journal of Health and Social Behavior, 2006, 47, 406-422.	4.8	20