

Jose Ramon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6785761/publications.pdf>

Version: 2024-02-01

17
papers

278
citations

1040056

9
h-index

888059

17
g-index

17
all docs

17
docs citations

17
times ranked

351
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrated Lab-Scale Process Combining Purification and PEGylation of <i>Asparaginase</i> from <i>Zymomonas mobilis</i> . <i>Industrial & Engineering Chemistry Research</i> , 2021, 60, 6932-6939.	3.7	2
2	Dexamethasone-Loaded Chitosan Beads Coated with a pH-Dependent Interpolymer Complex for Colon-Specific Drug Delivery. <i>International Journal of Polymer Science</i> , 2019, 2019, 1-9.	2.7	9
3	Hyperthermia System Based on Extrinsically Magnetic Poly (Butylene Succinate). <i>Macromolecular Symposia</i> , 2018, 381, 1800108.	0.7	9
4	Controlled-release fertilizer based on poly(butylene succinate)/urea/clay and its effect on lettuce growth. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46858.	2.6	31
5	Synthesis and Characterization of PEG-PBS Copolymers to Obtain Microspheres With Different Naproxen Release Profiles. <i>Macromolecular Symposia</i> , 2018, 380, 1800065.	0.7	15
6	Validation of UV Spectrophotometric Method for Quantifying Ketoconazole Encapsulated in Ethyl Cellulose Microspheres. <i>Macromolecular Symposia</i> , 2018, 380, 1800066.	0.7	1
7	Praziquantel Release Systems Based on Poly(Butylene Succinate)/Polyethylene Glycol Nanocomposites. <i>Current Applied Polymer Science</i> , 2017, 1, 45-51.	0.2	8
8	Influence of PLGA and PLGA-PEG on the dissolution profile of oxaliplatin. <i>Polimeros</i> , 2016, 26, 137-143.	0.7	40
9	Fluorescent microspheres of poly(ethylene glycol)-poly(lactic acid)-fluorescein copolymers synthesized by Ugi four-component condensation. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	2.6	12
10	Quantification of Oxaliplatin Encapsulated into PLGA Microspheres by TGA. <i>Macromolecular Symposia</i> , 2016, 368, 116-121.	0.7	15
11	PLA-b-PEG/magnetite hyperthermic agent prepared by Ugi four component condensation. <i>EXPRESS Polymer Letters</i> , 2016, 10, 188-203.	2.1	26
12	Preparation and characterization of pH-sensitive microparticles based on polyelectrolyte complexes for antibiotic delivery. <i>Polymer Engineering and Science</i> , 2015, 55, 981-987.	3.1	8
13	Extraction of PLGA-Microencapsulated Proteins Using a Two-Immiscible Liquid Phases System Containing Surfactants. <i>Pharmaceutical Research</i> , 2013, 30, 606-615.	3.5	8
14	Microencapsulation of Alpha Interferons in Biodegradable Microspheres. <i>Journal of Interferon and Cytokine Research</i> , 2012, 32, 299-311.	1.2	9
15	Un método reproducible para obtener peg biramificado monofuncional de alta pureza. <i>Química Nova</i> , 2009, 32, 1426-1431.	0.3	2
16	Detection of PEGylated proteins in polyacrylamide gels by reverse staining with zinc and imidazole salts. <i>Electrophoresis</i> , 2008, 29, 2363-2371.	2.4	6
17	PEGylated Interferon- β : A Branched 40K Polyethylene Glycol Derivative. <i>Pharmaceutical Research</i> , 2005, 22, 1375-1387.	3.5	77