

Ying-xiu Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6786355/ying-xiu-zhang-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63 papers	380 citations	11 h-index	16 g-index
67 ext. papers	434 ext. citations	2.7 avg, IF	3.99 L-index

#	Paper	IF	Citations
63	Comparison of blood pressure levels among children and adolescents with different body mass index and waist circumference: study in a large sample in Shandong, China. <i>European Journal of Nutrition</i> , 2014 , 53, 627-34	5.2	26
62	Prevalence of Overweight and Obesity among Children and Adolescents in Shandong, China: Urban-Rural Disparity. <i>Journal of Tropical Pediatrics</i> , 2016 , 62, 293-300	1.2	21
61	Prevalent trends in relatively high blood pressure among children and adolescents in Shandong, China. <i>Annals of Human Biology</i> , 2012 , 39, 259-63	1.7	20
60	Differences in development and the prevalence of obesity among children and adolescents in different socioeconomic status districts in Shandong, China. <i>Annals of Human Biology</i> , 2012 , 39, 290-6	1.7	18
59	The relationship of body mass index distribution to relatively high blood pressure among children and adolescents in Shandong, China. <i>Annals of Human Biology</i> , 2011 , 38, 630-4	1.7	17
58	Trends in overweight and obesity among rural children and adolescents from 1985 to 2014 in Shandong, China. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1314-20	3.9	17
57	Monitoring of blood pressure in overweight and obese children in Shandong, China. <i>Annals of Human Biology</i> , 2011 , 38, 603-7	1.7	16
56	Prevalence of overweight and obesity among children and adolescents is associated with urbanization in Shandong, China. <i>International Journal of Cardiology</i> , 2014 , 176, 1212-3	3.2	15
55	Rural-urban comparison in prevalence of overweight and obesity among adolescents in Shandong, China. <i>Annals of Human Biology</i> , 2013 , 40, 294-7	1.7	14
54	Children and adolescents with low body mass index but large waist circumference remain high risk of elevated blood pressure. <i>International Journal of Cardiology</i> , 2016 , 215, 23-5	3.2	14
53	Distribution of body mass index and the prevalence changes of overweight and obesity among adolescents in Shandong, China from 1985 to 2005. <i>Annals of Human Biology</i> , 2008 , 35, 547-55	1.7	13
52	Prevalence and regional distribution of childhood overweight and obesity in Shandong Province, China. <i>World Journal of Pediatrics</i> , 2013 , 9, 135-9	4.6	11
51	Prevalence and regional disparities in abdominal obesity among children and adolescents in Shandong, China, surveyed in 2010. <i>Annals of Nutrition and Metabolism</i> , 2014 , 64, 137-43	4.5	11
50	Prevalent change in overweight and obesity in children and adolescents from 1995 to 2005 in Shandong, China. <i>Asia-Pacific Journal of Public Health</i> , 2011 , 23, 904-16	2	11
49	Prevalence of overweight and central obesity and their relationship with blood pressure among college students in Shandong, China. <i>Blood Pressure Monitoring</i> , 2016 , 21, 251-4	1.3	8
48	Urban-rural and regional disparities in the prevalence of elevated blood pressure among children and adolescents in Shandong, China. <i>International Journal of Cardiology</i> , 2014 , 176, 1053-5	3.2	8
47	Distribution curve of waist-to-height ratio and its association with blood pressure among children and adolescents: study in a large population in an eastern coastal province, China. <i>European Journal of Pediatrics</i> , 2014 , 173, 879-85	4.1	8

46	The current prevalence and regional disparities in general and central obesity among children and adolescents in Shandong, China. <i>International Journal of Cardiology</i> , 2017 , 227, 89-93	3.2	8
45	The double burden of overweight and thinness among children and adolescents in Shandong China. <i>International Journal of Cardiology</i> , 2015 , 184, 380-381	3.2	7
44	Blood pressure level profiles among children and adolescents with various types of obesity: study in a large population in Shandong, China. <i>Clinical Research in Cardiology</i> , 2014 , 103, 553-9	6.1	7
43	Relation of body mass index, fat mass index and fat-free mass index to blood pressure in children aged 7-12 in Shandong, China. <i>Annals of Human Biology</i> , 2011 , 38, 313-6	1.7	7
42	Changes in nutritional status of children and adolescents in Shandong, China from 1995 to 2005. <i>Annals of Human Biology</i> , 2011 , 38, 485-91	1.7	6
41	Prevalence of elevated blood pressure is associated with the increasing prevalence of obesity among children and adolescents in Shandong, China. <i>International Journal of Cardiology</i> , 2015 , 201, 150-1	3.2	5
40	More Attention Should Be Paid to Monitoring of Abdominal Obesity among Children and Adolescents. <i>Annals of Nutrition and Metabolism</i> , 2016 , 69, 212-214	4.5	5
39	Prevalence of severe obesity and its association with elevated blood pressure among children and adolescents in Shandong, China. <i>Blood Pressure Monitoring</i> , 2017 , 22, 345-350	1.3	5
38	Comparison of body shape and physical activity among adolescents with normotensive and elevated blood pressure in Shandong, China. <i>Annals of Human Biology</i> , 2013 , 40, 88-93	1.7	5
37	Prevalence of relatively high blood pressure among children and adolescents with different body mass index and subcutaneous fat cut-offs. <i>International Journal of Cardiology</i> , 2015 , 179, 536-8	3.2	4
36	Monitoring of blood pressure among children and adolescents in a coastal province in China: results of a 2010 survey. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP1529-36	2	4
35	Truncal pattern of subcutaneous fat distribution is associated with obesity and elevated blood pressure among children and adolescents. <i>Blood Pressure</i> , 2018 , 27, 25-31	1.7	4
34	Profiles of blood pressure among children and adolescents categorized by BMI and waist circumference. <i>Blood Pressure Monitoring</i> , 2016 , 21, 295-300	1.3	4
33	Differences in development among children and adolescents in eastern and western China. <i>Annals of Human Biology</i> , 2010 , 37, 658-67	1.7	4
32	Distribution of body composition index and the relationship with blood pressure among children aged 7 to 12 years in Shandong, China. <i>Asia-Pacific Journal of Public Health</i> , 2012 , 24, 981-8	2	4
31	Profiles of blood pressure among children and adolescents with different body mass index categories in Shandong, China. <i>Blood Pressure</i> , 2018 , 27, 56-61	1.7	4
30	Profiles of body mass index and the nutritional status among children and adolescents categorized by waist-to-height ratio cut-offs. <i>International Journal of Cardiology</i> , 2016 , 223, 529-533	3.2	4
29	Large body mass index and waist circumference are associated with high blood pressure and impaired fasting glucose in young Chinese men. <i>Blood Pressure Monitoring</i> , 2019 , 24, 289-293	1.3	4

28	Recent Trends in Body Mass Index and Waist Circumference among Children and Adolescents in Shandong China. <i>Journal of Tropical Pediatrics</i> , 2017 , 63, 461-467	1.2	3
27	Profiles of BMI and blood pressure in young adults categorized by their components of height. <i>Blood Pressure Monitoring</i> , 2020 , 25, 206-211	1.3	3
26	Distribution of subcutaneous fat and the relationship with blood pressure in obese children and adolescents in Shandong, China. <i>Paediatric and Perinatal Epidemiology</i> , 2015 , 29, 156-61	2.7	3
25	The association between components of height and blood pressure among children and adolescents in Shandong, China. <i>International Journal of Cardiology</i> , 2015 , 182, 18-9	3.2	3
24	Letter to the Editor: "International Waist Circumference Percentile Cutoffs for Central Obesity in Children and Adolescents Aged 6 to 18 Years". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	3
23	Percentiles of waist-to-sitting-height ratio and its relationship with obesity and elevated blood pressure among children and adolescents in Shandong, China. <i>Blood Pressure Monitoring</i> , 2016 , 21, 33-7	1.3	3
22	Blood pressure profiles of children and adolescents categorized by waist-to-height ratio cutoffs: study in a large sample in Shandong, China. <i>Blood Pressure Monitoring</i> , 2017 , 22, 143-148	1.3	2
21	Trends in the prevalence of elevated skinfold thickness among children and adolescents in Shandong Province, China, 1995-2014. <i>Public Health Nutrition</i> , 2018 , 21, 2238-2241	3.3	2
20	Trends in the Prevalence of Morbid Obesity among Children and Adolescents in Shandong, China, 1995-2014. <i>Journal of Tropical Pediatrics</i> , 2018 , 64, 60-66	1.2	2
19	Changes in the nutritional status of children and adolescents in Shandong, China. <i>Public Health Nutrition</i> , 2016 , 19, 2708-11	3.3	2
18	Shifts in the distribution of body mass index among children and adolescents in Shandong, China, 1985-2014. <i>International Journal of Cardiology</i> , 2016 , 203, 126-7	3.2	2
17	The relationship of body mass index to blood pressure levels among children and adolescents in 30 provinces in China. <i>International Journal of Cardiology</i> , 2016 , 202, 512-3	3.2	2
16	Socioeconomic inequalities in abdominal obesity among children and adolescents in Shandong, China. <i>International Journal of Cardiology</i> , 2014 , 174, 842-3	3.2	2
15	Profiles of anemia among school-aged children categorized by body mass index and waist circumference in Shandong, China. <i>Pediatrics and Neonatology</i> , 2021 , 62, 165-171	1.8	2
14	Prevalence of thinness among children and adolescents in Shandong, China. <i>European Journal of Nutrition</i> , 2016 , 55, 809-813	5.2	1
13	Waist to sitting height ratio may be a new useful index for screening obesity and related health risk. <i>International Journal of Cardiology</i> , 2015 , 187, 126-7	3.2	1
12	Screening of central obesity among normal-weight children and adolescents in Shandong, China. <i>British Journal of Nutrition</i> , 2021 , 126, 950-955	3.6	1
11	Synchronous prevalence of obesity and elevated blood pressure among children and adolescents in Shandong, China. <i>International Journal of Cardiology</i> , 2014 , 174, 462-3	3.2	1

10	Body size and high intake of salt is associated with elevated blood pressure among children and adolescents in Shandong, China. <i>International Journal of Cardiology</i> , 2015 , 182, 52-3	3.2	1
9	Percentiles of waist-hip ratio and the relationship with blood pressure among children and adolescents in Shandong, China. <i>Annals of Human Biology</i> , 2014 , 41, 383-8	1.7	1
8	Profiles of body mass index and blood pressure among young adults categorised by waist-to-height ratio cut-offs in Shandong, China. <i>Annals of Human Biology</i> , 2019 , 46, 409-414	1.7	0
7	Blood pressure level profiles among obese children and adolescents with different stature. <i>International Journal of Cardiology</i> , 2015 , 182, 6-7	3.2	0
6	Prevalence of general and abdominal obesity among children and adolescents with different sitting height ratios in Shandong, China. <i>International Journal of Cardiology</i> , 2015 , 191, 18-9	3.2	
5	Relationship of subcutaneous fat distributional pattern to blood pressure levels among children and adolescents in Shandong, China. <i>International Journal of Cardiology</i> , 2014 , 176, 1210-1	3.2	
4	Blood pressure of general and abdominal obese children and adolescents in Shandong, China. <i>International Journal of Cardiology</i> , 2014 , 172, e461-2	3.2	
3	Percentiles and regional distribution of skinfold thickness among children and adolescents in Shandong, China. <i>American Journal of Human Biology</i> , 2015 , 27, 417-20	2.7	
2	High blood pressure in Chinese youth across categories of BMI and waist circumference. <i>Blood Pressure Monitoring</i> , 2021 , 26, 124-128	1.3	
1	To the Editor. <i>Blood Pressure Monitoring</i> , 2020 , 25, 372	1.3	