

Torsten Utescher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6787384/publications.pdf>

Version: 2024-02-01

55
papers

3,123
citations

201674

27
h-index

161849

54
g-index

57
all docs

57
docs citations

57
times ranked

2237
citing authors

#	ARTICLE	IF	CITATIONS
1	Late early to early middle Eocene climate and vegetation change at Tastakh Lake (northern Yakutia,) Tj ETQq1 1 0.784314 rgBT /Over	1.5	6
2	Short-term climate and vegetation dynamics in Lena River Delta (northern Yakutia, Eastern Siberia) during early Eocene. <i>Palaeoworld</i> , 2022, 31, 521-541.	1.1	5
3	Asian monsoon and vegetation shift: evidence from the Siwalik succession of India. <i>Geological Magazine</i> , 2022, 159, 1397-1414.	1.5	6
4	Monsoonal climate of East Asia in Eocene times inferred from an analysis of plant functional types. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 601, 111138.	2.3	8
5	Oligocene vegetation of Europe and western Asiaâ€”Diversity change and continental patterns reflected by plant functional types. <i>Geological Journal</i> , 2021, 56, 628-649.	1.3	12
6	Paleogene vegetation changes in Primorye, Far East of Russia: A study based on diversity of plant functional types. <i>Geological Journal</i> , 2021, 56, 650-672.	1.3	7
7	Diversity patterns in microfloras recovered from Miocene brown coals of the lower Rhine Basin reveal distinct coupling of the structure of the peatâ€”forming vegetation and continental climate variability. <i>Geological Journal</i> , 2021, 56, 768-785.	1.3	9
8	Vegetation and climate changes during the Miocene climatic optimum and Miocene climatic transition in the northwestern part of Central Paratethys. <i>Geological Journal</i> , 2021, 56, 729-743.	1.3	11
9	Climate and vegetation change during the Upper Siwalikâ€”a study based on the palaeobotanical record of the eastern Himalaya. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2021, 101, 103-121.	1.5	5
10	Introduction to <sc>NECLIME</sc> Special Issue: Biodiversity and floral patterns in the course of Cenozoic climate change. <i>Geological Journal</i> , 2021, 56, 613-615.	1.3	0
11	The late Miocene Beli Breg Basin (Bulgaria): palaeoecology and climate reconstructions based on pollen data. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2021, 101, 79-102.	1.5	4
12	Rupelian Kazakhstan floras in the context of early Oligocene climate and vegetation in Central Asia. <i>Terra Nova</i> , 2021, 33, 383-399.	2.1	3
13	Paleogene climate dynamics in the Primorye Region, Far East of Russia, based on a Coexistence Approach analysis of palaeobotanical data. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2020, 100, 5-31.	1.5	13
14	Dynamics and evolution of Turgayâ€”type vegetation in Western Siberia throughout the early Oligocene to earliest Mioceneâ€”a study based on diversity of plant functional types in the carpological record. <i>Journal of Systematics and Evolution</i> , 2019, 57, 129-141.	3.1	9
15	Miocene vegetation shift and climate change: Evidence from the Siwalik of Nepal. <i>Global and Planetary Change</i> , 2018, 161, 108-120.	3.5	32
16	Pollen, ostracod and stable isotope records of palaeoenvironment and climate: Upper Miocene and Pliocene of the Ã±ankÃ±rÃ± Basin (Central Anatolia, Turkey). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 467, 149-165.	2.3	18
17	Late Miocene vegetation of the Pannonian Basin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 467, 131-148.	2.3	27
18	Continental climate gradients in North America and Western Eurasia before and after the closure of the Central American Seaway. <i>Earth and Planetary Science Letters</i> , 2017, 472, 120-130.	4.4	16

#	ARTICLE	IF	CITATIONS
19	Cenozoic vegetation gradients in the mid- and higher latitudes of Central Eurasia and climatic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 467, 69-82.	2.3	16
20	Quantification of Calabrian vegetation in Southern Primory'e (Far East of Russia) using multiple proxies. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 467, 253-264.	2.3	7
21	The Fossil History of <i>Quercus</i> . <i>Tree Physiology</i> , 2017, , 39-105.	2.5	23
22	Plant- and micromammal-based paleoprecipitation proxies: Comparing results of the Coexistence and Climate-Diversity Approach. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 443, 18-33.	2.3	10
23	A new late Miocene (Tortonian) flora from Gavdos Island in southernmost Greece evaluated in the context of vegetation and climate in the Eastern Mediterranean. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2015, 275, 47-81.	0.4	10
24	The Cenozoic Cooling " continental signals from the Atlantic and Pacific side of Eurasia. <i>Earth and Planetary Science Letters</i> , 2015, 415, 121-133.	4.4	47
25	Late Pliocene temperatures and their spatial variation at the southeastern border of the Qinghai-Tibet Plateau. <i>Journal of Asian Earth Sciences</i> , 2015, 111, 44-53.	2.3	22
26	Stomatal density and index data of <i>Platanus neptuni</i> leaf fossils and their evaluation as a CO ₂ proxy for the Oligocene. <i>Review of Palaeobotany and Palynology</i> , 2014, 206, 1-9.	1.5	28
27	Origin, sediment fill, and sequence stratigraphy of the Cenozoic Lower Rhine Basin (Germany) interpreted from well logs. <i>Zeitschrift Der Deutschen Gesellschaft Fur Geowissenschaften</i> , 2014, 165, 287-314.	0.4	22
28	The Badenian parastratotype at ?idlochovice from the perspective of the multiproxy study. <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2014, 271, 169-201.	0.4	20
29	Miocene shift of European atmospheric circulation from trade wind to westerlies. <i>Scientific Reports</i> , 2014, 4, 5660.	3.3	34
30	Quantification of Calabrian climate in southern Primory'e, Far East of Russia " An integrative case study using multiple proxies. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 386, 445-458.	2.3	15
31	Atmospheric CO ₂ from the late Oligocene to early Miocene based on photosynthesis data and fossil leaf characteristics. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 374, 41-51.	2.3	35
32	Paleogene temperature gradient, seasonal variation and climate evolution of northeast China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 313-314, 150-161.	2.3	66
33	Eocene monsoon prevalence over China: A paleobotanical perspective. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 365-366, 302-311.	2.3	99
34	A late Eocene palynological record of climate change and Tibetan Plateau uplift (Xining Basin, China). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 344-345, 16-38.	2.3	116
35	Paleoclimatic estimation reveals a weak winter monsoon in southwestern China during the late Miocene: Evidence from plant macrofossils. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 358-360, 19-26.	2.3	86
36	Stomatal pore length change in leaves of <i>Eotrigonobalanus furcinervis</i> (Fagaceae) from the Late Eocene to the Latest Oligocene and its impact on gas exchange and CO ₂ reconstruction. <i>Review of Palaeobotany and Palynology</i> , 2012, 174, 106-112.	1.5	25

#	ARTICLE	IF	CITATIONS
37	The evolution of Miocene climates in North China: Preliminary results of quantitative reconstructions from plant fossil records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 304, 308-317.	2.3	66
38	Miocene vegetation and climate dynamics in Eastern and Central Paratethys (Southeastern Europe). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 304, 262-275.	2.3	123
39	Analysis of heat transport mechanisms from a Late Miocene model experiment with a fully-coupled atmosphere-ocean general circulation model. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 304, 337-350.	2.3	65
40	Cenozoic climate gradients in Eurasia - a palaeo-perspective on future climate change?. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 304, 351-358.	2.3	98
41	Precipitation patterns in the Miocene of Central Europe and the development of continentality. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 304, 202-211.	2.3	127
42	Miocene climate evolution of northern Europe: A palynological investigation from Denmark. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 309, 161-175.	2.3	53
43	Geochemical appraisal of palaeovegetation and climate oscillation in the Late Miocene of Western Bulgaria. <i>Organic Geochemistry</i> , 2011, 42, 1363-1374.	1.8	21
44	Reconstruction of the middle Eocene climate of Messel using palaeobotanical data. <i>Neues Jahrbuch Fur Geologie Und Paläontologie - Abhandlungen</i> , 2011, 260, 305-318.	0.4	47
45	Late Eocene to early Miocene climate and vegetation of Bulgaria. <i>Review of Palaeobotany and Palynology</i> , 2009, 153, 360-374.	1.5	32
46	Present-day climatic equivalents of European Cenozoic climates. <i>Earth and Planetary Science Letters</i> , 2009, 284, 544-552.	4.4	81
47	Cenozoic paleotemperatures and leaf physiognomy - A European perspective. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 248, 24-31.	2.3	84
48	Neogene flora and vegetation development of the Pannonian domain in relation to palaeoclimate and palaeogeography. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 253, 115-140.	2.3	82
49	A Late Miocene climate model simulation with ECHAM4/ML and its quantitative validation with terrestrial proxy data. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 253, 251-270.	2.3	95
50	The sensitivity of ECHAM4/ML to a double CO2 scenario for the Late Miocene and the comparison to terrestrial proxy data. <i>Global and Planetary Change</i> , 2007, 57, 189-212.	3.5	44
51	Cenozoic continental climatic evolution of Central Europe. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 14964-14969.	7.1	547
52	Stratigraphy of the Cenozoic Lower Rhine Basin, northwestern Germany. <i>Newsletters on Stratigraphy</i> , 2004, 40, 73-110.	1.2	28
53	The Miocene peat-forming vegetation of northwestern Germany: an analysis of wood remains and comparison with previous palynological interpretations. <i>Review of Palaeobotany and Palynology</i> , 1999, 104, 239-266.	1.5	75
54	The coexistence approach - a method for quantitative reconstructions of Tertiary terrestrial palaeoclimate data using plant fossils. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1997, 134, 61-86.	2.3	539

#	ARTICLE	IF	CITATIONS
55	Drowning of the Miocene Billund delta, Jylland: land-sea fluctuations during a global warming event. Geological Survey of Denmark and Greenland Bulletin, 0, 28, 9-12.	2.0	5