Ihn-Geun Choi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6789830/publications.pdf

Version: 2024-02-01

331670 345221 1,407 57 21 36 h-index citations g-index papers 58 58 58 2664 times ranked docs citations citing authors all docs

#	Article	IF	CITATIONS
1	<p>MMSE Subscale Scores as Useful Predictors of AD Conversion in Mild Cognitive Impairment</p> . Neuropsychiatric Disease and Treatment, 2020, Volume 16, 1767-1775.	2.2	24
2	Olanzapine-induced Concurrent Tardive Dystonia and Tardive Dyskinesia in Schizophrenia with Intellectual Disability: A Case Report. Clinical Psychopharmacology and Neuroscience, 2020, 18, 627-630.	2.0	2
3	Associations of BRAP polymorphisms with the risk of alcohol dependence and scores on the Alcohol Use Disorders Identification Test. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 83-94.	2.2	8
4	Combination of the CAGE and serum gamma-glutamyl transferase: an effective screening tool for alcohol use disorder and alcohol dependence $\langle p \rangle$. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 1507-1515.	2.2	6
5	Caudate Volumetric Reductions Predicted by Carbohydrate-Deficient Transferrin in Patients with Alcohol Dependence. International Journal of Mental Health and Addiction, 2018, 16, 946-955.	7.4	O
6	Gender-Specific Associations between <i>CHGB</i> Genetic Variants and Schizophrenia in a Korean Population. Yonsei Medical Journal, 2017, 58, 619.	2.2	11
7	Prefrontal Cortical Thickness Deficit in Detoxified Alcohol-dependent Patients. Experimental Neurobiology, 2016, 25, 333-341.	1.6	14
8	Genomeâ€wide association study with the risk of schizophrenia in a Korean population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 257-265.	1.7	2
9	Opioid Analgesics and Depressive Symptoms in Burn Patients: What Is the Real Relationship?. Clinical Psychopharmacology and Neuroscience, 2016, 14, 295-298.	2.0	5
10	Association Study of DKK2Polymorphisms with Alcohol Dependence and Alcohol-Related Harm. Alcoholism: Clinical and Experimental Research, 2014, 38, 545-550.	2.4	O
11	Association Between <i>HTR7</i> Genetic Polymorphisms and Alcohol Dependence, Using the Alcohol Use Disorders Identification Test (AUDIT). Alcoholism: Clinical and Experimental Research, 2014, 38, 2354-2361.	2.4	9
12	Extended genetic effects of ADH cluster genes on the risk of alcohol dependence: from GWAS to replication. Human Genetics, 2013, 132, 657-668.	3.8	97
13	Involvement of small GTPase RhoA in the regulation of superoxide production in BV2 cells in response to fibrillar $\hat{Al^2}$ peptides. Cellular Signalling, 2013, 25, 1861-1869.	3.6	23
14	Small GTPase Rap1 regulates cell migration through regulation of small GTPase RhoA activity in response to transforming growth factorâ€Î²1. Journal of Cellular Physiology, 2013, 228, 2119-2126.	4.1	24
15	Differential nuclear factor-kappa B phosphorylation induced by lipopolysaccharide in the hippocampus of P2X7 receptor knockout mouse. Neurological Research, 2013, 35, 369-381.	1.3	10
16	The 5-item Alcohol Use Disorders Identification Test (AUDIT-5): An Effective Brief Screening Test for Problem Drinking, Alcohol Use Disorders and Alcohol Dependence. Alcohol and Alcoholism, 2013, 48, 68-73.	1.6	17
17	The Current Situation of Treatment Systems for Alcoholism in Korea. Journal of Korean Medical Science, 2013, 28, 181.	2.5	13
18	Association between Alcoholism Family History and Alcohol Screening Scores among Alcohol-dependent Patients. Clinical Psychopharmacology and Neuroscience, 2013, 11, 89-95.	2.0	6

#	Article	IF	CITATIONS
19	Lack of association between proline dehydrogenase (oxidase) 1 polymorphisms and schizophrenia in a Korean population. Psychiatric Genetics, 2012, 22, 153-154.	1.1	1
20	Alcohol and Cognition in the Elderly: A Review. Psychiatry Investigation, 2012, 9, 8.	1.6	101
21	Neuregulin induces CTGF expression in hypertrophic scarring fibroblasts. Molecular and Cellular Biochemistry, 2012, 365, 181-189.	3.1	27
22	The Genetic Effect of Copy Number Variations on the Risk of Alcoholism in a Korean Population. Alcoholism: Clinical and Experimental Research, 2012, 36, 35-42.	2.4	10
23	The Effectiveness of Continuing Group Psychotherapy for Outpatients with Alcohol Dependence: 77â€Month Outcomes. Alcoholism: Clinical and Experimental Research, 2012, 36, 686-692.	2.4	5
24	Lack of Associations of Neuregulin 1 Variations with Schizophrenia and Smooth Pursuit Eye Movement Abnormality in a Korean Population. Journal of Molecular Neuroscience, 2012, 46, 476-482.	2.3	10
25	Transcranial magnetic stimulation can diagnose electrical burn-induced myelopathy. Burns, 2011, 37, 687-691.	1.9	7
26	Lack of association of the RTN4R genetic variations with risk of schizophrenia and SPEM abnormality in a Korean population. Psychiatry Research, 2011, 189, 312-314.	3.3	3
27	The effects of electrical shock on the expressions of aquaporin subunits in the rat spinal cords. Anatomy and Cell Biology, 2011, 44, 50.	1.0	4
28	Neuregulin induces HaCaT keratinocyte migration via Rac1â€mediated NADPHâ€oxidase activation. Journal of Cellular Physiology, 2011, 226, 3014-3021.	4.1	20
29	Suppression of scar formation in a murine burn wound model by the application of non-thermal plasma. Applied Physics Letters, 2011, 99, .	3.3	16
30	Epigenetic Changes of Serotonin Transporter in the Patients with Alcohol Dependence: Methylation of an Serotonin Transporter Promoter CpG Island. Psychiatry Investigation, 2011, 8, 130.	1.6	17
31	Effects of lipopolysaccharide and CpG-DNA on burn-induced skin injury. BMB Reports, 2011, 44, 273-278.	2.4	5
32	Neurites from PC12 cells are connected to each other by synapseâ€like structures. Synapse, 2010, 64, 765-772.	1.2	30
33	Association between Tryptophan Hydroxylase 2 Polymorphism and Anger-Related Personality Traits among Young Korean Women. Neuropsychobiology, 2010, 62, 158-163.	1.9	15
34	Artificial microRNA-based neurokinin-1 receptor gene silencing reduces alcohol consumption in mice. Neuroscience Letters, 2010, 475, 124-128.	2.1	34
35	Lack of Association between <i>PRNP</i> M129V Polymorphism and Multiple Sclerosis, Mild Cognitive Impairment, Alcoholism and Schizophrenia in a Korean Population. Disease Markers, 2010, 28, 315-321.	1.3	2
36	Protection of burn-induced skin injuries by the flavonoid kaempferol. BMB Reports, 2010, 43, 46-51.	2.4	20

#	Article	IF	CITATIONS
37	Lack of association between PRNP M129V polymorphism and multiple sclerosis, mild cognitive impairment, alcoholism and schizophrenia in a Korean population. Disease Markers, 2010, 28, 315-21.	1.3	3
38	Increased Transforming Growth Factor-beta 1 in Alcohol Dependence. Journal of Korean Medical Science, 2009, 24, 941.	2.5	16
39	Relation between plasma brain-derived neurotrophic factor and nerve growth factor in the male patients with alcohol dependence. Alcohol, 2009, 43, 265-269.	1.7	50
40	Association analysis of COMT polymorphisms with schizophrenia and smooth pursuit eye movement abnormality. Journal of Human Genetics, 2009, 54, 709-712.	2.3	27
41	Down-regulation of delayed rectifier K+ channels in the hippocampus of seizure sensitive gerbils. Brain Research Bulletin, 2009, 80, 433-442.	3.0	23
42	Expression of human \hat{l}^2 -defensin-2 gene induced by CpG-DNA in human B cells. Biochemical and Biophysical Research Communications, 2009, 389, 443-448.	2.1	16
43	An interaction between the norepinephrine transporter and monoamine oxidase A polymorphisms, and novelty-seeking personality traits in Korean females. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 238-242.	4.8	9
44	Neural correlates of affective processing in response to sad and angry facial stimuli in patients with major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 778-785.	4.8	108
45	Major genetic components underlying alcoholism in Korean population. Human Molecular Genetics, 2008, 17, 854-858.	2.9	71
46	Association between Monoamine Oxidase A Polymorphisms and Anger-Related Personality Traits in Korean Women. Neuropsychobiology, 2007, 56, 19-23.	1.9	11
47	Association between the tryptophan hydroxylase-1 gene A218C polymorphism and citalopram antidepressant response in a Korean population. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 104-107.	4.8	46
48	The neural substrates of affective processing toward positive and negative affective pictures in patients with major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1487-1492.	4.8	82
49	Detrended fluctuation analysis of resting EEG in depressed outpatients and healthy controls. Clinical Neurophysiology, 2007, 118, 2489-2496.	1.5	74
50	Association analysis of G72/G30 polymorphisms with schizophrenia in the Korean population. Schizophrenia Research, 2007, 96, 119-124.	2.0	18
51	Decreased N-acetyl-aspartate levels in anterior cingulate and hippocampus in subjects with post-traumatic stress disorder: a proton magnetic resonance spectroscopy study. European Journal of Neuroscience, 2007, 25, 324-329.	2.6	53
52	Genetic polymorphisms of alcohol and aldehyde dehydrogenase, dopamine and serotonin transporters in familial and non-familial alcoholism. European Neuropsychopharmacology, 2006, 16, 123-128.	0.7	33
53	Personality, Dopamine Receptor D4 Exon III Polymorphisms, and Academic Achievement in Medical Students. Neuropsychobiology, 2006, 53, 203-209.	1.9	16
54	Scanning of genetic effects of alcohol metabolism gene (<i>ADH1B</i> polymorphisms on the risk of alcoholism. Human Mutation, 2005, 26, 224-234.	2.5	45

Ihn-Geun Choi

#	Article	IF	CITATIONS
55	Alcohol and Aldehyde Dehydrogenase Polymorphisms in Men With Type I and Type II Alcoholism. American Journal of Psychiatry, 2005, 162, 1003-1005.	7.2	22
56	Association between the Catechol O-Methyltransferase Val108/158Met Polymorphism and Alexithymia. Neuropsychobiology, 2005, 52, 151-154.	1.9	41
57	Fluoxetine-induced up-regulation of 14-3-3zeta and tryptophan hydroxylase levels in RBL-2H3 cells. Neuroscience Letters, 2005, 374, 53-57.	2.1	45