Pierre Chauvin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6789992/publications.pdf

Version: 2024-02-01

174 papers 4,859 citations

94269 37 h-index 61 g-index

207 all docs

207 docs citations

times ranked

207

5792 citing authors

#	Article	IF	CITATIONS
1	Clinical features of the prevalent form of childhood deafness, DFNB1, due to a connexin-26 gene defect: implications for genetic counselling. Lancet, The, 1999, 353, 1298-1303.	6.3	412
2	Fixed 50% Nitrous Oxide Oxygen Mixture for Painful Procedures: A French Survey. Pediatrics, 2000, 105, e47-e47.	1.0	205
3	SLC26A4 gene is frequently involved in nonsyndromic hearing impairment with enlarged vestibular aqueduct in Caucasian populations. European Journal of Human Genetics, 2006, 14, 773-779.	1.4	204
4	Comparison of a Spatial Perspective with the Multilevel Analytical Approach in Neighborhood Studies: The Case of Mental and Behavioral Disorders due to Psychoactive Substance Use in Malmö, Sweden, 2001. American Journal of Epidemiology, 2005, 162, 171-182.	1.6	155
5	Comparison of a spatial approach with the multilevel approach for investigating place effects on health: the example of healthcare utilisation in France. Journal of Epidemiology and Community Health, 2005, 59, 517-526.	2.0	147
6	The role of daily mobility in mental health inequalities: The interactive influence of activity space and neighbourhood of residence on depression. Social Science and Medicine, 2011, 73, 1133-1144.	1.8	121
7	Health information seeking on the Internet: a double divide? Results from a representative survey in the Paris metropolitan area, France, 2005–2006. BMC Public Health, 2008, 8, 69.	1.2	112
8	Risk Factors of Pneumocystis Pneumonia in Solid Organ Recipients in the Era of the Common Use of Posttransplantation Prophylaxis. American Journal of Transplantation, 2015, 15, 190-199.	2.6	112
9	The combined effects of activity space and neighbourhood of residence on participation in preventive health-care activities: The case of cervical screening in the Paris metropolitan area (France). Health and Place, 2010, 16, 838-852.	1.5	103
10	GJB2 and GJB6 Mutations. JAMA Otolaryngology, 2005, 131, 481.	1.5	93
11	Myringoplasty in Children: Predictive Factors of Outcome. Laryngoscope, 1999, 109, 47-51.	1.1	86
12	Otologic Features in Children With Primary Ciliary Dyskinesia. JAMA Otolaryngology, 2010, 136, 1121.	1.5	82
13	Spatial clustering of mental disorders and associated characteristics of the neighbourhood context in Malmo, Sweden, in 2001. Journal of Epidemiology and Community Health, 2006, 60, 427-435.	2.0	76
14	Determinants of the frequency of online health information seeking: Results of a Web-based survey conducted in France in 2007. Informatics for Health and Social Care, 2010, 35, 25-39.	1.4	76
15	Exposure to interparental violence and psychosocial maladjustment in the adult life course: advocacy for early prevention. Journal of Epidemiology and Community Health, 2009, 63, 563-568.	2.0	67
16	Online mis/disinformation and vaccine hesitancy in the era of COVID-19: Why we need an eHealth literacy revolution. Human Vaccines and Immunotherapeutics, 2022, 18, 1-3.	1.4	64
17	Herpes zoster: Family history and psychological stressâ€"Caseâ€"control study. Journal of Clinical Virology, 2012, 55, 153-157.	1.6	61
18	Early Results of Conventional Versus Two-Portal Endoscopic Carpal Tunnel Release. Journal of Hand Surgery, 1995, 20, 658-662.	0.9	59

#	Article	IF	Citations
19	Tobacco and alcohol consumption, sedentary lifestyle and overweightness in France: A multilevel analysis of individual and area-level determinants. European Journal of Epidemiology, 2002, 18, 531-538.	2.5	58
20	Who still eats three meals a day? Findings from a quantitative survey in the Paris area. Appetite, 2013, 63, 59-69.	1.8	58
21	Incidence of Stroke and Socioeconomic Neighborhood Characteristics. Stroke, 2011, 42, 1201-1206.	1.0	57
22	Internet uses for health information seeking. Revue D'Epidemiologie Et De Sante Publique, 2006, 54, 263-275.	0.3	55
23	Prevalence and socioeconomic and geographical inequalities of household food insecurity in the Paris region, France, 2010. BMC Public Health, 2013, 13, 486.	1.2	55
24	Healthcare provision and the psychological, somatic and social impact on people involved in the terror attacks in January 2015 in Paris: cohort study. British Journal of Psychiatry, 2018, 212, 207-214.	1.7	52
25	Congenital Cholesteatoma: Risk Factors for Residual Disease and Retraction Pockets-A Report on 117 Cases. Laryngoscope, 2007, 117, 634-637.	1.1	51
26	The â€~constant size neighbourhood trap' in accessibility and health studies. Urban Studies, 2015, 52, 338-357.	2.2	50
27	A non-randomized vaccine effectiveness trial of accelerated infant hepatitis B immunization schedules with a first dose at birth or age 6 weeks in Côte d'Ivoire. Vaccine, 2008, 26, 2753-2761.	1.7	47
28	Residential environment and blood pressure in the PRIME Study: is the association mediated by body mass index and waist circumference?. Journal of Hypertension, 2008, 26, 1078-1084.	0.3	47
29	Factors associated with PTSD and partial PTSD among first responders following the Paris terror attacks in November 2015. Journal of Psychiatric Research, 2020, 121, 143-150.	1.5	47
30	Neighbourhood Characteristics and Long-Term Air Pollution Levels Modify the Association between the Short-Term Nitrogen Dioxide Concentrations and All-Cause Mortality in Paris. PLoS ONE, 2015, 10, e0131463.	1.1	47
31	Migrant health in French Guiana: Are undocumented immigrants more vulnerable?. BMC Public Health, 2012, 12, 53.	1.2	46
32	Large deletion of the GJB6 gene in deaf patients heterozygous for the GJB2 gene mutation: Genotypic and phenotypic analysis., 2004, 127A, 263-267.		42
33	The Tongue-Retaining Device: Efficacy and Side Effects in Obstructive Sleep Apnea Syndrome. Journal of Clinical Sleep Medicine, 2009, 05, 431-438.	1.4	42
34	Predictive risk factors of residual cholesteatoma in children: a study of 256 cases. The American Journal of Otology, 1997, 18, 550-8.	0.4	41
35	Inequalities in cervical cancer screening for women with or without a regular consulting in primary care for gynaecological health, in Paris, France. Preventive Medicine, 2012, 54, 259-265.	1.6	39
36	Fears and Beliefs in Rheumatoid Arthritis and Spondyloarthritis: A Qualitative Study. PLoS ONE, 2014, 9, e114350.	1.1	39

#	Article	IF	Citations
37	Correlation between polysialic-neural cell adhesion molecule levels in CSF and medulloblastoma outcomes Journal of Clinical Oncology, 1996, 14, 2066-2072.	0.8	38
38	A multilevel analysis of tobacco use and tobacco consumption levels in France: Are there any combination risk groups?. European Journal of Public Health, 2004, 14, 186-190.	0.1	38
39	Exploring mediating factors in the association between parental psychological distress and psychosocial maladjustment in adolescence. European Child and Adolescent Psychiatry, 2010, 19, 597-604.	2.8	38
40	Food Insecurity: Could School Food Supplementation Help Break Cycles of Intergenerational Transmission of Social Inequalities?. Pediatrics, 2010, 126, 1174-1181.	1.0	38
41	Family Breakup and Adolescents' Psychosocial Maladjustment: Public Health Implications of Family Disruptions. Pediatrics, 2007, 120, e984-e991.	1.0	36
42	Survival inequalities in patients with lung cancer in France: A nationwide cohort study (the) Tj ETQq0 0 0 rgBT /C	verlock 1	O Tf 50 542 Tc
43	Congenital Stapes Ankylosis: Study of 28 Cases and Surgical Results. Laryngoscope, 2006, 116, 1153-1157.	1.1	35
44	Are Immigrants and Nationals Born to Immigrants at Higher Risk for Delayed or No Lifetime Breast and Cervical Cancer Screening? The Results from a Population-Based Survey in Paris Metropolitan Area in 2010. PLoS ONE, 2014, 9, e87046.	1.1	34
45	Family social environment in childhood and self-rated health in young adulthood. BMC Public Health, 2011, 11, 949.	1.2	32
46	Food Insecurity, a Determinant of Obesity? - an Analysis from a Population-Based Survey in the Paris Metropolitan Area, 2010. Obesity Facts, 2014, 7, 120-129.	1.6	30
47	Applying Multivariate Clustering Techniques to Health Data: The 4 Types of Healthcare Utilization in the Paris Metropolitan Area. PLoS ONE, 2014, 9, e115064.	1.1	30
48	Investigating the effects of medical density on health-seeking behaviours using a multiscale approach to residential and activity spaces: Results from a prospective cohort study in the Paris metropolitan area, France. International Journal of Health Geographics, 2012, 11, 54.	1,2	29
49	Impact of rheumatoid arthritis on career progression, productivity, and employability: The PRET Study. Joint Bone Spine, 2016, 83, 47-52.	0.8	29
50	Prevalence of Mental Disorders and Addictions among Homeless People in the Greater Paris Area, France. International Journal of Environmental Research and Public Health, 2018, 15, 241.	1.2	29
51	Unmet healthcare needs in homeless women with children in the Greater Paris area in France. PLoS ONE, 2017, 12, e0184138.	1.1	29
52	Chronic air pollution and social deprivation as modifiers of the association between high temperature and daily mortality. Environmental Health, 2014, 13, 53.	1.7	27
53	Attitude of French General Practitioners to the Public Health Surveillance of Communicable Diseases. International Journal of Epidemiology, 1995, 24, 435-440.	0.9	26
54	Area-level determinants of specialty care utilization in France: a multilevel analysis. Public Health, 2005, 119, 97-104.	1.4	26

#	Article	IF	Citations
55	Circulating Endotoxin during Initial Antibiotic Treatment of Severe Gramâ€Negative Bacteremic Infections. Journal of Infectious Diseases, 1998, 178, 270-273.	1.9	24
56	Five day clarithromycin modified release versus 10 day penicillin V for group A streptococcal pharyngitis: a multi-centre, open-label, randomized study. Journal of Antimicrobial Chemotherapy, 2002, 49, 337-344.	1.3	24
57	Is There Still a French Eating Model? A Taxonomy of Eating Behaviors in Adults Living in the Paris Metropolitan Area in 2010. PLoS ONE, 2015, 10, e0119161.	1.1	24
58	Spanish students' use of the Internet for mental health information and support seeking. Health Informatics Journal, 2016, 22, 333-354.	1.1	24
59	Impact of legal status change on undocumented migrants' health and well-being (Parchemins): protocol of a 4-year, prospective, mixed-methods study. BMJ Open, 2019, 9, e028336.	0.8	24
60	Circulating endotoxin and antiendotoxin antibodies during severe sepsis and septic shock. Journal of Critical Care, 2003, 18, 115-120.	1.0	23
61	Reimbursement of malaria chemoprophylaxis for travellers from Europe to Sub-Saharan Africa: Cost-effectiveness analysis from the perspective of the French national health insurance system. Health Policy, 2008, 88, 186-199.	1.4	23
62	Access to general practitioner services: the disabled elderly lag behind in underserved areas. European Journal of Public Health, 2005, 15, 282-287.	0.1	22
63	Gender, socio-economic status, migration origin and neighbourhood of residence are barriers to HIV testing in the Paris metropolitan area. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 1609-1618.	0.6	22
64	Reporting of patient-perceived impact of rheumatoid arthritis and axial spondyloarthritis over 10 years: a systematic literature review. Rheumatology, 2014, 53, 1274-1281.	0.9	22
65	Total Ossiculoplasty in Children <subtitle>Predictive Factors and Long-term Follow-up</subtitle> . JAMA Otolaryngology, 2011, 137, 1240.	1.5	21
66	Heliotrope poisoning in Tadjikistan. Lancet, The, 1993, 341, 1663.	6.3	20
67	Sentinelle traces of an epidemic of acute gastroenteritis in France. Lancet, The, 1995, 346, 162-163.	6.3	20
68	Cartilage Shield Tympanoplasty in Children. JAMA Otolaryngology, 2011, 137, 24.	1.5	20
69	Incidence of ischaemic stroke according to income level among older people: the 3C study. Age and Ageing, 2011, 40, 116-121.	0.7	20
70	Development of Primary Care Research in North America, Europe, and Australia From 1974 to 2017. Annals of Family Medicine, 2019, 17, 49-51.	0.9	20
71	Socio-Economic Determinants of the Need for Dental Care in Adults. PLoS ONE, 2016, 11, e0158842.	1.1	20
72	Exposure-to-treatment interval and clinical severity in canine poisoning: a retrospective analysis at a Portland Veterinary Emergency Center. Journal of Veterinary Pharmacology and Therapeutics, 2006, 29, 233-236.	0.6	19

#	Article	IF	Citations
73	Investigating the spatial variability in incidence of coronary heart disease in the Gazel Cohort: the impact of area socioeconomic position and mediating role of risk factors. Journal of Epidemiology and Community Health, 2011, 65, 137-143.	2.0	18
74	Food Insecurity in Homeless Families in the Paris Region (France): Results from the ENFAMS Survey. International Journal of Environmental Research and Public Health, 2018, 15, 420.	1.2	18
75	Pulmonary tuberculosis diagnostic delays in Chad: a multicenter, hospital-based survey in Ndjamena and Moundou. BMC Public Health, 2012, 12, 513.	1.2	17
76	Emotional and behavioral difficulties in children growing up homeless in Paris. Results of the ENFAMS survey. European Psychiatry, 2016, 38, 51-60.	0.1	17
77	Development and psychometric validation of a patient-reported outcome measure to assess fears in rheumatoid arthritis and axial spondyloarthritis: the Fear Assessment in Inflammatory Rheumatic diseases (FAIR) questionnaire. Annals of the Rheumatic Diseases, 2018, 77, 258-263.	0.5	16
78	Social inequalities in health and mental health in France. The results of a 2010 population-based survey in Paris Metropolitan Area. PLoS ONE, 2018, 13, e0203676.	1.1	16
79	Barriers to implementation of the new targeted BCG vaccination in France: A cross sectional study. Vaccine, 2011, 29, 5232-5237.	1.7	15
80	Gender Differences in the Association between Socioeconomic Status and Subclinical Atherosclerosis. PLoS ONE, 2013, 8, e80195.	1.1	15
81	Does Healthy Food Access Matter in a French Urban Setting?. American Journal of Agricultural Economics, 2015, 97, 1400-1416.	2.4	15
82	Original approach to the individual characteristics associated with forgone healthcare. European Journal of Public Health, 2005, 15, 361-367.	0.1	14
83	Overweight according to geographical origin and time spent in France: a cross sectional study in the Paris metropolitan area. BMC Public Health, 2012, 12, 937.	1.2	14
84	Depression prevalence and primary care among vulnerable patients at a free outpatient clinic in Paris, France, in 2010: results of a cross-sectional survey. BMC Family Practice, 2013, 14, 151.	2.9	14
85	Constitution and monitoring of an epidemiological surveillance network with sentinel general practitioners. European Journal of Epidemiology, 1994, 10, 477-479.	2.5	13
86	Monitoring the compliance of sentinel general practitioners in public health surveillance: which GPs persevere?. International Journal of Epidemiology, 1997, 26, 166-172.	0.9	13
87	A new out-patient care facility for HIV-infected destitute populations in Paris, France. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 1997, 9, 451-459.	0.6	13
88	Multivariate methods for the analysis of complex and big data in forensic sciences. Application to age estimation in living persons. Forensic Science International, 2016, 266, 581.e1-581.e9.	1.3	13
89	Development and application of a questionnaire to assess patient beliefs in rheumatoid arthritis and axial spondyloarthritis. Clinical Rheumatology, 2018, 37, 2649-2657.	1.0	13
90	Migration, health, and care in French overseas territories. Lancet, The, 2010, 376, 1827-1828.	6.3	12

#	Article	IF	Citations
91	Why underserved patients do not consult their general practitioner for depression: results of a qualitative and a quantitative survey at a free outpatient clinic in Paris, France. BMC Family Practice, 2015, 16, 57.	2.9	12
92	Time since the last HIV test and migration origin in the Paris metropolitan area, France. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 1117-1127.	0.6	11
93	Use of an Emergency Department in Saint-Laurent du Maroni, French Guiana: Does Being Undocumented Make a Difference?. Journal of Immigrant and Minority Health, 2014, 16, 586-594.	0.8	11
94	Disengagement of general practitioners in cervical cancer screening. European Journal of Cancer Prevention, 2016, 25, 547-555.	0.6	11
95	The tongue-retaining device: efficacy and side effects in obstructive sleep apnea syndrome. Journal of Clinical Sleep Medicine, 2009, 5, 431-8.	1.4	11
96	RE: "DETECTING PATTERNS OF OCCUPATIONAL ILLNESS CLUSTERING WITH ALTERNATING LOGISTIC REGRESSIONS APPLIED TO LONGITUDINAL DATA― American Journal of Epidemiology, 2004, 160, 505-506.	1.6	10
97	Fragility fractures in France: epidemiology, characteristics and quality of life (the EPIFRACT study). Archives of Osteoporosis, 2020, 15, 46.	1.0	10
98	Asthma-Like Symptoms in Homeless Children in the Greater Paris Area in 2013: Prevalence, Associated Factors and Utilization of Healthcare Services in the ENFAMS Survey. PLoS ONE, 2016, 11, e0153872.	1.1	9
99	Recherche d'information en santé sur l'internet : une analyse contextuelle des données SIRS, une cohorte parisienne. Sante Publique, 2010, Vol. 21, 27-40.	0.0	9
100	Comparison of the safety and immunogenicity of the lyophilized Mérieux seed and the World Health Organization working reference BCG vaccines in school-aged children in Senegal. Vaccine, 1999, 17, 105-109.	1.7	8
101	The moral career of poor patients in free clinics. Social Science and Medicine, 2005, 61, 1369-1380.	1.8	8
102	Family history of immigration from a tuberculosis endemic country and low family income are associated with a higher BCG vaccination coverage in Ile-de-France region, France. Vaccine, 2013, 31, 5666-5671.	1.7	8
103	The role of a lack of social integration in never having undergone breast cancer screening: Results from a population-based, representative survey in the Paris metropolitan area in 2010. Preventive Medicine, 2013, 57, 386-391.	1.6	8
104	Role of obesity in differences in cervical cancer screening rates by migration history. The CONSTANCES survey. Cancer Epidemiology, 2019, 58, 98-103.	0.8	8
105	Non-participation and attrition in a longitudinal study of civilians exposed to the January 2015 terrorist attacks in Paris, France. BMC Medical Research Methodology, 2020, 20, 63.	1.4	8
106	Intrapleural use of urokinase and DNase in pleural infections managed with repeated thoracentesis: A comparative cohort study. PLoS ONE, 2021, 16, e0257339.	1.1	8
107	The cost of not implementing routine neonates immunization programmes in HBsAg high prevalence countries. Vaccine, 2002, 20, 2848-2850.	1.7	7
108	Cervical cancer screening among homeless women in the Greater Paris Area (France): results of the ENFAMS survey. European Journal of Cancer Prevention, 2017, 26, 240-248.	0.6	7

#	Article	IF	Citations
109	Adaptive Behavior of Sheltered Homeless Children in the French ENFAMS Survey. American Journal of Public Health, 2018, 108, 503-510.	1.5	7
110	Mental health care utilization by first responders after Paris attacks. Occupational Medicine, 2022, 72, 81-90.	0.8	7
111	Persistence of susceptibility to measles in France despite routine immunization: a cohort analysis American Journal of Public Health, 1999, 89, 79-81.	1.5	6
112	Refusal to provide health care to people with HIV in France. Lancet, The, 2016, 387, 1508-1509.	6.3	6
113	Refusal to provide health care to sub-Saharan African migrants in France. Lancet Public Health, The, 2018, 3, e12.	4.7	6
114	Who self-medicates? Results from structural equation modeling in the Greater Paris area, France. PLoS ONE, 2018, 13, e0208632.	1.1	6
115	Access to innovative drugs for metastatic lung cancer treatmentÂin a French nationwide cohort: the TERRITOIRE study. BMC Cancer, 2018, 18, 1013.	1.1	6
116	Refusal to provide healthcare to sub-Saharan migrants in France: a comparison according to their HIV and HBV status. European Journal of Public Health, 2018, 28, 904-910.	0.1	6
117	Effects of a systematically offered social and preventive medicine consultation on training and health attitudes of young people not in employment, education or training (NEETs): An interventional study in France. PLoS ONE, 2019, 14, e0216226.	1.1	6
118	The determinants of cervical cancer screening uptake in women with obesity: application of the Andersen's behavioral model to the CONSTANCES survey. Cancer Causes and Control, 2020, 31, 51-62.	0.8	6
119	Participation of French general practitioners in public health surveillance: a multidisciplinary approach. Journal of Epidemiology and Community Health, 1998, 52 Suppl 1, 2S-8S.	2.0	6
120	High doses of hydroxyethyl starch and human albumin have similar effects on monocyte function and oncotic pressure. European Journal of Clinical Investigation, 1997, 27, 943-947.	1.7	5
121	Which adults in the Paris metropolitan area have never been tested for HIV? A 2010 multilevel, cross-sectional, population-based study. BMC Infectious Diseases, 2015, 15, 278.	1.3	5
122	Men from Sub-Saharan Africa Living in Worker Hostels in France: A Hidden Population with Poor Access to HIV Testing. Journal of Immigrant and Minority Health, 2017, 19, 991-994.	0.8	5
123	Contextual determinants of participation in cervical cancer screening in France, 2010. Cancer Epidemiology, 2017, 48, 117-123.	0.8	5
124	General practitioners who never perform Pap smear: the medical offer and the socio-economic context around their office could limit their involvement in cervical cancer screening. BMC Family Practice, 2019, 20, 114.	2.9	5
125	Social and structural factors and engagement in HIV care of sub-Saharan African migrants diagnosed with HIV in the Paris region. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 897-907.	0.6	5
126	Influence of Individual and Contextual Perceptions and of Multiple Neighborhoods on Depression. International Journal of Environmental Research and Public Health, 2020, 17, 1958.	1.2	5

#	Article	IF	CITATIONS
127	Lower utilization of primary, specialty and preventive care services by individuals residing with persons in poor health. European Journal of Public Health, 2006, 16, 209-216.	0.1	4
128	Differences in Recourse to HIV Testing According to Migration Origin in the Paris Metropolitan Area in 2010. Journal of Immigrant and Minority Health, 2013, 15, 842-845.	0.8	4
129	The Most Frequent Fears and Beliefs of 226 Patients with Rheumatoid Arthritis or Spondyloarthritis, Using a Novel Questionnaire. Value in Health, 2015, 18, A715.	0.1	4
130	Development and Validation of a Questionnaire Assessing the fears and Beliefs of Patients Suffering from Chronic Rheumatic Diseases. Value in Health, 2015, 18, A708.	0.1	4
131	Design and content validation of a survey questionnaire assessing the determinants of human papillomavirus (HPV) vaccine hesitancy in France: A reactive Delphi study. Vaccine, 2020, 38, 6127-6140.	1.7	4
132	Measles: sub optimal situation in France. Eurosurveillance, 2000, 5, 21-22.	3.9	4
133	Factors Associated with Absenteeism in Rheumatoid Arthritis Patients in Employment: Results of a Survey Among French Patients. Value in Health, 2013, 16, A570-A571.	0.1	3
134	A general framework for a reliable multivariate analysis and pattern recognition in high-dimensional epidemiological data, based on cluster robustness: A tutorial to enrich the epidemiologists' toolkit. Revue D'Epidemiologie Et De Sante Publique, 2015, 63, 9-19.	0.3	3
135	Self-Perceived Health among Migrants Seen in Médecins du Monde Free Clinics in Europe: Impact of Length of Stay and Wealth of Country of Origin on Migrants' Health. International Journal of Environmental Research and Public Health, 2019, 16, 4878.	1.2	3
136	Real-world care for individuals aged over fifty with fractures in France: Evidence for a wide care gap–The EPIFRACT Study. Joint Bone Spine, 2020, 87, 467-473.	0.8	3
137	Risk of late cervical cancer screening in the Paris region according to social deprivation and medical densities in daily visited neighborhoods. International Journal of Health Geographics, 2020, 19, 18.	1.2	3
138	Quartiers et effets de quartier. Analyse de la variabilité de la taille des quartiers perçus dans l〙agglomération parisienne. Annales De Geographie, 2016, N° 708, 119-142.	0.1	3
139	Un systÃ"me de protection sociale universaliste, mais des barriÃ"res à l'accÃ"s aux soins encore trop nombreuses. , 2017, , 113-136.		3
140	Outpatients care of HIV-1-infected destitute people: a study in Paris, France. Lancet, The, 1996, 348, 480.	6.3	2
141	Précarités, maladie et soins médicaux: trois dynamiques, une unique trajectoire de vie. Médecine Et Maladies Infectieuses, 2000, 30, s205-s214.	5.1	2
142	Impact of migration origin on individual protection strategies against sexual transmission of HIV in Paris metropolitan area, SIRS cohort study, France. BMC Public Health, 2015, 15, 807.	1.2	2
143	Social vulnerabilities and health conditions of arrestees in the Greater Paris area, France, in 2013: a multicentre cross-sectional study. International Journal of Legal Medicine, 2018, 132, 897-905.	1.2	2
144	Meal times and synchronization: A cross-metropolitan comparison between Santiago (Chile) and Paris (France). Social Science Journal, 2020, 57, 470-484.	0.9	2

#	Article	IF	Citations
145	Les conséquences des violences conjugales sur la santé des femmes et leur prise en charge en médecine de premier recours. Bulletin De L'Academie Nationale De Medecine, 2002, 186, 949-961.	0.0	2
146	29. Au-devant, auprÃ"s et avec La nécessité de développer de nouvelles pratiques et de nouveaux métie conjuguant outreach, proximité et accompagnement dans le systÃ"me de soins. , 2012, , 377-386.	rs	2
147	Neurodevelopmental consequences of very preterm births. Lancet, The, 2008, 372, 116.	6.3	1
148	THU0620â€Gender, Disease Activity, Anxiety and Depression Levels Are Related To The Levels of Fears of Patients with Rheumatoid Arthritis or Axial Spondyloarthritis: A Cross-Sectional Study of 672 Patients. Annals of the Rheumatic Diseases, 2016, 75, 417.2-418.	0.5	1
149	Health and Health Care for Homeless People in Various Contexts. International Journal of Environmental Research and Public Health, 2018, 15, 948.	1.2	1
150	Mental Healthcare Utilization among Homeless People in the Greater Paris Area. International Journal of Environmental Research and Public Health, 2020, 17, 8144.	1.2	1
151	Effect of Internet use for searching information on vaccination on the uptake of human papillomavirus vaccine in France: A path-analysis approach. Preventive Medicine, 2021, 149, 106615.	1.6	1
152	Le parcours de soins des patients tuberculeux au TchadÂ: une analyse multicentrique à Ndjaména et Moundou en 2009. Sante Publique, 2012, Vol. 24, 55-66.	0.0	1
153	WHIST: a web-based survey on health information seeking on Internet in France, 2007. AMIA Annual Symposium proceedings, 2007, , 1090-1.	0.2	1
154	Construction and Validation of an Individual Deprivation Index: a Study Based on a Representative Cohort of the Paris Metropolitan Area. Journal of Urban Health, 0, , .	1.8	1
155	P1-231 Food insecurity is associated with overweight in Paris metropolitan area. An analysis of the SIRS cohort in 2010. Journal of Epidemiology and Community Health, 2011, 65, A130-A130.	2.0	0
156	P1-310 Stressful life-events in childhood and depression in adulthood: the role of the social integration according to individual and neighbourhood socioeconomic status. Journal of Epidemiology and Community Health, 2011, 65, A153-A153.	2.0	0
157	P1-167 Individual and territorial disparities in the knowledge and practices of the french national nutritional guideline << fruits and vegetables: at least five every day >> in Paris metropolitan area. Journal of Epidemiology and Community Health, 2011, 65, A112-A112.	2.0	0
158	Response to Letter by Sposato and Saposnik Regarding Article, "Incidence of Stroke and Socioeconomic Neighborhood Characteristics: An Ecological Analysis of Dijon Stroke Registry― Stroke, 2011, 42, .	1.0	0
159	P2-524 Food insecurity in the Paris metropolitan area. An analysis of the SIRS cohort in 2010. Journal of Epidemiology and Community Health, 2011, 65, A366-A366.	2.0	0
160	Are Public Subsidies Effective to Reduce Hospitalizations. Value in Health, 2013, 16, A551.	0.1	0
161	AB1088â€Impact of Rheumatoid Arthritis on Work Capacity: Results of A Survey in A Population of Patients under 60 Years. Annals of the Rheumatic Diseases, 2014, 73, 1161.2-1161.	0.5	0
162	Obstacles in access to care for children. Italian Journal of Pediatrics, 2015, 41, .	1.0	0

#	Article	IF	CITATIONS
163	Health and access to care among vulnerable populations in Europe: Findings from the 2015 Doctors of the World International Network Observatory. European Journal of Public Health, 2016, 26, .	0.1	О
164	Pediatric cholesteatoma surgery: results of cartilage block ossiculoplasty. Journal of Laryngology and Otology, 2016, 130, S162-S163.	0.4	0
165	Élaboration et validation psychométrique d'un outil d'évaluation des craintes perçues par les pat souffrant de rhumatisme inflammatoire chroniqueÂ: l'échelle «ÂFAIR». Revue Du Rhumatisme (Edition)	ients TjæØQq1 :	l o .784314
166	Etude des croyances liées aux modes de vie et leurs impacts sur la maladie chez 672 patients souffrant de polyarthrite rhumatoÃ-de ou de spondyloarthrite axiale. Revue Du Rhumatisme (Edition Francaise), 2016, 83, A71-A72.	0.0	0
167	High Levels Of Fears Of Patients With Rheumatoid Arthritis Or Axial Spondyloarthritis Are Associated With Gender, Disease Activity, Anxiety And Depression: A Cross-Sectional Study Of 672 Patients. Value in Health, 2016, 19, A473-A474.	0.1	O
168	Gender-Specific Impact Of Hta Bodies On Drug Prescriptions: Evidence From Alzheimer's Disease Drugs In France. Value in Health, 2016, 19, A67.	0.1	0
169	Lifestyle Beliefs Of 672 Patients With Rheumatoid Arthritis Or Axial Spondyloarthritis. Value in Health, 2016, 19, A472.	0.1	O
170	THU0619 Lifestyle Beliefs of 672 Patients with Rheumatoid Arthritis or Axial Spondyloarthritis. Annals of the Rheumatic Diseases, 2016, 75, 417.1-417.	0.5	0
171	Mental health impact among first responders following the November 2015 Paris terror attacks. European Journal of Public Health, 2017, 27, .	0.1	O
172	THU0675â€Development and psychometric validation of a tool to assess the fears of patients with chronic inflammatory rheumatic diseases: the fair scale. , 2017, , .		0
173	Health Problems in Migrating Children. Padiatrie Und Padologie, 2018, 53, 11-16.	1.0	O
174	Psychological follow-up and its perception in civilians involved in the January 2015 terrorist attack in Paris, France. European Journal of Public Health, 2019, 29, .	0.1	0