## Pierre Chauvin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6789992/publications.pdf Version: 2024-02-01



DIEDDE CHALIVIN

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Online mis/disinformation and vaccine hesitancy in the era of COVID-19: Why we need an eHealth<br>literacy revolution. Human Vaccines and Immunotherapeutics, 2022, 18, 1-3.   | 1.4 | 64        |
| 2  | Mental health care utilization by first responders after Paris attacks. Occupational Medicine, 2022, 72, 81-90.  | 0.8 | 7         |
| 3  | Effect of Internet use for searching information on vaccination on the uptake of human<br>papillomavirus vaccine in France: A path-analysis approach. Preventive Medicine, 2021, 149, 106615.                              | 1.6 | 1         |
| 4  | Intrapleural use of urokinase and DNase in pleural infections managed with repeated thoracentesis: A comparative cohort study. PLoS ONE, 2021, 16, e0257339.   | 1.1 | 8         |
| 5  | Meal times and synchronization: A cross-metropolitan comparison between Santiago (Chile) and Paris<br>(France). Social Science Journal, 2020, 57, 470-484.   | 0.9 | 2         |
| 6  | The determinants of cervical cancer screening uptake in women with obesity: application of the<br>Andersen's behavioral model to the CONSTANCES survey. Cancer Causes and Control, 2020, 31, 51-62.                        | 0.8 | 6         |
| 7  | Factors associated with PTSD and partial PTSD among first responders following the Paris terror attacks in November 2015. Journal of Psychiatric Research, 2020, 121, 143-150.   | 1.5 | 47        |
| 8  | Design and content validation of a survey questionnaire assessing the determinants of human<br>papillomavirus (HPV) vaccine hesitancy in France: A reactive Delphi study. Vaccine, 2020, 38, 6127-6140.                    | 1.7 | 4         |
| 9  | Mental Healthcare Utilization among Homeless People in the Greater Paris Area. International Journal of Environmental Research and Public Health, 2020, 17, 8144.  | 1.2 | 1         |
| 10 | Real-world care for individuals aged over fifty with fractures in France: Evidence for a wide care gap–The EPIFRACT Study. Joint Bone Spine, 2020, 87, 467-473.  | 0.8 | 3         |
| 11 | Risk of late cervical cancer screening in the Paris region according to social deprivation and medical densities in daily visited neighborhoods. International Journal of Health Geographics, 2020, 19, 18.                | 1.2 | 3         |
| 12 | Fragility fractures in France: epidemiology, characteristics and quality of life (the EPIFRACT study).<br>Archives of Osteoporosis, 2020, 15, 46.  | 1.0 | 10        |
| 13 | Non-participation and attrition in a longitudinal study of civilians exposed to the January 2015<br>terrorist attacks in Paris, France. BMC Medical Research Methodology, 2020, 20, 63.                                    | 1.4 | 8         |
| 14 | Influence of Individual and Contextual Perceptions and of Multiple Neighborhoods on Depression.<br>International Journal of Environmental Research and Public Health, 2020, 17, 1958.                                      | 1.2 | 5         |
| 15 | General practitioners who never perform Pap smear: the medical offer and the socio-economic context around their office could limit their involvement in cervical cancer screening. BMC Family Practice, 2019, 20, 114.    | 2.9 | 5         |
| 16 | Development of Primary Care Research in North America, Europe, and Australia From 1974 to 2017.<br>Annals of Family Medicine, 2019, 17, 49-51.   | 0.9 | 20        |
| 17 | Social and structural factors and engagement in HIV care of sub-Saharan African migrants diagnosed<br>with HIV in the Paris region. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31,<br>897-907. | 0.6 | 5         |
| 18 | Impact of legal status change on undocumented migrants' health and well-being (Parchemins):<br>protocol of a 4-year, prospective, mixed-methods study. BMJ Open, 2019, 9, e028336.   | 0.8 | 24        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Effects of a systematically offered social and preventive medicine consultation on training and<br>health attitudes of young people not in employment, education or training (NEETs): An interventional<br>study in France. PLoS ONE, 2019, 14, e0216226.                            | 1.1 | 6         |
| 20 | Psychological follow-up and its perception in civilians involved in the January 2015 terrorist attack in<br>Paris, France. European Journal of Public Health, 2019, 29, .  | 0.1 | 0         |
| 21 | Self-Perceived Health among Migrants Seen in Médecins du Monde Free Clinics in Europe: Impact of<br>Length of Stay and Wealth of Country of Origin on Migrants' Health. International Journal of<br>Environmental Research and Public Health, 2019, 16, 4878.                        | 1.2 | 3         |
| 22 | Role of obesity in differences in cervical cancer screening rates by migration history. The CONSTANCES survey. Cancer Epidemiology, 2019, 58, 98-103.  | 0.8 | 8         |
| 23 | Healthcare provision and the psychological, somatic and social impact on people involved in the terror attacks in January 2015 in Paris: cohort study. British Journal of Psychiatry, 2018, 212, 207-214.  | 1.7 | 52        |
| 24 | Adaptive Behavior of Sheltered Homeless Children in the French ENFAMS Survey. American Journal of<br>Public Health, 2018, 108, 503-510.  | 1.5 | 7         |
| 25 | Social vulnerabilities and health conditions of arrestees in the Greater Paris area, France, in 2013: a multicentre cross-sectional study. International Journal of Legal Medicine, 2018, 132, 897-905.  | 1.2 | 2         |
| 26 | Refusal to provide health care to sub-Saharan African migrants in France. Lancet Public Health, The,<br>2018, 3, e12.  | 4.7 | 6         |
| 27 | Development and psychometric validation of a patient-reported outcome measure to assess fears in rheumatoid arthritis and axial spondyloarthritis: the Fear Assessment in Inflammatory Rheumatic diseases (FAIR) questionnaire. Annals of the Rheumatic Diseases, 2018, 77, 258-263. | 0.5 | 16        |
| 28 | Who self-medicates? Results from structural equation modeling in the Greater Paris area, France. PLoS ONE, 2018, 13, e0208632.   | 1.1 | 6         |
| 29 | Health Problems in Migrating Children. Padiatrie Und Padologie, 2018, 53, 11-16.   | 1.0 | 0         |
| 30 | Access to innovative drugs for metastatic lung cancer treatmentÂin a French nationwide cohort: the<br>TERRITOIRE study. BMC Cancer, 2018, 18, 1013.  | 1.1 | 6         |
| 31 | Social inequalities in health and mental health in France. The results of a 2010 population-based survey in Paris Metropolitan Area. PLoS ONE, 2018, 13, e0203676.   | 1.1 | 16        |
| 32 | Prevalence of Mental Disorders and Addictions among Homeless People in the Greater Paris Area,<br>France. International Journal of Environmental Research and Public Health, 2018, 15, 241.  | 1.2 | 29        |
| 33 | Food Insecurity in Homeless Families in the Paris Region (France): Results from the ENFAMS Survey.<br>International Journal of Environmental Research and Public Health, 2018, 15, 420.  | 1.2 | 18        |
| 34 | Health and Health Care for Homeless People in Various Contexts. International Journal of Environmental Research and Public Health, 2018, 15, 948.  | 1.2 | 1         |
| 35 | Refusal to provide healthcare to sub-Saharan migrants in France: a comparison according to their HIV<br>and HBV status. European Journal of Public Health, 2018, 28, 904-910.  | 0.1 | 6         |
| 36 | Development and application of a questionnaire to assess patient beliefs in rheumatoid arthritis and axial spondyloarthritis. Clinical Rheumatology, 2018, 37, 2649-2657.  | 1.0 | 13        |

| #  | Article  | IF                  | CITATIONS             |
|----|--|---------------------|-----------------------|
| 37 | Men from Sub-Saharan Africa Living in Worker Hostels in France: A Hidden Population with Poor<br>Access to HIV Testing. Journal of Immigrant and Minority Health, 2017, 19, 991-994.   | 0.8                 | 5                     |
| 38 | Cervical cancer screening among homeless women in the Greater Paris Area (France): results of the ENFAMS survey. European Journal of Cancer Prevention, 2017, 26, 240-248.   | 0.6                 | 7                     |
| 39 | Contextual determinants of participation in cervical cancer screening in France, 2010. Cancer Epidemiology, 2017, 48, 117-123.   | 0.8                 | 5                     |
| 40 | Mental health impact among first responders following the November 2015 Paris terror attacks.<br>European Journal of Public Health, 2017, 27, .  | 0.1                 | 0                     |
| 41 | THU0675â€Development and psychometric validation of a tool to assess the fears of patients with chronic inflammatory rheumatic diseases: the fair scale. , 2017, , .   |                     | 0                     |
| 42 | Survival inequalities in patients with lung cancer in France: A nationwide cohort study (the) Tj ETQq0 0 0 rgBT /C   | )verlock 1<br>1.1   | 0 Tf 50 542 T         |
| 43 | Unmet healthcare needs in homeless women with children in the Greater Paris area in France. PLoS ONE, 2017, 12, e0184138.  | 1.1                 | 29                    |
| 44 | Un système de protection sociale universaliste, mais des barrières à l'accès aux soins encore trop<br>nombreuses. , 2017, , 113-136.   |                     | 3                     |
| 45 | Health and access to care among vulnerable populations in Europe: Findings from the 2015 Doctors of the World International Network Observatory. European Journal of Public Health, 2016, 26, .  | 0.1                 | 0                     |
| 46 | Pediatric cholesteatoma surgery : results of cartilage block ossiculoplasty. Journal of Laryngology and Otology, 2016, 130, S162-S163.   | 0.4                 | 0                     |
| 47 | Disengagement of general practitioners in cervical cancer screening. European Journal of Cancer Prevention, 2016, 25, 547-555.   | 0.6                 | 11                    |
| 48 | Élaboration et validation psychométrique d'un outil d'évaluation des craintes perçues par les pa<br>souffrant de rhumatisme inflammatoire chroniqueÂ: l'échelle «ÂFAIR». Revue Du Rhumatisme (Edition  | atients<br>) TjίQq( | ) 0 <b>0</b> rgBT /Ov |
| 49 | Etude des croyances liées aux modes de vie et leurs impacts sur la maladie chez 672 patients souffrant<br>de polyarthrite rhumatoÃ <sup>-</sup> de ou de spondyloarthrite axiale. Revue Du Rhumatisme (Edition Francaise),<br>2016, 83, A71-A72. | 0.0                 | 0                     |
| 50 | High Levels Of Fears Of Patients With Rheumatoid Arthritis Or Axial Spondyloarthritis Are Associated<br>With Gender, Disease Activity, Anxiety And Depression: A Cross-Sectional Study Of 672 Patients. Value<br>in Health, 2016, 19, A473-A474. | 0.1                 | 0                     |
| 51 | Gender-Specific Impact Of Hta Bodies On Drug Prescriptions: Evidence From Alzheimer's Disease Drugs<br>In France. Value in Health, 2016, 19, A67.  | 0.1                 | 0                     |
| 52 | Refusal to provide health care to people with HIV in France. Lancet, The, 2016, 387, 1508-1509.  | 6.3                 | 6                     |
| 53 | Lifestyle Beliefs Of 672 Patients With Rheumatoid Arthritis Or Axial Spondyloarthritis. Value in<br>Health, 2016, 19, A472.  | 0.1                 | 0                     |
| 54 | Emotional and behavioral difficulties in children growing up homeless in Paris. Results of the<br>ENFAMS survey. European Psychiatry, 2016, 38, 51-60.   | 0.1                 | 17                    |

| #  | Article  | lF  | CITATIONS |
|----|--|-----|-----------|
| 55 | THU0619â€Lifestyle Beliefs of 672 Patients with Rheumatoid Arthritis or Axial Spondyloarthritis. Annals of the Rheumatic Diseases, 2016, 75, 417.1-417.  | 0.5 | Ο         |
| 56 | THU0620â€Gender, Disease Activity, Anxiety and Depression Levels Are Related To The Levels of Fears of<br>Patients with Rheumatoid Arthritis or Axial Spondyloarthritis: A Cross-Sectional Study of 672<br>Patients. Annals of the Rheumatic Diseases, 2016, 75, 417.2-418.  | 0.5 | 1         |
| 57 | Multivariate methods for the analysis of complex and big data in forensic sciences. Application to age estimation in living persons. Forensic Science International, 2016, 266, 581.e1-581.e9.   | 1.3 | 13        |
| 58 | Spanish students' use of the Internet for mental health information and support seeking. Health<br>Informatics Journal, 2016, 22, 333-354.   | 1.1 | 24        |
| 59 | Impact of rheumatoid arthritis on career progression, productivity, and employability: The PRET Study.<br>Joint Bone Spine, 2016, 83, 47-52.   | 0.8 | 29        |
| 60 | Asthma-Like Symptoms in Homeless Children in the Greater Paris Area in 2013: Prevalence, Associated Factors and Utilization of Healthcare Services in the ENFAMS Survey. PLoS ONE, 2016, 11, e0153872.   | 1.1 | 9         |
| 61 | Socio-Economic Determinants of the Need for Dental Care in Adults. PLoS ONE, 2016, 11, e0158842.   | 1.1 | 20        |
| 62 | Quartiers et effets de quartier. Analyse de la variabilité de la taille des quartiers perçus dans<br>l'agglomération parisienne. Annales De Geographie, 2016, N° 708, 119-142.   | 0.1 | 3         |
| 63 | The Most Frequent Fears and Beliefs of 226 Patients with Rheumatoid Arthritis or Spondyloarthritis,<br>Using a Novel Questionnaire. Value in Health, 2015, 18, A715.   | 0.1 | 4         |
| 64 | Development and Validation of a Questionnaire Assessing the fears and Beliefs of Patients Suffering from Chronic Rheumatic Diseases. Value in Health, 2015, 18, A708.  | 0.1 | 4         |
| 65 | Obstacles in access to care for children. Italian Journal of Pediatrics, 2015, 41, .   | 1.0 | 0         |
| 66 | Is There Still a French Eating Model? A Taxonomy of Eating Behaviors in Adults Living in the Paris<br>Metropolitan Area in 2010. PLoS ONE, 2015, 10, e0119161.   | 1.1 | 24        |
| 67 | Why underserved patients do not consult their general practitioner for depression: results of a qualitative and a quantitative survey at a free outpatient clinic in Paris, France. BMC Family Practice, 2015, 16, 57.   | 2.9 | 12        |
| 68 | The â€~constant size neighbourhood trap' in accessibility and health studies. Urban Studies, 2015, 52,<br>338-357.   | 2.2 | 50        |
| 69 | A general framework for a reliable multivariate analysis and pattern recognition in high-dimensional<br>epidemiological data, based on cluster robustness: A tutorial to enrich the epidemiologists' toolkit.<br>Revue D'Epidemiologie Et De Sante Publique, 2015, 63, 9-19. | 0.3 | 3         |
| 70 | Does Healthy Food Access Matter in a French Urban Setting?. American Journal of Agricultural Economics, 2015, 97, 1400-1416.   | 2.4 | 15        |
| 71 | Risk Factors of Pneumocystis Pneumonia in Solid Organ Recipients in the Era of the Common Use of<br>Posttransplantation Prophylaxis. American Journal of Transplantation, 2015, 15, 190-199.   | 2.6 | 112       |
| 72 | Impact of migration origin on individual protection strategies against sexual transmission of HIV in<br>Paris metropolitan area, SIRS cohort study, France. BMC Public Health, 2015, 15, 807.  | 1.2 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Which adults in the Paris metropolitan area have never been tested for HIV? A 2010 multilevel, cross-sectional, population-based study. BMC Infectious Diseases, 2015, 15, 278.   | 1.3 | 5         |
| 74 | Neighbourhood Characteristics and Long-Term Air Pollution Levels Modify the Association between<br>the Short-Term Nitrogen Dioxide Concentrations and All-Cause Mortality in Paris. PLoS ONE, 2015, 10,<br>e0131463.                            | 1.1 | 47        |
| 75 | Are Immigrants and Nationals Born to Immigrants at Higher Risk for Delayed or No Lifetime Breast and<br>Cervical Cancer Screening? The Results from a Population-Based Survey in Paris Metropolitan Area in<br>2010. PLoS ONE, 2014, 9, e87046. | 1.1 | 34        |
| 76 | Fears and Beliefs in Rheumatoid Arthritis and Spondyloarthritis: A Qualitative Study. PLoS ONE, 2014,<br>9, e114350.  | 1.1 | 39        |
| 77 | Reporting of patient-perceived impact of rheumatoid arthritis and axial spondyloarthritis over 10 years: a systematic literature review. Rheumatology, 2014, 53, 1274-1281.   | 0.9 | 22        |
| 78 | Food Insecurity, a Determinant of Obesity? - an Analysis from a Population-Based Survey in the Paris<br>Metropolitan Area, 2010. Obesity Facts, 2014, 7, 120-129.   | 1.6 | 30        |
| 79 | Chronic air pollution and social deprivation as modifiers of the association between high temperature and daily mortality. Environmental Health, 2014, 13, 53.  | 1.7 | 27        |
| 80 | Use of an Emergency Department in Saint-Laurent du Maroni, French Guiana: Does Being<br>Undocumented Make a Difference?. Journal of Immigrant and Minority Health, 2014, 16, 586-594.   | 0.8 | 11        |
| 81 | AB1088â€Impact of Rheumatoid Arthritis on Work Capacity: Results of A Survey in A Population of Patients under 60 Years. Annals of the Rheumatic Diseases, 2014, 73, 1161.2-1161.   | 0.5 | Ο         |
| 82 | Applying Multivariate Clustering Techniques to Health Data: The 4 Types of Healthcare Utilization in the Paris Metropolitan Area. PLoS ONE, 2014, 9, e115064.   | 1.1 | 30        |
| 83 | Differences in Recourse to HIV Testing According to Migration Origin in the Paris Metropolitan Area in 2010. Journal of Immigrant and Minority Health, 2013, 15, 842-845.   | 0.8 | 4         |
| 84 | Depression prevalence and primary care among vulnerable patients at a free outpatient clinic in Paris,<br>France, in 2010: results of a cross-sectional survey. BMC Family Practice, 2013, 14, 151.   | 2.9 | 14        |
| 85 | Prevalence and socioeconomic and geographical inequalities of household food insecurity in the Paris region, France, 2010. BMC Public Health, 2013, 13, 486.  | 1.2 | 55        |
| 86 | Are Public Subsidies Effective to Reduce Hospitalizations. Value in Health, 2013, 16, A551.   | 0.1 | 0         |
| 87 | Family history of immigration from a tuberculosis endemic country and low family income are associated with a higher BCG vaccination coverage in lle-de-France region, France. Vaccine, 2013, 31, 5666-5671.                                    | 1.7 | 8         |
| 88 | The role of a lack of social integration in never having undergone breast cancer screening: Results<br>from a population-based, representative survey in the Paris metropolitan area in 2010. Preventive<br>Medicine, 2013, 57, 386-391.        | 1.6 | 8         |
| 89 | Who still eats three meals a day? Findings from a quantitative survey in the Paris area. Appetite, 2013, 63, 59-69.   | 1.8 | 58        |
| 90 | Factors Associated with Absenteeism in Rheumatoid Arthritis Patients in Employment: Results of a<br>Survey Among French Patients. Value in Health, 2013, 16, A570-A571.   | 0.1 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Gender Differences in the Association between Socioeconomic Status and Subclinical Atherosclerosis. PLoS ONE, 2013, 8, e80195.   | 1.1 | 15        |
| 92  | Pulmonary tuberculosis diagnostic delays in Chad: a multicenter, hospital-based survey in Ndjamena<br>and Moundou. BMC Public Health, 2012, 12, 513.   | 1.2 | 17        |
| 93  | Migrant health in French Guiana: Are undocumented immigrants more vulnerable?. BMC Public Health, 2012, 12, 53.  | 1.2 | 46        |
| 94  | Overweight according to geographical origin and time spent in France: a cross sectional study in the<br>Paris metropolitan area. BMC Public Health, 2012, 12, 937.   | 1.2 | 14        |
| 95  | Investigating the effects of medical density on health-seeking behaviours using a multiscale approach<br>to residential and activity spaces: Results from a prospective cohort study in the Paris metropolitan<br>area, France. International Journal of Health Geographics, 2012, 11, 54. | 1.2 | 29        |
| 96  | Herpes zoster: Family history and psychological stress—Case–control study. Journal of Clinical<br>Virology, 2012, 55, 153-157.   | 1.6 | 61        |
| 97  | Inequalities in cervical cancer screening for women with or without a regular consulting in primary care for gynaecological health, in Paris, France. Preventive Medicine, 2012, 54, 259-265.  | 1.6 | 39        |
| 98  | Le parcours de soins des patients tuberculeux au TchadÂ: une analyse multicentrique à Ndjaména et<br>Moundou en 2009. Sante Publique, 2012, Vol. 24, 55-66.  | 0.0 | 1         |
| 99  | 29. Au-devant, auprès et avec La nécessité de développer de nouvelles pratiques et de nouveaux métie<br>conjuguant outreach, proximité et accompagnement dans le système de soins. , 2012, , 377-386.  | rs  | 2         |
| 100 | Time since the last HIV test and migration origin in the Paris metropolitan area, France. AIDS Care -<br>Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 1117-1127.   | 0.6 | 11        |
| 101 | Barriers to implementation of the new targeted BCG vaccination in France: A cross sectional study.<br>Vaccine, 2011, 29, 5232-5237.  | 1.7 | 15        |
| 102 | P1-231 Food insecurity is associated with overweight in Paris metropolitan area. An analysis of the SIRS cohort in 2010. Journal of Epidemiology and Community Health, 2011, 65, A130-A130.  | 2.0 | 0         |
| 103 | P1-310 Stressful life-events in childhood and depression in adulthood: the role of the social integration according to individual and neighbourhood socioeconomic status. Journal of Epidemiology and Community Health, 2011, 65, A153-A153.   | 2.0 | 0         |
| 104 | P1-167 Individual and territorial disparities in the knowledge and practices of the french national nutritional guideline << fruits and vegetables: at least five every day >> in Paris metropolitan area. Journal of Epidemiology and Community Health, 2011, 65, A112-A112.              | 2.0 | 0         |
| 105 | Response to Letter by Sposato and Saposnik Regarding Article, "Incidence of Stroke and<br>Socioeconomic Neighborhood Characteristics: An Ecological Analysis of Dijon Stroke Registry―<br>Stroke, 2011, 42, .  | 1.0 | 0         |
| 106 | Total Ossiculoplasty in Children <subtitle>Predictive Factors and Long-term Follow-up</subtitle> .<br>JAMA Otolaryngology, 2011, 137, 1240.  | 1.5 | 21        |
| 107 | The role of daily mobility in mental health inequalities: The interactive influence of activity space and neighbourhood of residence on depression. Social Science and Medicine, 2011, 73, 1133-1144.  | 1.8 | 121       |
| 108 | Family social environment in childhood and self-rated health in young adulthood. BMC Public Health, 2011, 11, 949.   | 1.2 | 32        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | P2-524 Food insecurity in the Paris metropolitan area. An analysis of the SIRS cohort in 2010. Journal of Epidemiology and Community Health, 2011, 65, A366-A366.  | 2.0 | 0         |
| 110 | Cartilage Shield Tympanoplasty in Children. JAMA Otolaryngology, 2011, 137, 24.  | 1.5 | 20        |
| 111 | Incidence of ischaemic stroke according to income level among older people: the 3C study. Age and Ageing, 2011, 40, 116-121.   | 0.7 | 20        |
| 112 | Incidence of Stroke and Socioeconomic Neighborhood Characteristics. Stroke, 2011, 42, 1201-1206.   | 1.0 | 57        |
| 113 | Investigating the spatial variability in incidence of coronary heart disease in the Gazel Cohort: the impact of area socioeconomic position and mediating role of risk factors. Journal of Epidemiology and Community Health, 2011, 65, 137-143. | 2.0 | 18        |
| 114 | Gender, socio-economic status, migration origin and neighbourhood of residence are barriers to HIV<br>testing in the Paris metropolitan area. AIDS Care - Psychological and Socio-Medical Aspects of<br>AIDS/HIV, 2011, 23, 1609-1618.           | 0.6 | 22        |
| 115 | Determinants of the frequency of online health information seeking: Results of a Web-based survey conducted in France in 2007. Informatics for Health and Social Care, 2010, 35, 25-39.  | 1.4 | 76        |
| 116 | Exploring mediating factors in the association between parental psychological distress and<br>psychosocial maladjustment in adolescence. European Child and Adolescent Psychiatry, 2010, 19,<br>597-604.   | 2.8 | 38        |
| 117 | The combined effects of activity space and neighbourhood of residence on participation in preventive health-care activities: The case of cervical screening in the Paris metropolitan area (France). Health and Place, 2010, 16, 838-852.        | 1.5 | 103       |
| 118 | Food Insecurity: Could School Food Supplementation Help Break Cycles of Intergenerational Transmission of Social Inequalities?. Pediatrics, 2010, 126, 1174-1181.  | 1.0 | 38        |
| 119 | Otologic Features in Children With Primary Ciliary Dyskinesia. JAMA Otolaryngology, 2010, 136, 1121.   | 1.5 | 82        |
| 120 | Migration, health, and care in French overseas territories. Lancet, The, 2010, 376, 1827-1828.   | 6.3 | 12        |
| 121 | Recherche d'information en santé sur l'internet : une analyse contextuelle des données SIRS, une<br>cohorte parisienne. Sante Publique, 2010, Vol. 21, 27-40.  | 0.0 | 9         |
| 122 | Exposure to interparental violence and psychosocial maladjustment in the adult life course: advocacy for early prevention. Journal of Epidemiology and Community Health, 2009, 63, 563-568.  | 2.0 | 67        |
| 123 | The Tongue-Retaining Device: Efficacy and Side Effects in Obstructive Sleep Apnea Syndrome. Journal of Clinical Sleep Medicine, 2009, 05, 431-438.   | 1.4 | 42        |
| 124 | The tongue-retaining device: efficacy and side effects in obstructive sleep apnea syndrome. Journal of<br>Clinical Sleep Medicine, 2009, 5, 431-8.   | 1.4 | 11        |
| 125 | Health information seeking on the Internet: a double divide? Results from a representative survey in<br>the Paris metropolitan area, France, 2005–2006. BMC Public Health, 2008, 8, 69.  | 1.2 | 112       |
| 126 | A non-randomized vaccine effectiveness trial of accelerated infant hepatitis B immunization schedules<br>with a first dose at birth or age 6 weeks in CÑte d'lvoire. Vaccine, 2008, 26, 2753-2761.   | 1.7 | 47        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Reimbursement of malaria chemoprophylaxis for travellers from Europe to Sub-Saharan Africa:<br>Cost-effectiveness analysis from the perspective of the French national health insurance system.<br>Health Policy, 2008, 88, 186-199.                                   | 1.4 | 23        |
| 128 | Neurodevelopmental consequences of very preterm births. Lancet, The, 2008, 372, 116.   | 6.3 | 1         |
| 129 | Residential environment and blood pressure in the PRIME Study: is the association mediated by body mass index and waist circumference?. Journal of Hypertension, 2008, 26, 1078-1084.  | 0.3 | 47        |
| 130 | Family Breakup and Adolescents' Psychosocial Maladjustment: Public Health Implications of Family<br>Disruptions. Pediatrics, 2007, 120, e984-e991.   | 1.0 | 36        |
| 131 | Congenital Cholesteatoma: Risk Factors for Residual Disease and Retraction Pockets-A Report on 117<br>Cases. Laryngoscope, 2007, 117, 634-637.   | 1.1 | 51        |
| 132 | WHIST: a web-based survey on health information seeking on Internet in France, 2007. AMIA Annual Symposium proceedings, 2007, , 1090-1.  | 0.2 | 1         |
| 133 | Internet uses for health information seeking. Revue D'Epidemiologie Et De Sante Publique, 2006, 54, 263-275.   | 0.3 | 55        |
| 134 | Exposure-to-treatment interval and clinical severity in canine poisoning: a retrospective analysis at a<br>Portland Veterinary Emergency Center. Journal of Veterinary Pharmacology and Therapeutics, 2006,<br>29, 233-236.  | 0.6 | 19        |
| 135 | SLC26A4 gene is frequently involved in nonsyndromic hearing impairment with enlarged vestibular aqueduct in Caucasian populations. European Journal of Human Genetics, 2006, 14, 773-779.  | 1.4 | 204       |
| 136 | Congenital Stapes Ankylosis: Study of 28 Cases and Surgical Results. Laryngoscope, 2006, 116, 1153-1157.   | 1.1 | 35        |
| 137 | Lower utilization of primary, specialty and preventive care services by individuals residing with persons in poor health. European Journal of Public Health, 2006, 16, 209-216.  | 0.1 | 4         |
| 138 | Spatial clustering of mental disorders and associated characteristics of the neighbourhood context in Malmo, Sweden, in 2001. Journal of Epidemiology and Community Health, 2006, 60, 427-435.   | 2.0 | 76        |
| 139 | The moral career of poor patients in free clinics. Social Science and Medicine, 2005, 61, 1369-1380.   | 1.8 | 8         |
| 140 | GJB2 and GJB6 Mutations. JAMA Otolaryngology, 2005, 131, 481.  | 1.5 | 93        |
| 141 | Access to general practitioner services: the disabled elderly lag behind in underserved areas.<br>European Journal of Public Health, 2005, 15, 282-287.  | 0.1 | 22        |
| 142 | Original approach to the individual characteristics associated with forgone healthcare. European<br>Journal of Public Health, 2005, 15, 361-367.   | 0.1 | 14        |
| 143 | Comparison of a Spatial Perspective with the Multilevel Analytical Approach in Neighborhood Studies:<br>The Case of Mental and Behavioral Disorders due to Psychoactive Substance Use in Malmö, Sweden,<br>2001. American Journal of Epidemiology, 2005, 162, 171-182. | 1.6 | 155       |
| 144 | Area-level determinants of specialty care utilization in France: a multilevel analysis. Public Health, 2005, 119, 97-104.  | 1.4 | 26        |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Comparison of a spatial approach with the multilevel approach for investigating place effects on<br>health: the example of healthcare utilisation in France. Journal of Epidemiology and Community<br>Health, 2005, 59, 517-526. | 2.0 | 147       |
| 146 | RE: "DETECTING PATTERNS OF OCCUPATIONAL ILLNESS CLUSTERING WITH ALTERNATING LOGISTIC<br>REGRESSIONS APPLIED TO LONGITUDINAL DATA― American Journal of Epidemiology, 2004, 160, 505-506.  | 1.6 | 10        |
| 147 | A multilevel analysis of tobacco use and tobacco consumption levels in France: Are there any combination risk groups?. European Journal of Public Health, 2004, 14, 186-190.   | 0.1 | 38        |
| 148 | Large deletion of theGJB6gene in deaf patients heterozygous for theGJB2gene mutation: Genotypic and phenotypic analysis. , 2004, 127A, 263-267.  |     | 42        |
| 149 | Circulating endotoxin and antiendotoxin antibodies during severe sepsis and septic shock. Journal of<br>Critical Care, 2003, 18, 115-120.  | 1.0 | 23        |
| 150 | Five day clarithromycin modified release versus 10 day penicillin V for group A streptococcal<br>pharyngitis: a multi-centre, open-label, randomized study. Journal of Antimicrobial Chemotherapy,<br>2002, 49, 337-344.         | 1.3 | 24        |
| 151 | The cost of not implementing routine neonates immunization programmes in HBsAg high prevalence countries. Vaccine, 2002, 20, 2848-2850.  | 1.7 | 7         |
| 152 | Tobacco and alcohol consumption, sedentary lifestyle and overweightness in France: A multilevel<br>analysis of individual and area-level determinants. European Journal of Epidemiology, 2002, 18, 531-538.                      | 2.5 | 58        |
| 153 | Les conséquences des violences conjugales sur la santé des femmes et leur prise en charge en<br>médecine de premier recours. Bulletin De L'Academie Nationale De Medecine, 2002, 186, 949-961.                                   | 0.0 | 2         |
| 154 | Fixed 50% Nitrous Oxide Oxygen Mixture for Painful Procedures: A French Survey. Pediatrics, 2000,<br>105, e47-e47.   | 1.0 | 205       |
| 155 | Précarités, maladie et soins médicaux: trois dynamiques, une unique trajectoire de vie. Médecine Et<br>Maladies Infectieuses, 2000, 30, s205-s214.   | 5.1 | 2         |
| 156 | Measles : sub optimal situation in France. Eurosurveillance, 2000, 5, 21-22.   | 3.9 | 4         |
| 157 | Myringoplasty in Children: Predictive Factors of Outcome. Laryngoscope, 1999, 109, 47-51.  | 1.1 | 86        |
| 158 | Comparison of the safety and immunogenicity of the lyophilized Mérieux seed and the World Health<br>Organization working reference BCG vaccines in school-aged children in Senegal. Vaccine, 1999, 17,<br>105-109.               | 1.7 | 8         |
| 159 | Clinical features of the prevalent form of childhood deafness, DFNB1, due to a connexin-26 gene<br>defect: implications for genetic counselling. Lancet, The, 1999, 353, 1298-1303.  | 6.3 | 412       |
| 160 | Persistence of susceptibility to measles in France despite routine immunization: a cohort analysis<br>American Journal of Public Health, 1999, 89, 79-81.  | 1.5 | 6         |
| 161 | Circulating Endotoxin during Initial Antibiotic Treatment of Severe Gramâ€Negative Bacteremic<br>Infections. Journal of Infectious Diseases, 1998, 178, 270-273.   | 1.9 | 24        |
| 162 | Participation of French general practitioners in public health surveillance: a multidisciplinary<br>approach. Journal of Epidemiology and Community Health, 1998, 52 Suppl 1, 2S-8S.   | 2.0 | 6         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Monitoring the compliance of sentinel general practitioners in public health surveillance: which GPs persevere?. International Journal of Epidemiology, 1997, 26, 166-172.         | 0.9 | 13        |
| 164 | A new out-patient care facility for HIV-infected destitute populations in Paris, France. AIDS Care -<br>Psychological and Socio-Medical Aspects of AIDS/HIV, 1997, 9, 451-459.     | 0.6 | 13        |
| 165 | High doses of hydroxyethyl starch and human albumin have similar effects on monocyte function and oncotic pressure. European Journal of Clinical Investigation, 1997, 27, 943-947. | 1.7 | 5         |
| 166 | Predictive risk factors of residual cholesteatoma in children: a study of 256 cases. The American<br>Journal of Otology, 1997, 18, 550-8.  | 0.4 | 41        |
| 167 | Outpatients care of HIV-1-infected destitute people: a study in Paris, France. Lancet, The, 1996, 348, 480.  | 6.3 | 2         |
| 168 | Correlation between polysialic-neural cell adhesion molecule levels in CSF and medulloblastoma outcomes Journal of Clinical Oncology, 1996, 14, 2066-2072.                         | 0.8 | 38        |
| 169 | Attitude of French General Practitioners to the Public Health Surveillance of Communicable Diseases.<br>International Journal of Epidemiology, 1995, 24, 435-440.                  | 0.9 | 26        |
| 170 | Sentinelle traces of an epidemic of acute gastroenteritis in France. Lancet, The, 1995, 346, 162-163.  | 6.3 | 20        |
| 171 | Early Results of Conventional Versus Two-Portal Endoscopic Carpal Tunnel Release. Journal of Hand<br>Surgery, 1995, 20, 658-662.   | 0.9 | 59        |
| 172 | Constitution and monitoring of an epidemiological surveillance network with sentinel general practitioners. European Journal of Epidemiology, 1994, 10, 477-479.                   | 2.5 | 13        |
| 173 | Heliotrope poisoning in Tadjikistan. Lancet, The, 1993, 341, 1663.   | 6.3 | 20        |
| 174 | Construction and Validation of an Individual Deprivation Index: a Study Based on a Representative<br>Cohort of the Paris Metropolitan Area. Journal of Urban Health, 0, , .        | 1.8 | 1         |