

# Qingbo He

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6790589/qingbo-he-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147  
papers

3,465  
citations

35  
h-index

54  
g-index

160  
ext. papers

4,169  
ext. citations

4  
avg. IF

6.3  
L-index

#	Paper	IF	Citations
147	Parametric Doppler correction analysis for wayside acoustic bearing fault diagnosis. <i>Mechanical Systems and Signal Processing</i> , <b>2022</b> , 166, 108375	7.8	3
146	Evaluation of Lithium-Ion Battery Pack Capacity Consistency Using One-Dimensional Magnetic Field Scanning. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2022</b> , 71, 1-10	5.2	
145	IC Curve-Based Lithium-Ion Battery SOC Estimation at High Rate Charging Current. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2022</b> , 71, 1-9	5.2	2
144	Stimuli-responsive metamaterials with information-driven elastodynamics programming. <i>Matter</i> , <b>2022</b> , 5, 988-1003	12.7	0
143	Dynamic mass isolation method utilized in self-moving precision positioning stage for improved speed performance. <i>Review of Scientific Instruments</i> , <b>2022</b> , 93, 055004	1.7	
142	Scattering-coded architected boundary for computational sensing of elastic waves. <i>Cell Reports Physical Science</i> , <b>2022</b> , 100918	6.1	0
141	Multiple frequency modulation components detection and decomposition for rotary machine fault diagnosis. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2021</b> , 1-1	5.2	0
140	Hybrid Pre-Training Strategy for Deep Denoising Neural Networks and Its Application in Machine Fault Diagnosis. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2021</b> , 70, 1-11	5.2	3
139	Origami-based adjustable sound-absorbing metamaterial. <i>Smart Materials and Structures</i> , <b>2021</b> , 30, 057004	9.4	2
138	Time-Frequency Bandpass Filter with Nonstationary Signal Decomposition Application. <i>Journal of Physics: Conference Series</i> , <b>2021</b> , 1880, 012003	0.3	0
137	An Interpretable Denoising Layer for Neural Networks Based on Reproducing Kernel Hilbert Space and its Application in Machine Fault Diagnosis. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , <b>2021</b> , 34,	2.5	8
136	Manifold Sensing-Based Convolution Sparse Self-Learning for Defective Bearing Morphological Feature Extraction. <i>IEEE Transactions on Industrial Informatics</i> , <b>2021</b> , 17, 3069-3078	11.9	10
135	A novel method for polymer electrolyte membrane fuel cell fault diagnosis using 2D data. <i>Journal of Power Sources</i> , <b>2021</b> , 482, 228894	8.9	7
134	Smart metasurface shaft for vibration source identification with a single sensor. <i>Journal of Sound and Vibration</i> , <b>2021</b> , 493, 115836	3.9	4
133	Interactive Visual Simulation Modeling for Structural Response Prediction and Damage Detection. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 1-1	8.9	1
132	An Evaluation Method for Feature Selection in Proton Exchange Membrane Fuel Cell Fault Diagnosis. <i>IEEE Transactions on Industrial Electronics</i> , <b>2021</b> , 1-1	8.9	1
131	Long-Term Performance Prediction of PEMFC Based on LASSO-ESN. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2021</b> , 70, 1-11	5.2	5

130	Oscillation based permutation entropy calculation as a dynamic nonlinear feature for health monitoring of rolling element bearing. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2021</b> , 172, 108891	4.6	9
129	Gearbox fault diagnosis based on bearing dynamic force identification. <i>Journal of Sound and Vibration</i> , <b>2021</b> , 511, 116360	3.9	1
128	Gearbox Condition Monitoring Using Sparse Filtering and Parameterized Time-Frequency Analysis. <i>Lecture Notes in Mechanical Engineering</i> , <b>2021</b> , 105-113	0.4	1
127	Effectiveness of PEMFC historical state and operating mode in PEMFC prognosis. <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 32355-32366	6.7	11
126	A scale independent flexible bearing health monitoring index based on time frequency manifold energy & entropy. <i>Measurement Science and Technology</i> , <b>2020</b> , 31, 114003	2	12
125	Vision-Based Moving Mass Detection by Time-Varying Structure Vibration Monitoring. <i>IEEE Sensors Journal</i> , <b>2020</b> , 20, 11566-11577	4	3
124	Randomized resonant metamaterials for single-sensor identification of elastic vibrations. <i>Nature Communications</i> , <b>2020</b> , 11, 2353	17.4	13
123	Tachless bearing fault detection based on adaptive impulse extraction in the time domain under fluctuant speed. <i>Measurement Science and Technology</i> , <b>2020</b> , 31, 074004	2	6
122	Sensitive Feature Extraction of Telemetry Vibration Signal Based on Referenced Manifold Spatial Fusion Learning. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2020</b> , 69, 7281-7294	5.2	4
121	Feature Clustering Analysis Using Reference Model towards Rolling Bearing Performance Degradation Assessment. <i>Shock and Vibration</i> , <b>2020</b> , 2020, 1-14	1.1	2
120	Fibonacci array-based focused acoustic camera for estimating multiple moving sound sources. <i>Journal of Sound and Vibration</i> , <b>2020</b> , 478, 115351	3.9	5
119	A Novel Method for Periodical Impulses Detection and Its Applications in Rubbing Fault Diagnosis. <i>Smart Innovation, Systems and Technologies</i> , <b>2020</b> , 747-759	0.5	
118	Time-Varying Motion Filtering for Vision-Based Nonstationary Vibration Measurement. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2020</b> , 69, 3907-3916	5.2	5
117	Stiffness-mass-coding metamaterial with broadband tunability for low-frequency vibration isolation. <i>Journal of Sound and Vibration</i> , <b>2020</b> , 489, 115685	3.9	10
116	Vision-based vibration measurement by sensing motion of spider silk. <i>Procedia Manufacturing</i> , <b>2020</b> , 49, 126-131	1.5	4
115	Vibration Characteristics of Rolling Element Bearings with Different Radial Clearances for Condition Monitoring of Wind Turbine. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 4731	2.6	23
114	Doppler distortion removal based on Dopplerlet transform and re-sampling for wayside fault diagnosis of train bearings. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , <b>2020</b> , 095440622096956	1.3	1
113	Fault diagnosis of rotating machines based on the EMD manifold. <i>Mechanical Systems and Signal Processing</i> , <b>2020</b> , 135, 106443	7.8	60

112	. <i>IEEE Sensors Journal</i> , <b>2020</b> , 20, 8287-8296	4	25
111	Doppler Distortion Removal in Wayside Circular Microphone Array Signals. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2019</b> , 68, 1238-1251	5.2	2
110	Transient Feature Extraction Based on Time-Frequency Manifold Image Synthesis for Machinery Fault Diagnosis. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2019</b> , 68, 4242-4252	5.2	13
109	Design of a three degrees-of-freedom biomimetic microphone array based on a coupled circuit. <i>Measurement Science and Technology</i> , <b>2019</b> , 30, 065101	2	2
108	Separating Multiple Moving Sources by Microphone Array Signals for Wayside Acoustic Fault Diagnosis. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , <b>2019</b> , 141,	1.6	1
107	Fast time-frequency manifold learning and its reconstruction for transient feature extraction in rotating machinery fault diagnosis. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2019</b> , 141, 380-395	4.6	32
106	Proposal for the Realization of a Single-Detector Acoustic Camera Using a Space-Coiling Anisotropic Metamaterial. <i>Physical Review Applied</i> , <b>2019</b> , 11,	4.3	15
105	High-accuracy fault feature extraction for rolling bearings under time-varying speed conditions using an iterative envelope-tracking filter. <i>Journal of Sound and Vibration</i> , <b>2019</b> , 448, 211-229	3.9	36
104	Frequency-domain intrinsic component decomposition for multimodal signals with nonlinear group delays. <i>Signal Processing</i> , <b>2019</b> , 154, 57-63	4.4	8
103	A review of stochastic resonance in rotating machine fault detection. <i>Mechanical Systems and Signal Processing</i> , <b>2019</b> , 116, 230-260	7.8	179
102	Doppler distortion elimination using short-time sparse singular value decomposition strategy for wayside acoustic source fault diagnosis. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , <b>2019</b> , 233, 5499-5514	1.3	0
101	Transient feature self-enhancement via shift-invariant manifold sparse learning for rolling bearing health diagnosis. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2019</b> , 148, 106957	4.6	9
100	Combining Spatial Filtering and Sparse Filtering for Coaxial-Moving Sound Source Separation, Enhancement and Fault Diagnosis. <i>IEEE Access</i> , <b>2019</b> , 7, 25150-25162	3.5	3
99	An Effective Accuracy Evaluation Method for LFM CW Radar Displacement Monitoring With Phasor Statistical Analysis. <i>IEEE Sensors Journal</i> , <b>2019</b> , 19, 12224-12234	4	7
98	Transient Signal Analysis Using Parallel Time-Frequency Manifold Filtering for Bearing Health Diagnosis. <i>IEEE Access</i> , <b>2019</b> , 7, 175277-175289	3.5	0
97	Study on intra-wave frequency modulation phenomenon in detection of rub-impact fault. <i>Mechanical Systems and Signal Processing</i> , <b>2019</b> , 122, 342-363	7.8	20
96	Multi-Scale Stochastic Resonance Spectrogram for fault diagnosis of rolling element bearings. <i>Journal of Sound and Vibration</i> , <b>2018</b> , 420, 174-184	3.9	55
95	Bearing fault diagnosis of a permanent magnet synchronous motor via a fast and online order analysis method in an embedded system. <i>Mechanical Systems and Signal Processing</i> , <b>2018</b> , 113, 36-49	7.8	46

94	Feature-difference sparse filtering for bearing health monitoring <b>2018</b> ,		2
93	Automatic bearing fault diagnosis of permanent magnet synchronous generators in wind turbines subjected to noise interference. <i>Measurement Science and Technology</i> , <b>2018</b> , 29, 025002	2	14
92	Multi-bearing weak defect detection for wayside acoustic diagnosis based on a time-varying spatial filtering rearrangement. <i>Mechanical Systems and Signal Processing</i> , <b>2018</b> , 100, 224-241	7.8	27
91	Enhanced directional acoustic sensing with phononic crystal cavity resonance. <i>Applied Physics Letters</i> , <b>2018</b> , 112, 261902	3.4	20
90	Signal separation and correction with multiple Doppler acoustic sources for wayside fault diagnosis of train bearings. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , <b>2017</b> , 231, 2664-2680	1.3	0
89	Online Fault Diagnosis of Motor Bearing via Stochastic-Resonance-Based Adaptive Filter in an Embedded System. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , <b>2017</b> , 47, 1111-1122	7.3	55
88	Frequency-shift vibro-acoustic modulation driven by low-frequency broadband excitations in a bistable cantilever oscillator. <i>Measurement Science and Technology</i> , <b>2017</b> , 28, 037002	2	2
87	Nonlinear Damage Localization in Structures Using Nonlinear Vibration Modulation of Ultrasonic-Guided Waves. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , <b>2017</b> , 139,	1.6	2
86	Doppler Correction Using Short-Time MUSIC and Angle Interpolation Resampling for Wayside Acoustic Defective Bearing Diagnosis. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2017</b> , 66, 671-680	5.2	14
85	Dual-directionally tunable metamaterial for low-frequency vibration isolation. <i>Applied Physics Letters</i> , <b>2017</b> , 110, 021907	3.4	17
84	Energy-Fluctuated Multiscale Feature Learning With Deep ConvNet for Intelligent Spindle Bearing Fault Diagnosis. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2017</b> , 66, 1926-1935	5.2	242
83	A computer-vision-based rotating speed estimation method for motor bearing fault diagnosis. <i>Measurement Science and Technology</i> , <b>2017</b> , 28, 065012	2	18
82	Time-Frequency Manifold for Machinery Fault Diagnosis. <i>Smart Sensors, Measurement and Instrumentation</i> , <b>2017</b> , 131-154	0.3	1
81	Complementary multi-mode low-frequency vibration energy harvesting with chiral piezoelectric structure. <i>Applied Physics Letters</i> , <b>2017</b> , 110, 213901	3.4	24
80	Wayside Bearing Fault Diagnosis Based on Envelope Analysis Paved with Time-Domain Interpolation Resampling and Weighted-Correlation-Coefficient-Guided Stochastic Resonance. <i>Shock and Vibration</i> , <b>2017</b> , 2017, 1-17	1.1	4
79	Doppler distortion correction based on microphone array and matching pursuit algorithm for a wayside train bearing monitoring system. <i>Measurement Science and Technology</i> , <b>2017</b> , 28, 105006	2	6
78	Rotating machine fault diagnosis through enhanced stochastic resonance by full-wave signal construction. <i>Mechanical Systems and Signal Processing</i> , <b>2017</b> , 85, 82-97	7.8	63
77	Periodic fault signal enhancement in rotating machine vibrations via stochastic resonance. <i>JVC/Journal of Vibration and Control</i> , <b>2016</b> , 22, 4227-4246	2	24

76	Nonstationary weak signal detection based on normalization stochastic resonance with varying parameters. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , <b>2016</b> , 41, 621-632	1	5
75	The Doppler Effect based acoustic source separation for a wayside train bearing monitoring system. <i>Journal of Sound and Vibration</i> , <b>2016</b> , 361, 307-329	3.9	20
74	Sparse Signal Reconstruction Based on Time-Frequency Manifold for Rolling Element Bearing Fault Signature Enhancement. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2016</b> , 65, 482-491	5.2	37
73	Assessing the severity of fatigue crack using acoustics modulated by hysteretic vibration for a cantilever beam. <i>Journal of Sound and Vibration</i> , <b>2016</b> , 370, 306-318	3.9	2
72	Sparse representation based on local time-frequency template matching for bearing transient fault feature extraction. <i>Journal of Sound and Vibration</i> , <b>2016</b> , 370, 424-443	3.9	49
71	Wayside acoustic defective bearing detection based on improved Dopplerlet transform and Doppler transient matching. <i>Applied Acoustics</i> , <b>2016</b> , 101, 141-155	3.1	11
70	Multi-bearing defect detection with trackside acoustic signal based on a pseudo time-frequency analysis and Dopplerlet filter. <i>Mechanical Systems and Signal Processing</i> , <b>2016</b> , 70-71, 176-200	7.8	17
69	Fault Diagnosis of Motor Bearing by Analyzing a Video Clip. <i>Mathematical Problems in Engineering</i> , <b>2016</b> , 2016, 1-11	1.1	2
68	Two-class model based on nonlinear manifold learning for bearing health monitoring <b>2016</b> ,		2
67	A novel diversiform stochastic resonance of a domain wall and its performance at different states. <i>Modern Physics Letters B</i> , <b>2016</b> , 30, 1650167	1.6	0
66	Time-frequency manifold sparse reconstruction: A novel method for bearing fault feature extraction. <i>Mechanical Systems and Signal Processing</i> , <b>2016</b> , 80, 392-413	7.8	54
65	Fault diagnosis of motor bearing with speed fluctuation via angular resampling of transient sound signals. <i>Journal of Sound and Vibration</i> , <b>2016</b> , 385, 16-32	3.9	59
64	Wavelet Packet Envelope Manifold for Fault Diagnosis of Rolling Element Bearings. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2016</b> , 65, 2515-2526	5.2	44
63	. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2016</b> , 65, 2538-2550	5.2	39
62	Time-varying singular value decomposition for periodic transient identification in bearing fault diagnosis. <i>Journal of Sound and Vibration</i> , <b>2016</b> , 379, 213-231	3.9	39
61	Adaptive Multiscale Noise Tuning Stochastic Resonance for Health Diagnosis of Rolling Element Bearings. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2015</b> , 64, 564-577	5.2	82
60	Enhanced Rotating Machine Fault Diagnosis Based on Time-Delayed Feedback Stochastic Resonance. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , <b>2015</b> , 137,	1.6	48
59	Effects of underdamped step-varying second-order stochastic resonance for weak signal detection <b>2015</b> , 36, 93-103		85

58	A fusion feature and its improvement based on locality preserving projections for rolling element bearing fault classification. <i>Journal of Sound and Vibration</i> , <b>2015</b> , 335, 367-383	3.9	76
57	Multiscale envelope manifold for enhanced fault diagnosis of rotating machines. <i>Mechanical Systems and Signal Processing</i> , <b>2015</b> , 52-53, 376-392	7.8	21
56	Online Doppler Effect Elimination Based on Unequal Time Interval Sampling for Wayside Acoustic Bearing Fault Detecting System. <i>Sensors</i> , <b>2015</b> , 15, 21075-98	3.8	6
55	Stochastic Resonance in an Underdamped System with Pinning Potential for Weak Signal Detection. <i>Sensors</i> , <b>2015</b> , 15, 21169-95	3.8	26
54	Time-frequency manifold histogram matching for transient signal detection <b>2015</b> ,		4
53	Bearing Defect Diagnosis by Stochastic Resonance Based on Woods-Saxon Potential. <i>Lecture Notes in Mechanical Engineering</i> , <b>2015</b> , 99-108	0.4	1
52	Machinery Fault Signal Reconstruction Using Time-Frequency Manifold. <i>Lecture Notes in Mechanical Engineering</i> , <b>2015</b> , 777-787	0.4	1
51	Multi-scale Manifold for Machinery Fault Diagnosis. <i>Lecture Notes in Mechanical Engineering</i> , <b>2015</b> , 203-204		1
50	Doppler Effect removal based on instantaneous frequency estimation and time domain re-sampling for wayside acoustic defective bearing detector system. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2014</b> , 50, 346-355	4.6	22
49	Doppler effect reduction scheme via acceleration-based Dopplerlet transform and resampling method for the wayside acoustic defective bearing detector system. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , <b>2014</b> , 228, 3356-3373	1.3	12
48	An improved multiscale noise tuning of stochastic resonance for identifying multiple transient faults in rolling element bearings. <i>Journal of Sound and Vibration</i> , <b>2014</b> , 333, 7401-7421	3.9	44
47	A new synthetic detection technique for trackside acoustic identification of railroad roller bearing defects. <i>Applied Acoustics</i> , <b>2014</b> , 85, 69-81	3.1	17
46	De-noising of wayside acoustic signal from train bearings based on variable digital filtering. <i>Applied Acoustics</i> , <b>2014</b> , 83, 127-140	3.1	9
45	Structure damage localization with ultrasonic guided waves based on a time-frequency method. <i>Signal Processing</i> , <b>2014</b> , 96, 21-28	4.4	57
44	Wayside bearing fault diagnosis based on a data-driven Doppler effect eliminator and transient model analysis. <i>Sensors</i> , <b>2014</b> , 14, 8096-125	3.8	18
43	Stochastic Resonance with a Joint Woods-Saxon and Gaussian Potential for Bearing Fault Diagnosis. <i>Mathematical Problems in Engineering</i> , <b>2014</b> , 2014, 1-17	1.1	15
42	Machine Fault Classification Based on Local Discriminant Bases and Locality Preserving Projections. <i>Mathematical Problems in Engineering</i> , <b>2014</b> , 2014, 1-12	1.1	10
41	Doppler Shift Removal Based on Instantaneous Frequency Estimation for Wayside Fault Diagnosis of Train Bearings. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , <b>2014</b> , 136,	1.6	19

40	Out-of-resonance vibration modulation of ultrasound with a nonlinear oscillator for microcrack detection in a cantilever beam. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 171903	3.4	6
39	Sequential Multiscale Noise Tuning Stochastic Resonance for Train Bearing Fault Diagnosis in an Embedded System. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2014</b> , 63, 106-116	5.2	68
38	Discriminant locality preserving projection chart for statistical monitoring of manufacturing processes. <i>International Journal of Production Research</i> , <b>2014</b> , 52, 5286-5300	7.8	4
37	Note: On-line weak signal detection via adaptive stochastic resonance. <i>Review of Scientific Instruments</i> , <b>2014</b> , 85, 066111	1.7	12
36	Doppler effect reduction based on time-domain interpolation resampling for wayside acoustic defective bearing detector system. <i>Mechanical Systems and Signal Processing</i> , <b>2014</b> , 46, 253-271	7.8	26
35	Stochastic resonance with Woods-Baxton potential for rolling element bearing fault diagnosis. <i>Mechanical Systems and Signal Processing</i> , <b>2014</b> , 45, 488-503	7.8	81
34	Exchanged ridge demodulation of time-scale manifold for enhanced fault diagnosis of rotating machinery. <i>Journal of Sound and Vibration</i> , <b>2014</b> , 333, 2450-2464	3.9	18
33	Time-frequency manifold for nonlinear feature extraction in machinery fault diagnosis. <i>Mechanical Systems and Signal Processing</i> , <b>2013</b> , 35, 200-218	7.8	59
32	Wayside acoustic diagnosis of defective train bearings based on signal resampling and information enhancement. <i>Journal of Sound and Vibration</i> , <b>2013</b> , 332, 5635-5649	3.9	75
31	Vibration signal classification by wavelet packet energy flow manifold learning. <i>Journal of Sound and Vibration</i> , <b>2013</b> , 332, 1881-1894	3.9	87
30	Vibration sensor data denoising using a time-frequency manifold for machinery fault diagnosis. <i>Sensors</i> , <b>2013</b> , 14, 382-402	3.8	39
29	Automatic fault diagnosis of rotating machines by time-scale manifold ridge analysis. <i>Mechanical Systems and Signal Processing</i> , <b>2013</b> , 40, 237-256	7.8	26
28	Multiscale slope feature extraction for rotating machinery fault diagnosis using wavelet analysis. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2013</b> , 46, 497-505	4.6	44
27	A fast and adaptive varying-scale morphological analysis method for rolling element bearing fault diagnosis. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , <b>2013</b> , 227, 1362-1370	1.3	51
26	Time-frequency manifold correlation matching for periodic fault identification in rotating machines. <i>Journal of Sound and Vibration</i> , <b>2013</b> , 332, 2611-2626	3.9	31
25	Note: signal amplification and filtering with a tristable stochastic resonance cantilever. <i>Review of Scientific Instruments</i> , <b>2013</b> , 84, 026110	1.7	35
24	Effects of multiscale noise tuning on stochastic resonance for weak signal detection <b>2012</b> , 22, 614-621		93
23	Multiscale noise tuning of stochastic resonance for enhanced fault diagnosis in rotating machines. <i>Mechanical Systems and Signal Processing</i> , <b>2012</b> , 28, 443-457	7.8	106



22	. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2012</b> , 61, 1218-1230	5.2	78
21	Time-scale manifold and its ridge analysis for machine fault diagnosis <b>2012</b> ,		1
20	<b>2012</b> ,		1
19	Multiscale noise tuning stochastic resonance enhances weak signal detection in a circuitry system. <i>Measurement Science and Technology</i> , <b>2012</b> , 23, 115001	2	19
18	Improved regression models for ventilation estimation based on chest and abdomen movements. <i>Physiological Measurement</i> , <b>2012</b> , 33, 79-93	2.9	11
17	Phase Space Feature Based on Independent Component Analysis for Machine Health Diagnosis. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , <b>2012</b> , 134,	1.6	16
16	Rolling Bearing Localized Defect Evaluation by Multiscale Signature via Empirical Mode Decomposition. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , <b>2012</b> , 134,	1.6	17
15	Time-frequency manifold for gear fault signature analysis <b>2011</b> ,		5
14	Bearing defect diagnosis by stochastic resonance with parameter tuning <b>2011</b> ,		1
13	Machine fault signature analysis by midpoint-based empirical mode decomposition. <i>Measurement Science and Technology</i> , <b>2011</b> , 22, 015702	2	29
12	Health Status Identification of Connecting Rod Bearing Based on Support Vector Machine. <i>International Federation for Information Processing</i> , <b>2011</b> , 206-214		
11	A new method of feature extraction for gearbox vibration signals <b>2010</b> ,		2
10	An approach for fault diagnosis of bearings using wavelet-based fractal analysis <b>2010</b> ,		6
9	Midpoint-based empirical decomposition for nonlinear trend estimation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2009</b> , 2009, 2228-31	0.9	
8	Development of statistical regression models for ventilation estimation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2009</b> , 2009, 1266-9	0.9	4
7	MECHANICAL WATCH SIGNATURE ANALYSIS BASED ON WAVELET DECOMPOSITION. <i>International Journal of Wavelets, Multiresolution and Information Processing</i> , <b>2009</b> , 07, 491-512	0.9	2
6	Machine condition monitoring using principal component representations. <i>Mechanical Systems and Signal Processing</i> , <b>2009</b> , 23, 446-466	7.8	73
5	Empirical mode decomposition applied to tissue artifact removal from respiratory signal. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2008</b> , 2008, 3624-7	0.9	7

4	Separating mixed multi-component signal with an application in mechanical watch movement <b>2008</b> , 18, 1013-1028		23
3	Subspace-based gearbox condition monitoring by kernel principal component analysis. <i>Mechanical Systems and Signal Processing</i> , <b>2007</b> , 21, 1755-1772	7.8	104
2	Detection of signal transients using independent component analysis and its application in gearbox condition monitoring. <i>Mechanical Systems and Signal Processing</i> , <b>2007</b> , 21, 2056-2071	7.8	43
1	An iterative morphological difference product wavelet for weak fault feature extraction in rolling bearing fault diagnosis. <i>Structural Health Monitoring</i> , 147592172210863	4.4	1