

Fumio Tanaka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6791144/publications.pdf>

Version: 2024-02-01

27
papers

487
citations

840728

11
h-index

713444

21
g-index

27
all docs

27
docs citations

27
times ranked

762
citing authors

#	ARTICLE	IF	CITATIONS
1	Gastrointestinal IgG4 Deposition Is a New Histopathological Feature of Eosinophilic Gastroenteritis. <i>Digestive Diseases and Sciences</i> , 2022, 67, 3639-3648.	2.3	7
2	Vonoprazan shows efficacy similar to that of proton pump inhibitors with respect to symptomatic, endoscopic, and histological responses in patients with eosinophilic esophagitis. <i>Esophagus</i> , 2021, 18, 372-379.	1.9	16
3	A mask-based infection control method for screening endoscopy may prevent SARS-CoV-2 transmission and relieve staff anxiety. <i>SAGE Open Medicine</i> , 2021, 9, 205031212110470.	1.8	2
4	Rebamipide ameliorates indomethacin-induced small intestinal damage and proton pump inhibitor-induced exacerbation of this damage by modulation of small intestinal microbiota. <i>PLoS ONE</i> , 2021, 16, e0245995.	2.5	8
5	Classification of patients with esophageal eosinophilia by patterns of sensitization revealed by a diagnostic assay for multiple allergen-specific IgEs. <i>Journal of Gastroenterology</i> , 2021, 56, 422-433.	5.1	3
6	Eosinophilic esophagitis and asymptomatic esophageal eosinophilia display similar immunohistological profiles. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2021, 68, 246-252.	1.4	11
7	A case series of sublingual immunotherapy-induced eosinophilic esophagitis: stop or spit. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1607-1611.	0.8	7
8	Ovariectomy-Induced Dysbiosis May Have a Minor Effect on Bone in Mice. <i>Microorganisms</i> , 2021, 9, 2563.	3.6	4
9	Positive correlation between pancreatic volume and post-ERCP retrograde cholangiopancreatography pancreatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 769-776.	2.8	17
10	Response letter to the editor: Impact of proton pump inhibitors on intestinal permeability in stressed animal model. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13960.	3.0	0
11	Supragastric belching in Japan: lower prevalence and relevance for management of gastroesophageal reflux disease compared to United Kingdom. <i>Journal of Gastroenterology</i> , 2020, 55, 1046-1053.	5.1	5
12	Endoscopic findings of gastric lesions in patients with eosinophilic gastrointestinal disorders. <i>Endoscopy International Open</i> , 2020, 08, E1817-E1825.	1.8	12
13	Exosomal hsa-miR-933 in Gastric Juice as a Potential Biomarker for Functional Dyspepsia. <i>Digestive Diseases and Sciences</i> , 2020, 65, 3493-3501.	2.3	5
14	Proton pump inhibitors enhance intestinal permeability via dysbiosis of gut microbiota under stressed conditions in mice. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13841.	3.0	33
15	Randomised trial of acid inhibition by vonoprazan 10/20 mg once daily vs rabeprazole 10/20 mg twice daily in healthy Japanese volunteers (SAMURAI pH study). <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 534-543.	3.7	37
16	The Predictive Factors of Responsiveness to Proton Pump Inhibitor Therapy for Eosinophilic Esophagitis. <i>Gastrointestinal Disorders</i> , 2019, 1, 220-230.	0.8	1
17	Obesity and hiatal hernia may be non-allergic risk factors for esophageal eosinophilia in Japanese adults. <i>Esophagus</i> , 2019, 16, 309-315.	1.9	20
18	Optimal Biopsy Protocol to Evaluate Histological Effectiveness of Proton Pump Inhibitor Therapy in Patients with Eosinophilic Esophagitis. <i>Digestion</i> , 2019, 100, 64-71.	2.3	14

#	ARTICLE	IF	CITATIONS
19	Barrett's esophagus is negatively associated with eosinophilic esophagitis in Japanese subjects. <i>Esophagus</i> , 2019, 16, 168-173.	1.9	10
20	Association between Functional Dyspepsia and Gastric Depressive Erosions in Japanese Subjects. <i>Internal Medicine</i> , 2019, 58, 321-328.	0.7	11
21	Heparin-bridging therapy is associated with post-colorectal polypectomy bleeding in patients whose oral anticoagulation therapy is interrupted. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 1304-1310.	1.5	10
22	Expression of Serum Exosomal and Esophageal MicroRNA in Rat Reflux Esophagitis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1611.	4.1	6
23	Concentration of Glial Cell Line-Derived Neurotrophic Factor Positively Correlates with Symptoms in Functional Dyspepsia. <i>Digestive Diseases and Sciences</i> , 2016, 61, 3478-3485.	2.3	33
24	Alteration of Esophageal Microbiome by Antibiotic Treatment Does Not Affect Incidence of Rat Esophageal Adenocarcinoma. <i>Digestive Diseases and Sciences</i> , 2016, 61, 3161-3168.	2.3	19
25	Cytoglobin May Be Involved in the Healing Process of Gastric Mucosal Injuries in the Late Phase Without Angiogenesis. <i>Digestive Diseases and Sciences</i> , 2013, 58, 1198-1206.	2.3	6
26	A Multicenter Study on the Prevalence of Eosinophilic Esophagitis and PPI-Responsive Esophageal Eosinophilic Infiltration. <i>Internal Medicine</i> , 2012, 51, 3235-3239.	0.7	69
27	Exogenous administration of mesenchymal stem cells ameliorates dextran sulfate sodium-induced colitis via anti-inflammatory action in damaged tissue in rats. <i>Life Sciences</i> , 2008, 83, 771-779.	4.3	121