

Tan Winie

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6791329/tan-winie-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

792
citations

14
h-index

25
g-index

97
ext. papers

915
ext. citations

2.2
avg, IF

4.44
L-index

#	Paper	IF	Citations
85	Flower-like nanosheets FeCo ₂ O ₄ for application in supercapacitor and dye-sensitized solar cell. <i>Journal of Materials Science: Materials in Electronics</i> , 2022 , 33, 3648	2.1	0
84	Long-run performance of dye-sensitized solar cell using natural dye extracted from <i>Costus woodsonii</i> leaves. <i>Optical Materials</i> , 2022 , 123, 111915	3.3	1
83	Synergistic effect of sulfur-doped reduced graphene oxide created via microwave-assisted synthesis for supercapacitor applications. <i>Diamond and Related Materials</i> , 2021 , 108696	3.5	2
82	Comparative study of nickel selenide, iron selenide and platinum on triiodide reduction for dye-sensitized solar cells. <i>Optical Materials: X</i> , 2021 , 13, 100119	1.7	
81	Microwave-assisted reduction of graphene oxide for an electrochemical supercapacitor: Structural and capacitance behavior. <i>Materials Chemistry and Physics</i> , 2021 , 262, 124274	4.4	8
80	Pentafluoropyridine functionalized novel heteroatom-doped with hierarchical porous 3D cross-linked graphene for supercapacitor applications.. <i>RSC Advances</i> , 2021 , 11, 26892-26907	3.7	1
79	Thermomechanical Analysis of Isora Nanofibril Incorporated Polyethylene Nanocomposites. <i>Polymers</i> , 2021 , 13,	4.5	4
78	Influence of 1-methyl-3-propylimidazolium iodide ionic liquid on the performance of dye-sensitized solar cell using hexanoyl chitosan/poly(vinyl chloride) based polymer electrolyte. <i>Optik</i> , 2020 , 208, 164558	2.5	9
77	The synergistic effect of iron cobaltite compare to its single oxides as cathode in supercapacitor. <i>Journal of Electroceramics</i> , 2020 , 44, 183-194	1.5	4
76	Dye-sensitized solar cell based on poly(E-caprolactone) gel polymer electrolyte and cobalt selenide counter electrode. <i>Journal of Polymer Research</i> , 2020 , 27, 1	2.7	5
75	Polymer Electrolytes for Lithium Ion Batteries and Challenges: Part I 2020 , 187-199		0
74	Polymer Electrolytes for Lithium Ion Batteries and Challenges 2020 , 201-230		
73	Thermal Characterization of Polymer Electrolytes 2020 , 65-92		1
72	Polymer Electrolytes for Electrochromic Windows 2020 , 365-389		0
71	Insight on Polymer Electrolytes for Electrochemical Devices Applications 2020 , 113-136		1
70	Polymer Electrolyte Application in Electrochemical Devices 2020 , 137-186		3
69	Polymer Electrolytes for Supercapacitor and Challenges 2020 , 231-297		5

68	Polymer Electrolytes 2020 , 1-21		2
67	Impedance Spectroscopy in Polymer Electrolyte Characterization 2020 , 23-64		3
66	Polymer Electrolytes for Quantum Dot-Sensitized Solar Cells (QDSSCs) and Challenges 2020 , 299-337		3
65	Polymer Electrolytes for Perovskite Solar Cell and Challenges 2020 , 339-363		
64	Energy in a Portable World 2020 , 93-112		1
63	Effect of ionic liquid concentration on the photovoltaic performance of dye-sensitized solar cell. <i>Materials Today: Proceedings</i> , 2019 , 17, 401-407	1.4	7
62	Effect of solvent donor number and temperature on the conductivity of liquid electrolyte. <i>Materials Today: Proceedings</i> , 2019 , 17, 459-464	1.4	0
61	Improved long-term stability of dye-sensitized solar cell employing PMA/PVAc based gel polymer electrolyte. <i>Optical Materials</i> , 2019 , 96, 109349	3.3	11
60	Solid solutions of hexanoyl chitosan/poly(vinyl chloride) blends and NaI for all-solid-state dye-sensitized solar cells. <i>Ionics</i> , 2019 , 25, 3373-3386	2.7	13
59	Stability improvement by incorporating poly(ϵ -caprolactone) in dimethylformamide-potassium iodide liquid electrolyte for dye-sensitized solar cell. <i>Journal of Solid State Electrochemistry</i> , 2019 , 23, 2411-2421	2.6	3
58	Hexanoyl chitosan/ENR25 blend polymer electrolyte system for electrical double layer capacitor. <i>Polymers for Advanced Technologies</i> , 2019 , 30, 726-735	3.2	11
57	PVdF-HFP Quasi-solid-state Electrolyte for Application in Dye-sensitized Solar Cells 2018 , 9, 1187		5
56	Development of pma/pvac-tpai-bmii solid polymer electrolytes for application in dye sensitized solar cell. <i>E3S Web of Conferences</i> , 2018 , 67, 03032	0.5	
55	Characterization of PMA \cap PAI and PVAc \cap PAI solid polymer electrolytes and application in dye-sensitized solar cell. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46835	2.9	10
54	Flexible solid-like electrolytes with ultrahigh conductivity and their applications in all-solid-state supercapacitors.. <i>RSC Advances</i> , 2018 , 8, 30239-30247	3.7	7
53	Ionic liquid effect for efficiency improvement in poly(methyl acrylate)/poly(vinyl acetate)-based dye-sensitized solar cells. <i>High Performance Polymers</i> , 2018 , 30, 937-948	1.6	4
52	Special proceedings of the International Symposium on Materials and Assets Integrity (ISMAI 2016) Advancements and Innovations in Materials and Asset Integrity Analysis and Management during 10th International Materials Technology Conference & Exhibition (IMTCE 2016), Kuala Lumpur, Malaysia, 16-18 May 2016. <i>Ionics</i> , 2017 , 23, 253-255	2.7	
51	Influence of molar mass on the thermal properties, conductivity and intermolecular interaction of poly(ethylene oxide) solid polymer electrolytes. <i>Polymer International</i> , 2017 , 66, 830-838	3.3	10

50	Effect of Temperature on Conductivity Performance of PEO-Nal Based Polymer Electrolytes. <i>Advanced Materials Research</i> , 2017 , 1142, 128-133	0.5	1
49	Thermal, Conductivity and Molecular Interaction Studies of Poly(ethylene oxide)/Poly(methyl acrylate) Solid Polymer Electrolytes. <i>Macromolecular Symposia</i> , 2017 , 371, 114-124	0.8	12
48	The Influence of Temperature on Conductivity and Dielectric Properties of PMA/PVAc Blend with Addition of TPAI Salt. <i>Materials Science Forum</i> , 2017 , 889, 201-206	0.4	1
47	Study on factors governing the conductivity performance of acylated chitosan-Nal electrolyte system. <i>Ionics</i> , 2017 , 23, 3045-3056	2.7	9
46	Blends of hexanoyl chitosan/epoxidized natural rubber doped with EMImTFSI. <i>Ionics</i> , 2017 , 23, 357-366	2.7	5
45	Effect of temperature on the transport property of PVdF-HFP-MPII-PC/DME gel polymer electrolytes 2017 ,		3
44	Study on miscibility of poly(methyl acrylate) and poly(vinyl acetate) by viscometric, thermal and structural analyses. <i>Materials Today: Proceedings</i> , 2017 , 4, 5100-5107	1.4	1
43	Charge carrier density and mobility of poly(vinyl chloride)-based polymer electrolyte using impedance spectroscopy. <i>Materials Today: Proceedings</i> , 2017 , 4, 5130-5137	1.4	5
42	PEMA - LiCF3SO3 polymer electrolytes: Assessment of conductivity and transport properties 2017 ,		3
41	Characterisation of Polymer Electrolytes Based on High Molecular Weight PVC and BMIMCF3SO3. <i>Key Engineering Materials</i> , 2016 , 705, 150-154	0.4	1
40	Dielectric and AC conductivity behavior of Hexanoyl Chitosan-Nal based polymer electrolytes. <i>International Journal of Advanced and Applied Sciences</i> , 2016 , 3, 9-13	1.2	3
39	Biopolymer Electrolytes for Energy Devices 2016 , 311-355		5
38	Conductivity enhancement by controlled percolation of inorganic salt in multiphase hexanoyl chitosan/polystyrene polymer blends. <i>Frontiers of Materials Science</i> , 2015 , 9, 132-140	2.5	19
37	Analyzing FTIR spectra using high sensitivity compare function of FTIR software for 2-pack epoxy paints 2015 ,		4
36	Studies on the effect of acid treated TiO2 on the electrical and tensile properties of hexanoyl chitosan-polystyrene-LiCF3SO3 composite polymer electrolytes 2015 ,		1
35	Effect of the surface treatment of the TiO2 fillers on the properties of hexanoyl chitosan/polystyrene blend-based composite polymer electrolytes. <i>Ionics</i> , 2014 , 20, 347-352	2.7	13
34	Conductivity and dielectric relaxation of Li salt in poly(ethylene oxide) and epoxidized natural rubber polymer electrolytes. <i>Ionics</i> , 2014 , 20, 189-199	2.7	22
33	Selective localization of lithium trifluoromethanesulfonate in the blend of hexanoyl chitosan and polystyrene. <i>High Performance Polymers</i> , 2014 , 26, 666-671	1.6	7

32	FTIR and Electrical Studies of Hexanoyl Chitosan-Based Nanocomposite Polymer Electrolytes. <i>Advanced Materials Research</i> , 2014 , 1043, 36-39	0.5	1
31	Ac Conductivity Study of Hexanoyl Chitosan-LiCF ₃ SO ₃ -EC-Al ₂ O ₃ Nanocomposite Polymer Electrolytes. <i>Advanced Materials Research</i> , 2013 , 667, 93-98	0.5	1
30	Structural and Electrical Characterization of Hexanoyl Chitosan-LiClO ₄ -TiO ₂ -DMC Polymer Electrolytes. <i>Key Engineering Materials</i> , 2013 , 594-595, 608-612	0.4	0
29	Effect of H ₂ SO ₄ Treated TiO ₂ Nano Fillers on the AC Conductivity of Hexanoyl Chitosan-Polystyrene-LiCF ₃ SO ₃ Polymer Electrolytes. <i>Advanced Materials Research</i> , 2013 , 832, 228-232	0.5	
28	Effect of Filler Type on the Electrical Properties of Hexanoyl Chitosan-Based Polymer Electrolytes. <i>Advanced Materials Research</i> , 2013 , 832, 224-227	0.5	1
27	Hexanoyl Chitosan-Polystyrene Blend Based Composite Polymer Electrolyte with Surface Treated TiO ₂ Fillers. <i>Key Engineering Materials</i> , 2013 , 594-595, 656-660	0.4	0
26	Studies on the Structural and Electrical Properties of Hexanoyl Chitosan/Polystyrene-based Polymer Electrolytes. <i>Physics Procedia</i> , 2012 , 25, 215-220		18
25	On the thermodynamics of solid solutions of polymer and salt. <i>Polymer Engineering and Science</i> , 2012 , 52, 2277-2284	2.3	14
24	Effect of Anion Size on the Conductivity Behaviour of Hexanoyl Chitosan-Based Polymer Electrolytes. <i>Advanced Materials Research</i> , 2012 , 545, 317-320	0.5	4
23	Mixed doped lithium nickel vanadate as cathode material by sol-gel and polymer precursor method. <i>Materials Research Innovations</i> , 2011 , 15, s86-s91	1.9	2
22	Structural and electrical studies of hexanoyl chitosan based electrolyte system. <i>Materials Research Innovations</i> , 2011 , 15, s94-s96	1.9	2
21	Ac Conductivity and Dielectric Properties of Hexanoyl Chitosan-LiClO ₄ -TiO ₂ Composite Polymer Electrolytes. <i>Advanced Materials Research</i> , 2011 , 335-336, 873-880	0.5	6
20	Mechanical studies on poly(vinyl chloride)/poly(methyl methacrylate)-based polymer electrolytes. <i>Journal of Materials Science</i> , 2010 , 45, 1280-1283	4.3	18
19	Studies on cellulose acetate-based gel polymer electrolytes for proton batteries. <i>Materials Research Innovations</i> , 2009 , 13, 232-234	1.9	17
18	Electrical properties of PEO/LiCF ₃ SO ₃ /BiO ₂ nanocomposite polymer electrolytes. <i>Materials Research Innovations</i> , 2009 , 13, 255-258	1.9	19
17	Studies on the structure and transport properties of hexanoyl chitosan-based polymer electrolytes. <i>Physica B: Condensed Matter</i> , 2009 , 404, 4308-4311	2.8	41
16	Electrical Studies On Hexanoyl Chitosan-based Nanocomposite Polymer Electrolytes 2009 ,		2
15	Characterisation of Al ₂ O ₃ doped hexanoyl chitosan/LiCF ₃ SO ₃ EC polymer electrolytes. <i>Materials Research Innovations</i> , 2009 , 13, 249-251	1.9	3

14	Effects of double solvents/plasticisers on proton conducting gel polymer electrolytes. <i>Materials Research Innovations</i> , 2009 , 13, 298-301	1.9	1
13	Electrical conductivity of solvent free PEO based polymer electrolytes. <i>Materials Research Innovations</i> , 2009 , 13, 272-274	1.9	1
12	Effect of Amino Acid (L-Leucine) on the Conductivity of PVA/CHITOSAN-LiCF ₃ SO ₃ 2009 ,		1
11	Grafted natural rubber-based polymer electrolytes: ATR-FTIR and conductivity studies. <i>Ionics</i> , 2008 , 14, 491-500	2.7	65
10	Investigation of mechanical properties of polyvinyl chloride-polyethylene oxide (PVC/PEO) based polymer electrolytes for lithium polymer cells. <i>European Polymer Journal</i> , 2007 , 43, 1963-1968	5.2	98
9	Transport properties of hexanoyl chitosan-based gel electrolyte. <i>Ionics</i> , 2006 , 12, 149-152	2.7	56
8	Effect of various plasticizers on the transport properties of hexanoyl chitosan-based polymer electrolyte. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 4474-4479	2.9	13
7	Effect of Ethylene Sulphite on the Conductivity and Morphology of PEO-KOH Films. <i>Materials Science Forum</i> , 2006 , 517, 89-92	0.4	1
6	Characterization of Plasticized Hexanoyl Chitosan-Based Polymer Electrolytes and Application in LiCoO ₂ /MCMB Cells. <i>Materials Science Forum</i> , 2006 , 517, 85-88	0.4	3
5	Ionic conductivity of chitosan membranes and application for electrochemical devices. <i>Polymers for Advanced Technologies</i> , 2006 , 17, 523-527	3.2	25
4	Hexanoyl chitosan-based gel electrolyte for use in lithium-ion cell. <i>Polymers for Advanced Technologies</i> , 2006 , 17, 552-555	3.2	7
3	FT-IR studies on interactions among components in hexanoyl chitosan-based polymer electrolytes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2006 , 63, 677-84	4.4	39
2	Transport studies on filler-doped chitosan based polymer electrolyte. <i>Ionics</i> , 2005 , 11, 451-455	2.7	17
1	Dielectric behaviour and AC conductivity of LiCF ₃ SO ₃ doped H-chitosan polymer films. <i>Ionics</i> , 2004 , 10, 193-199	2.7	67