

Peter J F Henderson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6791616/publications.pdf>

Version: 2024-02-01

109
papers

5,481
citations

116194

36
h-index

93651

72
g-index

113
all docs

113
docs citations

113
times ranked

4929
citing authors

#	ARTICLE	IF	CITATIONS
1	Physiological Functions of Bacterial "Multidrug" Efflux Pumps. <i>Chemical Reviews</i> , 2021, 121, 5417-5478.	23.0	78
2	"Carbon-Monoxide-Releasing Molecule-2 (CORM-2)" Is a Misnomer: Ruthenium Toxicity, Not CO Release, Accounts for Its Antimicrobial Effects. <i>Antioxidants</i> , 2021, 10, 915.	2.2	30
3	Increasing the PACE of characterising novel transporters by functional genomics. <i>Current Opinion in Microbiology</i> , 2021, 64, 1-8.	2.3	5
4	Short-chain diamines are the physiological substrates of PACE family efflux pumps. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 18015-18020.	3.3	21
5	Structure, Substrate Recognition, and Mechanism of the Na ⁺ -Hydantoin Membrane Transport Protein, Mhp1. , 2019, , 1-12.		0
6	Membrane Transport Proteins: The Amino Acid-Polyamine-Organocation (APC) Superfamily. , 2019, , 1-8.		0
7	Structure, Substrate Recognition, and Mechanism of the Na ⁺ -Hydantoin Membrane Transport Protein, Mhp1. , 2019, , 1-12.		0
8	Pacing across the membrane: the novel PACE family of efflux pumps is widespread in Gram-negative pathogens. <i>Research in Microbiology</i> , 2018, 169, 450-454.	1.0	77
9	Microbial expression systems for membrane proteins. <i>Methods</i> , 2018, 147, 3-39.	1.9	57
10	Membrane Transport Proteins: The Nucleobase-Cation-Symport-1 Family. , 2018, , 1-7.		0
11	Production of membrane proteins for characterisation of their pheromone-sensing and antimicrobial resistance functions. <i>European Biophysics Journal</i> , 2018, 47, 723-737.	1.2	5
12	Membrane Transport: Energetics and Overview. , 2018, , 1-13.		0
13	A thiol-reactive Ru(II) ion, not CO release, underlies the potent antimicrobial and cytotoxic properties of CO-releasing molecule-3. <i>Redox Biology</i> , 2018, 18, 114-123.	3.9	77
14	Screening of candidate substrates and coupling ions of transporters by thermostability shift assays. <i>ELife</i> , 2018, 7, .	2.8	45
15	Membrane Transport Proteins: The Nucleobase-Cation-Symport-1 Family. , 2018, , 1-7.		0
16	Membrane Transport Proteins: The Nucleobase-Cation-Symport-1 Family. , 2018, , 1-7.		0
17	Topological Dissection of the Membrane Transport Protein Mhp1 Derived from Cysteine Accessibility and Mass Spectrometry. <i>Analytical Chemistry</i> , 2017, 89, 8844-8852.	3.2	28
18	The putative drug efflux systems of the <i>Bacillus cereus</i> group. <i>PLoS ONE</i> , 2017, 12, e0176188.	1.1	11

#	ARTICLE	IF	CITATIONS
19	Allantoin transport protein, Pucl, from <i>Bacillus subtilis</i> : evolutionary relationships, amplified expression, activity and specificity. <i>Microbiology (United Kingdom)</i> , 2016, 162, 823-836.	0.7	40
20	Purification of bacterial membrane sensor kinases and biophysical methods for determination of their ligand and inhibitor interactions. <i>Biochemical Society Transactions</i> , 2016, 44, 810-823.	1.6	14
21	<i>Bacillus cereus</i> ϵ -ux protein BC3310 is a multidrug transporter of the unknown major facilitator family, UMF-2. <i>Frontiers in Microbiology</i> , 2015, 6, 1063.	1.5	10
22	Amphipols Outperform Dodecylmaltoside Micelles in Stabilizing Membrane Protein Structure in the Gas Phase. <i>Analytical Chemistry</i> , 2015, 87, 1118-1126.	3.2	50
23	An ace up their sleeve: a transcriptomic approach exposes the <i>Acetobacter baumannii</i> ϵ -ux protein of <i>Acinetobacter baumannii</i> and reveals the drug ϵ -ux potential hidden in many microbial pathogens. <i>Frontiers in Microbiology</i> , 2015, 6, 333.	1.5	35
24	Homologs of the <i>Acinetobacter baumannii</i> <i>Acet</i> Transporter Represent a New Family of Bacterial Multidrug Efflux Systems. <i>MBio</i> , 2015, 6, .	1.8	138
25	A Tribute to Stephen Allan Baldwin. <i>Molecular Membrane Biology</i> , 2015, 32, 33-34.	2.0	0
26	Molecular mechanism of ligand recognition by membrane transport protein, Mhp1. <i>EMBO Journal</i> , 2014, 33, 1831-1844.	3.5	79
27	A systematic approach to the amplified expression, functional characterization and purification of inositol transporters from <i>Bacillus subtilis</i> . <i>Molecular Membrane Biology</i> , 2013, 30, 3-14.	2.0	13
28	An Efficient Strategy for Small-Scale Screening and Production of Archaeal Membrane Transport Proteins in <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2013, 8, e76913.	1.1	21
29	Transcriptomic and biochemical analyses identify a family of chlorhexidine efflux proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 20254-20259.	3.3	138
30	Mhp1, the Na ⁺ -Hydantoin Membrane Transport Protein. , 2013, , 1514-1521.		4
31	BC4707 Is a Major Facilitator Superfamily Multidrug Resistance Transport Protein from <i>Bacillus cereus</i> Implicated in Fluoroquinolone Tolerance. <i>PLoS ONE</i> , 2012, 7, e36720.	1.1	20
32	Overcoming barriers to membrane protein structure determination. <i>Nature Biotechnology</i> , 2011, 29, 335-340.	9.4	325
33	The alternating access mechanism of transport as observed in the sodium-hydantoin transporter Mhp1. <i>Journal of Synchrotron Radiation</i> , 2011, 18, 20-23.	1.0	42
34	The MFS Efflux Proteins of Gram ⁺ Positive and Gram ⁻ Negative Bacteria. <i>Advances in Enzymology and Related Areas of Molecular Biology</i> , 2011, 77, 147-166.	1.3	10
35	Defining topological features of membrane proteins by nanoelectrospray ionisation mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 276-284.	0.7	12
36	Molecular Basis of Alternating Access Membrane Transport by the Sodium-Hydantoin Transporter Mhp1. <i>Science</i> , 2010, 328, 470-473.	6.0	283

#	ARTICLE	IF	CITATIONS
37	The sodium-dependent β -glucose transport protein of <i>Helicobacter pylori</i> . <i>Molecular Microbiology</i> , 2009, 71, 391-403.	1.2	28
38	The multidrug resistance efflux complex, EmrAB from <i>Escherichia coli</i> forms a dimer in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2009, 380, 338-342.	1.0	70
39	Expression, purification and activities of the entire family of intact membrane sensor kinases from <i>Enterococcus faecalis</i> . <i>Molecular Membrane Biology</i> , 2008, 25, 449-473.	2.0	27
40	Structure and Molecular Mechanism of a Nucleobase-Cation Symport-1 Family Transporter. <i>Science</i> , 2008, 322, 709-713.	6.0	347
41	Reliable scale-up of membrane protein over-expression by bacterial auto-induction: From microwell plates to pilot scale fermentations. <i>Molecular Membrane Biology</i> , 2008, 25, 588-598.	2.0	21
42	A genomic strategy for cloning, expressing and purifying efflux proteins of the major facilitator superfamily. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 59, 1265-1270.	1.3	14
43	Metabolism of glutamine and glutathione via γ -glutamyltranspeptidase and glutamate transport in <i>Helicobacter pylori</i> : possible significance in the pathophysiology of the organism. <i>Molecular Microbiology</i> , 2007, 64, 396-406.	1.2	102
44	A high-throughput method for membrane protein solubility screening: The ultracentrifugation dispersity sedimentation assay. <i>Protein Science</i> , 2007, 16, 1422-1428.	3.1	59
45	Redox-responsive in vitro modulation of the signalling state of the isolated PrrB sensor kinase of <i>Rhodobacter sphaeroides</i> NCIB 8253. <i>FEBS Letters</i> , 2006, 580, 3206-3210.	1.3	9
46	Topological analyses of the l-fucose-H ⁺ symport protein, FucP, from <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2006, 15, 771-783.	1.2	16
47	Isolation of <i>Escherichia coli</i> inner membranes by metal affinity two-phase partitioning. <i>Journal of Chromatography A</i> , 2006, 1118, 244-252.	1.8	38
48	Microbial Drug Efflux Proteins of the Major Facilitator Superfamily. <i>Current Drug Targets</i> , 2006, 7, 793-811.	1.0	87
49	The Hydantoin Transport Protein from <i>Microbacterium liquefaciens</i> . <i>Journal of Bacteriology</i> , 2006, 188, 3329-3336.	1.0	49
50	The gusBC Genes of <i>Escherichia coli</i> Encode a Glucuronide Transport System. <i>Journal of Bacteriology</i> , 2005, 187, 2377-2385.	1.0	61
51	Antibiotic resistance: multidrug efflux proteins, a common transport mechanism?. <i>Natural Product Reports</i> , 2005, 22, 439.	5.2	44
52	13th IIS(UK group) symposium. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2004, 47, 299-334.	0.5	3
53	Cloning, expression, purification and properties of a putative multidrug resistance efflux protein from <i>Helicobacter pylori</i> . <i>International Journal of Antimicrobial Agents</i> , 2003, 22, 242-249.	1.1	13
54	Collection and characterisation of bacterial membrane proteins. <i>FEBS Letters</i> , 2003, 555, 170-175.	1.3	33

#	ARTICLE	IF	CITATIONS
55	Molecular dissection of membrane-transport proteins: mass spectrometry and sequence determination of the galactose ⁺ H ⁺ symport protein, GalP, of Escherichia coli and quantitative assay of the incorporation of [ring-2- ¹³ C]histidine and ¹⁵ NH ₃ . <i>Biochemical Journal</i> , 2002, 363, 243.	1.7	15
56	Molecular dissection of membrane-transport proteins: mass spectrometry and sequence determination of the galactose ⁺ H ⁺ symport protein, GalP, of Escherichia coli and quantitative assay of the incorporation of [ring-2- ¹³ C]histidine and ¹⁵ NH ₃ . <i>Biochemical Journal</i> , 2002, 363, 243-252.	1.7	33
57	Expression, Purification and Characterisation of Full-length Histidine Protein Kinase RegB from <i>Rhodobacter sphaeroides</i> . <i>Journal of Molecular Biology</i> , 2002, 320, 201-213.	2.0	57
58	Specific spin labelling of the sugar-H ⁺ symporter, GalP, in cell membranes of Escherichia coli : site mobility and overall rotational diffusion of the protein. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2001, 1510, 464-473.	1.4	9
59	Cysteine residues in the d-galactose ⁺ H ⁺ symport protein of Escherichia coli: effects of mutagenesis on transport, reaction with N-ethylmaleimide and antibiotic binding. <i>Biochemical Journal</i> , 2001, 353, 709.	1.7	4
60	Cysteine residues in the d-galactose ⁺ H ⁺ symport protein of Escherichia coli: effects of mutagenesis on transport, reaction with N-ethylmaleimide and antibiotic binding. <i>Biochemical Journal</i> , 2001, 353, 709-717.	1.7	10
61	Subcellular Distribution and Membrane Topology of the Mammalian Concentrative Na ⁺ -Nucleoside Cotransporter rCNT1. <i>Journal of Biological Chemistry</i> , 2001, 276, 27981-27988.	1.6	90
62	Comparative analyses of different types of secondary active solute transport proteins. <i>Biochemical Society Transactions</i> , 2000, 28, A90-A90.	1.6	0
63	Overexpression of the bacterial transporter NupC - a model for mammalian active nucleoside transporters. <i>Biochemical Society Transactions</i> , 2000, 28, A93-A93.	1.6	0
64	Construction and overexpression of an affinity-tagged NupG, a bacterial nucleoside transporter from Escherichia coli. <i>Biochemical Society Transactions</i> , 2000, 28, A94-A94.	1.6	0
65	Selective NMR observation of inhibitor and sugar binding to the galactose-H ⁺ symport protein GalP, of Escherichia coli. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2000, 1509, 55-64.	1.4	18
66	The improved synthesis of ¹² D-glucuronides using TEMPO and t-butyl hypochlorite. <i>Tetrahedron Letters</i> , 1999, 40, 1201-1202.	0.7	36
67	Expression of prokaryotic membrane transport proteins in Escherichia coli - successes and failures. <i>Biochemical Society Transactions</i> , 1999, 27, A140-A140.	1.6	0
68	Expression of isotopically labelled membrane transport proteins. <i>Biochemical Society Transactions</i> , 1999, 27, A150-A150.	1.6	0
69	Overexpresion, purification and structural analysis of the Escherichia colil-fucose-H ⁺ membrane transport protein, FucP. <i>Biochemical Society Transactions</i> , 1999, 27, A150-A150.	1.6	0
70	Weak Substrate Binding to Transport Proteins Studied by NMR. <i>Biophysical Journal</i> , 1998, 75, 2794-2800.	0.2	22
71	Effect of the D32N and N300F mutations on the activity of the bacterial sugar transport protein, GalP. <i>Biochemical Society Transactions</i> , 1998, 26, S306-S306.	1.6	8
72	Function and Structure of Membrane Transport Proteins. , 1998, , 3-29.		3

#	ARTICLE	IF	CITATIONS
73	Asparagine 394 in Putative Helix 11 of the Galactose-H ⁺ Symport Protein (GalP) from Escherichia coli Is Associated with the Internal Binding Site for Cytochalasin B and Sugar. <i>Journal of Biological Chemistry</i> , 1997, 272, 15189-15199.	1.6	34
74	Purification, reconstitution and circular dichroism of the galactose-H ⁺ transport protein [GalP-(His) ₆] of Escherichia coli. <i>Biochemical Society Transactions</i> , 1997, 25, 471S-471S.	1.6	5
75	Cation and sugar selectivity determinants in a novel family of transport proteins. <i>Molecular Microbiology</i> , 1996, 19, 911-922.	1.2	174
76	Unidirectional Reconstitution into Detergent-destabilized Liposomes of the Purified Lactose Transport System of. <i>Journal of Biological Chemistry</i> , 1996, 271, 15358-15366.	1.6	109
77	The Role of Tryptophans 371 and 395 in the Binding of Antibiotics and the Transport of Sugars by the D-Galactose-H ⁺ Symport Protein (GalP) from Escherichia coli. <i>Journal of Biological Chemistry</i> , 1995, 270, 30359-30370.	1.6	16
78	Dissection of discrete kinetic events in the binding of antibiotics and substrates to the galactose-H ⁺ symport protein, GalP, of Escherichia coli. <i>Antonie Van Leeuwenhoek</i> , 1994, 65, 349-358.	0.7	6
79	Identification of a novel sugar-H ⁺ symport protein, FucP, for transport of L-fucose into Escherichia coli. <i>Molecular Microbiology</i> , 1994, 12, 799-809.	1.2	45
80	The kinetics and thermodynamics of the binding of cytochalasin B to sugar transporters. <i>FEBS Journal</i> , 1994, 221, 513-522.	0.2	22
81	The variability of kinetic parameters for sugar transport in different mutants of the galactose-H ⁺ symport protein, GalP, of Escherichia coli. <i>Biochemical Society Transactions</i> , 1994, 22, 643-646.	1.6	7
82	The pre-steady-state kinetics of conformational changes in sugar transporters. <i>Biochemical Society Transactions</i> , 1994, 22, 650-654.	1.6	2
83	Mutagenesis of the galactose-H ⁺ symporter, GalP, of Escherichia coli. <i>Biochemical Society Transactions</i> , 1994, 22, 277S-277S.	1.6	1
84	The interaction of forskolin with the galactose-H ⁺ transport protein (GalP) of Escherichia coli. <i>Biochemical Society Transactions</i> , 1994, 22, 278S-278S.	1.6	1
85	Equilibrium and transient kinetic studies of the binding of cytochalasin B to the l-arabinose-H ⁺ symport protein of Escherichia coli. Determination of the sugar binding specificity of the l-arabinose-H ⁺ symporter. <i>FEBS Journal</i> , 1993, 215, 43-54.	0.2	15
86	The 12-transmembrane helix transporters. <i>Current Opinion in Cell Biology</i> , 1993, 5, 708-721.	2.6	170
87	Homologous sugar-transport proteins in microbes and man. <i>Biochemical Society Transactions</i> , 1993, 21, 1002-1006.	1.6	24
88	Sugar- ⁺ Cation Symport Systems in Bacteria. <i>International Review of Cytology</i> , 1992, 137, 149-208.	6.2	49
89	Nucleoside transporters in human placenta. <i>Biochemical Society Transactions</i> , 1992, 20, 244S-244S.	1.6	5
90	Purification of the galactose/H ⁺ symport protein of Escherichia coli. <i>Biochemical Society Transactions</i> , 1992, 20, 251S-251S.	1.6	1

#	ARTICLE	IF	CITATIONS
91	Membrane transport proteins: implications of sequence comparisons. <i>Current Opinion in Cell Biology</i> , 1992, 4, 684-695.	2.6	333
92	Studies of translocation catalysis. <i>Bioscience Reports</i> , 1991, 11, 477-538.	1.1	24
93	Proton-linked sugar transport systems in bacteria. <i>Journal of Bioenergetics and Biomembranes</i> , 1990, 22, 525-569.	1.0	159
94	Detection of proton-linked sugar transport proteins in Enterobacteriaceae. <i>Biochemical Society Transactions</i> , 1989, 17, 441-444.	1.6	6
95	Photoaffinity labelling of the GalP d-galactose transport protein of <i>Escherichia coli</i> with cytochalasin B. <i>Biochemical Society Transactions</i> , 1989, 17, 552-553.	1.6	6
96	The <i>scp</i> -xylose binding protein of <i>Escherichia coli</i> . <i>Biochemical Society Transactions</i> , 1989, 17, 553-554.	1.6	8
97	Sugars, antibiotics, microbes and men. <i>Trends in Genetics</i> , 1987, 3, 62-64.	2.9	11
98	Mammalian and bacterial sugar transport proteins are homologous. <i>Nature</i> , 1987, 325, 641-643.	13.7	417
99	[31] Assay, genetics, proteins, and reconstitution of proton-linked galactose, arabinose, and xylose transport systems of <i>Escherichia coli</i> . <i>Methods in Enzymology</i> , 1986, 125, 387-429.	0.4	57
100	Sugar-proton transport systems of <i>Escherichia coli</i> . <i>Biochemical Society Transactions</i> , 1984, 12, 146-148.	1.6	6
101	A Kinetic Analysis of the Effects of Inhibitor-1 and Inhibitor-2 on the Activity of Protein Phosphatase-1. <i>FEBS Journal</i> , 1983, 132, 309-313.	0.2	68
102	Reconstitution of the GalP galactose transport activity of <i>Escherichia coli</i> into liposomes made from soybean phospholipids. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1983, 732, 204-209.	1.4	20
103	The isolation and purification of the elvapeptins. <i>FEBS Letters</i> , 1982, 145, 258-262.	1.3	27
104	The inter-relationship between proton-coupled and binding-protein-dependent transport systems in bacteria. <i>Biochemical Society Transactions</i> , 1980, 8, 678-679.	1.6	10
105	Purification and Preliminary Structural Analysis of the Efrapeptins, a Group of Antibiotics that Inhibit the Mitochondrial Adenosine Triphosphatase. <i>Biochemical Society Transactions</i> , 1979, 7, 224-226.	1.6	21
106	The Multiplicity of Components, Energization Mechanisms and Functions involved in Galactose Transport into <i>Escherichia coli</i> . <i>Biochemical Society Transactions</i> , 1977, 5, 25-28.	1.6	4
107	Steady-state enzyme kinetics with high-affinity substrates or inhibitors. A statistical treatment of dose-response curves. <i>Biochemical Journal</i> , 1973, 135, 101-107.	1.7	68
108	A linear equation that describes the steady-state kinetics of enzymes and subcellular particles interacting with tightly bound inhibitors. <i>Biochemical Journal</i> , 1972, 127, 321-333.	3.2	503

#	ARTICLE	IF	CITATIONS
109	Equipping a Research Scale Fermentation Laboratory for Production of Membrane Proteins. , 0, , 37-67.		3