

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6791623/yi-yin-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81 papers	654 citations	13 h-index	22 g-index
117 ext. papers	886 ext. citations	2.6 avg, IF	4.27 L-index

#	Paper	IF	Citations
81	Nanoparticle surface modification induced space charge suppression in linear low density polyethylene. <i>Applied Physics Letters</i> , 2009 , 95, 242905	3.4	91
80	Effect of temperature on space charge trapping and conduction in cross-linked polyethylene. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2014 , 21, 1784-1791	2.3	63
79	Influence of aluminum nanoparticle surface treatment on the electrical properties of polyethylene composites. <i>Journal of Applied Physics</i> , 2009 , 105, 014105	2.5	53
78	Polyethylene/aluminum nanocomposites: Improvement of dielectric strength by nanoparticle surface modification. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 3577-3584	2.9	35
77	Effect of temperature on space charge detrapping and periodic grounded DC tree in cross-linked polyethylene. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2016 , 23, 3704-3711	2.3	28
76	Effect of surface fluorination on space charge behavior in multilayered polyimide films. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2014 , 21, 1817-1823	2.3	22
75	Correlation between rheological, electrical, and microstructure characteristics in polyethylene/aluminum nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008 , 46, 2143-2154	2.6	17
74	High Field Electrical Conduction in the Nanocomposite of Low-density Polyethylene and Nano-SiOX. <i>IEEJ Transactions on Fundamentals and Materials</i> , 2006 , 126, 1064-1071	0.2	17
73	Partial Discharge Investigation of Form-Wound Electric Machine Winding for Electric Aircraft Propulsion. <i>IEEE Transactions on Transportation Electrification</i> , 2021 , 7, 78-90	7.6	17
72	Nanostructures and space charge characteristics of MgO/LDPE nanocomposites. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 2390-2399	2.3	16
71	Effect of DC Prestressing on Periodic Grounded DC Tree in Cross-Linked Polyethylene at Different Temperatures. <i>IEEE Access</i> , 2017 , 5, 25876-25884	3.5	15
70	Partial Discharge Investigation of Form-Wound Electric Machine Winding for Electric Aircraft Propulsion. <i>IEEE Transactions on Transportation Electrification</i> , 2020 , 6, 1638-1647	7.6	14
69	Effect of surface fluorination on space charge behavior at LDPE/EPDM interface 2013 ,		13
68	Space charge behavior in low density polyethylene at low temperatures. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 3860-3868	2.3	12
67	Research progress on space charge measurement and space charge characteristics of nanodielectrics. <i>IET Nanodielectrics</i> , 2018 , 1, 114-121	2.8	12
66	Effect of space charge in nanocomposite of LDPE/TiO/sub 2/		12
65	Relationship between space charge behavior and trap energy density distribution: A simultaneous measurement. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2019 , 26, 738-745	2.3	11

64	Effect of micro and nano-size boron nitride and silicon carbide on thermal properties and partial discharge resistance of silicone elastomer composite. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020 , 27, 377-385	2.3	11
63	Research on a practical de-noising method and the characterization of partial discharge UHF signals. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2014 , 21, 2206-2216	2.3	10
62	Enhanced electrical properties in percolative low-density polyethylene/carbon nanotubes nanocomposites. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2010 , 17, 645-652	2.3	10
61	Characteristics of electrical tree defect during the growth period in high-voltage DC cable under stepped DC voltage. <i>IET Generation, Transmission and Distribution</i> , 2019 , 13, 3195-3201	2.5	9
60	A modified thermally stimulated current analysis method for direct determination of trap energy distribution. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 3138-3143	2.3	8
59	The Effect of Electrically Prestressing on DC Breakdown Strength in the Nanocomposite of Low-density Polyethylene / nano-SiO _x 2007 ,		8
58	Investigation of surface trap distribution in LDPE/SiO ₂ nanocomposite based on simultaneous observation of space charge and relaxation current. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2016 , 23, 3486-3493	2.3	8
57	. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 11097-11108	7.2	8
56	Space charge observation under periodic stresses [Part 1: The simplest system and corresponding phase identification. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 2579-2588	2.3	7
55	A space-charge and relaxation-current based method for estimating electron and hole trap energy distribution. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 3839-3848	2.3	7
54	. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2016 , 23, 1820-1828	2.3	6
53	A Modified Algorithm for the Simulation of Charge Behavior in Water Tree Aged Cross-Linked Polyethylene Cable. <i>IEEE Access</i> , 2018 , 6, 23929-23938	3.5	5
52	The effect of nano-MGO addition on grounded DC tree in cross-linked polyethylene 2015 ,		5
51	Temperature effect on space charge dynamics in LDPE/MgO nanocomposite under DC stress 2010 ,		5
50	Study on Aging Characteristics of XLPE Cable Insulation Based on Quantum Chemical Calculation. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2020 , 27, 1942-1950	2.3	5
49	Research on simultaneous measurement of space charge and conduction current for thermally aged cross-linked polyethylene 2017 ,		4
48	Computer simulation and analysis of electric and temperature fields of HVDC cables 2009 ,		4
47	Charge carrier transportation in the composite of Nano-MgO and cross-linking polyethylene 2009 ,		4

46	Thermally Stimulated Currents of SiO ₂ /Low-density Polyethylene Micro- and Nanocomposites. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , 2010 , 5, 385-390	1	4
45	Moisture-dependent interface and bulk behaviour of space charge in DC-stressed oil-impregnated pressboard insulation. <i>IET Generation, Transmission and Distribution</i> , 2021 , 15, 558-567	2.5	4
44	Interfacial Charge Dynamics of XLPE/EPDM Double Layers by Simultaneous Measurement of Space Charge and Relaxation Current. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2021 , 28, 569-577 ³	2.3	4
43	Study on space charge behavior of oil-paper insulation under AC-DC combined stress 2016 ,		3
42	Simulation of space charge behavior in LDPE/silica nanocomposite with a modified model 2015 ,		3
41	Processing of partial discharge ultra-high frequency signals from a true size transformer 2013 ,		3
40	Effect of nanosilica grain size on the trap density distribution in LDPE/silica nanocomposite 2013 ,		3
39	The condition assessment system of XLPE cables using the isothermal relaxation current technique 2009 ,		3
38	Electrical conductivity of polyethylene aluminum nanocomposites with different particle surface chemistry characteristics 2008 ,		3
37	Dielectric characteristics of SiO ₂ /LDPE micro- and nanocomposites 2008 ,		3
36	Space Charge in Low-density Polyethylene /micro-SiO ₂ composite and Low-density Polyethylene/ nano-SiO _x composite with different metal electrode pairs 2007 ,		3
35	The effect of filler content on slow polarization behavior in composite of nano-SiO _x or micro-SiO ₂ and low-density polyethylene 2007 ,		3
34	Mobility-limited charge injection in cross-linked polyethylene under extra high electric field. <i>High Voltage</i> , 2021 , 6, 782-792	4.1	3
33	Space Charge Behavior in Ethylene Propylene Rubber Under a 50-Hz AC Electric Field. <i>IEEE Access</i> , 2019 , 7, 171995-172003	3.5	3
32	Simulation of space charge behavior in LDPE with a modified of bipolar charge transport model 2014 ,		2
31	Study on conduction current characteristics of corona-resistant polyimide film before and after thermal aging 2017 ,		2
30	Investigation on space charge behavior in water tree aged crosslinked polyethylene (XLPE) cable by experiment and simulation 2017 ,		2
29	Space charge measurement system using high-frequency pulse generator 2015 ,		2

28	Calculation of electric field and temperature field distribution in MVDC polymeric power cable 2009 ,		2
27	Interaction Effects of Three Major Crosslinking Byproducts on Space Charge Accumulation in Polyethylene. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2021 , 28, 710-718	2,3	2
26	Effect of Moisture Content on Dynamic Characteristics of Space Charge in Oil-paper Insulation under AC Field 2018 ,		2
25	Effect of nano-filler grain size on space charge behavior in LDPE /MgO nanocomposite 2014 ,		1
24	Experimental Investigating on on-line monitoring of insulation system of power transformers 2013 ,		1
23	Research of Generator Stator Bar Insulation Detection based on Isothermal Relaxation Current Method 2013 ,		1
22	Small-angle X-ray scattering study on nanostructures of MgO/LDPE nanocomposites 2017 ,		1
21	Electron behavior in hydrogen atom under electric fields 2015 ,		1
20	Temperature effect of space charge distribution in cross-linked polyethylene 2012 ,		1
19	The influence of nano-filler on space charge distribution in LDPE/silica nanocomposites 2011 ,		1
18	High field conduction behavior of nanocomposite of low-density polyethylene and Ag nanoparticles 2008 ,		1
17	The thermally stimulated currents of SiO ₂ / low-density polyethylene micro- and nanocomposites 2008 ,		1
16	Space Charge Distribution Behavior of Nano-SiO _x and Low-density Polyethylene Composite 2006 ,		1
15	Low Frequency Polarization Behavior of Nano-Ag/Low-density Polyethylene Composite 2006 ,		1
14	The Effect of Electrical Stressing History on the Slow Polarization of Nano-SiO _x and Low-density Polyethylene Composite 2006 ,		1
13	Effect of pH value on the structures and optical properties of chemical bath deposition cadmium sulfide thin films 2007 ,		1
12	Dielectric Properties and Coulomb Blockade Effect in Nano-Ag/Silicone Resin Modified Polyester Composite. <i>IEEJ Transactions on Fundamentals and Materials</i> , 2006 , 126, 1148-1152	0.2	1
11	Experiment and Simulation of Space Charge Distribution in 35mm Cable Insulation 2018 ,		1

10	Electrical Tree Growth in Polyethylene during the DC Voltage Rise and the Influence of the Tree Defect Size 2018 ,		1
9	Charge Transport in Full-Size HVDC Cable Joint with Modeling of XLPE/EPDM Interface. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2021 , 28, 2117-2125	2.3	1
8	A higher-order accurate algorithm based on two-dimensional unstructured mesh for simulation of charge transportation in solid dielectrics. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017 , 24, 3165-3172	2.3	0
7	Space Charge Behavior in Oil-Impregnated Paper Insulation under Sinusoidal Electric Field with Wide Frequency Range. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2022 , 1-1	2.3	0
6	Direct-Current Breakdown Test Method Based on Electrode-Embedded Fully Extruded Molding Crosslinked Polyethylene Sample. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2022 , 1-1	2.3	0
5	Insulation condition forewarning of form-wound winding for electric aircraft propulsion based on partial discharge and deep learning neural network. <i>High Voltage</i> , 2021 , 6, 302-313	4.1	0
4	Text prediction method based on multi-label attributes and improved maximum entropy model. <i>Journal of Intelligent and Fuzzy Systems</i> , 2018 , 34, 1097-1109	1.6	0
3	Corrections to Partial Discharge Investigation of Form-Wound Electric Machine Winding for Electric Aircraft Propulsion□ <i>IEEE Transactions on Transportation Electrification</i> , 2021 , 7, 2951-2951	7.6	0
2	An Investigation of 3D Filtering for Signal Processing of Space Charge in Dielectric under Periodic Electric Field. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2021 , 28, 780-787	2.3	
1	Text recommendation based on time series and multi-label information. <i>Computer Science and Information Systems</i> , 2021 , 18, 419-439	0.8	