## Yi Yin

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6791623/yi-yin-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81	654	13	<b>22</b>
papers	citations	h-index	g-index
117	886	<b>2.6</b> avg, IF	4.27
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
81	Space Charge Behavior in Oil-Impregnated Paper Insulation under Sinusoidal Electric Field with Wide Frequency Range. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2022</b> , 1-1	2.3	O
80	Direct-Current Breakdown Test Method Based on Electrode-Embedded Fully Extruded Molding Crosslinked Polyethylene Sample. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2022</b> , 1-1	2.3	0
79	Insulation condition forewarning of form-wound winding for electric aircraft propulsion based on partial discharge and deep learning neural network. <i>High Voltage</i> , <b>2021</b> , 6, 302-313	4.1	O
78	Mobility-limited charge injection in cross-linked polyethylene under extra high electric field. <i>High Voltage</i> , <b>2021</b> , 6, 782-792	4.1	3
77	Moisture-dependent interface and bulk behaviour of space charge in DC-stressed oil-impregnated pressboard insulation. <i>IET Generation, Transmission and Distribution</i> , <b>2021</b> , 15, 558-567	2.5	4
76	Interfacial Charge Dynamics of XLPE/EPDM Double Layers by Simultaneous Measurement of Space Charge and Relaxation Current. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2021</b> , 28, 569-5	57 <del>7</del> 3	4
75	Interaction Effects of Three Major Crosslinking Byproducts on Space Charge Accumulation in Polyethylene. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2021</b> , 28, 710-718	2.3	2
74	An Investigation of 3D Filtering for Signal Processing of Space Charge in Dielectric under Periodic Electric Field. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2021</b> , 28, 780-787	2.3	
73	Partial Discharge Investigation of Form-Wound Electric Machine Winding for Electric Aircraft Propulsion. <i>IEEE Transactions on Transportation Electrification</i> , <b>2021</b> , 7, 78-90	7.6	17
72	Text recommendation based on time series and multi-label information. <i>Computer Science and Information Systems</i> , <b>2021</b> , 18, 419-439	0.8	
71	. IEEE Transactions on Power Electronics, <b>2021</b> , 36, 11097-11108	7.2	8
70	Corrections to <b>P</b> artial Discharge Investigation of Form-Wound Electric Machine Winding for Electric Aircraft Propulsion <i>IEEE Transactions on Transportation Electrification</i> , <b>2021</b> , 7, 2951-2951	7.6	О
69	Charge Transport in Full-Size HVDC Cable Joint with Modeling of XLPE/EPDM Interface. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2021</b> , 28, 2117-2125	2.3	1
68	Effect of micro and nano-size boron nitride and silicon carbide on thermal properties and partial discharge resistance of silicone elastomer composite. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2020</b> , 27, 377-385	2.3	11
67	Partial Discharge Investigation of Form-Wound Electric Machine Winding for Electric Aircraft Propulsion. <i>IEEE Transactions on Transportation Electrification</i> , <b>2020</b> , 6, 1638-1647	7.6	14
66	Study on Aging Characteristics of XLPE Cable Insulation Based on Quantum Chemical Calculation. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2020</b> , 27, 1942-1950	2.3	5
65	Relationship between space charge behavior and trap energy density distribution: A simultaneous measurement. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2019</b> , 26, 738-745	2.3	11

## (2017-2019)

64	Characteristics of electrical tree defect during the growth period in high-voltage DC cable under stepped DC voltage. <i>IET Generation, Transmission and Distribution</i> , <b>2019</b> , 13, 3195-3201	2.5	9	
63	Space Charge Behavior in Ethylene Propylene Rubber Under a 50-Hz AC Electric Field. <i>IEEE Access</i> , <b>2019</b> , 7, 171995-172003	3.5	3	
62	A Modified Algorithm for the Simulation of Charge Behavior in Water Tree Aged Cross-Linked Polyethylene Cable. <i>IEEE Access</i> , <b>2018</b> , 6, 23929-23938	3.5	5	
61	Research progress on space charge measurement and space charge characteristics of nanodielectrics. <i>IET Nanodielectrics</i> , <b>2018</b> , 1, 114-121	2.8	12	
60	Experiment and Simulation of Space Charge Distribution in 35mm Cable Insulation 2018,		1	
59	Electrical Tree Growth in Polyethylene during the DC Voltage Rise and the Influence of the Tree Defect Size <b>2018</b> ,		1	
58	Effect of Moisture Content on Dynamic Characteristics of Space Charge in Oil-paper Insulation under AC Field <b>2018</b> ,		2	
57	Text prediction method based on multi-label attributes and improved maximum entropy model. Journal of Intelligent and Fuzzy Systems, <b>2018</b> , 34, 1097-1109	1.6	O	
56	Space charge behavior in low density polyethylene at low temperatures. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2017</b> , 24, 3860-3868	2.3	12	
55	A higher-order accurate algorithm based on two-dimensional unstructured mesh for simulation of charge transportation in solid dielectrics. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2017</b> , 24, 3165-3172	2.3	O	
54	Research on simultaneous measurement of space charge and conduction current for thermally aged cross-linked polyethylene <b>2017</b> ,		4	
53	Small-angle X-ray scattering study on nanostructures of MgO/LDPE nanocomposites 2017,		1	
52	Space charge observation under periodic stresses [Part 1: The simplest system and corresponding phase identification. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2017</b> , 24, 2579-2588	2.3	7	
51	Effect of DC Prestressing on Periodic Grounded DC Tree in Cross-Linked Polyethylene at Different Temperatures. <i>IEEE Access</i> , <b>2017</b> , 5, 25876-25884	3.5	15	
50	Study on conduction current characteristics of corona-resistant polyimide film before and after thermal aging <b>2017</b> ,		2	
49	A modified thermally stimulated current analysis method for direct determination of trap energy distribution. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2017</b> , 24, 3138-3143	2.3	8	
48	A space-charge and relaxation-current based method for estimating electron and hole trap energy distribution. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2017</b> , 24, 3839-3848	2.3	7	
47	Nanostructures and space charge characteristics of MgO/LDPE nanocomposites. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2017</b> , 24, 2390-2399	2.3	16	

46	Investigation on space charge behavior in water tree aged crosslinked polyethylene (XLPE) cable by experiment and simulation <b>2017</b> ,		2
45	. IEEE Transactions on Dielectrics and Electrical Insulation, <b>2016</b> , 23, 1820-1828	2.3	6
44	Study on space charge behavior of oil-paper insulation under AC-DC combined stress 2016,		3
43	Effect of temperature on space charge detrapping and periodic grounded DC tree in cross-linked polyethylene. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2016</b> , 23, 3704-3711	2.3	28
42	Investigation of surface trap distribution in LDPE/SiO2 nanocomposite based on simultaneous observation of space charge and relaxation current. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2016</b> , 23, 3486-3493	2.3	8
41	The effect of nano-MGO addition on grounded DC tree in cross-linked polyethylene <b>2015</b> ,		5
40	Space charge measurement system using high-frequency pulse generator <b>2015</b> ,		2
39	Simulation of space charge behavior in LDPE/silica nanocomposite with a modified model 2015,		3
38	Electron behavior in hydrogen atom under electric fields 2015,		1
37	Effect of nano-filler grain size on space charge behavior in LDPE /MgO nanocomposite 2014,		1
36	Effect of surface fluorination on space charge behavior in multilayered polyimide films. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2014</b> , 21, 1817-1823	2.3	22
35	Simulation of space charge behavior in LDPE with a modified of bipolar charge transport model <b>2014</b> ,		2
34	Effect of temperature on space charge trapping and conduction in cross-linked polyethylene. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2014</b> , 21, 1784-1791	2.3	63
33	Research on a practical de-noising method and the characterization of partial discharge UHF signals. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2014</b> , 21, 2206-2216	2.3	10
32	Experimental Investigating on on-line monitoring of insulation system of power transformers 2013,		1
31	Research of Generator Stator Bar Insulation Detection based on Isothermal Relaxation Current Method <b>2013</b> ,		1
30	Effect of surface fluorination on space charge behavior at LDPE/EPDM interface 2013,		13
29	Processing of partial discharge ultra-high frequency signals from a true size transformer 2013,		3

28	Effect of nanosilica grain size on the trap density distribution in LDPE/silica nanocomposite 2013,		3
27	Temperature effect of space charge distribution in cross-linked polyethylene 2012,		1
26	The influence of nano-filler on space charge distribution in LDPE/silica nanocomposites 2011,		1
25	Temperature effect on space charge dynamics in LDPE/MgO nanocomposite under DC stress 2010,		5
24	Enhanced electrical properties in percolative low-density polyethylene/carbon nanotubes nanocomposites. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2010</b> , 17, 645-652	2.3	10
23	Thermally Stimulated Currents of SiO2/Low-density Polyethylene Micro- and Nanocomposites. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , <b>2010</b> , 5, 385-390	1	4
22	Nanoparticle surface modification induced space charge suppression in linear low density polyethylene. <i>Applied Physics Letters</i> , <b>2009</b> , 95, 242905	3.4	91
21	Polyethylene/aluminum nanocomposites: Improvement of dielectric strength by nanoparticle surface modification. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 113, 3577-3584	2.9	35
20	Computer simulation and analysis of electric and temperature fields of HVDC cables 2009,		4
19	Influence of aluminum nanoparticle surface treatment on the electrical properties of polyethylene composites. <i>Journal of Applied Physics</i> , <b>2009</b> , 105, 014105	2.5	53
18	The condition assessment system of XLPE cables using the isothermal relaxation current technique <b>2009</b> ,		3
17	Charge carrier transportation in the composite of Nano-MgO and cross-linking polyethylene <b>2009</b> ,		4
16	Calculation of electric field and temperature field distribution in MVDC polymeric power cable <b>2009</b> ,		2
15	High field conduction behavior of nanocomposite of low-density polyethylene and Ag nanoparticles <b>2008</b> ,		1
14	Electrical conductivity of polyethylene aluminum nanocomposites with different particle surface chemistry characteristics <b>2008</b> ,		3
13	The thermally stimulated currents of SiO2/ low-density polyethylene micro- and nanocomposites <b>2008</b> ,		1
12	Dielectric characteristics of SiO2/LDPE micro- and nanocomposites 2008,		3
11	Correlation between rheological, electrical, and microstructure characteristics in polyethylene/aluminum nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2008</b> , 46, 2143-2154	2.6	17

10	Space Charge in Low-density Polyethylene /micro-SiO2 composite and Low-density Polyethylene/nano-SiOx composite with different metal electrode pairs <b>2007</b> ,		3
9	The effect of filler content on slow polarization behavior in composite of nano-SiOx or micro-SiO2 and low-density polyethylene <b>2007</b> ,		3
8	Effect of pH value on the structures and optical properties of chemical bath deposition cadmium sulfide thin films <b>2007</b> ,		1
7	The Effect of Electrically Prestressing on DC Breakdown Strength in the Nanocomposite of Low-density Polyethylene / nano-SiOx <b>2007</b> ,		8
6	Space Charge Distribution Behavior of Nano-SiOx and Low-density Polyethylene Composite <b>2006</b> ,		1
5	Low Frequency Polarization Behavior of Nano-Ag/Low-density Polyethylene Composite 2006,		1
4	The Effect of Electrical Stressing History on the Slow Polarization of Nano-SiOx and Low-density Polyethylene Composite <b>2006</b> ,		1
3	High Field Electrical Conduction in the Nanocomposite of Low-density Polyethylene and Nano-SiOX. <i>IEEJ Transactions on Fundamentals and Materials</i> , <b>2006</b> , 126, 1064-1071	0.2	17
2	Dielectric Properties and Coulomb Blockade Effect in Nano-Ag/Silicone Resin Modified Polyester Composite. <i>IEEJ Transactions on Fundamentals and Materials</i> , <b>2006</b> , 126, 1148-1152	0.2	1
1	Effect of space charge in nanocomposite of LDPE/TiO/sub 2/		12