

# Karin Stana-Kleinschek

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6792577/karin-stana-kleinschek-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

180  
papers

4,147  
citations

35  
h-index

50  
g-index

196  
ext. papers

4,824  
ext. citations

4.7  
avg, IF

5.5  
L-index

#	Paper	IF	Citations
180	Oxidized cellulose--survey of the most recent achievements. <i>Carbohydrate Polymers</i> , <b>2013</b> , 93, 207-15	10.3	116
179	Challenges and opportunities in polysaccharides research and technology: The EPNOE views for the next decade in the areas of materials, food and health care. <i>Carbohydrate Polymers</i> , <b>2011</b> , 84, 22-32	10.3	114
178	Fusion of binding domains to Thermobifida cellulolytica cutinase to tune sorption characteristics and enhancing PET hydrolysis. <i>Biomacromolecules</i> , <b>2013</b> , 14, 1769-76	6.9	102
177	Flame retardant activity of SiO <sub>2</sub> -coated regenerated cellulose fibres. <i>Polymer Degradation and Stability</i> , <b>2007</b> , 92, 1957-1965	4.7	95
176	Wettability and surface composition of partly and fully regenerated cellulose thin films from trimethylsilyl cellulose. <i>Journal of Colloid and Interface Science</i> , <b>2011</b> , 358, 604-10	9.3	86
175	Surface characterization and adsorption abilities of cellulose fibers. <i>Polymer Engineering and Science</i> , <b>1999</b> , 39, 1412-1424	2.3	75
174	Functional wound dressing materials with highly tunable drug release properties. <i>RSC Advances</i> , <b>2015</b> , 5, 77873-77884	3.7	73
173	A review of herbal medicines in wound healing. <i>International Journal of Dermatology</i> , <b>2015</b> , 54, 740-51	1.7	71
172	Adsorption of carboxymethyl cellulose on polymer surfaces: evidence of a specific interaction with cellulose. <i>Langmuir</i> , <b>2012</b> , 28, 11440-7	4	71
171	Exploring the rearrangement of amorphous cellulose model thin films upon heat treatment. <i>Soft Matter</i> , <b>2012</b> , 8, 9807	3.6	69
170	Surface characterisation of NH <sub>3</sub> plasma treated polyamide 6 foils. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2001</b> , 195, 81-95	5.1	69
169	Reactivity and electrokinetical properties of different types of regenerated cellulose fibres. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2001</b> , 195, 275-284	5.1	65
168	Functional Polysaccharide Composite Nanoparticles from Cellulose Acetate and Potential Applications. <i>Advanced Functional Materials</i> , <b>2012</b> , 22, 1749-1758	15.6	55
167	Determination of the adsorption character of cellulose fibres using surface tension and surface charge. <i>Materials Research Innovations</i> , <b>2002</b> , 6, 13-18	1.9	53
166	Determination of dissociable groups in natural and regenerated cellulose fibers by different titration methods. <i>Journal of Applied Polymer Science</i> , <b>2004</b> , 92, 3186-3195	2.9	50
165	Combining 3D printing and electrospinning for preparation of pain-relieving wound-dressing materials. <i>Journal of Sol-Gel Science and Technology</i> , <b>2018</b> , 88, 33-48	2.3	49
164	Functional Patterning of Biopolymer Thin Films Using Enzymes and Lithographic Methods. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 308-315	15.6	49

163	Novel cellulose based materials for safe and efficient wound treatment. <i>Carbohydrate Polymers</i> , <b>2014</b> , 100, 55-64	10.3	48
162	Antifouling coating of cellulose acetate thin films with polysaccharide multilayers. <i>Carbohydrate Polymers</i> , <b>2015</b> , 116, 149-58	10.3	47
161	Protonation behavior of cotton fabric with irreversibly adsorbed chitosan: A potentiometric titration study. <i>Carbohydrate Polymers</i> , <b>2009</b> , 78, 36-40	10.3	47
160	Chitosan-silane sol-gel hybrid thin films with controllable layer thickness and morphology. <i>Carbohydrate Polymers</i> , <b>2013</b> , 93, 285-90	10.3	45
159	Sorption Properties of Flax Fibers Depending on Pretreatment Processes and their Environmental Impact. <i>Textile Reseach Journal</i> , <b>2006</b> , 76, 448-454	1.7	44
158	Determining the Surface Free Energy of Cellulose Materials with the Powder Contact Angle Method. <i>Textile Reseach Journal</i> , <b>2004</b> , 74, 55-62	1.7	44
157	Cellulose based thin films as a platform for drug release studies to mimick wound dressing materials. <i>Cellulose</i> , <b>2015</b> , 22, 749-761	5.5	42
156	Improvement of the hemocompatibility of PET surfaces using different sulphated polysaccharides as coating materials. <i>Biomacromolecules</i> , <b>2010</b> , 11, 377-81	6.9	42
155	X-ray study of pre-treated regenerated cellulose fibres. <i>Materials Research Innovations</i> , <b>2003</b> , 7, 275-282	1.9	41
154	Triggering protein adsorption on tailored cationic cellulose surfaces. <i>Biomacromolecules</i> , <b>2014</b> , 15, 3931-41	4.1	40
153	Alkaline membrane fuel cells: anion exchange membranes and fuels. <i>Sustainable Energy and Fuels</i> , <b>2021</b> , 5, 604-637	5.8	40
152	The influence of classical and enzymatic treatment on the surface charge of cellulose fibres. <i>Colloid and Polymer Science</i> , <b>1996</b> , 274, 388-394	2.4	37
151	Preparation of PDMS ultrathin films and patterned surface modification with cellulose. <i>RSC Advances</i> , <b>2014</b> , 4, 11955-11961	3.7	36
150	Enzymatic digestion of partially and fully regenerated cellulose model films from trimethylsilyl cellulose. <i>Carbohydrate Polymers</i> , <b>2013</b> , 93, 191-8	10.3	36
149	Protein adsorption on various plasma-treated polyethylene terephthalate substrates. <i>Molecules</i> , <b>2013</b> , 18, 12441-63	4.8	36
148	Gold nanoparticles in the engineering of antibacterial and anticoagulant surfaces. <i>Carbohydrate Polymers</i> , <b>2015</b> , 117, 34-42	10.3	35
147	Electrospun nanofibrous CMC/PEO as a part of an effective pain-relieving wound dressing. <i>Journal of Sol-Gel Science and Technology</i> , <b>2016</b> , 79, 475-486	2.3	35
146	Influence of aqueous medium on mechanical properties of conventional and new environmentally friendly regenerated cellulose fibers. <i>Materials Research Innovations</i> , <b>2001</b> , 4, 107-114	1.9	35

145	The Significance of Surface Charge and Structure on the Accessibility of Cellulose Fibres. <i>Macromolecular Materials and Engineering</i> , <b>2001</b> , 286, 648	3.9	35
144	Designing Hydrophobically Modified Polysaccharide Derivatives for Highly Efficient Enzyme Immobilization. <i>Biomacromolecules</i> , <b>2015</b> , 16, 2403-11	6.9	34
143	Creating water vapor barrier coatings from hydrophilic components. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 3199-206	9.5	34
142	Watching cellulose grow [Kinetic investigations on cellulose thin film formation at the gas/solid interface using a quartz crystal microbalance with dissipation (QCM-D). <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2012</b> , 400, 67-72	5.1	34
141	Plasma modification of viscose textile. <i>Vacuum</i> , <b>2009</b> , 84, 79-82	3.7	34
140	Protonation behavior of 6-deoxy-6-(2-aminoethyl)amino cellulose: a potentiometric titration study. <i>Cellulose</i> , <b>2011</b> , 18, 33-43	5.5	33
139	Chitin nanowhisker - Inspired electrospun PVDF membrane for enhanced oil-water separation. <i>Journal of Environmental Management</i> , <b>2018</b> , 228, 249-259	7.9	33
138	Design of anticoagulant surfaces based on cellulose nanocrystals. <i>Chemical Communications</i> , <b>2014</b> , 50, 13070-2	5.8	32
137	Application of extremely non-equilibrium plasmas in the processing of nano and biomedical materials. <i>Plasma Sources Science and Technology</i> , <b>2015</b> , 24, 015026	3.5	31
136	Layering of different materials to achieve optimal conditions for treatment of painful wounds. <i>International Journal of Pharmaceutics</i> , <b>2017</b> , 529, 576-588	6.5	31
135	Etching of polyethylene terephthalate thin films by neutral oxygen atoms in the late flowing afterglow of oxygen plasma. <i>Surface and Interface Analysis</i> , <b>2012</b> , 44, 1565-1571	1.5	31
134	Polysaccharide-Based Bioink Formulation for 3D Bioprinting of an In Vitro Model of the Human Dermis. <i>Nanomaterials</i> , <b>2020</b> , 10,	5.4	31
133	Surface-Sensitive Approach to Interpreting Supramolecular Rearrangements in Cellulose by Synchrotron Grazing Incidence Small-Angle X-ray Scattering. <i>ACS Macro Letters</i> , <b>2015</b> , 4, 713-716	6.6	30
132	Comparison study of TEMPO and phthalimide-N-oxyl (PINO) radicals on oxidation efficiency toward cellulose. <i>Carbohydrate Polymers</i> , <b>2013</b> , 91, 502-7	10.3	30
131	Design of simultaneous antimicrobial and anticoagulant surfaces based on nanoparticles and polysaccharides. <i>Journal of Materials Chemistry B</i> , <b>2013</b> , 1, 2022-2030	7.3	30
130	Interaction between model poly(ethylene terephthalate) thin films and weakly ionised oxygen plasma. <i>Surface and Interface Analysis</i> , <b>2012</b> , 44, 56-61	1.5	29
129	Fabrication of cellulose acetate/chitosan blend films as efficient adsorbent for anionic water pollutants. <i>Polymer Bulletin</i> , <b>2019</b> , 76, 1557-1571	2.4	27
128	Semi-synthetic polysaccharide sulfates as anticoagulant coatings for PET, 1--cellulose sulfate. <i>Macromolecular Bioscience</i> , <b>2011</b> , 11, 549-56	5.5	27

127	A multifunctional electrospun and dual nano-carrier biobased system for simultaneous detection of pH in the wound bed and controlled release of benzocaine. <i>Cellulose</i> , <b>2018</b> , 25, 7277-7297	5.5	27
126	Interactions of a cationic cellulose derivative with an ultrathin cellulose support. <i>Carbohydrate Polymers</i> , <b>2013</b> , 92, 1046-53	10.3	26
125	Adsorption of fucoidan and chitosan sulfate on chitosan modified PET films monitored by QCM-D. <i>Biomacromolecules</i> , <b>2009</b> , 10, 630-7	6.9	26
124	Environmentally friendly procedure for in-situ coating of regenerated cellulose fibres with silver nanoparticles. <i>Carbohydrate Polymers</i> , <b>2017</b> , 163, 92-100	10.3	25
123	Recent advances in vacuum sciences and applications. <i>Journal Physics D: Applied Physics</i> , <b>2014</b> , 47, 153003		25
122	Characterisation of surface properties of chemical and plasma treated regenerated cellulose fabric. <i>Textile Reseach Journal</i> , <b>2012</b> , 82, 2078-2089	1.7	25
121	Viscoelastic properties of fibrinogen adsorbed onto poly(ethylene terephthalate) surfaces by QCM-D. <i>Carbohydrate Polymers</i> , <b>2013</b> , 93, 246-55	10.3	25
120	Characterization of nano-sized TiO <sub>2</sub> suspensions for functional modification of polyester fabric. <i>Surface and Coatings Technology</i> , <b>2013</b> , 226, 68-74	4.4	25
119	Adsorption of chitosan on PET films monitored by quartz crystal microbalance. <i>Biomacromolecules</i> , <b>2008</b> , 9, 2207-14	6.9	25
118	Topochemical modification of cotton fibres with carboxymethyl cellulose. <i>Cellulose</i> , <b>2008</b> , 15, 315-321	5.5	25
117	Cationically rendered biopolymer surfaces for high protein affinity support matrices. <i>Chemical Communications</i> , <b>2013</b> , 49, 11530-2	5.8	24
116	Functional polysaccharide conjugates for the preparation of microarrays. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 2743-51	9.5	24
115	Morphology of polysaccharide blend fibers shaped from NaOH, N-methylmorpholine-N-oxide and 1-ethyl-3-methylimidazolium acetate. <i>Cellulose</i> , <b>2011</b> , 18, 1165-1178	5.5	24
114	Interaction of Tissue Engineering Substrates with Serum Proteins and Its Influence on Human Primary Endothelial Cells. <i>Biomacromolecules</i> , <b>2017</b> , 18, 413-421	6.9	23
113	Protein-repellent and antimicrobial nanoparticle coatings from hyaluronic acid and a lysine-derived biocompatible surfactant. <i>Journal of Materials Chemistry B</i> , <b>2017</b> , 5, 3888-3897	7.3	23
112	Advanced therapies of skin injuries. <i>Wiener Klinische Wochenschrift</i> , <b>2015</b> , 127 Suppl 5, S187-98	2.3	23
111	Needleless electrospun carboxymethyl cellulose/polyethylene oxide mats with medicinal plant extracts for advanced wound care applications. <i>Cellulose</i> , <b>2020</b> , 27, 4487-4508	5.5	23
110	Generic Method for Designing Self-Standing and Dual Porous 3D Bioscaffolds from Cellulosic Nanomaterials for Tissue Engineering Applications.. <i>ACS Applied Bio Materials</i> , <b>2020</b> , 3, 1197-1209	4.1	23

109	Exploring Nonspecific Protein Adsorption on Lignocellulosic Amphiphilic Bicomponent Films. <i>Biomacromolecules</i> , <b>2016</b> , 17, 1083-92	6.9	23
108	Electrokinetic Investigations of Oriented Cellulose Polymers. <i>Macromolecular Symposia</i> , <b>2006</b> , 244, 31-47.	7.8	23
107	The effect of adsorbed carboxymethyl cellulose on the cotton fibre adsorption capacity for surfactant. <i>Cellulose</i> , <b>2006</b> , 13, 655-663	5.5	23
106	Covalent Binding of Heparin to Functionalized PET Materials for Improved Haemocompatibility. <i>Materials</i> , <b>2015</b> , 8, 1526-1544	3.5	22
105	Etching of Blood Proteins in the Early and Late Flowing Afterglow of Oxygen Plasma. <i>Plasma Processes and Polymers</i> , <b>2014</b> , 11, 12-23	3.4	22
104	The study of plasma modification effects in viscose used as an absorbent for wound-relevant fluids. <i>Carbohydrate Polymers</i> , <b>2013</b> , 97, 143-51	10.3	22
103	Adsorption of human serum albumin (HSA) on modified PET films monitored by QCM-D, XPS and AFM. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2010</b> , 360, 210-219	5.1	22
102	Carboxyl groups in pre-treated regenerated cellulose fibres. <i>Cellulose</i> , <b>2008</b> , 15, 681-690	5.5	22
101	Modification of cellulose non-woven substrates for preparation of modern wound dressings. <i>Textile Reseach Journal</i> , <b>2014</b> , 84, 96-112	1.7	21
100	A study on the interaction of cationized chitosan with cellulose surfaces. <i>Cellulose</i> , <b>2014</b> , 21, 2315-2325	5.5	20
99	Development of multifunctional 3D printed bioscaffolds from polysaccharides and NiCu nanoparticles and their application. <i>Applied Surface Science</i> , <b>2019</b> , 488, 836-852	6.7	19
98	Influence of surface energy on the interactions between hard coatings and lubricants. <i>Wear</i> , <b>2007</b> , 262, 1199-1204	3.5	19
97	Effects of nanoTiO <sub>2</sub> /BiO <sub>2</sub> on the hydrophilicity/dyeability of polyester fabric and photostability of disperse dyes under UV irradiation. <i>Surface and Coatings Technology</i> , <b>2014</b> , 253, 185-193	4.4	18
96	Generalized indirect Fourier transformation as a valuable tool for the structural characterization of aqueous nanocrystalline cellulose suspensions by small angle X-ray scattering. <i>Langmuir</i> , <b>2013</b> , 29, 3740-4	4	18
95	Electrokinetic investigation of polyelectrolyte adsorption and multilayer formation on a polymer surface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2005</b> , 270-271, 107-114	5.1	17
94	Effect of different surface active polysaccharide derivatives on the formation of ethyl cellulose particles by the emulsion-solvent evaporation method. <i>Cellulose</i> , <b>2018</b> , 25, 6901-6922	5.5	17
93	Nanofibrous polysaccharide hydroxyapatite composites with biocompatibility against human osteoblasts. <i>Carbohydrate Polymers</i> , <b>2017</b> , 177, 388-396	10.3	16
92	Multilayered Polysaccharide Nanofilms for Controlled Delivery of Pentoxifylline and Possible Treatment of Chronic Venous Ulceration. <i>Biomacromolecules</i> , <b>2017</b> , 18, 2732-2746	6.9	16

91	Antithrombotic properties of sulfated wood-derived galactoglucomannans. <i>Holzforschung</i> , <b>2012</b> , 66,	2	16
90	Recent developments in surface science and engineering, thin films, nanoscience, biomaterials, plasma science, and vacuum technology. <i>Thin Solid Films</i> , <b>2018</b> , 660, 120-160	2.2	16
89	Bio-nanofibrous mats as potential delivering systems of natural substances. <i>Textile Reseach Journal</i> , <b>2017</b> , 87, 444-459	1.7	15
88	In vitro haemocompatibility evaluation of PET surfaces using the quartz crystal microbalance technique. <i>Journal of Biomaterials Science, Polymer Edition</i> , <b>2012</b> , 23, 697-714	3.5	15
87	Synthesis of magnetic iron oxide particles: Development of an in situ coating procedure for fibrous materials. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2012</b> , 400, 58-66	5.1	15
86	Tuning of cellulose fibres structure and surface topography: Influence of swelling and various drying procedures. <i>Carbohydrate Polymers</i> , <b>2016</b> , 148, 227-35	10.3	15
85	Novel Chitosan/Mg(OH) <sub>2</sub> -Based Nanocomposite Membranes for Direct Alkaline Ethanol Fuel Cells. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 19356-19368	8.3	15
84	Selective immobilization and detection of DNA on biopolymer supports for the design of microarrays. <i>Biosensors and Bioelectronics</i> , <b>2015</b> , 68, 437-441	11.8	14
83	Oxygen-rich coating promotes binding of proteins and endothelialization of polyethylene terephthalate polymers. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2014</b> , 102, 2305-14	5.4	14
82	Interaction and enrichment of protein on cationic polysaccharide surfaces. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2014</b> , 123, 533-41	6	14
81	Physicochemical Properties and Bioactivity of a Novel Class of Cellulosics: 6-Deoxy-6-amino Cellulose Sulfate. <i>Macromolecular Chemistry and Physics</i> , <b>2012</b> , 213, 539-548	2.6	14
80	One-Step Noncovalent Surface Functionalization of PDMS with Chitosan-Based Bioparticles and Their Protein-Repellent Properties. <i>Advanced Materials Interfaces</i> , <b>2017</b> , 4, 1700416	4.6	14
79	Interaction and structure in polyelectrolyte/clay multilayers: a QCM-D study. <i>Langmuir</i> , <b>2013</b> , 29, 8544-53	4	14
78	Organoclay particles as reinforcing agents in polysaccharide films. <i>Journal of Colloid and Interface Science</i> , <b>2010</b> , 347, 74-8	9.3	14
77	Systematic Evaluation of a Diclofenac-Loaded Carboxymethyl Cellulose-Based Wound Dressing and Its Release Performance with Changing pH and Temperature. <i>AAPS PharmSciTech</i> , <b>2019</b> , 20, 29	3.9	14
76	Nano- and Micropatterned Polycaprolactone Cellulose Composite Surfaces with Tunable Protein Adsorption, Fibrin Clot Formation, and Endothelial Cellular Response. <i>Biomacromolecules</i> , <b>2019</b> , 20, 2327-2337	6.9	13
75	Polysaccharide Thin Solid Films for Analgesic Drug Delivery and Growth of Human Skin Cells. <i>Frontiers in Chemistry</i> , <b>2019</b> , 7, 217	5	13
74	3D bioprinting of polysaccharides and their derivatives: From characterization to application <b>2018</b> , 105-141		12

73	A green approach to obtain stable and hydrophilic cellulose-based electrospun nanofibrous substrates for sustained release of therapeutic molecules.. <i>RSC Advances</i> , <b>2019</b> , 9, 21288-21301	3.7	12
72	Morphology Transformations of Platelets on Plasma Activated Surfaces. <i>Plasma Processes and Polymers</i> , <b>2014</b> , 11, 596-605	3.4	12
71	Characterisation of modified polypropylene fibres. <i>Journal of Materials Science</i> , <b>2003</b> , 38, 2167-2169	4.3	12
70	The influence of structural and morphological changes on the electrokinetic properties of PA 6 fibres. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>1999</b> , 159, 321-330	5.1	12
69	Electrokinetic properties of commercial vascular grafts. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2006</b> , 275, 17-26	5.1	11
68	Quantitative Determination Of Carboxyl Groups In Cellulose Polymers Utilizing Their Ion Exchange Capacity And Using A Complexometric Titration. <i>Materials Research Innovations</i> , <b>2004</b> , 8, 145-146	1.9	11
67	Correlation between structure and adsorption characteristics of oriented polymers. <i>Materials Research Innovations</i> , <b>2001</b> , 4, 197-203	1.9	11
66	Processing and functional assessment of anisotropic cellulose nanofibril/Alolt/sodium silicate: based aerogels as flame retardant thermal insulators. <i>Cellulose</i> , <b>2020</b> , 27, 1661-1683	5.5	11
65	Hybrid 3D Printing of Advanced Hydrogel-Based Wound Dressings with Tailorable Properties. <i>Pharmaceutics</i> , <b>2021</b> , 13,	6.4	11
64	Strengthening of paper by treatment with a suspension of alkaline nanoparticles stabilized by trimethylsilyl cellulose. <i>Nano Structures Nano Objects</i> , <b>2018</b> , 16, 363-370	5.6	11
63	Ammonia plasma treatment as a method promoting simultaneous hydrophilicity and antimicrobial activity of viscose wound dressings. <i>Textile Reseach Journal</i> , <b>2014</b> , 84, 140-156	1.7	10
62	Use of polysaccharide based surfactants to stabilize organically modified clay particles aqueous dispersion. <i>Carbohydrate Polymers</i> , <b>2013</b> , 94, 687-94	10.3	10
61	Cellulose thin films from ionic liquid solutions. <i>Nordic Pulp and Paper Research Journal</i> , <b>2015</b> , 30, 6-13	1.1	10
60	Analysis of galactoglucomannans from spruce wood by capillary electrophoresis. <i>Cellulose</i> , <b>2009</b> , 16, 1089-1097	5.5	10
59	Oscillating streaming potential measurement system for macroscopic surfaces. <i>Review of Scientific Instruments</i> , <b>2008</b> , 79, 113902	1.7	10
58	Chemical Structure-Antioxidant Activity Relationship of Water-Based Enzymatic Polymerized Rutin and Its Wound Healing Potential. <i>Polymers</i> , <b>2019</b> , 11,	4.5	9
57	Charging Behavior and Stability of the Novel Amino Group Containing Cellulose Ester Cellulose-4-[N-methylamino]butyrate Hydrochloride. <i>Macromolecular Chemistry and Physics</i> , <b>2012</b> , 213, 1669-1676	2.6	9
56	The Role of TiO <sub>2</sub> Nanoparticles on the UV Protection Ability and Hydrophilicity of Polyamide Fabrics. <i>Acta Physica Polonica A</i> , <b>2015</b> , 127, 943-946	0.6	9



55	Polyurethanes for Medical Use. <i>Tekstilec</i> , <b>2017</b> , 60, 182-197	2.1	9
54	Impact of growth factors on wound healing in polysaccharide blend thin films. <i>Applied Surface Science</i> , <b>2019</b> , 489, 485-493	6.7	8
53	Film formation of aminoalkylcellulose carbamates--a quartz crystal microbalance (QCM) study. <i>Carbohydrate Polymers</i> , <b>2015</b> , 116, 111-6	10.3	8
52	Characterization of viscose fibers modified with 6-deoxy-6-amino cellulose sulfate. <i>Cellulose</i> , <b>2012</b> , 19, 2057-2067	5.5	8
51	Influence of Enzymatic Pretreatment on the Colours of Bleached and Dyed Flax Fibres. <i>Journal of Natural Fibers</i> , <b>2006</b> , 3, 69-81	1.8	8
50	Flax Fibers Sorption Properties Influenced by Different Pretreatment Processes. <i>Journal of Natural Fibers</i> , <b>2005</b> , 2, 25-37	1.8	8
49	Surface engineering of TiO <sub>2</sub> -MWCNT nanocomposites towards tuning of functionalities and minimizing toxicity. <i>Journal of Sol-Gel Science and Technology</i> , <b>2017</b> , 83, 132-142	2.3	7
48	Synthesis and film formation of furfuryl- and maleimido carbonic acid derivatives of dextran. <i>Carbohydrate Polymers</i> , <b>2017</b> , 161, 1-9	10.3	7
47	Comparison of Trimethylsilyl Cellulose-Stabilized Carbonate and Hydroxide Nanoparticles for Deacidification and Strengthening of Cellulose-Based Cultural Heritage. <i>ACS Omega</i> , <b>2020</b> , 5, 29243-29258	3.9	6
46	Plant-Derived Medicines with Potential Use in Wound Treatment <b>2019</b> ,		6
45	Chemical modification and characterization of poly(ethylene terephthalate) surfaces for collagen immobilization. <i>Open Chemistry</i> , <b>2013</b> , 11, 1786-1798	1.6	6
44	Investigations Into Amphiphilic Chitosan: Properties and Availability of Original and Newly Introduced Functional Groups. <i>Macromolecular Chemistry and Physics</i> , <b>2012</b> , 213, 1582-1589	2.6	6
43	Surface Properties Of Lubricants And Hard Coatings As Predictors Of Frictional Behaviour Under Boundary Lubrication. <i>Materials Research Innovations</i> , <b>2006</b> , 10, 284-298	1.9	6
42	Design of stable and new polysaccharide nanoparticles composite and their interaction with solid cellulose surfaces. <i>Nano Structures Nano Objects</i> , <b>2020</b> , 24, 100564	5.6	6
41	Modification of cellulose thin films with lysine moieties: a promising approach to achieve antifouling performance. <i>Cellulose</i> , <b>2018</b> , 25, 537-547	5.5	6
40	Water-based carbodiimide mediated synthesis of polysaccharide-amino acid conjugates: Deprotection, charge and structural analysis. <i>Carbohydrate Polymers</i> , <b>2021</b> , 267, 118226	10.3	6
39	Deposition of silicon doped and pure hydrogenated amorphous carbon coatings on quartz crystal microbalance sensors for protein adsorption studies. <i>Thin Solid Films</i> , <b>2011</b> , 520, 83-89	2.2	5
38	Adsorption of Laponite on a Cellulose Model Surface. <i>Macromolecular Symposia</i> , <b>2012</b> , 311, 28-32	0.8	5

37	Surface Properties of Structural Modified PA 6 Fibers. <i>Macromolecular Materials and Engineering</i> , <b>2002</b> , 287, 296	3.9	5
36	Anticoagulant Activity of Cellulose Nanocrystals from Isora Plant Fibers Assembled on Cellulose and SiO Substrates via a Layer-by-Layer Approach. <i>Polymers</i> , <b>2021</b> , 13,	4.5	5
35	Influence of Charge and Heat on the Mechanical Properties of Scaffolds from Ionic Complexation of Chitosan and Carboxymethyl Cellulose. <i>ACS Biomaterials Science and Engineering</i> , <b>2021</b> , 7, 3618-3632	5.5	5
34	Affinity of Serum Albumin and Fibrinogen to Cellulose, Its Hydrophobic Derivatives and Blends. <i>Frontiers in Chemistry</i> , <b>2019</b> , 7, 581	5	4
33	Electrokinetic properties of polypropylene-layered silicate nanocomposite fibers. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 113, 1276-1281	2.9	4
32	Electrokinetic properties of surface modified PETP fibres. <i>Materials Research Innovations</i> , <b>2002</b> , 6, 19-23	1.9	4
31	Reactive cellulose-based thin films as concept for multifunctional polysaccharide surfaces. <i>RSC Advances</i> , <b>2016</b> , 6, 72378-72385	3.7	4
30	Organic acid cross-linked 3D printed cellulose nanocomposite bioscaffolds with controlled porosity, mechanical strength, and biocompatibility.. <i>IScience</i> , <b>2022</b> , 25, 104263	6.1	4
29	Functional dextran amino acid ester particles derived from N-protected S-trityl-L-cysteine. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2019</b> , 181, 561-566	6	3
28	Bioactive Polysaccharide Materials for Modern Wound Healing. <i>Springer Briefs in Molecular Science</i> , <b>2018</b> ,	0.6	3
27	The effects of storage gases on the durability of ammonia plasma effects with respect to wound fluid absorption and the biostatic activity of viscose non-wovens. <i>Textile Research Journal</i> , <b>2014</b> , 84, 751-763	7.7	3
26	Immobilization of Water-Soluble 6-Carboxylcellulose on Poly(ethylene terephthalate) Films Monitored by a Quartz Crystal Microbalance with Dissipation. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2013</b> , 52, 7439-7444	3.9	3
25	Cellulose and Other Polysaccharides Surface Properties and Their Characterisation <b>2012</b> , 215-251		3
24	Adsorption of Surfactants on Polymer Surfaces Investigated with a Novel Zeta-Potential Measurement System. <i>Materials Science Forum</i> , <b>2006</b> , 514-516, 1374-1378	0.4	3
23	One-Step Fabrication of Hollow Spherical Cellulose Beads: Application in pH-Responsive Therapeutic Delivery.. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2022</b> ,	9.5	3
22	Polysaccharide peptide conjugates: Chemistry, properties and applications.. <i>Carbohydrate Polymers</i> , <b>2022</b> , 280, 118875	10.3	3
21	Surface Properties of Non-conventional Cellulose Fibres. <i>Springer Briefs in Molecular Science</i> , <b>2019</b> ,	0.6	3
20	Protein repellent anti-coagulative mixed-charged cellulose derivative coatings. <i>Carbohydrate Polymers</i> , <b>2021</b> , 254, 117437	10.3	3

19	Reactive Maleimido Dextran Thin Films for Cysteine-Containing Surfaces Adsorbing BSA. <i>Macromolecular Chemistry and Physics</i> , <b>2017</b> , 218, 1600535	2.6	2
18	Defluorination of Polytetrafluoroethylene Surface by Hydrogen Plasma. <i>Polymers</i> , <b>2020</b> , 12,	4.5	2
17	Aspects of structural order in <sup>209</sup> Bi-containing particles for potential MRI contrast agents based on quadrupole enhanced relaxation. <i>Molecular Physics</i> , <b>2019</b> , 117, 935-943	1.7	2
16	Etching rates of blood proteins, blood plasma and polymer in oxygen afterglow of microwave plasma. <i>Surface and Interface Analysis</i> , <b>2014</b> , 46, 1115-1118	1.5	2
15	The influence of structural properties on the dye diffusion and dyeability of PA 6 fibres. <i>Materials Research Innovations</i> , <b>2003</b> , 7, 358-365	1.9	2
14	The Interaction Ability Of Cellulosic Materials As A Function Of Fine Structure And Helmholtz Surface Energy. <i>Materials Research Innovations</i> , <b>2005</b> , 9, 17-18	1.9	2
13	Measurements of Zeta Potential of Poly(Tetrafluoroethylene) Foils. <i>Materials Science Forum</i> , <b>2005</b> , 480-481, 89-94	0.4	2
12	The use of atomic force microscopy for imaging the surfaces of polyamide, 6. <i>Macromolecular Symposia</i> , <b>2002</b> , 181, 467-478	0.8	2
11	High oxygen barrier chitosan films neutralized by alkaline nanoparticles. <i>Cellulose</i> , <b>2021</b> , 28, 10457	5.5	2
10	Emerging Techniques in the Preparation of Wound Care Products. <i>Springer Briefs in Molecular Science</i> , <b>2018</b> , 25-38	0.6	1
9	Advanced Wound Care. <i>Springer Briefs in Molecular Science</i> , <b>2018</b> , 1-8	0.6	1
8	Utilization of optical polarization microscopy in the study of sorption characteristics of wound dressing host materials. <i>Microscopy and Microanalysis</i> , <b>2014</b> , 20, 561-5	0.5	1
7	Tribological interactions between DLC coatings and lubricants. <i>TriboTest Journal: Tribology and Lubrication in Practice</i> , <b>2008</b> , 14, 81-95		1
6	An Alternative Way to Monitor H <sub>2</sub> O <sub>2</sub> Decomposition in Bleaching Solutions. <i>Textile Research Journal</i> , <b>1998</b> , 68, 320-326	1.7	1
5	Active Substances for Acceleration of Wound Healing. <i>Springer Briefs in Molecular Science</i> , <b>2018</b> , 39-59	0.6	
4	Determination Of The Accessible Carboxyl And Amino End Groups In Structurally Modified PA 6 Using Titration Methods. <i>Materials Research Innovations</i> , <b>2005</b> , 9, 8-9	1.9	
3	Safety and Efficiency Testing. <i>Springer Briefs in Molecular Science</i> , <b>2018</b> , 87-94	0.6	
2	Other Solutions to Achieve Desired Wound Healing Characteristics. <i>Springer Briefs in Molecular Science</i> , <b>2018</b> , 61-73	0.6	

- 1 Structure and Properties of Non-conventional Cellulose Fibres. *Springer Briefs in Molecular Science*, **2019**, 49-59 o.6