

Pedro de Pablos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6793156/publications.pdf>

Version: 2024-02-01

55
papers

2,455
citations

257357

24
h-index

206029

48
g-index

71
all docs

71
docs citations

71
times ranked

3392
citing authors

#	ARTICLE	IF	CITATIONS
1	Resting metabolic rate is increased in hypertensive patients with overweight or obesity: Potential mechanisms. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1461-1470.	1.3	10
2	Angiotensinâ€Converting Enzyme 2 (SARSâ€CoVâ€2 receptor) expression in human skeletal muscle. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 2249-2258.	1.3	12
3	Treatment of hypertension with angiotensinâ€converting enzyme inhibitors or angiotensin receptor blockers and resting metabolic rate: A crossâ€sectional study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 2106.	1.0	1
4	Sarcolipin expression in human skeletal muscle: Influence of energy balance and exercise. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 408-420.	1.3	8
5	Diagnosis, treatment and follow-up of patients with acromegaly in a clinical practice setting in Spain: the ACROPRACTIS program Delphi survey. <i>Pituitary</i> , 2020, 23, 129-139.	1.6	8
6	Effectiveness of lanreotide autogel 120â€mg at extended dosing intervals for acromegaly. <i>Endocrine</i> , 2020, 70, 575-583.	1.1	12
7	Mitochondrial Complex I Inhibition by Metformin: Drugâ€Exercise Interactions. <i>Trends in Endocrinology and Metabolism</i> , 2020, 31, 269-271.	3.1	14
8	Effectiveness of Internet-Based Multicomponent Interventions for Patients and Health Care Professionals to Improve Clinical Outcomes in Type 2 Diabetes Evaluated Through the INDICA Study: Multiarm Cluster Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2020, 8, e18922.	1.8	17
9	Resting Energy Expenditure and Body Composition in Overweight Men and Women Living in a Temperate Climate. <i>Journal of Clinical Medicine</i> , 2020, 9, 203.	1.0	4
10	Exercise Mitigates the Loss of Muscle Mass by Attenuating the Activation of Autophagy during Severe Energy Deficit. <i>Nutrients</i> , 2019, 11, 2824.	1.7	18
11	Protein synthesis signaling in skeletal muscle is refractory to whey protein ingestion during a severe energy deficit evoked by prolonged exercise and caloric restriction. <i>International Journal of Obesity</i> , 2019, 43, 872-882.	1.6	10
12	N1-methylnicotinamide is a signalling molecule produced in skeletal muscle coordinating energy metabolism. <i>Scientific Reports</i> , 2018, 8, 3016.	1.6	42
13	Obesity Surgery Score (OSS) for Prioritization in the Bariatric Surgery Waiting List: a Need of Public Health Systems and a Literature Review. <i>Obesity Surgery</i> , 2018, 28, 1175-1184.	1.1	28
14	Predictors of Quality of Life and Other Patient-Reported Outcomes in the PANORAMA Multinational Study of People With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, 267-276.	4.3	81
15	Pancreatic beta cell function is preserved in the short term in patients with type 2 diabetes undergoing non-urgent surgery. <i>Minerva Endocrinology</i> , 2018, 43, 109-116.	0.6	1
16	ViDa1: The Development and Validation of a New Questionnaire for Measuring Health-Related Quality of Life in Patients with Type 1 Diabetes. <i>Frontiers in Psychology</i> , 2017, 8, 904.	1.1	16
17	Empagliflozin in combination with oral agents in young and overweight/obese Type 2 diabetes mellitus patients: A pooled analysis of three randomized trials. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1571-1576.	1.2	7
18	Efficacy of lixisenatide in patients with type 2 diabetes: A post hoc analysis of patients with diverse Î²-cell function in the GetGoal-M and GetGoal-S trials. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1385-1392.	1.2	15

#	ARTICLE	IF	CITATIONS
19	Hypoglycaemic episodes in patients with type 2 diabetes—Risk factors and associations with patient-reported outcomes: The PANORAMA Study. <i>Diabetes and Metabolism</i> , 2015, 41, 470-479.	1.4	24
20	Comparison of insulin glargine and liraglutide added to oral agents in patients with poorly controlled type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 170-178.	2.2	36
21	Effectiveness and cost-effectiveness of knowledge transfer and behavior modification interventions in type 2 diabetes mellitus patients—the INDICA study: a cluster randomized controlled trial. <i>Implementation Science</i> , 2015, 10, 47.	2.5	19
22	Glucagon-like peptide-1 receptor agonists as insulin add-on therapy in patients with inadequate glycemic control in type 2 diabetes mellitus: lixisenatide as a new therapeutic option. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2015, 53, 230-240.	0.3	3
23	Current level of glycaemic control and its associated factors in patients with type 2 diabetes across Europe: data from the PANORAMA study. <i>Clinical Endocrinology</i> , 2014, 80, 47-56.	1.2	168
24	Quality of life and satisfaction with treatment in subjects with type 2 diabetes: Results in Spain of the PANORAMA study. <i>Endocrinología Y Nutrición (English Edition)</i> , 2014, 61, 18-26.	0.5	40
25	Adjunctive Lixisenatide Treatment Improves Glycemic Control in Patients with Type 2 Diabetes Mellitus Irrespective of β^2 -cell Function. <i>Canadian Journal of Diabetes</i> , 2014, 38, S50-S51.	0.4	0
26	Once-daily prandial lixisenatide versus once-daily rapid-acting insulin in patients with type 2 diabetes mellitus insufficiently controlled with basal insulin: analysis of data from five randomized, controlled trials. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 40-44.	1.2	28
27	Consensus document for the detection and management of chronic kidney disease. <i>Nefrología</i> , 2014, 34, 243-62.	0.2	61
28	Isoinertial and Isokinetic Sprints: Muscle Signalling. <i>International Journal of Sports Medicine</i> , 2013, 34, 285-292.	0.8	5
29	Skeletal muscle signaling response to sprint exercise in men and women. <i>European Journal of Applied Physiology</i> , 2012, 112, 1917-1927.	1.2	28
30	PANORAMA: A European study to evaluate quality of life and treatment satisfaction in patients with type-2 diabetes mellitus—Study design. <i>Primary Care Diabetes</i> , 2011, 5, 231-239.	0.9	39
31	Is sprint exercise a leptin signaling mimetic in human skeletal muscle?. <i>Journal of Applied Physiology</i> , 2011, 111, 715-725.	1.2	29
32	Pioglitazone: beyond glucose control. <i>Expert Review of Cardiovascular Therapy</i> , 2010, 8, 1057-1067.	0.6	14
33	Saxagliptina, un nuevo inhibidor de la DPP-4 en el tratamiento de la diabetes mellitus tipo 2: aspectos novedosos. <i>Avances En Diabetología</i> , 2010, 26, 445-447.	0.1	0
34	Prevalence of distal diabetic polyneuropathy using quantitative sensory methods in a population with diabetes of more than 10 years—disease duration. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2010, 57, 414-420.	0.8	33
35	Bimodal Distribution of Glucose Is Not Universally Useful for Diagnosing Diabetes. <i>Diabetes Care</i> , 2009, 32, 397-403.	4.3	24
36	Adiponectin: An Emerging Cardiovascular Risk Factor. The REFERENCE Study. <i>Revista Espanola De Cardiología (English Ed)</i> , 2008, 61, 1159-1167.	0.4	3

#	ARTICLE	IF	CITATIONS
37	PDB28 DIABETES MELLITUS BURDEN AND RELATIONSHIP WITH THE DEGREE OF PATIENT'S GLYCEMIC CONTROL. Value in Health, 2008, 11, A504-A505.	0.1	0
38	PDB49 HEALTH-RELATED QUALITY OF LIFE (HRQOL) AND TREATMENT SATISFACTION (TS) IN DIABETIC PATIENTS ATTENDED IN SPANISH PRIMARY CARE CENTRES. Value in Health, 2008, 11, A511-A512.	0.1	0
39	Blood lipid levels in relation to glucose status in European men and women without a prior history of diabetes: The DECODE Study. Diabetes Research and Clinical Practice, 2008, 82, 364-377.	1.1	44
40	Blood pressure, antihypertensive treatment and factors associated with good blood pressure control in hypertensive diabetics: the Tarmidas study. Journal of Human Hypertension, 2007, 21, 664-672.	1.0	10
41	Obesity and cardiovascular disease. Public Health Nutrition, 2007, 10, 1156-1163.	1.1	56
42	Validity and clinical applicability of the acromegaly quality of life questionnaire, AcroQoL: a 6-month prospective study. European Journal of Endocrinology, 2006, 155, 269-277.	1.9	166
43	Patterns of prescription of hypoglycaemic drugs in Gran Canaria (Canary Islands, Spain) and estimation of the prevalence of diabetes mellitus. Diabetes and Metabolism, 2005, 31, 457-462.	1.4	18
44	Epidemiology, clinical characteristics, outcome, morbidity and mortality in acromegaly based on the Spanish Acromegaly Registry (Registro Espanol de Acromegalia, REA). European Journal of Endocrinology, 2004, 151, 439-446.	1.9	334
45	Age- and Sex-Specific Prevalences of Diabetes and Impaired Glucose Regulation in 13 European Cohorts. Diabetes Care, 2003, 26, 61-69.	4.3	486
46	The Relation Between Physical Activity and Metabolic Control in Type 2 Diabetes With <20 Years of Evolution. Diabetes Care, 2003, 26, 1648-1650.	4.3	3
47	Nateglinide Improves Early Insulin Secretion and Controls Postprandial Glucose Excursions in a Prediabetic Population. Diabetes Care, 2002, 25, 2141-2146.	4.3	30
48	Prevalence, awareness, treatment and control of hypertension in a Canarian population. Relationship with glucose tolerance categories. The GuÅa Study. Journal of Hypertension, 2002, 20, 1965-1971.	0.3	16
49	Losartan titration versus diuretic combination in type 2 diabetic patients. Journal of Hypertension, 2002, 20, 715-719.	0.3	11
50	Prevalence of obesity in a Canarian community. Association with type 2 diabetes mellitus: the GuÅa Study. European Journal of Clinical Nutrition, 2002, 56, 557-560.	1.3	23
51	Prevalence and determinants of diabetes mellitus and glucose intolerance in a Canarian Caucasian population - comparison of the 1997 ADA and the 1985 WHO criteria. The GuÅa Study. Diabetic Medicine, 2001, 18, 235-241.	1.2	63
52	Effects of Losartan and Diltiazem on Blood Pressure, Insulin Sensitivity, Lipid Profile and Microalbuminuria in Hypertensive Type 2 Diabetic Patients. Clinical Drug Investigation, 1998, 16, 361-370.	1.1	10
53	Prevalence of hypertension in IDDM patients in the Northern Grand Canary Island, according to the WHO/ISH and JNC-V/ADA criteria. Diabetes Research and Clinical Practice, 1997, 38, 191-197.	1.1	7
54	Bone mineral metabolism is normal in non-insulin-dependent diabetes mellitus. Journal of Diabetes and Its Complications, 1996, 10, 201-205.	1.2	79

#	ARTICLE	IF	CITATIONS
55	Brown tumor in the palate associated with primary hyperparathyroidism. Journal of Oral and Maxillofacial Surgery, 1987, 45, 719-720.	0.5	17