

Olga LucÃ-a Sarmiento

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6793196/publications.pdf>

Version: 2024-02-01

207
papers

26,498
citations

29994

54
h-index

6454

157
g-index

214
all docs

214
docs citations

214
times ranked

25241
citing authors

#	ARTICLE	IF	CITATIONS
1	User expectations and perceptions towards new public transport infrastructure: evaluating a cable car in Bogotá. <i>Transportation</i> , 2023, 50, 751-771.	2.1	8
2	Walking for transportation in large Latin American cities: walking-only trips and total walking events and their sociodemographic correlates. <i>Transport Reviews</i> , 2022, 42, 296-317.	4.7	13
3	Assessment of Personal Exposure to Particulate Air Pollution in Different Microenvironments and Traveling by Several Modes of Transportation in Bogotá, Colombia: Protocol for a Mixed Methods Study (ITHACA). <i>JMIR Research Protocols</i> , 2022, 11, e25690.	0.5	3
4	Urban landscape and street-design factors associated with road-traffic mortality in Latin America between 2010 and 2016 (SALURBAL): an ecological study. <i>Lancet Planetary Health</i> , The, 2022, 6, e122-e131.	5.1	10
5	Prevalence and Associated Factors of Excessive Recreational Screen Time Among Colombian Children and Adolescents. <i>International Journal of Public Health</i> , 2022, 67, 1604217.	1.0	7
6	Innovative participatory evaluation methodologies to assess and sustain multilevel impacts of two community-based physical activity programs for women in Colombia. <i>BMC Public Health</i> , 2022, 22, 771.	1.2	10
7	Smart pooling: AI-powered COVID-19 informative group testing. <i>Scientific Reports</i> , 2022, 12, 6519.	1.6	4
8	Determining thresholds for spatial urban design and transport features that support walking to create healthy and sustainable cities: findings from the IPEN Adult study. <i>The Lancet Global Health</i> , 2022, 10, e895-e906.	2.9	42
9	Prevalencia y factores asociados con la práctica de actividad física en mujeres gestantes adultas en Colombia. <i>Biomedica</i> , 2022, 42, 379-390.	0.3	1
10	Engaging citizen scientists to build healthy park environments in Colombia. <i>Health Promotion International</i> , 2021, 36, 223-234.	0.9	18
11	Social cohesion emerging from a community-based physical activity program: A temporal network analysis. <i>Network Science</i> , 2021, 9, 35-48.	0.8	6
12	Community-Based Approaches to Reducing Health Inequities and Fostering Environmental Justice through Global Youth-Engaged Citizen Science. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 892.	1.2	57
13	Building healthy schools through technology-enabled citizen science: The case of the our voice participatory action model in schools from Bogotá, Colombia. <i>Global Public Health</i> , 2021, , 1-17.	1.0	12
14	Social Inclusion and Physical Activity in Ciclovía Recreativa Programs in Latin America. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 655.	1.2	12
15	Prevalence and Correlates of Active Transportation to School Among Colombian Children and Adolescents. <i>Journal of Physical Activity and Health</i> , 2021, 18, 1299-1309.	1.0	2
16	Health and environmental co-benefits of city urban form in Latin America: an ecological study. <i>Lancet Planetary Health</i> , The, 2021, 5, S7.	5.1	1
17	Built environment in programs to promote physical activity among Latino children and youth living in the United States and in Latin America. <i>Obesity Reviews</i> , 2021, 22, e13236.	3.1	10
18	Cultural adaptation of two school-based smoking prevention programs in Bogotá, Colombia. <i>Translational Behavioral Medicine</i> , 2021, 11, 1567-1578.	1.2	8

#	ARTICLE	IF	CITATIONS
19	Prevalence and Correlates of Meeting Physical Activity Guidelines Among Colombian Children and Adolescents. <i>Journal of Physical Activity and Health</i> , 2021, 18, 400-417.	1.0	5
20	Implementation of childhood obesity prevention and control policies in the United States and Latin America: Lessons for cross-border research and practice. <i>Obesity Reviews</i> , 2021, 22, e13247.	3.1	32
21	Is the built-environment at origin, on route, and at destination associated with bicycle commuting? A gender-informed approach. <i>Journal of Transport Geography</i> , 2021, 94, 103120.	2.3	10
22	Quality of life, health, and government perception during COVID-19 times: Data from Colombia. <i>Data in Brief</i> , 2021, 37, 107268.	0.5	2
23	From causal loop diagrams to future scenarios: Using the cross-impact balance method to augment understanding of urban health in Latin America. <i>Social Science and Medicine</i> , 2021, 282, 114157.	1.8	12
24	The effect of population mobility on COVID-19 incidence in 314 Latin American cities: a longitudinal ecological study with mobile phone location data. <i>The Lancet Digital Health</i> , 2021, 3, e716-e722.	5.9	29
25	Latin American cities with higher socioeconomic status are greening from a lower baseline: evidence from the SALURBAL project. <i>Environmental Research Letters</i> , 2021, 16, 104052.	2.2	13
26	Using cause-effect graphs to elicit expert knowledge for cross-impact balance analysis. <i>MethodsX</i> , 2021, 8, 101492.	0.7	0
27	Built environment profiles for Latin American urban settings: The SALURBAL study. <i>PLoS ONE</i> , 2021, 16, e0257528.	1.1	11
28	Implementación de políticas de prevención y control de la obesidad infantil en Estados Unidos y Latinoamérica: lecciones para la investigación y la práctica transfronterizas. <i>Obesity Reviews</i> , 2021, 22, e13347.	3.1	1
29	El entorno construido en los programas diseñados para promover la actividad física entre las niñas, niños y jóvenes latinos que viven en Estados Unidos y América Latina. <i>Obesity Reviews</i> , 2021, 22, e13345.	3.1	0
30	Socio-environmental and psychosocial predictors of smoking susceptibility among adolescents with contrasting socio-cultural characteristics: a comparative analysis. <i>BMC Public Health</i> , 2021, 21, 2240.	1.2	8
31	Sleep characteristics and health-related quality of life in 9- to 11-year-old children from 12 countries. <i>Sleep Health</i> , 2020, 6, 4-14.	1.3	24
32	Increases In Women's Political Representation Associated With Reductions In Child Mortality In Brazil. <i>Health Affairs</i> , 2020, 39, 1166-1174.	2.5	6
33	MECHANISMS Study: Using Game Theory to Assess the Effects of Social Norms and Social Networks on Adolescent Smoking in Schools—Study Protocol. <i>Frontiers in Public Health</i> , 2020, 8, 377.	1.3	11
34	Confirmatory factor analysis comparing incentivized experiments with self-report methods to elicit adolescent smoking and vaping social norms. <i>Scientific Reports</i> , 2020, 10, 15818.	1.6	5
35	Effects of a Physical Activity Program Potentiated with ICTs on the Formation and Dissolution of Friendship Networks of Children in a Middle-Income Country. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5796.	1.2	7
36	Using a system dynamics model to study the obesity transition by socioeconomic status in Colombia at the country, regional and department levels. <i>BMJ Open</i> , 2020, 10, e036534.	0.8	10

#	ARTICLE	IF	CITATIONS
37	Urban health and health equity in Latin American cities: what COVID-19 is teaching us. <i>Cities and Health</i> , 2020, , 1-5.	1.6	11
38	Active School Transport among Children from Canada, Colombia, Finland, South Africa, and the United States: A Tale of Two Journeys. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3847.	1.2	10
39	Level of traffic stress-based classification: A clustering approach for Bogotá, Colombia. <i>Transportation Research, Part D: Transport and Environment</i> , 2020, 85, 102420.	3.2	11
40	Breastfeeding and childhood obesity: A 12-country study. <i>Maternal and Child Nutrition</i> , 2020, 16, e12984.	1.4	47
41	Urban Transformations and Health: Methods for TrUST—a Natural Experiment Evaluating the Impacts of a Mass Transit Cable Car in Bogotá, Colombia. <i>Frontiers in Public Health</i> , 2020, 8, 64.	1.3	21
42	Association of all forms of malnutrition and socioeconomic status, educational level and ethnicity in Colombian children and non-pregnant women. <i>Public Health Nutrition</i> , 2020, 23, s51-s58.	1.1	10
43	Do physical activity and sedentary time mediate the association of the perceived environment with BMI? The IPEN adult study. <i>Health and Place</i> , 2020, 64, 102366.	1.5	5
44	Bicycle safety in Bogotá: A seven-year analysis of bicyclists' collisions and fatalities. <i>Accident Analysis and Prevention</i> , 2020, 144, 105596.	3.0	20
45	Benchmarking seeding strategies for spreading processes in social networks: an interplay between influencers, topologies and sizes. <i>Scientific Reports</i> , 2020, 10, 3666.	1.6	13
46	A systematic review of empirical and simulation studies evaluating the health impact of transportation interventions. <i>Environmental Research</i> , 2020, 186, 109519.	3.7	27
47	A robust DEA-centric location-based decision support system for expanding Recreation hubs in the city of Bogotá (Colombia). <i>International Transactions in Operational Research</i> , 2019, 26, 1157-1187.	1.8	3
48	Using community-based system dynamics modeling to understand the complex systems that influence health in cities: The SALURBAL study. <i>Health and Place</i> , 2019, 60, 102215.	1.5	43
49	Associations of built environment and proximity of food outlets with weight status: Analysis from 14 cities in 10 countries. <i>Preventive Medicine</i> , 2019, 129, 105874.	1.6	16
50	Commute patterns and depression: Evidence from eleven Latin American cities. <i>Journal of Transport and Health</i> , 2019, 14, 100607.	1.1	37
51	Joint associations between weekday and weekend physical activity or sedentary time and childhood obesity. <i>International Journal of Obesity</i> , 2019, 43, 691-700.	1.6	16
52	Personal exposure to air pollutants in a Bus Rapid Transit System: Impact of fleet age and emission standard. <i>Atmospheric Environment</i> , 2019, 202, 117-127.	1.9	37
53	Active streets for children: The case of the Bogotá Ciclovía. <i>PLoS ONE</i> , 2019, 14, e0207791.	1.1	22
54	Epidemiological Transition in Physical Activity and Sedentary Time in Children. <i>Journal of Physical Activity and Health</i> , 2019, 16, 518-524.	1.0	11

#	ARTICLE	IF	CITATIONS
55	International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE): Contributions to Understanding the Global Obesity Epidemic. <i>Nutrients</i> , 2019, 11, 848.	1.7	47
56	Association between breakfast frequency and physical activity and sedentary time: a cross-sectional study in children from 12 countries. <i>BMC Public Health</i> , 2019, 19, 222.	1.2	17
57	Emotional Eating, Health Behaviours, and Obesity in Children: A 12-Country Cross-Sectional Study. <i>Nutrients</i> , 2019, 11, 351.	1.7	37
58	Do associations of sex, age and education with transport and leisure-time physical activity differ across 17 cities in 12 countries?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 121.	2.0	29
59	Associations between meeting combinations of 24-hour movement recommendations and dietary patterns of children: A 12-country study. <i>Preventive Medicine</i> , 2019, 118, 159-165.	1.6	63
60	School Food Environment, Food Consumption, and Indicators of Adiposity Among Students 7-14 Years in Bogotá, Colombia. <i>Journal of School Health</i> , 2019, 89, 200-209.	0.8	8
61	Relationships Between Outdoor Time, Physical Activity, Sedentary Time, and Body Mass Index in Children: A 12-Country Study. <i>Pediatric Exercise Science</i> , 2019, 31, 118-129.	0.5	13
62	Building a Data Platform for Cross-Country Urban Health Studies: the SALURBAL Study. <i>Journal of Urban Health</i> , 2019, 96, 311-337.	1.8	89
63	Differences between leisure-time physical activity, health-related quality of life and life satisfaction: Al Ritmo de las Comunidades, a natural experiment from Colombia. <i>Global Health Promotion</i> , 2019, 26, 5-14.	0.7	13
64	Socially awkward: how can we better promote walking as a social behaviour?. <i>British Journal of Sports Medicine</i> , 2018, 52, 757-758.	3.1	12
65	Sleep patterns and sugar-sweetened beverage consumption among children from around the world. <i>Public Health Nutrition</i> , 2018, 21, 2385-2393.	1.1	53
66	Outdoor time and dietary patterns in children around the world. <i>Journal of Public Health</i> , 2018, 40, e493-e501.	1.0	13
67	Sources of variability in childhood obesity indicators and related behaviors. <i>International Journal of Obesity</i> , 2018, 42, 108-110.	1.6	9
68	Inequality in physical activity, sedentary behaviour, sleep duration and risk of obesity in children: a 12-country study. <i>Obesity Science and Practice</i> , 2018, 4, 229-237.	1.0	28
69	Thresholds of physical activity associated with obesity by level of sedentary behaviour in children. <i>Pediatric Obesity</i> , 2018, 13, 450-457.	1.4	4
70	Physical Activity in Public Parks of High and Low Socioeconomic Status in Colombia Using Observational Methods. <i>Journal of Physical Activity and Health</i> , 2018, 15, 581-591.	1.0	15
71	Human development index, children's health-related quality of life and movement behaviors: a compositional data analysis. <i>Quality of Life Research</i> , 2018, 27, 1473-1482.	1.5	43
72	Physical Education Classes, Physical Activity, and Sedentary Behavior in Children. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 995-1004.	0.2	53

#	ARTICLE	IF	CITATIONS
73	The adiposity of children is associated with their lifestyle behaviours: a cluster analysis of school-aged children from 12 nations. <i>Pediatric Obesity</i> , 2018, 13, 111-119.	1.4	56
74	A DEA-centric decision support system for evaluating Ciclovía-Recreativa programs in the Americas. <i>Socio-Economic Planning Sciences</i> , 2018, 61, 90-101.	2.5	7
75	Compositional data analysis for physical activity, sedentary time and sleep research. <i>Statistical Methods in Medical Research</i> , 2018, 27, 3726-3738.	0.7	273
76	No evidence for an epidemiological transition in sleep patterns among children: a 12-country study. <i>Sleep Health</i> , 2018, 4, 87-95.	1.3	14
77	Temporal and bi-directional associations between sleep duration and physical activity/sedentary time in children: An international comparison. <i>Preventive Medicine</i> , 2018, 111, 436-441.	1.6	78
78	Effects of a strategy for the promotion of physical activity in students from Bogotá. <i>Revista De Saude Publica</i> , 2018, 52, 79.	0.7	12
79	Results from Colombia's 2018 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2018, 15, S335-S337.	1.0	13
80	Associations of neighborhood environmental attributes with adults' objectively-assessed sedentary time: IPEN adult multi-country study. <i>Preventive Medicine</i> , 2018, 115, 126-133.	1.6	20
81	Objectively-assessed neighbourhood destination accessibility and physical activity in adults from 10 countries: An analysis of moderators and perceptions as mediators. <i>Social Science and Medicine</i> , 2018, 211, 282-293.	1.8	71
82	Active Transportation "Is the School Hiding the Forest?," 2018, , 243-258.		2
83	The Rise of the "Weekend Warrior." <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 604-606.	1.7	17
84	Towards a novel model for studying the nutritional stage dynamics of the Colombian population by age and socioeconomic status. <i>PLoS ONE</i> , 2018, 13, e0191929.	1.1	12
85	Participation In Physical Education Classes And Physical Activity And Sedentary Behavior In Children. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 452.	0.2	3
86	Talking the Walk: Perceptions of Neighborhood Characteristics from Users of Open Streets Programs in Latin America and the USA. <i>Journal of Urban Health</i> , 2018, 95, 899-912.	1.8	16
87	Mid-upper arm circumference as a screening tool for identifying children with obesity: a 12-country study. <i>Pediatric Obesity</i> , 2017, 12, 439-445.	1.4	53
88	Health-Related Quality of Life and Lifestyle Behavior Clusters in School-Aged Children from 12 Countries. <i>Journal of Pediatrics</i> , 2017, 183, 178-183.e2.	0.9	92
89	Comparison of Health Examination Survey Methods in Brazil, Chile, Colombia, Mexico, England, Scotland, and the United States. <i>American Journal of Epidemiology</i> , 2017, 186, 648-658.	1.6	18
90	Joint association of birth weight and physical activity/sedentary behavior with obesity in children ages 9-11 years from 12 countries. <i>Obesity</i> , 2017, 25, 1091-1097.	1.5	11

#	ARTICLE	IF	CITATIONS
91	Associations of neighborhood social environment attributes and physical activity among 9â€“11 year old children from 12 countries. <i>Health and Place</i> , 2017, 46, 183-191.	1.5	15
92	Exposure to fine particulate, black carbon, and particle number concentration in transportation microenvironments. <i>Atmospheric Environment</i> , 2017, 157, 135-145.	1.9	100
93	Associations between meeting combinations of 24-h movement guidelines and health-related quality of life in children from 12 countries. <i>Public Health</i> , 2017, 153, 16-24.	1.4	68
94	Correlates of compliance with recommended levels of physical activity in children. <i>Scientific Reports</i> , 2017, 7, 16507.	1.6	35
95	Promotion of Recreational Walking: Case Study of the CiclovÃa-Recreativa of BogotÃ. <i>Transport and Sustainability</i> , 2017, , 275-286.	0.2	2
96	Socioeconomic status and dietary patterns in children from around the world: different associations by levels of country human development?. <i>BMC Public Health</i> , 2017, 17, 457.	1.2	56
97	Do associations between objectively-assessed physical activity and neighbourhood environment attributes vary by time of the day and day of the week? IPEN adult study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 34.	2.0	49
98	Assessing the effect of physical activity classes in public spaces on leisure-time physical activity: â€œAl Ritmo de las Comunidadesâ€•A natural experiment in Bogota, Colombia. <i>Preventive Medicine</i> , 2017, 103, S51-S58.	1.6	25
99	Reclaiming the streets for people: Insights from CiclovÃas Recreativas in Latin America. <i>Preventive Medicine</i> , 2017, 103, S34-S40.	1.6	67
100	Start small, dream big: Experiences of physical activity in public spaces in Colombia. <i>Preventive Medicine</i> , 2017, 103, S41-S50.	1.6	27
101	Where Latin Americans are physically active, and why does it matter? Findings from the IPEN-adult study in Bogota, Colombia; Cuernavaca, Mexico; and Curitiba, Brazil. <i>Preventive Medicine</i> , 2017, 103, S27-S33.	1.6	52
102	The RecreovÃa of BogotÃ, a Community-Based Physical Activity Program to Promote Physical Activity among Women: Baseline Results of the Natural Experiment Al Ritmo de las Comunidades. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 633.	1.2	25
103	Quality of public urban parks for physical activity practice in Bucaramanga, Colombia. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2017, 19, 480.	0.5	4
104	Logic model of the RecreovÃa: a community program to promote physical activity in Bogota. <i>Revista Brasileira De Atividade FÃsica E SaÃde</i> , 2017, 22, 206-211.	0.1	6
105	Perceived Neighborhood Environmental Attributes Associated with Walking and Cycling for Transport among Adult Residents of 17 Cities in 12 Countries: The IPEN Study. <i>Environmental Health Perspectives</i> , 2016, 124, 290-298.	2.8	195
106	Are Children Like Werewolves? Full Moon and Its Association with Sleep and Activity Behaviors in an International Sample of Children. <i>Frontiers in Pediatrics</i> , 2016, 4, 24.	0.9	15
107	Relationship between Soft Drink Consumption and Obesity in 9â€“11 Years Old Children in a Multi-National Study. <i>Nutrients</i> , 2016, 8, 770.	1.7	46
108	Relationships between Parental Education and Overweight with Childhood Overweight and Physical Activity in 9â€“11 Year Old Children: Results from a 12-Country Study. <i>PLoS ONE</i> , 2016, 11, e0147746.	1.1	86

#	ARTICLE	IF	CITATIONS
109	A system dynamics model of the nutritional stages of the Colombian population. <i>Kybernetes</i> , 2016, 45, 554-570.	1.2	6
110	Physical activity in relation to urban environments in 14 cities worldwide: a cross-sectional study. <i>Lancet, The</i> , 2016, 387, 2207-2217.	6.3	800
111	Utility and Reliability of an App for the System for Observing Play and Recreation in Communities (iSOPARCÂ®). <i>Measurement in Physical Education and Exercise Science</i> , 2016, 20, 93-98.	1.3	25
112	TransMilenio, a Scalable Bus Rapid Transit System for Promoting Physical Activity. <i>Journal of Urban Health</i> , 2016, 93, 256-270.	1.8	23
113	Using agent based modeling to assess the effect of increased Bus Rapid Transit system infrastructure on walking for transportation. <i>Preventive Medicine</i> , 2016, 88, 39-45.	1.6	18
114	Maternal gestational diabetes and childhood obesity at age 9â€“11: results of a multinational study. <i>Diabetologia</i> , 2016, 59, 2339-2348.	2.9	92
115	Household-level correlates of children's physical activity levels in and across 12 countries. <i>Obesity</i> , 2016, 24, 2150-2157.	1.5	18
116	Results From Colombiaâ€™s 2016 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016, 13, S129-S136.	1.0	24
117	Proportion of children meeting recommendations for 24-hour movement guidelines and associations with adiposity in a 12-country study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 123.	2.0	224
118	International comparisons of the associations between objective measures of the built environment and transport-related walking and cycling: IPEN adult study. <i>Journal of Transport and Health</i> , 2016, 3, 467-478.	1.1	160
119	Leveraging Citizen Science and Information Technology for Population Physical Activity Promotion. <i>Translational Journal of the American College of Sports Medicine</i> , 2016, 1, 30-44.	0.3	92
120	Leveraging Citizen Science and Information Technology for Population Physical Activity Promotion. <i>Translational Journal of the American College of Sports Medicine</i> , 2016, 1, 30-44.	0.3	66
121	Relationship between lifestyle behaviors and obesity in children ages 9â€“11: Results from a 12-country study. <i>Obesity</i> , 2015, 23, 1696-1702.	1.5	120
122	Accelerometer-based physical activity levels among Mexican adults and their relation with sociodemographic characteristics and BMI: a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 79.	2.0	39
123	Physical Activity, Sedentary Time, and Obesity in an International Sample of Children. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2062-2069.	0.2	171
124	International study of perceived neighbourhood environmental attributes and Body Mass Index: IPEN Adult study in 12 countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 62.	2.0	52
125	A model for presenting accelerometer paradata in large studies: ISCOLE. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 52.	2.0	18
126	Active school transport and weekday physical activity in 9â€“11-year-old children from 12 countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S100-S106.	12.5	55

#	ARTICLE	IF	CITATIONS
127	Association between home and school food environments and dietary patterns among 9-11-year-old children in 12 countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S66-S73.	12.5	38
128	Relationships between active school transport and adiposity indicators in school-age children from low-, middle- and high-income countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S107-S114.	12.5	44
129	Associations between breakfast frequency and adiposity indicators in children from 12 countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S80-S88.	12.5	30
130	An international comparison of dietary patterns in 9-11-year-old children. <i>International Journal of Obesity Supplements</i> , 2015, 5, S17-S21.	12.5	47
131	Reliability of accelerometer-determined physical activity and sedentary behavior in school-aged children: a 12-country study. <i>International Journal of Obesity Supplements</i> , 2015, 5, S29-S35.	12.5	38
132	Development and reliability of an audit tool to assess the school physical activity environment across 12 countries. <i>International Journal of Obesity Supplements</i> , 2015, 5, S36-S42.	12.5	15
133	Association between body mass index and body fat in 9-11-year-old children from countries spanning a range of human development. <i>International Journal of Obesity Supplements</i> , 2015, 5, S43-S46.	12.5	19
134	Nocturnal sleep-related variables from 24-h free-living waist-worn accelerometry: International Study of Childhood Obesity, Lifestyle and the Environment. <i>International Journal of Obesity Supplements</i> , 2015, 5, S47-S52.	12.5	15
135	Birth weight and childhood obesity: a 12-country study. <i>International Journal of Obesity Supplements</i> , 2015, 5, S74-S79.	12.5	128
136	Mapping Equality in Access: The Case of Bogotá's Sustainable Transportation Initiatives. <i>International Journal of Sustainable Transportation</i> , 2015, 9, 457-467.	2.1	46
137	Bridging the gap between research and practice: an assessment of external validity of community-based physical activity programs in Bogotá, Colombia, and Recife, Brazil. <i>Translational Behavioral Medicine</i> , 2015, 5, 1-11.	1.2	32
138	Improving wear time compliance with a 24-hour waist-worn accelerometer protocol in the International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 11.	2.0	161
139	Personal exposure to asbestos and respiratory health of heavy vehicle brake mechanics. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2015, 25, 26-36.	1.8	19
140	Correlates of Total Sedentary Time and Screen Time in 9-11 Year-Old Children around the World: The International Study of Childhood Obesity, Lifestyle and the Environment. <i>PLoS ONE</i> , 2015, 10, e0129622.	1.1	211
141	The nutrition transition in Colombia over a decade: a novel household classification system of anthropometric measures. <i>Archives of Public Health</i> , 2015, 73, 12.	1.0	49
142	Moderating effects of age, gender and education on the associations of perceived neighborhood environment attributes with accelerometer-based physical activity: The IPEN adult study. <i>Health and Place</i> , 2015, 36, 65-73.	1.5	44
143	International study of objectively measured physical activity and sedentary time with body mass index and obesity: IPEN adult study. <i>International Journal of Obesity</i> , 2015, 39, 199-207.	1.6	127
144	Can Population Levels of Physical Activity Be Increased? Global Evidence and Experience. <i>Progress in Cardiovascular Diseases</i> , 2015, 57, 356-367.	1.6	96

#	ARTICLE	IF	CITATIONS
145	Individual, Family, and Community Predictors of Overweight and Obesity Among Colombian Children and Adolescents. <i>Preventing Chronic Disease</i> , 2014, 11, E134.	1.7	19
146	Niveles de actividad física de la población colombiana: desigualdades por sexo y condición socioeconómica. <i>Biomedica</i> , 2014, 34, .	0.3	27
147	The dual burden of malnutrition in Colombia. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1628S-1635S.	2.2	57
148	Overcoming the challenges of conducting physical activity and built environment research in Latin America: IPEN Latin America. <i>Preventive Medicine</i> , 2014, 69, S86-S92.	1.6	89
149	A discrete-event simulation model to estimate the number of participants in the ciclovía program of Bogotá. , 2014, , .		1
150	Television viewing and its association with health-related quality of life in school-age children from Montería, Colombia. <i>Journal of Exercise Science and Fitness</i> , 2014, 12, 68-72.	0.8	9
151	Neighborhood Environments and Objectively Measured Physical Activity in 11 Countries. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 2253-2264.	0.2	96
152	Network Analysis of Bogotá's Ciclovía Recreativa, a Self-Organized Multisectorial Community Program to Promote Physical Activity in a Middle-Income Country. <i>American Journal of Health Promotion</i> , 2014, 28, e127-e136.	0.9	31
153	Obesity prevention lessons from Latin America. <i>Preventive Medicine</i> , 2014, 69, S120-S122.	1.6	21
154	Built Environment and Physical Activity for Transportation in Adults from Curitiba, Brazil. <i>Journal of Urban Health</i> , 2014, 91, 446-462.	1.8	64
155	Perceived neighbourhood environmental attributes associated with adults' recreational walking: IPEN Adult study in 12 countries. <i>Health and Place</i> , 2014, 28, 22-30.	1.5	125
156	Physical Activity of Children: A Global Matrix of Grades Comparing 15 Countries. <i>Journal of Physical Activity and Health</i> , 2014, 11, S113-S125.	1.0	304
157	Results from Colombia's 2014 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2014, 11, S33-S44.	1.0	33
158	Results from Colombia's 2014 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2014, 11, S33-S44.	1.0	0
159	Sharing good NEWS across the world: developing comparable scores across 12 countries for the neighborhood environment walkability scale (NEWS). <i>BMC Public Health</i> , 2013, 13, 309.	1.2	113
160	Physical activity, nutrition and behavior change in Latin America: a systematic review. <i>Global Health Promotion</i> , 2013, 20, 65-81.	0.7	22
161	The International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE): design and methods. <i>BMC Public Health</i> , 2013, 13, 900.	1.2	264
162	Presence of organochlorine pesticides in breast milk samples from Colombian women. <i>Chemosphere</i> , 2013, 91, 733-739.	4.2	26

#	ARTICLE	IF	CITATIONS
163	Socio-economic inequalities in malnutrition among children and adolescents in Colombia: the role of individual-, household- and community-level characteristics. <i>Public Health Nutrition</i> , 2013, 16, 1703-1718.	1.1	35
164	Advancing Science and Policy Through a Coordinated International Study of Physical Activity and Built Environments: IPEN Adult Methods. <i>Journal of Physical Activity and Health</i> , 2013, 10, 581-601.	1.0	148
165	The Ciclovía and Cicloruta Programs: Promising Interventions to Promote Physical Activity and Social Capital in Bogotá, Colombia. <i>American Journal of Public Health</i> , 2013, 103, e23-e30.	1.5	106
166	Comparing three body mass index classification systems to assess overweight and obesity in children and adolescents. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2013, 33, 349-355.	0.6	48
167	Multisectoral Interventions to Promote Healthy Living in Latin America and the Caribbean. , 2013, , 133-204.		0
168	Locating Neighborhood Parks with a Lexicographic Multiobjective Optimization Method. <i>Profiles in Operations Research</i> , 2012, , 143-171.	0.3	9
169	Nutrition in Colombian pregnant women. <i>Public Health Nutrition</i> , 2012, 15, 955-963.	1.1	15
170	An Inside Look at Active Transportation in Bogotá: A Qualitative Study. <i>Journal of Physical Activity and Health</i> , 2012, 9, 776-785.	1.0	31
171	Global physical activity levels: surveillance progress, pitfalls, and prospects. <i>Lancet, The</i> , 2012, 380, 247-257.	6.3	4,021
172	Correlates of physical activity: why are some people physically active and others not?. <i>Lancet, The</i> , 2012, 380, 258-271.	6.3	2,874
173	The implications of megatrends in information and communication technology and transportation for changes in global physical activity. <i>Lancet, The</i> , 2012, 380, 282-293.	6.3	233
174	Evidence-based intervention in physical activity: lessons from around the world. <i>Lancet, The</i> , 2012, 380, 272-281.	6.3	898
175	The pandemic of physical inactivity: global action for public health. <i>Lancet, The</i> , 2012, 380, 294-305.	6.3	2,054
176	Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. <i>Lancet, The</i> , 2012, 380, 219-229.	6.3	6,107
177	Do Health Benefits Outweigh the Costs of Mass Recreational Programs? An Economic Analysis of Four Ciclovía Programs. <i>Journal of Urban Health</i> , 2012, 89, 153-170.	1.8	73
178	Should they play outside? Cardiorespiratory fitness and air pollution among schoolchildren in Bogotá. <i>Revista De Salud Publica</i> , 2012, 14, 570-83.	0.0	9
179	The Climate Value of Cycling. <i>Natural Resources Forum</i> , 2011, 35, 100-111.	1.8	18
180	Freshman Medical Students' Health and Fitness Levels Influence Their Attitudes Regarding Future Physical Activity Counseling. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 546.	0.2	0

#	ARTICLE	IF	CITATIONS
181	Prevalence of Risk Factors for Recreational Race-Associated Cardiovascular Events Among Runners in Bogota City. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 345-346.	0.2	1
182	Walking or Bicycling to School and Weight Status among Adolescents From Montería, Colombia. <i>Journal of Physical Activity and Health</i> , 2011, 8, S171-S177.	1.0	35
183	The built environment and recreational physical activity among adults in Curitiba, Brazil. <i>Preventive Medicine</i> , 2011, 52, 419-422.	1.6	83
184	Translating evidence to policy: urban interventions and physical activity promotion in Bogotá, Colombia and Curitiba, Brazil. <i>Translational Behavioral Medicine</i> , 2011, 1, 350-360.	1.2	52
185	Characteristics of the Built Environment Associated With Leisure-Time Physical Activity Among Adults in Bogotá, Colombia: A Multilevel Study. <i>Journal of Physical Activity and Health</i> , 2010, 7, S196-S203.	1.0	67
186	The Ciclovía-Recreativa: A Mass-Recreational Program With Public Health Potential. <i>Journal of Physical Activity and Health</i> , 2010, 7, S163-S180.	1.0	132
187	Quality of Life, Physical Activity, and Built Environment Characteristics Among Colombian Adults. <i>Journal of Physical Activity and Health</i> , 2010, 7, S181-S195.	1.0	70
188	Lessons Learned After 10 Years of IPAQ Use in Brazil and Colombia. <i>Journal of Physical Activity and Health</i> , 2010, 7, S259-S264.	1.0	251
189	Association between Physical Activity Levels, Perceived Barriers and Environmental Factors in Colombian Medical Students. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 355.	0.2	1
190	Perceived and objective neighborhood environment attributes and health related quality of life among the elderly in Bogotá, Colombia. <i>Social Science and Medicine</i> , 2010, 70, 1070-1076.	1.8	184
191	Built Environment Attributes and Walking Patterns Among the Elderly Population in Bogotá. <i>American Journal of Preventive Medicine</i> , 2010, 38, 592-599.	1.6	169
192	The association between Colombian medical students' healthy personal habits and a positive attitude toward preventive counseling: cross-sectional analyses. <i>BMC Public Health</i> , 2009, 9, 218.	1.2	64
193	Influences of Built Environments on Walking and Cycling: Lessons from Bogotá. <i>International Journal of Sustainable Transportation</i> , 2009, 3, 203-226.	2.1	573
194	Prevalence of and factors associated with current asthma symptoms in school children aged 6-7 and 13-14 years old in Bogotá, Colombia. <i>Pediatric Allergy and Immunology</i> , 2008, 19, 307-314.	1.1	49
195	Medical Student's Knowledge on Physical Activity Counseling is Associated with their Physical Activity Levels. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, S251.	0.2	3
196	Prevalence of Multiple Sclerosis in Bogotá, Colombia. <i>Neuroepidemiology</i> , 2007, 28, 33-38.	1.1	45
197	Effectiveness and Challenges for Promoting Physical Activity Globally. , 2007, , 87-106.		4
198	Prevalence and Factors Associated with Walking and Bicycling for Transport Among Young Adults in Two Low-Income Localities of Bogotá, Colombia. <i>Journal of Physical Activity and Health</i> , 2005, 2, 445-459.	1.0	37

#	ARTICLE	IF	CITATIONS
199	Routine Physical Examination and Forgone Health Care among Latino Adolescent Immigrants in the United States. <i>Journal of Immigrant and Minority Health</i> , 2005, 7, 305-316.	0.8	7
200	Acculturation and physical activity among North Carolina Latina immigrants. <i>Social Science and Medicine</i> , 2004, 59, 2509-2522.	1.8	132
201	Disparities in routine physical examinations among in-school adolescents of differing Latino origins. <i>Journal of Adolescent Health</i> , 2004, 35, 310-320.	1.2	5
202	Personal, social, and environmental correlates of physical activity in North Carolina Latina immigrants. <i>American Journal of Preventive Medicine</i> , 2003, 25, 77-85.	1.6	106
203	Assessment by Meta-Analysis of PCR for Diagnosis of Smear-Negative Pulmonary Tuberculosis. <i>Journal of Clinical Microbiology</i> , 2003, 41, 3233-3240.	1.8	153
204	Environmental, Policy, and Cultural Factors Related to Physical Activity Among Latina Immigrants. <i>Women and Health</i> , 2002, 36, 43-56.	0.4	123
205	The Importance of Assessing Effect Modification When Asserting Racial Differences in Associations between Human Leukocyte Antigen Class II Alleles and Hepatitis C Virus Outcomes. <i>Journal of Infectious Diseases</i> , 2002, 185, 266-267.	1.9	5
206	Factors associated with having an annual routine medical exam among Latino adolescents of Mexican, Cuban, Puerto Rican, Central/South American and Dominican Republic origin. <i>Journal of Adolescent Health</i> , 2002, 30, 106-107.	1.2	0
207	Winds of change: the case of TransMiCable, a community-engaged transport intervention improving equity and health in Bogotá, Colombia. <i>Cities and Health</i> , 0, , 1-9.	1.6	4