Ardalan Aarabi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/67939/publications.pdf Version: 2024-02-01



Δρόλιλη Δλράβι

#	Article	IF	CITATIONS
1	Brain Dynamics and Connectivity from Birth through Adolescence. Brain Sciences, 2022, 12, 395.	2.3	0
2	Temporally dynamic neural correlates of drug cue reactivity, response inhibition, and methamphetamine-related response inhibition in people with methamphetamine use disorder. Scientific Reports, 2022, 12, 3567.	3.3	3
3	Sleep Spindle Characteristics in Obstructive Sleep Apnea Syndrome (OSAS). Frontiers in Neurology, 2021, 12, 598632.	2.4	17
4	Sexual Dimorphisms and Asymmetries of the Thalamo-Cortical Pathways and Subcortical Grey Matter of Term Born Healthy Neonates: An Investigation with Diffusion Tensor MRI. Diagnostics, 2021, 11, 560.	2.6	0
5	Effect of Multishell Diffusion MRI Acquisition Strategy and Parcellation Scale on Rich-Club Organization of Human Brain Structural Networks. Diagnostics, 2021, 11, 970.	2.6	3
6	Multi-scale structural rich-club organization of the brain in full-term newborns: a combined DWI and fMRI study. Journal of Neural Engineering, 2021, 18, 046065.	3.5	4
7	Disrupted Functional Rich-Club Organization of the Brain Networks in Children with Attention-Deficit/Hyperactivity Disorder, a Resting-State EEG Study. Brain Sciences, 2021, 11, 938.	2.3	4
8	Resting state dynamic functional connectivity in children with attention deficit/hyperactivity disorder. Journal of Neural Engineering, 2021, 18, 0460d1.	3.5	13
9	Morphological active contour model for automatic brain tumor extraction from multimodal magnetic resonance images. Journal of Neuroscience Methods, 2021, 362, 109296.	2.5	15
10	Neonatal EEG sleep stage classification based on deep learning and HMM. Journal of Neural Engineering, 2020, 17, 036031.	3.5	29
11	Multi-atlas based neonatal brain extraction using atlas library clustering and local label fusion. Multimedia Tools and Applications, 2020, 79, 19411-19433.	3.9	3
12	Cortical source analysis of resting state EEG data in children with attention deficit hyperactivity disorder. Clinical Neurophysiology, 2020, 131, 2115-2130.	1.5	16
13	Effect of structural complexities in head modeling on the accuracy of EEG source localization in neonates. Journal of Neural Engineering, 2020, 17, 056004.	3.5	10
14	Multi-atlas based neonatal brain extraction using a two-level patch-based label fusion strategy. Biomedical Signal Processing and Control, 2019, 54, 101602.	5.7	6
15	Assessment of the effect of data length on the reliability of resting-state fNIRS connectivity measures and graph metrics. Biomedical Signal Processing and Control, 2019, 54, 101612.	5.7	6
16	An automatic single-channel EEG-based sleep stage scoring method based on hidden Markov Model. Journal of Neuroscience Methods, 2019, 324, 108320.	2.5	66
17	Image segmentation using multilevel thresholding based on modified bird mating optimization. Multimedia Tools and Applications, 2019, 78, 23003-23027.	3.9	32
18	An improved feature selection algorithm based on graph clustering and ant colony optimization. Knowledge-Based Systems, 2018, 159, 270-285.	7.1	66

#	Article	IF	CITATIONS
19	Hemodynamic Changes Associated with Interictal Spikes Induced by Acute Models of Focal Epilepsy in Rats: A Simultaneous Electrocorticography and Near-Infrared Spectroscopy Study. Brain Topography, 2017, 30, 390-407.	1.8	14
20	Characterization and correction of the false-discovery rates in resting state connectivity using functional near-infrared spectroscopy. Journal of Biomedical Optics, 2017, 22, 055002.	2.6	73
21	Effect of confounding variables on hemodynamic response function estimation using averaging and deconvolution analysis: An event-related NIRS study. NeuroImage, 2017, 155, 25-49.	4.2	26
22	Seizure prediction in patients with focal hippocampal epilepsy. Clinical Neurophysiology, 2017, 128, 1299-1307.	1.5	65
23	P263 Effect of structural complexities in head modelling on neonatal EEG source analysis. Clinical Neurophysiology, 2017, 128, e262-e263.	1.5	1
24	EEG Resting State Functional Connectivity Analysis in Children with Benign Epilepsy with Centrotemporal Spikes. Frontiers in Neuroscience, 2016, 10, 143.	2.8	51
25	Effects of uncertainty in head tissue conductivity and complexity on EEG forward modeling in neonates. Human Brain Mapping, 2016, 37, 3604-3622.	3.6	35
26	Characterization of the relative contributions from systemic physiological noise to whole-brain resting-state functional near-infrared spectroscopy data using single-channel independent component analysis. Neurophotonics, 2016, 3, 025004.	3.3	15
27	EEG resting state analysis of cortical sources in patients with benign epilepsy with centrotemporal spikes. NeuroImage: Clinical, 2015, 9, 275-282.	2.7	35
28	Functional Brain Dysfunction in Patients with Benign Childhood Epilepsy as Revealed by Graph Theory. PLoS ONE, 2015, 10, e0139228.	2.5	35
29	Seizure prediction in hippocampal and neocortical epilepsy using a model-based approach. Clinical Neurophysiology, 2014, 125, 930-940.	1.5	61
30	Autoregressive model based algorithm for correcting motion and serially correlated errors in fNIRS. Biomedical Optics Express, 2013, 4, 1366.	2.9	247
31	Spatiotemporal source analysis in scalp EEG vs. intracerebral EEG and SPECT: A case study in a 2-year-old child. Neurophysiologie Clinique, 2012, 42, 207-224.	2.2	1
32	A rule-based seizure prediction method for focal neocortical epilepsy. Clinical Neurophysiology, 2012, 123, 1111-1122.	1.5	74
33	Dynamic changes in quantitative electroencephalogram during continuous performance test in children with attention-deficit/hyperactivity disorder. International Journal of Psychophysiology, 2011, 81, 230-236.	1.0	56
34	Seizure prediction in intracranial EEG: A patient-specific rule-based approach. , 2011, 2011, 2566-9.		4
35	Fuzzy rule-based seizure prediction based on correlation dimension changes in intracranial EEG. , 2010, 2010, 3301-4.		16
36	Visual sensory processing deficit in the occipital region in children with attention-deficit/hyperactivity disorder as revealed by event-related potentials during cued continuous performance test. Neurophysiologie Clinique, 2010, 40, 137-149.	2.2	34

Ardalan Aarabi

#	Article	IF	CITATIONS
37	Local haemodynamic changes preceding interictal spikes: A simultaneous electrocorticography (ECoG) and near-infrared spectroscopy (NIRS) analysis in rats. NeuroImage, 2010, 50, 600-607.	4.2	46
38	A fuzzy rule-based system for epileptic seizure detection in intracranial EEG. Clinical Neurophysiology, 2009, 120, 1648-1657.	1.5	142
39	Detection of EEG transients in neonates and older children using a system based on dynamic time-warping template matching and spatial dipole clustering. NeuroImage, 2009, 48, 50-62.	4.2	29
40	High-resolution electroencephalography and source localization in neonates. Human Brain Mapping, 2008, 29, 167-176.	3.6	77
41	Does spatiotemporal synchronization of EEG change prior to absence seizures?. Brain Research, 2008, 1188, 207-221.	2.2	65
42	Inverse coupling between respiratory and cardiac oscillators in a life-threatening event in a neonate. Autonomic Neuroscience: Basic and Clinical, 2008, 143, 79-82.	2.8	8
43	A multistage knowledge-based system for EEG seizure detection in newborn infants. Clinical Neurophysiology, 2007, 118, 2781-2797.	1.5	114
44	Automated neonatal seizure detection: A multistage classification system through feature selection based on relevance and redundancy analysis. Clinical Neurophysiology, 2006, 117, 328-340.	1.5	117