
Jürgen Franzaring

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6796934/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Air quality in post-mining towns: tracking potentially toxic elements using tree leaves. Environmental Geochemistry and Health, 2023, 45, 843-859.	1.8	3
2	Differential elemental stoichiometry of two Mediterranean evergreen woody plants over a geochemically heterogeneous area. Perspectives in Plant Ecology, Evolution and Systematics, 2022, 55, 125672.	1.1	3
3	Assessing bioavailable fraction and bioconcentration factors of Cd and Zn in young silage maize under different P fertilization and crop rotation. Environmental Pollutants and Bioavailability, 2021, 33, 377-387.	1.3	1
4	Cd and Zn Concentrations in Soil and Silage Maize following the Addition of P Fertilizer. Agronomy, 2021, 11, 2336.	1.3	3
5	Nitrogen Supply Drives Senescence-Related Seed Storage Protein Expression in Rapeseed Leaves. Genes, 2019, 10, 72.	1.0	2
6	Root exudation of carbohydrates and cations from barley in response to drought and elevated CO2. Plant and Soil, 2019, 438, 127-142.	1.8	24
7	Cadmium concentrations in German soybeans are elevated in conurbations and in regions dominated by mining and the metal industry. Journal of the Science of Food and Agriculture, 2019, 99, 3711-3715.	1.7	11
8	Phytotoxicity of tin mine waste and accumulation of involved heavy metals in common buckwheat (<i>Fagopyrum esculentum</i> Moench). International Journal of Phytoremediation, 2018, 20, 462-470.	1.7	10
9	Divergent N Deficiency-Dependent Senescence and Transcriptome Response in Developmentally Old and Young Brassica napus Leaves. Frontiers in Plant Science, 2018, 9, 48.	1.7	13
10	Phytotoxicity of polymetallic mine wastes from southern Tuscany and Saxony. Ecotoxicology and Environmental Safety, 2018, 162, 505-513.	2.9	7
11	Foliar nutrient and metal levels of crops in the Mount Cameroon area—reference values for plant nutrition and environmental monitoring. Environmental Monitoring and Assessment, 2017, 189, 186.	1.3	4
12	Atmospheric <scp>CO</scp> ₂ enrichment and drought stress modify root exudation of barley. Global Change Biology, 2017, 23, 1292-1304.	4.2	49
13	Regional differences in plant levels and investigations on the phytotoxicity of lithium. Environmental Pollution, 2016, 216, 858-865.	3.7	31
14	Exploratory study on the presence of GM oilseed rape near German oil mills. Environmental Science and Pollution Research, 2016, 23, 23300-23307.	2.7	9
15	Design and performance of a new FACE (free air carbon dioxide enrichment) system for crop and short vegetation exposure. Environmental and Experimental Botany, 2016, 130, 151-161.	2.0	4
16	Simple and robust determination of the activity signature of key carbohydrate metabolism enzymes for physiological phenotyping in model and crop plants. Journal of Experimental Botany, 2015, 66, 5531-5542.	2.4	83
17	Responses of the novel bioenergy plant species Sida hermaphrodita (L.) Rusby and Silphium perfoliatum L. to CO 2 fertilization at different temperatures and water supply. Biomass and Bioenergy, 2015, 81, 574-583.	2.9	41
18	Assessment of Pb and Zn contents in agricultural soils and soybean crops near to a former battery recycling plant in CÃ3rdoba, Argentina. Journal of Geochemical Exploration, 2014, 145, 129-134.	1.5	36

Jürgen Franzaring

#	ARTICLE	IF	CITATIONS
19	Grain quality characteristics of spring wheat (Triticum aestivum) as affected by free-air CO2 enrichment. Environmental and Experimental Botany, 2013, 88, 11-18.	2.0	79
20	Pest and disease abundance and dynamics in wheat and oilseed rape as affected by elevated atmospheric CO2 concentrations. Functional Plant Biology, 2013, 40, 125.	1.1	7
21	Responses of old and modern cereals to CO2-fertilisation. Crop and Pasture Science, 2013, 64, 943.	0.7	11
22	Senescenceâ€ s pecific Alteration of Hydrogen Peroxide Levels in <i>Arabidopsis thaliana</i> and Oilseed Rape Spring Variety <i>Brassica napus</i> L. cv. Mozart ^F . Journal of Integrative Plant Biology, 2012, 54, 540-554.	4.1	68
23	Fluoride Biomonitoring around a Large Aluminium Smelter Using Foliage from Different Tree Species. Clean - Soil, Air, Water, 2012, 40, 1315-1319.	0.7	8
24	Allocation and remobilisation of nitrogen in spring oilseed rape (Brassica napus L. cv. Mozart) as affected by N supply and elevated CO2. Environmental and Experimental Botany, 2012, 83, 12-22.	2.0	15
25	Abundance and activity of nitrate reducers in an arable soil are more affected by temporal variation and soil depth than by elevated atmospheric [CO2]. FEMS Microbiology Ecology, 2011, 76, 209-219.	1.3	30
26	Growth, senescence and water use efficiency of spring oilseed rape (Brassica napus L. cv. Mozart) grown in a factorial combination of nitrogen supply and elevated CO2. Environmental and Experimental Botany, 2011, 72, 284-296.	2.0	30
27	Effects of free-air CO2 enrichment on energy traits and seed quality of oilseed rape. Agriculture, Ecosystems and Environment, 2010, 139, 239-244.	2.5	42
28	Twenty years of biological monitoring of element concentrations in permanent forest and grassland plots in Baden-Württemberg (SW Germany). Environmental Science and Pollution Research, 2010, 17, 4-12.	2.7	14
29	Effects of atmospheric CO2 enrichment on biomass, yield and low molecular weight metabolites in wheat grain. Journal of Cereal Science, 2010, 52, 215-220.	1.8	75
30	Accumulation of airborne persistent organic pollutants (POPs) in plants. Basic and Applied Ecology, 2000, 1, 25-30.	1.2	57