
Brigitte C Widemann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6797175/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Understanding and Managing Methotrexate Nephrotoxicity. Oncologist, 2006, 11, 694-703.	1.9	591
2	Activity of Selumetinib in Neurofibromatosis Type 1–Related Plexiform Neurofibromas. New England Journal of Medicine, 2016, 375, 2550-2560.	13.9	486
3	Inhibition of B Cell Receptor Signaling by Ibrutinib in Primary CNS Lymphoma. Cancer Cell, 2017, 31, 833-843.e5.	7.7	383
4	Selumetinib in Children with Inoperable Plexiform Neurofibromas. New England Journal of Medicine, 2020, 382, 1430-1442.	13.9	360
5	Low-Intensity Therapy in Adults with Burkitt's Lymphoma. New England Journal of Medicine, 2013, 369, 1915-1925.	13.9	307
6	Histopathologic evaluation of atypical neurofibromatous tumors and their transformation into malignant peripheral nerve sheath tumor in patients with neurofibromatosis 1—a consensus overview. Human Pathology, 2017, 67, 1-10.	1.1	275
7	MEK inhibition exhibits efficacy in human and mouse neurofibromatosis tumors. Journal of Clinical Investigation, 2013, 123, 340-347.	3.9	273
8	High-dose methotrexate-induced nephrotoxicity in patients with osteosarcoma. Cancer, 2004, 100, 2222-2232.	2.0	271
9	Assessment of benign tumor burden by whole-body MRI in patients with neurofibromatosis 1. Neuro-Oncology, 2008, 10, 593-598.	0.6	200
10	Sustained response and prevention of damage progression in patients with neonatalâ€onset multisystem inflammatory disease treated with anakinra: A cohort study to determine three―and fiveâ€year outcomes. Arthritis and Rheumatism, 2012, 64, 2375-2386.	6.7	182
11	Phase I Trial and Pharmacokinetic Study of the Farnesyltransferase Inhibitor Tipifarnib in Children With Refractory Solid Tumors or Neurofibromatosis Type I and Plexiform Neurofibromas. Journal of Clinical Oncology, 2006, 24, 507-516.	0.8	139
12	Vandetanib in Children and Adolescents with Multiple Endocrine Neoplasia Type 2B Associated Medullary Thyroid Carcinoma. Clinical Cancer Research, 2013, 19, 4239-4248.	3.2	136
13	Outcome of Patients With Recurrent Osteosarcoma Enrolled in Seven Phase II Trials Through Children's Cancer Group, Pediatric Oncology Group, and Children's Oncology Group: Learning From the Past to Move Forward. Journal of Clinical Oncology, 2016, 34, 3031-3038.	0.8	132
14	Glucarpidase, Leucovorin, and Thymidine for High-Dose Methotrexate-Induced Renal Dysfunction: Clinical and Pharmacologic Factors Affecting Outcome. Journal of Clinical Oncology, 2010, 28, 3979-3986.	0.8	130
15	Phase I Trial and Pharmacokinetic Study of BMS-247550, an Epothilone B Analog, Administered Intravenously on a Daily Schedule for Five Days. Journal of Clinical Oncology, 2003, 21, 1866-1873.	0.8	127
16	High-dose intravenous immune globulin therapy for hyperbilirubinemia caused by Rh hemolytic disease. Journal of Pediatrics, 1992, 121, 93-97.	0.9	123
17	Consensus Guideline for Use of Glucarpidase in Patients with High-Dose Methotrexate Induced Acute Kidney Injury and Delayed Methotrexate Clearance. Oncologist, 2018, 23, 52-61.	1.9	123
18	Sirolimus for progressive neurofibromatosis type 1-associated plexiform neurofibromas: a Neurofibromatosis Clinical Trials Consortium phase II study. Neuro-Oncology, 2015, 17, 596-603.	0.6	118

#	Article	IF	CITATIONS
19	Safety and efficacy of low-dose sirolimus in the PIK3CA-related overgrowth spectrum. Genetics in Medicine, 2019, 21, 1189-1198.	1.1	115
20	Phase 1 trial and pharmacokinetic study of arsenic trioxide in children and adolescents with refractory or relapsed acute leukemia, including acute promyelocytic leukemia or lymphoma. Blood, 2008, 111, 566-573.	0.6	113
21	Current status of sporadic and neurofibromatosis type 1-associated malignant peripheral nerve sheath tumors. Current Oncology Reports, 2009, 11, 322-328.	1.8	110
22	Recommendations for imaging tumor response in neurofibromatosis clinical trials. Neurology, 2013, 81, S33-40.	1.5	107
23	A Phase I Trial and Pharmacokinetic Study of Sorafenib in Children with Refractory Solid Tumors or Leukemias: A Children's Oncology Group Phase I Consortium Report. Clinical Cancer Research, 2012, 18, 6011-6022.	3.2	103
24	Sorafenib Is an Inhibitor of UGT1A1 but Is Metabolized by UGT1A9: Implications of Genetic Variants on Pharmacokinetics and Hyperbilirubinemia. Clinical Cancer Research, 2012, 18, 2099-2107.	3.2	103
25	Growth dynamics of plexiform neurofibromas: a retrospective cohort study of 201 patients with neurofibromatosis 1. Orphanet Journal of Rare Diseases, 2012, 7, 75.	1.2	99
26	MultiDimensional ClinOmics for Precision Therapy of Children and Adolescent Young Adults with Relapsed and Refractory Cancer: A Report from the Center for Cancer Research. Clinical Cancer Research, 2016, 22, 3810-3820.	3.2	99
27	A Phase 1 Trial and Pharmacokinetic Study of Cediranib, an Orally Bioavailable Pan–Vascular Endothelial Growth Factor Receptor Inhibitor, in Children and Adolescents With Refractory Solid Tumors. Journal of Clinical Oncology, 2010, 28, 5174-5181.	0.8	98
28	Biology and Management of Undifferentiated Pleomorphic Sarcoma, Myxofibrosarcoma, and Malignant Peripheral Nerve Sheath Tumors: State of the Art and Perspectives. Journal of Clinical Oncology, 2018, 36, 160-167.	0.8	94
29	Phase I Trial and Pharmacokinetic Study of Lexatumumab in Pediatric Patients With Solid Tumors. Journal of Clinical Oncology, 2012, 30, 4141-4147.	0.8	93
30	Phase 2 randomized, flexible crossover, double-blinded, placebo-controlled trial of the farnesyltransferase inhibitor tipifarnib in children and young adults with neurofibromatosis type 1 and progressive plexiform neurofibromas. Neuro-Oncology, 2014, 16, 707-718.	0.6	93
31	Efficacy and Biomarker Study of Bevacizumab for Hearing Loss Resulting From Neurofibromatosis Type 2–Associated Vestibular Schwannomas. Journal of Clinical Oncology, 2016, 34, 1669-1675.	0.8	92
32	Malignant Peripheral Nerve Sheath Tumors State of the Science: Leveraging Clinical and Biological Insights into Effective Therapies. Sarcoma, 2017, 2017, 1-10.	0.7	84
33	The characteristics of 76 atypical neurofibromas as precursors to neurofibromatosis 1 associated malignant peripheral nerve sheath tumors. Neuro-Oncology, 2018, 20, 818-825.	0.6	83
34	Radiation Therapy in Management of Sporadic and Neurofibromatosis Type 1-Associated Malignant Peripheral Nerve Sheath Tumors. Frontiers in Oncology, 2014, 4, 324.	1.3	80
35	Neurofibromatosis Type 1–Associated MPNST State of the Science: Outlining a Research Agenda for the Future. Journal of the National Cancer Institute, 2017, 109, .	3.0	80
36	Improved CNS exposure to tocilizumab after cerebrospinal fluid compared to intravenous administration in rhesus macaques. Blood, 2018, 132, 662-666.	0.6	80

#	Article	IF	CITATIONS
37	Phase II trial of pirfenidone in children and young adults with neurofibromatosis type 1 and progressive plexiform neurofibromas. Pediatric Blood and Cancer, 2014, 61, 1598-1602.	0.8	78
38	Automated detection and volume measurement of plexiform neurofibromas in neurofibromatosis 1 using magnetic resonance imaging. Computerized Medical Imaging and Graphics, 2004, 28, 257-265.	3.5	75
39	Consensus Recommendations to Accelerate Clinical Trials for Neurofibromatosis Type 2. Clinical Cancer Research, 2009, 15, 5032-5039.	3.2	74
40	Sirolimus for nonâ€progressive NF1â€associated plexiform neurofibromas: An NF clinical trials consortium phase II study. Pediatric Blood and Cancer, 2014, 61, 982-986.	0.8	73
41	Phase I Trial of Pirfenidone in Children with Neurofibromatosis 1 and Plexiform Neurofibromas. Pediatric Neurology, 2007, 36, 293-300.	1.0	72
42	Pain interference in youth with neurofibromatosis type 1 and plexiform neurofibromas and relation to disease severity, socialâ€emotional functioning, and quality of life. American Journal of Medical Genetics, Part A, 2015, 167, 2103-2113.	0.7	72
43	Low mutation burden and frequent loss of CDKN2A/B and SMARCA2, but not PRC2, define premalignant neurofibromatosis type 1–associated atypical neurofibromas. Neuro-Oncology, 2019, 21, 981-992.	0.6	69
44	Orbital/Periorbital Plexiform Neurofibromas in Children with Neurofibromatosis Type 1. Ophthalmology, 2017, 124, 123-132.	2.5	68
45	Phase I trial and pharmacokinetic study of sorafenib in children with neurofibromatosis type I and plexiform neurofibromas. Pediatric Blood and Cancer, 2013, 60, 396-401.	0.8	67
46	Efficacy of Glucarpidase (Carboxypeptidase <scp>G</scp> 2) in Patients with Acute Kidney Injury After Highâ€Đose Methotrexate Therapy. Pharmacotherapy, 2014, 34, 427-439.	1.2	64
47	Vincristine Sulfate Liposomes Injection (VSLI, Marqibo®): Results From a Phase I Study in Children, Adolescents, and Young Adults With Refractory Solid Tumors or Leukemias. Pediatric Blood and Cancer, 2016, 63, 997-1005.	0.8	64
48	Carboxypeptidase-G2 rescue in a patient with high dose methotrexate-induced nephrotoxicity. Cancer, 1995, 76, 521-526.	2.0	63
49	Phase 2 trial of sorafenib in children and young adults with refractory solid tumors: A report from the Children's Oncology Group. Pediatric Blood and Cancer, 2015, 62, 1562-1566.	0.8	63
50	Social-emotional Functioning of Children and Adolescents With Neurofibromatosis Type 1 and Plexiform Neurofibromas: Relationships With Cognitive, Disease, and Environmental Variables. Journal of Pediatric Psychology, 2012, 37, 713-724.	1.1	62
51	Treatment of Accidental Intrathecal Methotrexate Overdose With Intrathecal Carboxypeptidase G2. Journal of the National Cancer Institute, 2004, 96, 1557-1559.	3.0	60
52	Preclincial testing of Sorafenib and RAD001 in the <i>Nf</i> ^{<i>flox/flox</i>} <i>;DhhCre</i> mouse model of plexiform neurofibroma using magnetic resonance imaging. Pediatric Blood and Cancer, 2012, 58, 173-180.	0.8	60
53	Achieving consensus for clinical trials. Neurology, 2013, 81, S1-5.	1.5	59
54	Pharmacodynamic Study of Miransertib in Individuals with Proteus Syndrome. American Journal of Human Genetics, 2019, 104, 484-491.	2.6	56

#	Article	IF	CITATIONS
55	SARC006: Phase II Trial of Chemotherapy in Sporadic and Neurofibromatosis Type 1 Associated Chemotherapy-Naive Malignant Peripheral Nerve Sheath Tumors. Sarcoma, 2017, 2017, 1-8.	0.7	55
56	Characteristics and Outcome of Pediatric Patients Enrolled in Phase I Oncology Trials. Oncologist, 2008, 13, 679-689.	1.9	54
57	A phase I/II trial and pharmacokinetic study of mithramycin in children and adults with refractory Ewing sarcoma and EWS–FLI1 fusion transcript. Cancer Chemotherapy and Pharmacology, 2017, 80, 645-652.	1.1	54
58	Association of plexiform neurofibroma volume changes and development of clinical morbidities in neurofibromatosis 1. Neuro-Oncology, 2018, 20, 1643-1651.	0.6	54
59	Sorafenib and Sunitinib. Oncologist, 2009, 14, 800-805.	1.9	52
60	18â€fluorodeoxyglucoseâ€positron emission tomography (FDGâ€PET) evaluation of nodular lesions in patients with neurofibromatosis type 1 and plexiform neurofibromas (PN) or malignant peripheral nerve sheath tumors (MPNST). Pediatric Blood and Cancer, 2013, 60, 59-64.	0.8	52
61	Validity, specificity, feasibility and acceptability of a brief pediatric distress thermometer in outpatient clinics. Psycho-Oncology, 2017, 26, 461-468.	1.0	51
62	A phase 1 study of cabozantinib in children and adolescents with recurrent or refractory solid tumors, including CNS tumors: Trial ADVL1211, a report from the Children's Oncology Group. Pediatric Blood and Cancer, 2018, 65, e27077.	0.8	49
63	Genetically engineered minipigs model the major clinical features of human neurofibromatosis type 1. Communications Biology, 2018, 1, 158.	2.0	49
64	Pharmacokinetic and pharmacodynamic study of tariquidar (XR9576), a P-glycoprotein inhibitor, in combination with doxorubicin, vinorelbine, or docetaxel in children and adolescents with refractory solid tumors. Cancer Chemotherapy and Pharmacology, 2015, 76, 1273-1283.	1.1	48
65	Successful Treatment of Intrathecal Methotrexate Overdose by Using Ventriculolumbar Perfusion and Intrathecal Instillation of Carboxypeptidase G2. Mayo Clinic Proceedings, 1996, 71, 161-165.	1.4	47
66	Sequence-Specific Pharmacokinetic and Pharmacodynamic Phase I/Ib Study of Olaparib Tablets and Carboplatin in Women's Cancer. Clinical Cancer Research, 2017, 23, 1397-1406.	3.2	46
67	Cabozantinib for neurofibromatosis type 1–related plexiform neurofibromas: a phase 2 trial. Nature Medicine, 2021, 27, 165-173.	15.2	46
68	Phase I Study of O6-Benzylguanine and Temozolomide Administered Daily for 5 Days to Pediatric Patients With Solid Tumors. Journal of Clinical Oncology, 2005, 23, 7646-7653.	0.8	45
69	A Phase 1 Study of ABT-751, an Orally Bioavailable Tubulin Inhibitor, Administered Daily for 7 Days Every 21 Days in Pediatric Patients with Solid Tumors. Clinical Cancer Research, 2006, 12, 4882-4887.	3.2	45
70	A Phase I Study of ABT-751, an Orally Bioavailable Tubulin Inhibitor, Administered Daily for 21 Days Every 28 Days in Pediatric Patients with Solid Tumors. Clinical Cancer Research, 2008, 14, 1111-1115.	3.2	45
71	Targeting Sporadic and Neurofibromatosis Type 1 (NF1) Related Refractory Malignant Peripheral Nerve Sheath Tumors (MPNST) in a Phase II Study of Everolimus in Combination with Bevacizumab (SARC016). Sarcoma, 2019, 2019, 1-8.	0.7	45
72	Phase II/III trial of a pre-transplant farnesyl transferase inhibitor in juvenile myelomonocytic leukemia: A report from the Children's Oncology Group. Pediatric Blood and Cancer, 2015, 62, 629-636.	0.8	43

#	Article	IF	CITATIONS
73	Dihydrofolate Reductase Enzyme Inhibition Assay for Plasma Methotrexate Determination Using a 96-Well Microplate Reader. Clinical Chemistry, 1999, 45, 223-228.	1.5	41
74	Phase II Trial of Ixabepilone Administered Daily for Five Days in Children and Young Adults with Refractory Solid Tumors: A Report from the Children's Oncology Group. Clinical Cancer Research, 2010, 16, 750-754.	3.2	41
75	Phase II trial of pegylated interferon alfa-2b in young patients with neurofibromatosis type 1 and unresectable plexiform neurofibromas. Neuro-Oncology, 2017, 19, now158.	0.6	41
76	Acceptance and commitment therapy in youth with neurofibromatosis type 1 (NF1) and chronic pain and their parents: A pilot study of feasibility and preliminary efficacy. American Journal of Medical Genetics, Part A, 2016, 170, 1462-1470.	0.7	41
77	Advancing <scp>RAS/RASopathy</scp> therapies: An NClâ€sponsored intramural and extramural collaboration for the study of <scp>RASopathies</scp> . American Journal of Medical Genetics, Part A, 2020, 182, 866-876.	0.7	40
78	Randomized Trial and Pharmacokinetic Study of Pegfilgrastim versus Filgrastim after Dose-Intensive Chemotherapy in Young Adults and Children with Sarcomas. Clinical Cancer Research, 2009, 15, 7361-7367.	3.2	38
79	Airway endoscopy in the diagnosis and treatment of bacterial tracheitis in children. International Journal of Pediatric Otorhinolaryngology, 1993, 27, 147-157.	0.4	37
80	Phase I trial of lobradimil (RMP-7) and carboplatin in children with brain tumors. Cancer Chemotherapy and Pharmacology, 2001, 48, 275-282.	1.1	37
81	Longitudinal evaluation of peripheral nerve sheath tumors in neurofibromatosis type 1: growth analysis of plexiform neurofibromas and distinct nodular lesions. Neuro-Oncology, 2020, 22, 1368-1378.	0.6	37
82	Development and Validation of the English Pain Interference Index and Pain Interference Index-Parent Report. Pain Medicine, 2015, 16, 367-373.	0.9	36
83	Cell-free DNA ultra-low-pass whole genome sequencing to distinguish malignant peripheral nerve sheath tumor (MPNST) from its benign precursor lesion: A cross-sectional study. PLoS Medicine, 2021, 18, e1003734.	3.9	35
84	Current status of MEK inhibitors in the treatment of plexiform neurofibromas. Child's Nervous System, 2020, 36, 2443-2452.	0.6	33
85	Targeting Refractory Sarcomas and Malignant Peripheral Nerve Sheath Tumors in a Phase I/II Study of Sirolimus in Combination with Ganetespib (SARC023). Sarcoma, 2020, 2020, 1-8.	0.7	33
86	The role of [18F]-fluorodeoxyglucose positron emission tomography in predicting plexiform neurofibroma progression. Journal of Neuro-Oncology, 2008, 87, 165-171.	1.4	31
87	Genetic Modifiers of Neurofibromatosis Type 1-Associated Café-au-Lait Macule Count Identified Using Multi-platform Analysis. PLoS Genetics, 2014, 10, e1004575.	1.5	31
88	Characterization of spinal findings in children and adults with neurofibromatosis type 1 enrolled in a natural history study using magnetic resonance imaging. Journal of Neuro-Oncology, 2015, 121, 209-215.	1.4	31
89	MEK inhibitors for neurofibromatosis type 1 manifestations: Clinical evidence and consensus. Neuro-Oncology, 2022, 24, 1845-1856.	0.6	30
90	The Bioavailability of Oral Methotrexate in Children with Inflammatory Bowel Disease. Journal of Pediatric Gastroenterology and Nutrition, 2005, 40, 445-449.	0.9	29

#	Article	IF	CITATIONS
91	Cephalometry in adults and children with neurofibromatosis type 1: Implications for the pathogenesis of sphenoid wing dysplasia and the "NF1 facies― European Journal of Medical Genetics, 2015, 58, 584-590.	0.7	29
92	Management of neurofibromatosis type 1-associated plexiform neurofibromas. Neuro-Oncology, 2022, 24, 1827-1844.	0.6	29
93	Puberty and Plexiform Neurofibroma Tumor Growth in Patients with Neurofibromatosis Type I. Journal of Pediatrics, 2014, 164, 620-624.	0.9	28
94	SPRINT: Phase II study of the MEK 1/2 inhibitor selumetinib (AZD6244, ARRY-142886) in children with neurofibromatosis type 1 (NF1) and inoperable plexiform neurofibromas (PN) Journal of Clinical Oncology, 2018, 36, 10503-10503.	0.8	28
95	Population Pharmacokinetics of Sirolimus in Pediatric Patients With Neurofibromatosis Type 1. Therapeutic Drug Monitoring, 2013, 35, 332-337.	1.0	27
96	Growth plate abnormalities in pediatric cancer patients undergoing phase 1 antiâ€angiogenic therapy: A report from the children's oncology group phase I consortium. Pediatric Blood and Cancer, 2015, 62, 45-51.	0.8	27
97	The plasma pharmacokinetics and cerebrospinal fluid penetration of the thymidylate synthase inhibitor raltitrexed (Tomudex TM) in a nonhuman primate model. Cancer Chemotherapy and Pharmacology, 1999, 44, 439-443.	1.1	26
98	Outcomes of Children and Adolescents with Advanced Hereditary Medullary Thyroid Carcinoma Treated with Vandetanib. Clinical Cancer Research, 2018, 24, 753-765.	3.2	26
99	Phase I study of the MEK1/2 inhibitor selumetinib (AZD6244) hydrogen sulfate in children and young adults with neurofibromatosis type 1 (NF1) and inoperable plexiform neurofibromas (PNs) Journal of Clinical Oncology, 2014, 32, 10018-10018.	0.8	26
100	A phase I trial and pharmacokinetic study of a 24â€hour infusion of trabectedin (Yondelis®, ETâ€743) in children and adolescents with relapsed or refractory solid tumors. Pediatric Blood and Cancer, 2012, 59, 865-869.	0.8	25
101	Whole Body MRI at 3T with Quantitative Diffusion Weighted Imaging and Contrast-Enhanced Sequences for the Characterization of Peripheral Lesions in Patients with Neurofibromatosis Type 2 and Schwannomatosis. ISRN Radiology, 2013, 2013, 1-9.	1.2	24
102	A phase I trial and pharmacokinetic study of tipifarnib, a farnesyltransferase inhibitor, and tamoxifen in metastatic breast cancer. Clinical Cancer Research, 2005, 11, 1247-52.	3.2	24
103	Conclusions and future directions for the REiNS International Collaboration. Neurology, 2013, 81, S41-4.	1.5	23
104	The Relationship Between Heart Rate Variability, Psychological Flexibility, and Pain in Neurofibromatosis Type 1. Pain Practice, 2018, 18, 969-978.	0.9	23
105	Severe Hepatotoxicity of Mithramycin Therapy Caused by Altered Expression of Hepatocellular Bile Transporters. Molecular Pharmacology, 2019, 96, 158-167.	1.0	23
106	Phase I Study of Dose-Adjusted-Teddi-R with Ibrutinib in Untreated and Relapsed/Refractory Primary CNS Lymphoma. Blood, 2015, 126, 472-472.	0.6	22
107	Phase 1 trial and pharmacokinetic study of the farnesyl transferase inhibitor tipifarnib in children and adolescents with refractory leukemias: A report from the Children's Oncology Group. Pediatric Blood and Cancer, 2011, 56, 226-233.	0.8	21
108	Phase I Trial and Pharmacokinetic Study of Ixabepilone Administered Daily for 5 Days in Children and Adolescents With Refractory Solid Tumors. Journal of Clinical Oncology, 2009, 27, 550-556.	0.8	20

#	Article	IF	CITATIONS
109	The plasma and cerebrospinal fluid pharmacokinetics of sorafenib after intravenous administration in non-human primates. Investigational New Drugs, 2012, 30, 524-528.	1.2	20
110	Chordoma: Current status, problems, and future directions. Current Problems in Cancer, 2021, 45, 100771.	1.0	20
111	Phase II Window Study of the Farnesyltransferase Inhibitor R115777 (Zarnestra®) in Untreated Juvenile Myelomonocytic Leukemia (JMML): A Children's Oncology Group Study Blood, 2005, 106, 2587-2587.	0.6	20
112	Phase 1 open-label trial of intravenous administration of MVA-BN-brachyury-TRICOM vaccine in patients with advanced cancer. , 2021, 9, e003238.		19
113	SARC006: Phase II trial of chemotherapy in sporadic and neurofibromatosis type 1 (NF1)-associated high-grade malignant peripheral nerve sheath tumors (MPNSTs) Journal of Clinical Oncology, 2013, 31, 10522-10522.	0.8	19
114	¹¹¹ In-Octreotide Scintigraphy for Identification of Metastatic Medullary Thyroid Carcinoma in Children and Adolescents. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E207-E212.	1.8	18
115	Identifying Symptoms of Distress in Youth Living with Neurofibromatosis Type 1 (NF1). Journal of Genetic Counseling, 2018, 27, 115-123.	0.9	18
116	Phase 1 trial and pharmacokinetic study of the oral platinum analog satraplatin in children and young adults with refractory solid tumors including brain tumors. Pediatric Blood and Cancer, 2015, 62, 603-610.	0.8	17
117	Volumetric MRI Analysis of Plexiform Neurofibromas in Neurofibromatosis Type 1. Academic Radiology, 2018, 25, 144-152.	1.3	17
118	Pharmacokinetics of orally administered ABT-751 in children with neuroblastoma and other solid tumors. Cancer Chemotherapy and Pharmacology, 2010, 66, 737-743.	1.1	16
119	Bone mineral density in children and young adults with neurofibromatosis type 1. Endocrine-Related Cancer, 2012, 19, 817-825.	1.6	16
120	Plasma and cerebrospinal fluid pharmacokinetics of vincristine and vincristine sulfate liposomes injection (VSLI, marqibo®) after intravenous administration in Non-human primates. Investigational New Drugs, 2016, 34, 61-65.	1.2	16
121	Multiple Endocrine Neoplasia Type 2B Presents Early in Childhood but Often Is Undiagnosed for Years. Journal of Pediatrics, 2018, 203, 447-449.	0.9	16
122	Sleep and pulmonary outcomes for clinical trials of airway plexiform neurofibromas in NF1. Neurology, 2016, 87, S13-20.	1.5	15
123	Cushing disease in a patient with multiple endocrine neoplasia type 2B. Journal of Clinical and Translational Endocrinology: Case Reports, 2017, 4, 1-4.	0.4	15
124	Pheochromocytoma in Children and Adolescents With Multiple Endocrine Neoplasia Type 2B. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 7-12.	1.8	15
125	The MEK inhibitor selumetinib reduces spinal neurofibroma burden in patients with NF1 and plexiform neurofibromas. Neuro-Oncology Advances, 2020, 2, vdaa095.	0.4	15
126	A Systematic Review of Pediatric Phase I Trials in Oncology: Toxicity and Outcomes in the Era of Targeted Therapies. Oncologist, 2020, 25, 532-540.	1.9	15

#	Article	IF	CITATIONS
127	NFM-06. NF106: PHASE 2 TRIAL OF THE MEK INHIBITOR PD-0325901 IN ADOLESCENTS AND ADULTS WITH NF1-RELATED PLEXIFORM NEUROFIBROMAS: AN NF CLINICAL TRIALS CONSORTIUM STUDY. Neuro-Oncology, 2018, 20, i143-i143.	0.6	14
128	Predictors of cognitive development in children with neurofibromatosis type 1 and plexiform neurofibromas. Developmental Medicine and Child Neurology, 2020, 62, 977-984.	1.1	14
129	Impact of MEK Inhibitor Therapy on Neurocognitive Functioning in NF1. Neurology: Genetics, 2021, 7, e616.	0.9	14
130	Selumetinib in children with neurofibromatosis type 1 and asymptomatic inoperable plexiform neurofibroma at risk for developing tumor-related morbidity. Neuro-Oncology, 2022, 24, 1978-1988.	0.6	14
131	A Phase II Trial of Vandetanib in Children and Adults with Succinate Dehydrogenase–Deficient Gastrointestinal Stromal Tumor. Clinical Cancer Research, 2019, 25, 6302-6308.	3.2	13
132	Pediatric PK/PD Phase I Trial of Pexidartinib in Relapsed and Refractory Leukemias and Solid Tumors Including Neurofibromatosis Type I–Related Plexiform Neurofibromas. Clinical Cancer Research, 2020, 26, 6112-6121.	3.2	13
133	Experiences of families with a child, adolescent, or young adult with neurofibromatosis type 1 and plexiform neurofibroma evaluated for clinical trials participation at the National Cancer Institute. Contemporary Clinical Trials, 2011, 32, 10-15.	0.8	12
134	Plasma and cerebrospinal fluid pharmacokinetics of the Akt inhibitor, perifosine, in a non-human primate model. Cancer Chemotherapy and Pharmacology, 2015, 75, 923-928.	1.1	12
135	A molecular basis for neurofibroma-associated skeletal manifestations in NF1. Genetics in Medicine, 2020, 22, 1786-1793.	1.1	12
136	Phase II trial of the MEK 1/2 inhibitor selumetinib (AZD6244, ARRY-142886 Hydrogen Sulfate) in adults with neurofibromatosis type 1 (NF1) and inoperable plexiform neurofibromas (PN) Journal of Clinical Oncology, 2020, 38, 3612-3612.	0.8	12
137	Creating a comprehensive research strategy for cutaneous neurofibromas. Neurology, 2018, 91, S1-S4.	1.5	11
138	Clinical trial design for cutaneous neurofibromas. Neurology, 2018, 91, S31-S37.	1.5	11
139	Cediranib phaseâ€II study in children with metastatic alveolar softâ€part sarcoma (ASPS). Pediatric Blood and Cancer, 2019, 66, e27987.	0.8	11
140	Automated Volumetric Growth Plate Measurement Using Magnetic Resonance Imaging for Monitoring Skeletal Toxicity in Children Treated on Investigational Drug Trials. Clinical Cancer Research, 2011, 17, 5982-5990.	3.2	10
141	Patterns of thyroid hormone levels in pediatric medullary thyroid carcinoma patients on vandetanib therapy. International Journal of Pediatric Endocrinology (Springer), 2015, 2015, 3.	1.6	10
142	Age-Dependent Changes in Sirolimus Metabolite Formation in Patients With Neurofibromatosis Type 1. Therapeutic Drug Monitoring, 2015, 37, 395-399.	1.0	10
143	Selumetinib in Plexiform Neurofibromas. New England Journal of Medicine, 2017, 376, 1195-1195.	13.9	10
144	Phase 2 trial of cabozantinib in children and young adults with refractory sarcomas, Wilms tumor, and rare tumors: Children's Oncology Group Study (ADVL1622) Journal of Clinical Oncology, 2021, 39, 10010-10010.	0.8	10

#	Article	IF	CITATIONS
145	Malignant Peripheral Nerve Sheath Tumors: Prognostic and Diagnostic Markers and Therapeutic Targets. , 2012, , 445-467.		10
146	Attitudes About Internet Support Groups Among Adolescents and Young Adults with Neurofibromatosis Type 1 and their Parents. Journal of Genetic Counseling, 2014, 23, 796-804.	0.9	9
147	Effect of probenecid on ventricular cerebrospinal fluid methotrexate pharmacokinetics after intralumbar administration in nonhuman primates. Cancer Chemotherapy and Pharmacology, 2001, 48, 235-240.	1.1	8
148	SARC023: Phase I/II trial of ganetespib in combination with sirolimus for refractory sarcomas and malignant peripheral nerve sheath tumors (MPNST) Journal of Clinical Oncology, 2014, 32, TPS10603-TPS10603.	0.8	8
149	Model for concomitant microdialysis sampling of the pons and cerebral cortex in rhesus macaques (Macaca mulatta). Comparative Medicine, 2013, 63, 355-60.	0.4	8
150	PET-guided biopsy with needle navigation facilitates diagnosis of angiosarcoma in neurofibromatosis type 1. Pediatric Blood and Cancer, 2013, 60, E166-E169.	0.8	7
151	Quantitative determination of mithramycin in human plasma by a novel, sensitive ultra-HPLC–MS/MS method for clinical pharmacokinetic application. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 970, 95-101.	1.2	7
152	Practical considerations for the administration of glucarpidase in highâ€dose methotrexate (HDMTX) induced renal dysfunction. Pediatric Blood and Cancer, 2015, 62, 1512-1513.	0.8	6
153	Editorial: US Cancer Statistics of Survival: Achievements, Challenges, and Future Directions. Journal of the National Cancer Institute, 2017, 109, .	3.0	6
154	Developing therapies for rare tumors: opportunities, challenges and progress. Expert Opinion on Orphan Drugs, 2016, 4, 93-103.	0.5	5
155	Clinical trial design in neurofibromatosis type 1 as a model for other tumor predisposition syndromes. Neuro-Oncology Advances, 2020, 2, i134-i140.	0.4	5
156	Perspective of Adults With Neurofibromatosis 1 and Cutaneous Neurofibromas. Neurology, 2021, 97, S15-S24.	1.5	5
157	Adrenocortical carcinoma masquerading as pheochromocytoma: a histopathologic dilemma. Endocrinology, Diabetes and Metabolism Case Reports, 2020, 2020, .	0.2	5
158	Are Some Randomized Clinical Trials Impossible?. Journal of Pediatric Orthopaedics, 2021, 41, e90-e93.	0.6	5
159	Genomeâ€wide association study of caféâ€au″ait macule number in neurofibromatosis type 1. Molecular Genetics & Genomic Medicine, 2020, 8, e1400.	0.6	4
160	Selumetinib normalizes Ras/MAPK signaling in clinically relevant neurofibromatosis type 1 minipig tissues in vivo. Neuro-Oncology Advances, 2021, 3, vdab020.	0.4	4
161	Editorial: Special issue on rare cancers. Current Problems in Cancer, 2021, 45, 100774.	1.0	4
162	Ataxia telangiectasia mutated germline pathogenic variant in adrenocortical carcinoma. Cancer Genetics, 2021, 256-257, 21-25.	0.2	4

#	Article	IF	CITATIONS
163	Clinical trial and compassionate use experience with glucarpidase for methotrexate toxicity Journal of Clinical Oncology, 2012, 30, 6530-6530.	0.8	4
164	Plasma and cerebrospinal fluid pharmacokinetics of selumetinib in non-human primates (NHP) Journal of Clinical Oncology, 2017, 35, e14070-e14070.	0.8	4
165	Using a lower dose of glucarpidase to reduce plasma levels of methotrexate. Clinical Advances in Hematology and Oncology, 2013, 11, 324-5.	0.3	4
166	The plasma and cerebrospinal fluid pharmacokinetics of the platinum analog satraplatin after intravenous administration in non-human primates. Cancer Chemotherapy and Pharmacology, 2012, 69, 247-252.	1.1	3
167	Reply to: Glucarpidase for the Treatment of Methotrexateâ€Induced Renal Dysfunction and Delayed Methotrexate Excretion. Pediatric Blood and Cancer, 2016, 63, 366-366.	0.8	3
168	Case report of adrenocortical carcinoma associated with double germline mutations in <scp><i>MSH2</i></scp> and <scp><i>RET</i></scp> . American Journal of Medical Genetics, Part A, 2021, 185, 1282-1287.	0.7	3
169	Phase 1 study of sorafenib and irinotecan in pediatric patients with relapsed or refractory solid tumors. Pediatric Blood and Cancer, 2021, 68, e29282.	0.8	3
170	Vincristine Sulfate Liposomes Injection (VSLI, Marqibo): Interim Results From a Phase I Study in Children and Adolescents with Refractory Cancer. Blood, 2012, 120, 1497-1497.	0.6	3
171	Phase I trial and pharmacokinetic (PK) study of satraplatin in children and young adults with refractory solid tumors including brain tumors Journal of Clinical Oncology, 2013, 31, 2554-2554.	0.8	3
172	Immunogenicity and safety of glucarpidase for methotrexate toxicity Journal of Clinical Oncology, 2014, 32, e20648-e20648.	0.8	3
173	Adolescents and young adults with neurofibromatosis type 1: A descriptive study of adaptive functioning. American Journal of Medical Genetics, Part A, 2022, 188, 488-497.	0.7	3
174	Robotic Nerve Sheath Tumor Resection With Intraoperative Neuromonitoring: Case Series and Systematic Review. Operative Neurosurgery, 2022, 22, 44-50.	0.4	3
175	RESPONSE: Re: Treatment of Accidental Intrathecal Methotrexate Overdose. Journal of the National Cancer Institute, 2005, 97, 610-611.	3.0	2
176	Immune checkpoint inhibitors for refractory childhood cancers. Lancet Oncology, The, 2020, 21, 14-15.	5.1	2
177	Neurofibromatosis Clinical Trials—REiNS Collaboration 2020 Recommendations. Neurology, 2021, 97, .	1.5	2
178	Reliability of Handheld Dynamometry to Measure Focal Muscle Weakness in Neurofibromatosis Types 1 and 2. Neurology, 2021, 97, S99-S110.	1.5	2
179	Translational/Clinical Studies in Children and Adults with Neurofibromatosis Type 1., 2012, , 625-657.		2
180	Abstract PR07: Phase II Trial of the MEK 1/2 inhibitor selumetinib (AZD6344, ARRY-142886 hydrogen) Tj ETQq0 () 0 rgBT /(Overlock 10 Tf 2

100

2019,,.

#	Article	IF	CITATIONS
181	Molecular mechanism(s) of resistance to vandetanib in medullary thyroid carcinoma Journal of Clinical Oncology, 2020, 38, e15628-e15628.	0.8	2
182	Tumor Doubling Time Using CT Volumetric Segmentation in Metastatic Adrenocortical Carcinoma. Current Oncology, 2021, 28, 4357-4366.	0.9	2
183	Psychosocial Characteristics and Experiences in Patients with Multiple Endocrine Neoplasia Type 2 (MEN2) and Medullary Thyroid Carcinoma (MTC). Children, 2022, 9, 774.	0.6	2
184	Results of a phase I trial of ganitumab plus dasatinib in patients with rhabdomyosarcoma (RMS) Journal of Clinical Oncology, 2022, 40, 11561-11561.	0.8	2
185	Merlin PAKs a Punch. Cancer Journal (Sudbury, Mass), 2004, 10, 8-11.	1.0	1
186	Plasma and CNS pharmacokinetics of O4-benzylfolic acid (O4BF) and metabolite in a non-human primate model. Cancer Chemotherapy and Pharmacology, 2011, 67, 1291-1297.	1.1	1
187	RARE-07. THE EFFECT OF SELUMETINIB ON SPINAL NEUROFIBROMAS IN PATIENTS WITH NF1. Neuro-Oncology, 2018, 20, vi237-vi237.	0.6	1
188	Phase 1 study of sorafenib and irinotecan in pediatric patients with relapsed or refractory solid tumors Journal of Clinical Oncology, 2014, 32, 10052-10052.	0.8	1
189	A phase I study of cabozantinib (XL184) in children and adolescents with recurrent or refractory solid tumors, including CNS tumors: A Children's Oncology Group phase I consortium trial Journal of Clinical Oncology, 2014, 32, 10078-10078.	0.8	1
190	Cediranib phase II study in children with metastatic alveolar soft part sarcoma (ASPS) Journal of Clinical Oncology, 2018, 36, 10540-10540.	0.8	1
191	Pharmacokinetics and tolerability of doxorubicin in newly diagnosed lymphoma patients with hepatic impairment Journal of Clinical Oncology, 2014, 32, 8547-8547.	0.8	1
192	Pharmacokinetics and Tolerability of Etoposide in Newly Diagnosed Lymphoma Patients with Hepatic Impairment. Blood, 2014, 124, 4445-4445.	0.6	1
193	Verbal learning and memory in youth with neurofibromatosis type 1 and plexiform neurofibromas: Relationships with disease severity. European Journal of Paediatric Neurology, 2022, 38, 7-12.	0.7	1
194	Development of Targeted Therapies for Neurofibromatosis Type 1 (NF1) Related Tumors. , 2010, , 331-350.		0
195	Reply to P.A. Meyers et al. Journal of Clinical Oncology, 2011, 29, e181-e181.	0.8	0
196	Systematic review of pediatric oncology phase I trials: Toxicity and outcomes in the era of targeted therapies Journal of Clinical Oncology, 2018, 36, 2536-2536.	0.8	0
197	Diagnosis and Management of Benign Nerve Sheath Tumors in NF1: Evolution from Plexiform to Atypical Neurofibroma and Novel Treatment Approaches. , 2020, , 165-179.		0
198	Pulmonary Function in Patients With Multiple Endocrine Neoplasia 2B. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 2919-2928.	1.8	0

#	Article	IF	CITATIONS
199	Patient reported outcomes in adult patients with neuroendocrine neoplasms Journal of Clinical Oncology, 2022, 40, e24122-e24122.	0.8	0
200	Natural history study for children and adults with rare solid tumors Journal of Clinical Oncology, 2022, 40, TPS1600-TPS1600.	0.8	0
201	Reporting of Racial and Ethnic Minority Representation in Early Phase Pediatric Oncology Clinical Trials. Oncologist, 0, , .	1.9	0