Juan Carlos Berrio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6797287/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	â€~Moving South': Late Pleistocene Plant Exploitation and the Importance of Palm in the Colombian Amazon. Quaternary, 2021, 4, 26.	2.0	4
2	Identifying drivers of forest resilience in long-term records from the Neotropics. Biology Letters, 2020, 16, 20200005.	2.3	15
3	Culture and the environment on the floodplain of the river Cauca in southwestern Colombia: Reconstructing the evidence from the Late Pleistocene to the Late Holocene. Quaternary International, 2019, 505, 34-54.	1.5	2
4	Spectral Diversity Metrics for Detecting Oil Pollution Effects on Biodiversity in the Niger Delta. Remote Sensing, 2019, 11, 2662.	4.0	7
5	Normalized Difference Vegetation Vigour Index: A New Remote Sensing Approach to Biodiversity Monitoring in Oil Polluted Regions. Remote Sensing, 2018, 10, 897.	4.0	18
6	Seasonal variability in methane and nitrous oxide fluxes from tropical peatlands in the western Amazon basin. Biogeosciences, 2017, 14, 3669-3683.	3.3	35
7	Late-Holocene gallery forest retrogression in the Venezuelan Guayana: New data and implications for the conservation of a cultural landscape. Holocene, 2016, 26, 1049-1063.	1.7	8
8	An Optical luminescence chronology for late Pleistocene aeolian activity in the Colombian and Venezuelan Llanos. Quaternary Research, 2016, 85, 299-312.	1.7	11
9	North Andean environmental and climatic change at orbital to submillennial time-scales: Vegetation, water-levels and sedimentary regimes from Lake Fúquene between 284 and 130ka. Review of Palaeobotany and Palynology, 2016, 226, 91-107.	1.5	12
10	North Andean environmental and climatic change at orbital to submillennial time-scales: Vegetation, water levels and sedimentary regimes from Lake Fúquene 130–27ka. Review of Palaeobotany and Palynology, 2013, 197, 186-204.	1.5	24
11	HUMAN OCCUPATION AND THE ENVIRONMENT DURING THE HOLOCENE IN THE RIVER CAUCA VALLEY, COLOMBIA: THE EVIDENCE FROM PALEOBOTANY AND FROM SOIL STUDIES. Dialogo Andino, 2013, , 159-170.	0.1	2
12	Landscape transformations in savannas of northern South America: Land use/cover changes since 1987 in the Llanos Orientales of Colombia. Applied Geography, 2012, 32, 766-776.	3.7	178
13	Using Paleoecological Data to Define Main Vegetation Dynamics Along the Savanna–Forest Ecotone in Colombia: Implications for Accurate Assessment of Human Impacts. , 2012, , 209-225.		5
14	The Dynamic History of the Upper Forest Line Ecotone in the Northern Andes. , 2012, , 229-246.		6
15	A pollen atlas of premontane woody and herbaceous communities from the upland savannas of Guayana, Venezuela. Palynology, 2011, 35, 226-266.	1.5	29
16	Rapid climate change from north Andean Lake Fúquene pollen records driven by obliquity: implications for a basin-wide biostratigraphic zonation for the last 284 ka. Quaternary Science Reviews, 2011, 30, 3321-3337.	3.0	55
17	Ultra-high resolution pollen record from the northern Andes reveals rapid shifts in montane climates within the last two glacial cycles. Climate of the Past, 2011, 7, 299-316.	3.4	89
18	NEW EVIDENCE FOR THE AGE AND PALAEOECOLOGY OF THE KNYSNA FORMATION, SOUTH AFRICA. South African Journal of Geology, 2010, 113, 241-256.	1.2	14

JUAN CARLOS BERRIO

#	Article	IF	CITATIONS
19	Pollen-based biome reconstructions for Latin America at 0, 6000 and 18 000 radiocarbon years ago. Climate of the Past, 2009, 5, 725-767.	3.4	87
20	Changes of seasonally dry forest in the Colombian PatÃa Valley during the early and middle Holocene and the development of a dry climatic record for the northernmost Andes. Review of Palaeobotany and Palynology, 2008, 152, 1-10.	1.5	5
21	Landscape evolution and origin of Lake Fúquene (Colombia): Tectonics, erosion and sedimentation processes during the Pleistocene. Geomorphology, 2008, 100, 563-575.	2.6	19
22	A Holocene pollen record of vegetation change and human impact from Pantano de Vargas, an intra-Andean basin of Duitama, Colombia. Review of Palaeobotany and Palynology, 2007, 145, 143-157.	1.5	20
23	Environmental history of the dry forest biome of Guerrero, Mexico, and human impact during the last c. 2700 years. Holocene, 2006, 16, 63-80.	1.7	20
24	Late Glacial and Holocene environmental and climatic changes from a limnological transect through Colombia, northern South America. Palaeogeography, Palaeoclimatology, Palaeoecology, 2006, 234, 81-96.	2.3	38
25	Colombian dry moist forest transitions in the Llanos Orientales—A comparison of model and pollen-based biome reconstructions. Palaeogeography, Palaeoclimatology, Palaeoecology, 2006, 234, 28-44.	2.3	19
26	Palaeoenvironmental changes during the last ca. 8590 calibrated yr (7800 radiocarbon yr) in the dry forest ecosystem of the PatÃa Valley, Southern Colombian Andes: a multiproxy approach. Palaeogeography, Palaeoclimatology, Palaeoecology, 2005, 216, 279-302.	2.3	26
27	Vegetation disturbance and human population in Colombia – a regional reconstruction. Antiquity, 2004, 78, 828-838.	1.0	11
28	Late-Quaternary savanna history of the Colombian Llanos Orientales from Lagunas Chenevo and Mozambique: a transect synthesis. Holocene, 2002, 12, 35-48.	1.7	13
29	Late-Quaternary savanna history of the Colombian Llanos Orientales from Lagunas Chenevo and Mozambique: a transect synthesis. Holocene, 2002, 12, 35-48.	1.7	55
30	Distribution and ecology of parent taxa of pollen lodged within the Latin American Pollen Database. Review of Palaeobotany and Palynology, 2002, 121, 1-75.	1.5	168
31	Pollen-based biome reconstructions for Colombia at 3000, 6000, 9000, 12 000, 15 000 and 18 000 14 C yr ago: Late Quaternary tropical vegetation dynamics. Journal of Quaternary Science, 2002, 17, 113-129.	2.1	66
32	Late-glacial and Holocene history of the dry forest area in the south Colombian Cauca Valley. Journal of Quaternary Science, 2002, 17, 667-682.	2.1	52
33	Mid- to Late-Holocene pollen-based biome reconstructions for Colombia. Quaternary Science Reviews, 2001, 20, 1289-1308.	3.0	76
34	Multi-disciplinary evidence of the Holocene history of a cultivated floodplain area in the wetlands of northern Colombia. Vegetation History and Archaeobotany, 2001, 10, 161-174.	2.1	19
35	A reconstruction of Colombian biomes derived from modern pollen data along an altitude gradient. Review of Palaeobotany and Palynology, 2001, 117, 79-92.	1.5	32
36	Late Holocene history of savanna gallery forest from Carimagua area, Colombia. Review of Palaeobotany and Palynology, 2000, 111, 295-308.	1.5	48

JUAN CARLOS BERRIO

#	Article	IF	CITATIONS
37	Tropical rain-forest history from the Colombian Pacific area: a 4200-year pollen record from Laguna Jotaordó. Holocene, 2000, 10, 749-756.	1.7	32
38	Late Quaternary pollen records from the middle CaquetÃ _i river basin in central Colombian Amazon. Palaeogeography, Palaeoclimatology, Palaeoecology, 1999, 145, 193-213.	2.3	66
39	60Âyears of scientific deep drilling in Colombia: the north Andean guide to the Quaternary. Scientific Drilling, 0, 30, 1-15.	0.6	4
40	Holocene Fires and Ecological Novelty in the High Colombian Cordillera Oriental. Frontiers in Ecology and Evolution, 0, 10, .	2.2	3