
## **Claudio Landoni**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6797394/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical Application of a High Sensitivity BGO PET/CT Scanner: Effects of Acquisition Protocols and Reconstruction Parameters on Lesions Quantification. Current Radiopharmaceuticals, 2022, 15, 218-227.	0.3	1
2	The "digital biopsy―in non-small cell lung cancer (NSCLC): a pilot study to predict the PD-L1 status from radiomics features of [18F]FDG PET/CT. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 3401-3411.	3.3	19
3	The heterogeneity of lung perfusion patterns in SPECT/CT during COVID-19: not only embolism. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 3020-3021.	3.3	6
4	Combining positron emission tomography/computed tomography, radiomics, and sentinel lymph node mapping for nodal staging of endometrial cancer patients. International Journal of Gynecological Cancer, 2020, 30, 378-382.	1.2	20
5	Treatment response assessment in [18F]FDG-PET/CT oncology scans: Impact of count statistics variation and reconstruction protocol. Physica Medica, 2019, 57, 177-182.	0.4	4
6	18F-FDG PET/CT in a Case of Metastatic Breast Cancer to the Vulva. Clinical Nuclear Medicine, 2019, 44, 572-573.	0.7	1
7	Added diagnostic value of respiratory-gated 4D 18F–FDG PET/CT in the detection of liver lesions: a multicenter study. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 102-109.	3.3	22
8	Radiomics of the primary tumour as a tool to improve 18F-FDG-PET sensitivity in detecting nodal metastases in endometrial cancer. EJNMMI Research, 2018, 8, 86.	1.1	43
9	18F-FDG PET/CT in preoperative staging of vulvar cancer patients. Medicine (United States), 2017, 96, e7943.	0.4	24
10	Sentinel-node mapping in endometrial cancer patients: comparing SPECT/CT, gamma-probe and dye. Annals of Nuclear Medicine, 2017, 31, 93-99.	1.2	28
11	Impact of Indocyanine Green for Sentinel Lymph Node Mapping in Early Stage Endometrial and Cervical Cancer: Comparison with Conventional Radiotracer 99mTc and/or Blue Dye. Annals of Surgical Oncology, 2016, 23, 2183-2191.	0.7	91
12	Respiratory gated PET/CT in a European multicentre retrospective study: added diagnostic value in detection and characterization of lung lesions. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 1381-1390.	3.3	50
13	Role of PET/CT in the clinical management of locally advanced pancreatic cancer. Tumori, 2012, 98, 643-51.	0.6	6
14	Assessment of Residual Viability by Enoximone Echocardiography in Patients with Previous Myocardial Infarction Correlation with Positron Emission Tomographic Studies and Functional Followâ€Up. Echocardiography, 2010, 27, 544-551.	0.3	0
15	[ <sup>11</sup> C]Choline Positron Emission Tomography/Computerized Tomography to Restage Prostate Cancer Cases With Biochemical Failure After Radical Prostatectomy and No Disease Evidence on Conventional Imaging. Journal of Urology, 2010, 184, 938-943.	0.2	74
16	C-11 Choline Versus F-18 Fluorodeoxyglucose for Imaging Meningiomas. Clinical Nuclear Medicine, 2009, 34, 7-10.	0.7	53
17	Fluorodeoxyglucose Uptake Measured by Positron Emission Tomography and Standardized Uptake Value Predicts Long-Term Survival of CT Screening Detected Lung Cancer in Heavy Smokers. Journal of Thoracic Oncology, 2009, 4, 1352-1356.	0.5	30

CLAUDIO LANDONI

#	Article	IF	CITATIONS
19	Pre-transplant18FDG-PET predicts outcome in lymphoma patients treated with high-dose sequential chemotherapy followed by autologous stem cell transplantation. Leukemia and Lymphoma, 2008, 49, 727-733.	0.6	27
20	Multifocal, Persistent Cardiac Uptake of [18-F]-Fluoro-Deoxy-Glucose Detected by Positron Emission Tomography in Patients With Acute Myocardial Infarction. Circulation Journal, 2008, 72, 1821-1828.	0.7	7
21	Post-therapy surveillance of patients with uterine cancers: value of integrated FDG PET/CT in the detection of recurrence. European Journal of Nuclear Medicine and Molecular Imaging, 2007, 34, 472-479.	3.3	86
22	Patients with known or suspected lung cancer: evaluation of clinical management changes due to 18F-fluorodeoxyglucose positron emission tomography (18F-FDG PET) study. Nuclear Medicine Communications, 2005, 26, 831-837.	0.5	11
23	A Simplified Method to Integrate Metabolic Images in Stereotactic Procedures Using a PET/CT Scanner. Stereotactic and Functional Neurosurgery, 2005, 83, 208-212.	0.8	6
24	Value of integrated PET/CT for lesion localisation in cancer patients: a comparative study. European Journal of Nuclear Medicine and Molecular Imaging, 2004, 31, 932-939.	3.3	101
25	Myocardial insulin resistance associated with chronic hypertriglyceridemia and increased FFA levels in Type 2 diabetic patients. American Journal of Physiology - Heart and Circulatory Physiology, 2004, 287, H1225-H1231.	1.5	47
26	Early lung-cancer detection with spiral CT and positron emission tomography in heavy smokers: 2-year results. Lancet, The, 2003, 362, 593-597.	6.3	422
27	Correlation of SPECT and PET cardiac images by a surface matching registration technique. Computerized Medical Imaging and Graphics, 1998, 22, 391-398.	3.5	30
28	Exercise-induced ischemic arrhythmias in patients with previous myocardial infarction: Role of perfusion and tissue viability. Journal of the American College of Cardiology, 1996, 27, 593-598.	1.2	31
29	Spatial registration of echocardiographic and positron emission tomographic heart studies. European Journal of Nuclear Medicine and Molecular Imaging, 1995, 22, 243-247.	2.2	19
30	Specificity and sensitivity of exercise-induced st segment elevation for detection of residual viability: Comparison with fluorodeoxyglucose and positron emission tomography. Journal of the American College of Cardiology, 1995, 25, 1032-1038.	1.2	86
31	Time dependence of residual tissue viability after myocardial infarction assessed by [18F]fluorodeoxyglucose and positron emission tomography. American Journal of Cardiology, 1993, 72, G131-G139.	0.7	18