

Michael Jackson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6798446/publications.pdf>

Version: 2024-02-01

59
papers

1,948
citations

430754

18
h-index

254106

43
g-index

60
all docs

60
docs citations

60
times ranked

2785
citing authors

#	ARTICLE	IF	CITATIONS
1	Biologically Targeted Magnetic Hyperthermia: Potential and Limitations. <i>Frontiers in Pharmacology</i> , 2018, 9, 831.	1.6	340
2	Tirapazamine, Cisplatin, and Radiation Versus Fluorouracil, Cisplatin, and Radiation in Patients With Locally Advanced Head and Neck Cancer: A Randomized Phase II Trial of the Trans-Tasman Radiation Oncology Group (TROG 98.02). <i>Journal of Clinical Oncology</i> , 2005, 23, 79-87.	0.8	237
3	Cancer Consultation Preparation Package: Changing Patients but Not Physicians Is Not Enough. <i>Journal of Clinical Oncology</i> , 2004, 22, 4401-4409.	0.8	140
4	A combined transient thermal model for laser hyperthermia of tumors with embedded gold nanoshells. <i>International Journal of Heat and Mass Transfer</i> , 2011, 54, 5459-5469.	2.5	119
5	N2â€N3 neck nodal control without planned neck dissection for clinical/radiologic complete respondersâ€Results of Trans Tasman Radiation Oncology Group Study 98.02. <i>Head and Neck</i> , 2008, 30, 737-742.	0.9	109
6	Indirect heating strategy for laser induced hyperthermia: An advanced thermal model. <i>International Journal of Heat and Mass Transfer</i> , 2012, 55, 4688-4700.	2.5	107
7	Irradiation Enhances the Efficiency of Testicular Germ Cell Transplantation in Sheep. <i>Biology of Reproduction</i> , 2009, 81, 898-905.	1.2	104
8	Prospective Evaluation of Quality of Life and Nutrition Before and After Treatment for Nasopharyngeal Carcinoma. <i>JAMA Otolaryngology</i> , 2007, 133, 533.	1.5	78
9	Survival following whole brain radiation treatment for cerebral metastases: an audit of 474 patients. <i>Radiotherapy and Oncology</i> , 2004, 71, 259-265.	0.3	61
10	Characterization of proton pencil beam scanning and passive beam using a high spatial resolution solidâ€state microdosimeter. <i>Medical Physics</i> , 2017, 44, 6085-6095.	1.6	53
11	Outcome of treatment for advanced cervical metastatic squamous cell carcinoma. <i>Head and Neck</i> , 2005, 27, 87-94.	0.9	47
12	Clinical Trials of a Urethral Dose Measurement System in Brachytherapy Using Scintillation Detectors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 79, 609-615.	0.4	46
13	Radiative heating of superficial human tissues with the use of water-filtered infrared-A radiation: A computational modeling. <i>International Journal of Heat and Mass Transfer</i> , 2015, 85, 311-320.	2.5	38
14	The relative biological effectiveness for carbon, nitrogen, and oxygen ion beams using passive and scanning techniques evaluated with fully 3D silicon microdosimeters. <i>Medical Physics</i> , 2018, 45, 2299-2308.	1.6	38
15	3D-Mesa â€Bridgeâ€Silicon Microdosimeter: Charge Collection Study and Application to RBE Studies in ^{12}C Radiation Therapy. <i>IEEE Transactions on Nuclear Science</i> , 2015, 62, 504-511.	1.2	37
16	3D Silicon Microdosimetry and RBE Study Using ^{12}C Ion of Different Energies. <i>IEEE Transactions on Nuclear Science</i> , 2015, 62, 3027-3033.	1.2	34
17	Accuracy of positron emission tomography in the evaluation of patients treated with chemoradiotherapy for mucosal head and neck cancer. <i>Head and Neck</i> , 2009, 31, 244-250.	0.9	32
18	Thin Silicon Microdosimeter Utilizing 3-D MEMS Fabrication Technology: Charge Collection Study and Its Application in Mixed Radiation Fields. <i>IEEE Transactions on Nuclear Science</i> , 2018, 65, 467-472.	1.2	27

#	ARTICLE	IF	CITATIONS
19	A decision model to estimate the cost-effectiveness of intensity modulated radiation therapy (IMRT) compared to three dimensional conformal radiation therapy (3DCRT) in patients receiving radiotherapy to the prostate bed. <i>Radiotherapy and Oncology</i> , 2014, 112, 187-193.	0.3	19
20	HDR brachytherapy combined with external beam radiation for localised prostate cancer: Early experience from the Sydney Cancer Centre. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2012, 56, 220-226.	0.9	17
21	High-dose-rate brachytherapy boost for prostate cancer: Outcomes and genitourinary toxicity. <i>Brachytherapy</i> , 2015, 14, 670-676.	0.2	15
22	Characterization of ELEKTA SRS cone collimator using high spatial resolution monolithic silicon detector array. <i>Journal of Applied Clinical Medical Physics</i> , 2018, 19, 114-124.	0.8	15
23	In-field and out-of-field application in ¹² C ion therapy using fully 3D silicon microdosimeters. <i>Radiation Measurements</i> , 2018, 115, 55-59.	0.7	15
24	RBE study using solid state microdosimetry in heavy ion therapy. <i>Radiation Measurements</i> , 2017, 106, 512-518.	0.7	14
25	Optimal uptake rates for initial treatments for cervical cancer in concordance with guidelines in Australia and Canada: Results from two large cancer facilities. <i>Cancer Epidemiology</i> , 2015, 39, 600-611.	0.8	13
26	Development of the assessment of new radiation oncology treatment technologies and treatments (ANROTAT) framework. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2015, 59, 363-370.	0.9	12
27	Semiconductor real-time quality assurance dosimetry in brachytherapy. <i>Brachytherapy</i> , 2018, 17, 133-145.	0.2	12
28	High spatial resolution microdosimetry with monolithic E-E detector on ¹² C beam: Monte Carlo simulations and experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2018, 887, 70-80.	0.7	11
29	First in vitro evidence of modulated electro-hyperthermia treatment performance in combination with megavoltage radiation by clonogenic assay. <i>Scientific Reports</i> , 2018, 8, 16608.	1.6	11
30	SOI Thin Microdosimeters for High LET Single-Event Upset Studies in Fe, O, Xe, and Cocktail Ion Beam Fields. <i>IEEE Transactions on Nuclear Science</i> , 2020, 67, 146-153.	1.2	11
31	The Prognostic Role of the Surgical Margins in Squamous Vulvar Cancer: A Retrospective Australian Study. <i>Cancers</i> , 2020, 12, 3375.	1.7	11
32	Radiation Shielding Evaluation of Spacecraft Walls Against Heavy Ions Using Microdosimetry. <i>IEEE Transactions on Nuclear Science</i> , 2021, 68, 897-905.	1.2	11
33	A review of in vitro experimental evidence for the effect of spatial and temporal modulation of radiation dose on response. <i>Acta Oncologica</i> , 2010, 49, 1344-1353.	0.8	10
34	Primary Surgical Management With Tailored Adjuvant Radiation for Stage IB2 Cervical Cancer. <i>Obstetrics and Gynecology</i> , 2013, 121, 765-772.	1.2	10
35	Functional imaging equivalence and proof of concept for image-guided adaptive radiotherapy with fixed gantry and rotating couch. <i>Advances in Radiation Oncology</i> , 2016, 1, 365-372.	0.6	10
36	Patient reported outcomes of slow, single arc rotation: Do we need rotating gantries?. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2018, 62, 553-561.	0.9	10

#	ARTICLE	IF	CITATIONS
37	On the Combined Effect of Silicon Oxide Thickness and Boron Implantation Under the Gate in MOSFET Dosimeters. IEEE Transactions on Nuclear Science, 2020, 67, 534-540.	1.2	9
38	A CBCT study of the gravity-induced movement in rotating rabbits. Physics in Medicine and Biology, 2018, 63, 105012.	1.6	7
39	Development and commissioning of a full-size prototype fixed-beam radiotherapy system with horizontal patient rotation. Medical Physics, 2019, 46, 1331-1340.	1.6	7
40	Spermatogonia survival in young ram lambs following irradiation, Busulfan or thermal treatment. Small Ruminant Research, 2018, 166, 22-27.	0.6	6
41	Neutron shielding for a new projected proton therapy facility: A Geant4 simulation study. Physica Medica, 2016, 32, 1862-1871.	0.4	5
42	Cone-beam CT reconstruction with gravity-induced motion. Physics in Medicine and Biology, 2018, 63, 205007.	1.6	5
43	Consistency of small-field dosimetry, on and off axis, in beam-matched linacs used for stereotactic radiosurgery. Journal of Applied Clinical Medical Physics, 2021, 22, 185-193.	0.8	5
44	Feasibility study of a novel multi-strip silicon detector for use in proton therapy range verification quality assurance. Radiation Measurements, 2017, 106, 378-384.	0.7	4
45	A low literacy targeted talking book about radiation therapy for cancer: development and acceptability. Supportive Care in Cancer, 2019, 27, 2057-2067.	1.0	4
46	In-field and out-of-field microdosimetric characterisation of a 62 MeV proton beam at CATANA. Medical Physics, 2021, 48, 4532-4541.	1.6	4
47	INVESTIGATING VARIABLE RBE IN A 12C MINIBEAM FIELD WITH MICRODOSIMETRY AND GEANT4. Radiation Protection Dosimetry, 2019, 183, 160-166.	0.4	3
48	Characterization of a novel large area microdosimeter system for low dose rate radiation environments. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2021, 1002, 165238.	0.7	3
49	Conference of the International Clinical Hyperthermia Society 2012. Conference Papers in Medicine, 2013, 2013, 1-3.	0.6	2
50	Particles in the South Pacific. International Journal of Radiation Oncology Biology Physics, 2016, 95, 19-20.	0.4	2
51	Testing the assessment of new Radiation Oncology Technology and treatments framework using the evaluation of post-prostatectomy radiotherapy techniques. Journal of Medical Imaging and Radiation Oncology, 2016, 60, 129-137.	0.9	2
52	The adaptation and investigation of cone-beam CT reconstruction algorithms for horizontal rotation fixed-gantry scans of rabbits. Physics in Medicine and Biology, 2021, 66, 105012.	1.6	2
53	Quantitative analysis of dose-averaged linear energy transfer (LET _d) robustness in pencil beam scanning proton lung plans. Medical Physics, 2022, , .	1.6	2
54	Impact of salvage treatment modalities in patients with positive FDG-PET/CT after R-CHOP chemotherapy for aggressive B-cell non-Hodgkin lymphoma. Journal of Medical Imaging and Radiation Oncology, 2018, 62, 432-439.	0.9	1

#	ARTICLE	IF	CITATIONS
55	Pre-treatment and real-time image guidance for a fixed-beam radiotherapy system. Physics in Medicine and Biology, 2021, 66, 064003.	1.6	1
56	Should children travel overseas for proton therapy?. Journal of Medical Imaging and Radiation Oncology, 2016, 60, 102-104.	0.9	0
57	Real-time in-vivo dosimetry for DaRT. Journal of Physics: Conference Series, 2020, 1662, 012031.	0.3	0
58	Characterization of MOSFET Dosimeters for Alpha Particle Therapy. IEEE Transactions on Nuclear Science, 2022, 69, 925-931.	1.2	0
59	What is the effect of a low literacy talking book on patient knowledge, anxiety and communication before radiation therapy starts? A pilot study. Journal of Medical Radiation Sciences, 0, , .	0.8	0