Raghav Kunnawalkam Elayavalli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6798776/publications.pdf

Version: 2024-02-01

145 papers

4,580 citations

36 h-index 59 g-index

151 all docs

151 docs citations

151 times ranked

6961 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155. | 1.4 | 499 |
| 2 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4. | 1.4 | 198 |
| 3 | Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$$ sqrt{s_{mathrm{N};mathrm{N}}}= $5.02 \$$ TeV. Journal of High Energy Physics, 2017 , 2017 , 1 . | 1.6 | 103 |
| 4 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 101 |
| 5 | Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710. | 1.4 | 98 |
| 6 | Searches for invisible decays of the Higgs boson in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 95 |
| 7 | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1. | 1.6 | 92 |
| 8 | Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{W\}^{pm}+X$ p p \hat{a}^{t} W \hat{A}^{t} + X production at $\{q\}^{t}$ = 8\$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 469. | 1.4 | 83 |
| 9 | Suppression and azimuthal anisotropy of prompt and nonprompt $f(s)=0$ mathrm{J}}/psi $f(s)=0$ production in PbPb collisions at $f(s)=0$ and $f(s)=0$ physical Journal C, 2017, 77, 252. | 1.4 | 82 |
| 10 | Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 1.6 | 81 |
| 11 | Measurement of the $f(w) $ mathrm $f(w) $ mathrm $f(w)^{-} $ where $f(w) $ has section in pp collisions at $f(w) $ at $f(w) $ so $f(w) $ where $f(w) $ mathrm $f(w) $ has successful and $f(w) $ mathrm $f(w) $ mathrm $f(w) $ has successful and $f(w) $ mathrm $f(w) $ mathrm $f(w) $ has successful and $f(w) $ mathrm $f($ | 1.4 | 74 |
| 12 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251. | 1.4 | 73 |
| 13 | Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439. | 1.4 | 64 |
| 14 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 63 |
| 15 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $s=0.45$ s = 8 TeV. European Physical Journal C, 2016, 76, 13. | 1.4 | 62 |
| 16 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 62 |
| 17 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578. | 1.4 | 57 |
| 18 | Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 57 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451. | 1.4 | 55 |
| 20 | Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$ sqrt{s}= $8 $ \$ TeV and cross section ratios to $2.76 $ and $7 $ TeV. Journal of High Energy Physics, $2017, 2017, 1$. | 1.6 | 54 |
| 21 | Measurement of prompt and nonprompt $\$$ mathrm{J}/{psi}\$\$ J / $\ddot{\Gamma}$ production in $\$$ mathrm {p}mathrm {p}\$\$ p Pb collisions at $\$$ sqrt{s_{mathrm {NN}}} =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269. | 1.4 | 53 |
| 22 | Measurement of double-differential cross sections for top quark pair production in pp collisions at $s=0$ s = 8 s,ext {TeV}\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459. | 1.4 | 52 |
| 23 | Measurements of the \$\$mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p \hat{a} †' Z Z production cross section and the \$\$mathrm{Z}ightarrow 4ell \$\$ Z \hat{a} †' 4 \hat{a} ," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165. | 1.4 | 52 |
| 24 | Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 48 |
| 25 | Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37. | 1.6 | 44 |
| 26 | Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140. | 1.4 | 44 |
| 27 | Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 43 |
| 28 | Evidence for exclusive $\hat{l}^3\hat{l}^3$ \hat{a}^* ; $W + W \hat{a}^*$ production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 42 |
| 29 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 42 |
| 30 | Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the el\(^1\)/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 41 |
| 31 | Measurement of the $\mbox{mathrm{t}}$ overline{{mathrm{t}}}\$ t t $\mbox{$\hat{A}^{-}$}$ production cross section in the all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128. | 1.4 | 41 |
| 32 | Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 $ \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 41 |
| 33 | Measurement of the \$\$mathrm{t}overline{mathrm{t}} \$\$ t t \hat{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \hat{I} 4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172. | 1.4 | 40 |
| 34 | Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845. | 1.4 | 38 |
| 35 | Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $s=13$ s = 13 s, ext {TeV}\$ TeV. European Physical Journal C, 2017, 77, 636. | 1.4 | 38 |
| 36 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 1.6 | 37 |

| # | Article | IF | Citations |
|----|---|--|----------------|
| 37 | Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}\$\$$ TeV and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\}$ $\$\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 236. | 1.4 | 37 |
| 38 | Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$, " \hat{l} ½ \hat{a} ," " \hat{l} ½ \hat{s} mathrm{b}overline{mathrm{b}}mathit{ell u ell u } \$\$ final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 36 |
| 39 | Search for heavy Majorana neutrinos in e±e±+ jets and e± \hat{l} ½ ±+ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 35 |
| 40 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 35 |
| 41 | Measurement of $\mbox{\$mathrm {t}overline{mathrm {t}}}$ t t $\mbox{$\hat{A}^-$}$ production with additional jet activity, including $\mbox{\$mathrm {b}}$ b quark jets, in the dilepton decay channel using pp collisions at $\mbox{\$sqrt{s}} = 8$, ext {TeV} $\mbox{\$s} = 8$ TeV. European Physical Journal C, 2016, 76, 379. | 1.4 | 34 |
| 42 | Measurements of the $\mbox{mathrm{t}overline{mathrm{t}}$$ t t \mbox{\hat{A}^{-}} production cross section in lepton+jets final states in pp collisions at 8 $$,ext {TeV}$$ TeV and ratio of 8 to 7\mbox{\hat{A}},ext {TeV}$$ TeV cross sections. European Physical Journal C, 2017, 77, 15.$ | 1.4 | 34 |
| 43 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371. | 1.4 | 33 |
| 44 | Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327. | 1.4 | 32 |
| 45 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 31 |
| 46 | Search for top squark pair production in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 31 |
| 47 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1. | 1.6 | 30 |
| 48 | Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â," $1\frac{1}{2}$ b b \hat{A}^- final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237. | 1.4 | 30 |
| 49 | Measurements of the associated production of a Z boson and b jets in pp collisions at \$\${sqrt{s}} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751. Longitudinal double-spin asymmetry for inclusive jet and dijet production in <mml:math< td=""><td>1.4</td><td>30</td></mml:math<> | 1.4 | 30 |
| 50 | xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>p</mml:mi> <mml:mi>p</mml:mi> collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt><mml:mo>=</mml:mo>=</mml:math> | 1.6 mn> <mml< td=""><td>30 l:mtext> </td></mml<> | 30 l:mtext> |
| 51 | Physical Review D, 2019, 100, . Measurement of inclusive jet production and nuclear modifications in pPb collisions at \$\$sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372. | 1.4 | 29 |
| 52 | Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{NN}}}= $2.76 \$$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 29 |
| 53 | A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ T} $\$$ \$ \hat{I} ± T variable. European Physical Journal C, 2017, 77, 294. | 1.4 | 29 |
| 54 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 29 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 27 |
| 56 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $$$ sqrt ${s}=13$ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 27 |
| 57 | Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291. | 1.4 | 27 |
| 58 | Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$,ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1. | 1.4 | 26 |
| 59 | Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325. | 1.4 | 25 |
| 60 | Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 23 |
| 61 | Measurement of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ where $f(t)=0$ where $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ is a sum of the jet mass in | 1.4 | 23 |
| 62 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 23 |
| 63 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 23 |
| 64 | Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ or 5 | 1.4 | 23 |
| 65 | Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ spaces and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746. | 1.4 | 23 |
| 66 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 23 |
| 67 | Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 22 |
| 68 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 22 |
| 69 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 22 |
| 70 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l}_n leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 22 |
| 71 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 21 |
| 72 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 $ \$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 20 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 19 |
| 74 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 19 |
| 75 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{N};mathrm{N}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 18 |
| 76 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ sqrt $\{s\}$ = 8;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460. | 1.4 | 18 |
| 77 | Measurement of normalized differential $\$ mathrm{t}-overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 18 |
| 78 | Measurement of groomed jet substructure observables in p+p collisions at s=200 GeV with STAR. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 811, 135846. | 1.5 | 18 |
| 79 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 17 |
| 80 | Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 17 |
| 81 | Search for new physics in the monophoton final state in proton-proton collisions at $s=13~$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 17 |
| 82 | Measurement of electroweak-induced production of \hat{W}^3 with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 17 |
| 83 | Measurements of jet charge with dijet events in pp collisions at s = 8 $\$$ sqrt{s}=8 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 17 |
| 84 | Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 17 |
| 85 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317. | 1.4 | 16 |
| 86 | Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536. | 1.4 | 16 |
| 87 | Search for excited leptons in proton-proton collisions at s = 8 $\$$ sqrt{s}=8 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 16 |
| 88 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 16 |
| 89 | Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$,mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92. | 1.4 | 16 |
| 90 | Measurement of associated Z + charm production in protonâ \in "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287. | 1.4 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|---|--------------------------------|
| 91 | Longitudinal double-spin asymmetry for inclusive jet and dijet production in polarized proton collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msqrt><mml:mi></mml:mi></mml:msqrt><mml:mo>=</mml:mo><mml:mn>200<td>1.6 nn><mml:r< td=""><td>ntext> <</td></mml:r<></td></mml:mn></mml:math> | 1.6 nn> <mml:r< td=""><td>ntext> <</td></mml:r<> | ntext> < |
| 92 | Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 15 |
| 93 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 15 |
| 94 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 15 |
| 95 | Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 15 |
| 96 | Search for new physics with dijet angular distributions in proton-proton collisions at s = 13 $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 15 |
| 97 | Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 14 |
| 98 | Search for supersymmetry in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 14 |
| 99 | Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 14 |
| 100 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 14 |
| 101 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 14 |
| 102 | Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 14 |
| 103 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 13 |
| 104 | Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 13 |
| 105 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 13 |
| 106 | Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 13 |
| 107 | Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 13 |
| 108 | Measurement of inclusive charged-particle jet production in Au <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mo>+</mml:mo></mml:math> Au collisions at <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msqrt><mml:msub><mml:mi>s<td>1.1 :mi><mml::< td=""><td>13 :mrow><mm< td=""></mm<></td></mml::<></td></mml:mi></mml:msub></mml:msqrt></mml:mrow></mml:math> | 1.1 :mi> <mml::< td=""><td>13 :mrow><mm< td=""></mm<></td></mml::<> | 13 :mrow> <mm< td=""></mm<> |

| # | Article | IF | CITATIONS |
|-----|---|------------------|-----------|
| 109 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt $s=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 1.6 | 12 |
| 110 | Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 12 |
| 111 | Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 12 |
| 112 | Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 11 |
| 113 | Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 11 |
| 114 | Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 11 |
| 115 | Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 11 |
| 116 | Underlying event measurements in p+p collisions at s=200  GeV at RHIC. Physical Review D, 2020, 101, . | 1.6 | 11 |
| 117 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76$ \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 1.6 | 10 |
| 118 | Measurements of the pp \hat{a} †' $\hat{W}^{\hat{j}\hat{l}^3}$ and pp \hat{a} †' $\hat{Z}^{\hat{j}\hat{s}\hat{l}^3}$ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | S _{1.6} | 10 |
| 119 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 10 |
| 120 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 10 |
| 121 | Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242. | 1.4 | 10 |
| 122 | Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\hat{1}/4$ final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 9 |
| 123 | Searches for Wâ \in 2 bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 8 |
| 124 | Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$$ sqrt{s_{mathrm{NN}}}= $5.02 \$$ and 8.16 TeV . Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 8 |
| 125 | Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 8 |
| 126 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ $s}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 7 |

| # | Article | IF | Citations |
|-----|--|-----------|-----------|
| 127 | Search for high-mass $Z\hat{1}^3$ resonances in e+eâ [^] $\hat{1}^3$ and $\hat{1}^1/4 + \hat{1}^1/4$ â [^] $\hat{1}^3$ final states in proton-proton collisions at s = 8 sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1. | \$\$\$1.6 | 7 |
| 128 | Measurement of the mass of the top quark in decays with a J/l meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 6 |
| 129 | Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13~$ \$\$ sqrt $\{s\}=13~$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 6 |
| 130 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 5 |
| 131 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$ sqrt $s=8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 5 |
| 132 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 $ \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 5 |
| 133 | Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 5 |
| 134 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 5 |
| 135 | Search for dark matter particles in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 4 |
| 136 | Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 4 |
| 137 | Measurement of differential cross sections in the kinematic angular variable i* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 4 |
| 138 | Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 4 |
| 139 | Search for $W\hat{a}\in \hat{a}$ \hat{a} \hat{b} in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1. | 1.6 | 3 |
| 140 | Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1. | 1.6 | 3 |
| 141 | pythia8 underlying event tune for RHIC energies. Physical Review D, 2022, 105, . | 1.6 | 3 |
| 142 | Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1. | 1.4 | 2 |
| 143 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1. | 1.6 | 1 |
| 144 | Constraining parton energy loss via angular and momentum based differential jet measurements at STAR. Nuclear Physics A, 2021, 1005, 121879. | 0.6 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\$$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 1.6 | 0 |