
## Robert C Bailey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6798786/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Male circumcision for HIV prevention in young men in Kisumu, Kenya: a randomised controlled trial. Lancet, The, 2007, 369, 643-656.	13.7	1,982
2	Male circumcision and HIV prevention: current knowledge and future research directions. Lancet Infectious Diseases, The, 2001, 1, 223-231.	9.1	113
3	A 'snip' in time: what is the best age to circumcise?. BMC Pediatrics, 2012, 12, 20.	1.7	98
4	Male circumcision for HIV prevention: a prospective study of complications in clinical and traditional settings in Bungoma, Kenya. Bulletin of the World Health Organization, 2008, 86, 669-677.	3.3	97
5	Acceptability of Male Circumcision for Prevention of HIV Infection in Malawi. AIDS and Behavior, 2006, 10, 377-385.	2.7	91
6	Sexual Behaviors and Other HIV Risk Factors in Circumcised and Uncircumcised Men in Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 1999, 22, 294.	2.1	65
7	Spectral and bout detection analysis of physical activity patterns in healthy, prepubertal boys and girls. , 1998, 10, 289-297.		63
8	What Could Explain the Lower COVID-19 Burden in Africa despite Considerable Circulation of the SARS-CoV-2 Virus?. International Journal of Environmental Research and Public Health, 2021, 18, 8638.	2.6	54
9	The Microbiome Composition of a Man's Penis Predicts Incident Bacterial Vaginosis in His Female Sex Partner With High Accuracy. Frontiers in Cellular and Infection Microbiology, 2020, 10, 433.	3.9	40
10	Virological Non-suppression and Its Correlates Among Adolescents and Young People Living with HIV in Southern Malawi. AIDS and Behavior, 2019, 23, 513-522.	2.7	34
11	Revisiting COVID-19 policies: 10 evidence-based recommendations for where to go from here. BMC Public Health, 2021, 21, 2084.	2.9	30
12	Factors Associated With Uptake of Infant Male Circumcision for HIV Prevention in Western Kenya. Pediatrics, 2012, 130, e175-e182.	2.1	26
13	Medical Male Circumcision and Herpes Simplex Virus 2 Acquisition: Posttrial Surveillance in Kisumu, Kenya. Journal of Infectious Diseases, 2013, 208, 1869-1876.	4.0	26
14	Women's Beliefs about Male Circumcision, HIV Prevention, and Sexual Behaviors in Kisumu, Kenya. PLoS ONE, 2014, 9, e97748.	2.5	25
15	Safety of over Twelve Hundred Infant Male Circumcisions Using the Mogen Clamp in Kenya. PLoS ONE, 2012, 7, e47395.	2.5	24
16	Depressive Symptoms, Alcohol and Drug Use, and Physical and Sexual Abuse Among Men Who Have Sex with Men in Kisumu, Kenya: The Anza Mapema Study. AIDS and Behavior, 2018, 22, 1517-1529.	2.7	24
17	Factors associated with viral suppression among HIV-positive Kenyan gay and bisexual men who have sex with men. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, S76-S88.	1.2	22
18	Acquisition and Persistence of Human Papillomavirus 16 (HPV-16) and HPV-18 Among Men With High-HPV Viral Load Infections in a Circumcision Trial in Kisumu, Kenya. Journal of Infectious Diseases, 2015, 211, 811-820.	4.0	21

ROBERT C BAILEY

#	Article	IF	CITATIONS
19	Sexual Pleasure and Function, Coital Trauma, and Sex Behaviors After Voluntary Medical Male Circumcision Among Men in the Dominican Republic. Journal of Sexual Medicine, 2017, 14, 526-534.	0.6	18
20	Medical Male Circumcision Is Associated with Improvements in Pain During Intercourse and Sexual Satisfaction in Kenya. Journal of Sexual Medicine, 2017, 14, 601-612.	0.6	18
21	Adolescent Male Circumcision for HIV Prevention in High Priority Countries: Opportunities for Improvement. Clinical Infectious Diseases, 2018, 66, S161-S165.	5.8	17
22	Scaling Sexual Behavior or "Sexual Risk Propensity―Among Men at Risk for HIV in Kisumu, Kenya. AIDS and Behavior, 2010, 14, 162-172.	2.7	15
23	Male Circumcision Reduces Penile HPV Incidence and Persistence: A Randomized Controlled Trial in Kenya. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1139-1148.	2.5	12
24	Prevalence and correlates of and a risk score to identify asymptomatic anorectal gonorrhoea and chlamydia infection among men who have sex with men in Kisumu, Kenya. Sexually Transmitted Infections, 2019, 95, 201-211.	1.9	11
25	Penile coital injuries in men decline after circumcision: Results from a prospective study of recently circumcised and uncircumcised men in western Kenya. PLoS ONE, 2017, 12, e0185917.	2.5	9
26	Microbial Diversity of Genital Ulcers of HSV-2 Seropositive Women. Scientific Reports, 2017, 7, 15475.	3.3	8
27	Enrolment characteristics associated with retention among HIV negative Kenyan gay, bisexual and other men who have sex with men enrolled in the Anza Map ema cohort study. Journal of the International AIDS Society, 2020, 23, e25598.	3.0	8
28	The Relationship Between Distance and Post-operative Visit Attendance Following Medical Male Circumcision in Nyanza Province, Kenya. AIDS and Behavior, 2016, 20, 2529-2537.	2.7	7
29	Factors Associated with Preference for Early Infant Male Circumcision Among a Representative Sample of Parents in Homa Bay County, Western Kenya. AIDS and Behavior, 2016, 20, 2545-2554.	2.7	6
30	What device would be best for early infant male circumcision in east and southern Africa? Provider experiences and opinions with three different devices in Kenya. PLoS ONE, 2017, 12, e0171445.	2.5	6
31	Behavior Change and Sexually Transmitted Incidence in Relation to PREP Use Among Men Who Have Sex with Men in Kenya. AIDS and Behavior, 2021, 25, 2219-2229.	2.7	6
32	Infant Male Circumcision: Healthcare Provider Knowledge and Associated Factors. PLoS ONE, 2015, 10, e0115891.	2.5	5
33	Prospective comparison of two models of integrating early infant male circumcision with maternal child health services in Kenya: The Mtoto Msafi Mbili Study. PLoS ONE, 2017, 12, e0184170.	2.5	5
34	Comparable mRNA expression of inflammatory markers but lower claudin-1 mRNA levels in foreskin tissue of HSV-2 seropositive versus seronegative asymptomatic Kenyan young men. BMJ Open, 2015, 5, e006627-e006627.	1.9	3
35	Field evaluation of the safety, acceptability, and feasibility of early infant male circumcision using the AccuCirc device. PLoS ONE, 2018, 13, e0191501.	2.5	2
36	URCHOICE: Preferences for Pre-Exposure Prophylaxis (PrEP) Options for HIV Prevention Among Kenyan men who have sex with men and Transgender Women in Nairobi, Kisumu and the Coast. AIDS and Behavior, 2023, 27, 25-36.	2.7	2

#	Article	IF	CITATIONS
37	Incidence and clearance of penile human papillomavirus infection among circumcised Kenyan men. International Journal of STD and AIDS, 2020, 31, 1202-1211.	1.1	0