# Ewa Anita Jankowska

List of Publications by Year
in descending order



| 271 | 41,632 | 29994 54 | 2617 194 |
|---|---|---|---|
| papers | citations | h-index | g-index |

| 285 | 285 | 285 | 31026 |
|---|---|---|---|
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European Heart Journal, 2016, 37, 2129-2200. | 1.0 | 13,008 |
| 2 | 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European Heart Journal, 2021, 42, 3599-3726. | 1.0 | 5,558 |
| 3 | 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European Journal of Heart Failure, 2016, 18, 891-975. | 2.9 | 5,272 |
| 4 | 2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. European Heart Journal, 2021, 42, 1289-1367. | 1.0 | 3,048 |
| 5 | 2021 ESC Guidelines on cardiovascular disease prevention in clinical practice. European Heart Journal, 2021, 42, 3227-3337. | 1.0 | 2,517 |
| 6 | 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European Journal of Heart Failure, 2022, 24, 4-131. | 2.9 | 820 |
| 7 | Universal definition and classification of heart failure: a report of the Heart Failure Society of America, Heart Failure Association of the European Society of Cardiology, Japanese Heart Failure Society and Writing Committee of the Universal Definition of Heart Failure. European Journal of Heart Failure, 2021, 23, 352-380. | 2.9 | 630 |
| 8 | Iron deficiency in chronic heart failure: An international pooled analysis. American Heart Journal, 2013, 165, 575-582.e3. | 1.2 | 532 |
| 9 | Iron deficiency: an ominous sign in patients with systolic chronic heart failure. European Heart Journal, 2010, 31, 1872-1880. | 1.0 | 515 |
| 10 | Clinical practice update on heart failure 2019: pharmacotherapy, procedures, devices and patient management. An expert consensus meeting report of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2019, 21, 1169-1186. | 2.9 | 490 |
| 11 | Ferric carboxymaltose for iron deficiency at discharge after acute heart failure: a multicentre, double-blind, randomised, controlled trial. Lancet, The, 2020, 396, 1895-1904. | 6.3 | 425 |
| 12 | Noncardiac Comorbidities in HeartÂFailureÂWith Reduced Versus PreservedÂEjection Fraction. Journal of the American College of Cardiology, 2014, 64, 2281-2293. | 1.2 | 424 |
| 13 | Universal Definition and Classification of Heart Failure. Journal of Cardiac Failure, 2021, 27, 387-413. | 0.7 | 362 |
| 14 | Anabolic Deficiency in Men With Chronic Heart Failure. Circulation, 2006, 114, 1829-1837. | 1.6 | 346 |
| 15 | Iron deficiency and heart failure: diagnostic dilemmas and therapeutic perspectives. European Heart Journal, 2013, 34, 816-829. | 1.0 | 304 |
| 16 | Effects of intravenous iron therapy in ironâ€deficient patients with systolic heart failure: a metaâ€analysis of randomized controlled trials. European Journal of Heart Failure, 2016, 18, 786-795. | 2.9 | 270 |
| 17 | Iron Deficiency Predicts Impaired Exercise Capacity in Patients With Systolic Chronic Heart Failure. Journal of Cardiac Failure, 2011, 17, 899-906. | 0.7 | 227 |
| 18 | Iron deficiency and cardiovascular disease. Nature Reviews Cardiology, 2015, 12, 659-669. | 6.1 | 220 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | 2021 ESC Guidelines on cardiovascular disease prevention in clinical practice. European Journal of Preventive Cardiology, 2022, 29, 5-115. | 0.8 | 220 |
| 20 | Iron status in patients with chronic heart failure. European Heart Journal, 2013, 34, 827-834. | 1.0 | 212 |
| 21 | Iron deficiency defined as depleted iron stores accompanied by unmet cellular iron requirements identifies patients at the highest risk of death after an episode of acute heart failure. European Heart Journal, 2014, 35, 2468-2476. | 1.0 | 179 |
| 22 | Patient profiling in heart failure for tailoring medical therapy. A consensus document of the <scp>Heart Failure Association of the European Society of Cardiology</scp>. European Journal of Heart Failure, 2021, 23, 872-881. | 2.9 | 160 |
| 23 | Iron deficiency and health-related quality of life in chronic heart failure: Results from a multicenter European study. International Journal of Cardiology, 2014, 174, 268-275. | 0.8 | 147 |
| 24 | Comparison of Midregional Pro-Atrial Natriuretic Peptide With N-Terminal Pro-B-Type Natriuretic Peptide in Predicting Survival in Patients With Chronic Heart Failure. Journal of the American College of Cardiology, 2007, 50, 1973-1980. | 1.2 | 139 |
| 25 | Reduced Peripheral Skeletal Muscle Mass and Abnormal Reflex Physiology in Chronic Heart Failure. Circulation, 2006, 114, 126-134. | 1.6 | 135 |
| 26 | The <scp>Heart Failure Association Atlas</scp>: <scp>Heart Failure Epidemiology and Management Statistics</scp> 2019. European Journal of Heart Failure, 2021, 23, 906-914. | 2.9 | 130 |
| 27 | Midâ€regional proâ€adrenomedullin as a novel predictor of mortality in patients with chronic heart failure. European Journal of Heart Failure, 2010, 12, 484-491. | 2.9 | 117 |
| 28 | The autonomic nervous system as a therapeutic target in heart failure: a scientific position statement from the Translational Research Committee of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2017, 19, 1361-1378. | 2.9 | 115 |
| 29 | Tumour necrosis factor-? and the failing heart. Basic Research in Cardiology, 2004, 99, 18-28. | 2.5 | 112 |
| 30 | Autonomic imbalance and immune activation in chronic heart failure â€" Pathophysiological links. Cardiovascular Research, 2006, 70, 434-445. | 1.8 | 109 |
| 31 | The impact of iron deficiency and anaemia on exercise capacity and outcomes in patients with chronic heart failure. Results from the Studies Investigating Co-morbidities Aggravating Heart Failure. International Journal of Cardiology, 2016, 205, 6-12. | 0.8 | 104 |
| 32 | The influence of iron deficiency on the functioning of skeletal muscles: experimental evidence and clinical implications. European Journal of Heart Failure, 2016, 18, 762-773. | 2.9 | 102 |
| 33 | Common mechanistic pathways in cancer and heart failure. A scientific roadmap on behalf of the <scp>Translational Research Committee</scp> of the <scp>Heart Failure Association</scp> (<scp>HFA</scp>) of the <scp>European Society of Cardiology</scp> (<scp>ESC</scp>). European Journal of Heart Failure, 2020, 22, 2272-2289. | 2.9 | 92 |
| 34 | Circulating Estradiol and Mortality in Men With Systolic Chronic Heart Failure. JAMA - Journal of the American Medical Association, 2009, 301, 1892. | 3.8 | 88 |
| 35 | Integration of a palliative approach into heart failure care: a <scp>European Society of Cardiology Heart Failure Association</scp> position paper. European Journal of Heart Failure, 2020, 22, 2327-2339. | 2.9 | 88 |
| 36 | Reduction in Circulating Testosterone Relates to Exercise Capacity in Men With Chronic Heart Failure. Journal of Cardiac Failure, 2009, 15, 442-450. | 0.7 | 87 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | Increased blood lactate is prevalent and identifies poor prognosis in patients with acute heart failure without overt peripheral hypoperfusion. European Journal of Heart Failure, 2018, 20, 1011-1018. | 2.9 | 85 |
| 38 | Carotid body removal for treatment of chronic systolic heart failure. International Journal of Cardiology, 2013, 168, 2506-2509. | 0.8 | 83 |
| 39 | The management of secondary mitral regurgitation in patients with heart failure: a joint position statement from the Heart Failure Association (HFA), European Association of Cardiovascular Imaging (EACVI), European Heart Rhythm Association (EHRA), and European Association of Percutaneous Cardiovascular Interventions (EAPCI) of the ESC. European Heart Journal, 2021, 42, 1254-1269. | 1.0 | 78 |
| 40 | Ursodeoxycholic Acid in Patients With Chronic Heart Failure. Journal of the American College of Cardiology, 2012, 59, 585-592. | 1.2 | 74 |
| 41 | The effect of intravenous ferric carboxymaltose on health-related quality of life in iron-deficient patients with acute heart failure: the results of the AFFIRM-AHF study. European Heart Journal, 2021, 42, 3011-3020. | 1.0 | 71 |
| 42 | Effect of low versus normal birthweight on menarche in 14-year-old Polish girls. Journal of Paediatrics and Child Health, 2002, 38, 268-271. | 0.4 | 70 |
| 43 | Skeletal myopathy in patients with chronic heart failure: significance of anabolicâ€androgenic hormones. Journal of Cachexia, Sarcopenia and Muscle, 2014, 5, 287-296. | 2.9 | 69 |
| 44 | Hyperuricaemia predicts poor outcome in patients with mild to moderate chronic heart failure. International Journal of Cardiology, 2007, 115, 151-155. | 0.8 | 65 |
| 45 | The 12-week progressive quadriceps resistance training improves muscle strength, exercise capacity and quality of life in patients with stable chronic heart failure. International Journal of Cardiology, 2008, 130, 36-43. | 0.8 | 63 |
| 46 | Serial assessment of spot urine sodium predicts effectiveness of decongestion and outcome in patients with acute heart failure. European Journal of Heart Failure, 2019, 21, 624-633. | 2.9 | 63 |
| 47 | Are general obesity and visceral adiposity in men linked to reduced bone mineral content resulting from normal ageing? A population-based study. Andrologia, 2001, 33, 384-389. | 1.0 | 61 |
| 48 | Fluvastatin reduces increased blood monocyte Toll-like receptor 4 expression in whole blood from patients with chronic heart failure. International Journal of Cardiology, 2008, 124, 80-85. | 0.8 | 61 |
| 49 | Iron Status and Survival in Diabetic Patients With Coronary Artery Disease. Diabetes Care, 2013, 36, 4147-4156. | 4.3 | 61 |
| 50 | The additive burden of iron deficiency in the cardiorenalâ€“anaemia axis: scope of a problem and its consequences. European Journal of Heart Failure, 2014, 16, 655-662. | 2.9 | 59 |
| 51 | Multidimensional Approach to Frailty. Frontiers in Psychology, 2020, 11, 564. | 1.1 | 57 |
| 52 | Renal effects of guidelineâ€directed medical therapies in heart failure: a consensus document from the Heart Failure <scp>Association of the European Society of Cardiology</scp>. European Journal of Heart Failure, 2022, 24, 603-619. | 2.9 | 57 |
| 53 | Plasma adiponectin in heart failure with and without cachexia: Catabolic signal linking catabolism, symptomatic status, and prognosis. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 50-56. | 1.1 | 56 |
| 54 | Uric acid and xanthine oxidase in heart failure â€" Emerging data and therapeutic implications. International Journal of Cardiology, 2016, 213, 15-19. | 0.8 | 56 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | Bone mineral status and bone loss over time in men with chronic systolic heart failure and their clinical and hormonal determinants. European Journal of Heart Failure, 2009, 11, 28-38. | 2.9 | 54 |
| 56 | Iron deficiency and red cell indices in patients with heart failure. European Journal of Heart Failure, 2018, 20, 114-122. | 2.9 | 54 |
| 57 | Impaired hepatoâ€renal function defined by the MELD XI score as prognosticator in acute heart failure. European Journal of Heart Failure, 2016, 18, 1518-1521. | 2.9 | 53 |
| 58 | Urinary levels of novel kidney biomarkers and risk of true worsening renal function and mortality in patients with acute heart failure. European Journal of Heart Failure, 2017, 19, 760-767. | 2.9 | 52 |
| 59 | Self-Reported Medication Adherence Measured With Morisky Medication Adherence Scales and Its Determinants in Hypertensive Patients Aged â‰¥60 Years: A Systematic Review and Meta-Analysis. Frontiers in Pharmacology, 2019, 10, 168. | 1.6 | 49 |
| 60 | Frailty and the risk of allâ€cause mortality and hospitalization in chronic heart failure: a metaâ€analysis. ESC Heart Failure, 2020, 7, 3427-3437. | 1.4 | 49 |
| 61 | High soluble transferrin receptor in patients with heart failure: a measure of iron deficiency and a strong predictor of mortality. European Journal of Heart Failure, 2021, 23, 919-932. | 2.9 | 46 |
| 62 | Clinical Predictors and Hemodynamic Consequences of Elevated Peripheral Chemosensitivity in Optimally Treated Men With Chronic Systolic Heart Failure. Journal of Cardiac Failure, 2013, 19, 408-415. | 0.7 | 43 |
| 63 | Clinical correlates and prognostic impact of impaired iron storage versus impaired iron transport in an international cohort of 1821 patients with chronic heart failure. International Journal of Cardiology, 2017, 243, 360-366. | 0.8 | 42 |
| 64 | Rationale and design of the AFFIRMâ€AHF trial: a randomised, doubleâ€blind, placeboâ€controlled trial comparing the effect of intravenous ferric carboxymaltose on hospitalisations and mortality in ironâ€deficient patients admitted for acute heart failure. European Journal of Heart Failure, 2019, 21, 1651-1658. | 2.9 | 42 |
| 65 | Phenotyping heart failure patients for iron deficiency and use of intravenous iron therapy: data from the <scp>S</scp>wedish <scp>H</scp>eart <scp>F</scp>ailure <scp>R</scp>egistry. European Journal of Heart Failure, 2021, 23, 1844-1854. | 2.9 | 42 |
| 66 | Distance covered during a six-minute walk test predicts long-term cardiovascular mortality and hospitalisation rates in men with systolic heart failure: an observational study. Journal of Physiotherapy, 2013, 59, 177-187. | 0.7 | 41 |
| 67 | Molecular Changes in Myocardium in the Course of Anemia or Iron Deficiency. Heart Failure Clinics, 2010, 6, 295-304. | 1.0 | 40 |
| 68 | Gonadal and adrenal androgen deficiencies as independent predictors of increased cardiovascular mortality in men with type II diabetes mellitus and stable coronary artery disease. International Journal of Cardiology, 2010, 143, 343-348. | 0.8 | 40 |
| 69 | GuÃa ESC 2021 sobre el diagnÃ³stico y tratamiento de la insuficiencia cardiaca aguda y crÃ³nica. Revista Espanola De Cardiologia, 2022, 75, 523.e1-523.e114. | 0.6 | 40 |
| 70 | Comparison of invasive and non-invasive measurements of haemodynamic parameters in patients with advanced heart failure. Journal of Cardiovascular Medicine, 2011, 12, 773-778. | 0.6 | 39 |
| 71 | Depleted iron stores are associated with inspiratory muscle weakness independently of skeletal muscle mass in men with systolic chronic heart failure. Journal of Cachexia, Sarcopenia and Muscle, 2018, 9, 547-556. | 2.9 | 39 |
| 72 | Patogenia y presentaciÃ³n clÃnica de la insuficiencia cardiaca aguda. Revista Espanola De Cardiologia, 2015, 68, 331-337. | 0.6 | 38 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | Bone marrow iron depletion is common in patients with coronary artery disease. International Journal of Cardiology, 2015, 182, 517-522. | 0.8 | 38 |
| 74 | Could the two-minute step test be an alternative to the six-minute walk test for patients with systolic heart failure?. European Journal of Preventive Cardiology, 2016, 23, 1307-1313. | 0.8 | 37 |
| 75 | Normal electrocardiographic and echocardiographic (M-mode and two-dimensional) values in Polish Landrace pigs. Acta Veterinaria Scandinavica, 2014, 56, 54. | 0.5 | 36 |
| 76 | Insulin resistance in heart failure: differences between patients with reduced and preserved left ventricular ejection fraction. European Journal of Heart Failure, 2015, 17, 1015-1021. | 2.9 | 36 |
| 77 | Iron Therapy in Patients with Heart Failure and Iron Deficiency: Review of Iron Preparations for Practitioners. American Journal of Cardiovascular Drugs, 2017, 17, 183-201. | 1.0 | 35 |
| 78 | Coexisting Frailty With Heart Failure. Frontiers in Physiology, 2019, 10, 791. | 1.3 | 35 |
| 79 | Identification of Chronic Heart Failure Patients with a High 12-Month Mortality Risk Using Biomarkers Including Plasma C-Terminal Pro-Endothelin-1. PLoS ONE, 2011, 6, e14506. | 1.1 | 34 |
| 80 | Anemia in chronic heart failure: Can we treat? What to treat?. Heart Failure Reviews, 2012, 17, 203-210. | 1.7 | 33 |
| 81 | Multiâ€organ dysfunction/injury on admission identifies acute heart failure patients at high risk of poor outcome. European Journal of Heart Failure, 2019, 21, 744-750. | 2.9 | 32 |
| 82 | Structural and functional abnormalities in iron-depleted heart. Heart Failure Reviews, 2019, 24, 269-277. | 1.7 | 32 |
| 83 | Renal profiling based on estimated glomerular filtration rate and spot urine sodium identifies highâ€risk acute heart failure patients. European Journal of Heart Failure, 2021, 23, 729-739. | 2.9 | 32 |
| 84 | <scp>COVID</scp>â€19 vaccination in patients with heart failure: a position paper of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2021, 23, 1806-1818. | 2.9 | 32 |
| 85 | Deficiencies in circulating testosterone and dehydroepiandrosterone sulphate, and depression in men with systolic chronic heart failure. European Journal of Heart Failure, 2010, 12, 966-973. | 2.9 | 31 |
| 86 | Cardiac remodellingÂâ€“ÂPart 1: From cells and tissues to circulating biomarkers. A review from the Study Group on Biomarkers of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2022, 24, 927-943. | 2.9 | 29 |
| 87 | Hyperhomocysteinemia in patients with symptomatic chronic heart failure: Prevalence and prognostic importanceâ€”pilot study. Atherosclerosis, 2007, 194, 408-414. | 0.4 | 28 |
| 88 | Skeletal muscle weakness is related to insulin resistance in patients with chronic heart failure. ESC Heart Failure, 2015, 2, 85-89. | 1.4 | 28 |
| 89 | Changes in autonomic balance in patients with decompensated chronic heart failure. Clinical Autonomic Research, 2011, 21, 47-54. | 1.4 | 27 |
| 90 | Differences between intravenous iron products: focus on treatment of iron deficiency in chronic heart failure patients. ESC Heart Failure, 2019, 6, 241-253. | 1.4 | 27 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | GuÃa ESC 2021 sobre la prevenciÃ³n de la enfermedad cardiovascular en la prÃ¡ctica clÃnica. Revista Espanola De Cardiologia, 2022, 75, 429.e1-429.e104. | 0.6 | 27 |
| 92 | Vitamin B12and folate deficiency in chronic heart failure. Heart, 2015, 101, 302-310. | 1.2 | 26 |
| 93 | Prediction of AF in HeartÂFailure With Preserved Ejection Fraction. JACC: Cardiovascular Imaging, 2021, 14, 131-144. | 2.3 | 25 |
| 94 | Baroreceptor sensitivity and diabetes mellitus. Cardiology Journal, 2013, 20, 453-463. | 0.5 | 24 |
| 95 | INDEPENDENT EFFECTS OF SOCIAL POSITION AND PARITY ON BODY MASS INDEX AMONG POLISH ADULT WOMEN. Journal of Biosocial Science, 2003, 35, 575-583. | 0.5 | 23 |
| 96 | Expression and Complex Formation of MMP9, MMP2, NGAL, and TIMP1 in Porcine Myocardium but Not in Skeletal Muscles in Male Pigs with Tachycardia-Induced Systolic Heart Failure. BioMed Research International, 2013, 2013, 1-12. | 0.9 | 23 |
| 97 | Ferric carboxymaltose for the treatment of iron deficiency in heart failure: a multinational costâ€effectiveness analysis utilising <scp>AFFIRMâ€AHF</scp>. European Journal of Heart Failure, 2021, 23, 1687-1697. | 2.9 | 23 |
| 98 | Liver function tests in patients with acute heart failure. Polish Archives of Internal Medicine, 2012, 122, 471-479. | 0.3 | 23 |
| 99 | Effects of an outpatient intervention comprising nurseâ€led nonâ€invasive assessments, telemedicine support and remote cardiologists' decisions in patients with heart failure (<scp>AMULET</scp> study): a randomised controlled trial. European Journal of Heart Failure, 2022, 24, 565-577. | 2.9 | 23 |
| 100 | <p>Assessment of Frailty and Occurrence of Anxiety and Depression in Elderly Patients with Atrial Fibrillation</p>. Clinical Interventions in Aging, 2020, Volume 15, 1151-1161. | 1.3 | 22 |
| 101 | Cardiac remodellingÂâ€“ÂPart 2: Clinical, imaging and laboratory findings. A review from the Study Group on Biomarkers of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2022, 24, 944-958. | 2.9 | 22 |
| 102 | Social inequality in premature mortality among polish urban adults during economic transition. American Journal of Human Biology, 2007, 19, 878-885. | 0.8 | 21 |
| 103 | Age and social gradients in the intensity of aging males' symptoms in Poland. Aging Male, 2008, 11, 83-88. | 0.9 | 21 |
| 104 | Circulating testosterone and estradiol, autonomic balance and baroreflex sensitivity in middle-aged and elderly men with heart failure. Aging Male, 2013, 16, 58-66. | 0.9 | 21 |
| 105 | Anemia at Hospital Admission and Its Relation to Outcomes in Patients With Heart Failure (from the) Tj ETQq1 1 0.784314 rgBT /Over<br>Cardiology, 2017, 119, 2021-2029. | 0.7 | 21 |
| 106 | Cardiovascular stress biomarker assessment of middle-aged non-athlete marathon runners. European Journal of Preventive Cardiology, 2019, 26, 318-327. | 0.8 | 21 |
| 107 | Activation of the NF-ÎºB system in peripheral blood leukocytes from patients with chronic heart failure. European Journal of Heart Failure, 2005, 7, 984-990. | 2.9 | 20 |
| 108 | Deranged iron status in psoriasis: the impact of low body mass. Journal of Cachexia, Sarcopenia and Muscle, 2015, 6, 358-364. | 2.9 | 20 |

| # | Article | IF | Citations |
|---|---|---|---|
| 109 | Both iron excess and iron depletion impair viability of rat H9C2 cardiomyocytes and L6G8C5 myocytes. Kardiologia Polska, 2017, 75, 267-275. | 0.3 | 20 |
| 110 | Development of porcine model of chronic tachycardia-induced cardiomyopathy. International Journal of Cardiology, 2011, 153, 36-41. | 0.8 | 19 |
| 111 | Health locus of control and the sense of self-efficacy in patients with systolic heart failure: a pilot study. Patient Preference and Adherence, 2013, 7, 337. | 0.8 | 19 |
| 112 | Age-related reflex responses from peripheral and central chemoreceptors in healthy men. Clinical Autonomic Research, 2014, 24, 285-296. | 1.4 | 19 |
| 113 | Value of serum pregnancy-associated plasma protein A for predicting cardiovascular events among patients presenting with cardiac chest pain. Cmaj, 2013, 185, E295-E303. | 0.9 | 18 |
| 114 | Direction of the Relationship Between Acceptance of Illness and Health-Related Quality of Life in Chronic Heart Failure Patients. Journal of Cardiovascular Nursing, 2017, 32, 348-356. | 0.6 | 18 |
| 115 | Elevated lactate in acute heart failure patients with intracellular iron deficiency as identifier of poor outcome. Kardiologia Polska, 2019, 77, 347-354. | 0.3 | 18 |
| 116 | Excessive ventilation during early phase of exercise: A new predictor of poor longâ€term outcome in patients with chronic heart failure. European Journal of Heart Failure, 2007, 9, 1024-1031. | 2.9 | 16 |
| 117 | Anemia in heart failure: an overview of current concepts. Future Cardiology, 2011, 7, 119-129. | 0.5 | 16 |
| 118 | Pathogenesis and Clinical Presentation of Acute Heart Failure. Revista Espanola De Cardiologia (English Ed ), 2015, 68, 331-337. | 0.4 | 16 |
| 119 | Influence of the availability of iron during hypoxia on the genes associated with apoptotic activity and local iron metabolism in rat H9C2 cardiomyocytes and L6G8C5 skeletal myocytes. Molecular Medicine Reports, 2016, 14, 3969-3977. | 1.1 | 16 |
| 120 | History of Heart Failure in Patients Hospitalized Due to COVID-19: Relevant Factor of In-Hospital Complications and All-Cause Mortality up to Six Months. Journal of Clinical Medicine, 2022, 11, 241. | 1.0 | 16 |
| 121 | Higher serum phosphorus is associated with catabolic/anabolic imbalance in heart failure. Journal of Cachexia, Sarcopenia and Muscle, 2015, 6, 325-334. | 2.9 | 15 |
| 122 | Iron Depletion Affects Genes Encoding Mitochondrial Electron Transport Chain and Genes of NonÂOxidative Metabolism, Pyruvate Kinase and Lactate Dehydrogenase, in Primary Human Cardiac Myocytes Cultured upon Mechanical Stretch. Cells, 2018, 7, 175. | 1.8 | 15 |
| 123 | Iron deficiency: a novel risk factor of recurrence in patients after unprovoked venous thromboembolism. Polish Archives of Internal Medicine, 2016, 126, 159-165. | 0.3 | 15 |
| 124 | Health status improvement with ferric carboxymaltose in heart failure with reduced ejection fraction and iron deficiency. European Journal of Heart Failure, 2022, 24, 821-832. | 2.9 | 15 |
| 125 | Effects of long-term testosterone substitutive therapy on bone mineral content in men with hypergonadotrophic hypogonadism. Andrologia, 2001, 33, 47-52. | 1.0 | 14 |
| 126 | Birthweight and stature, body mass index and fat distribution of 14-year-old Polish adolescents. Journal of Paediatrics and Child Health, 2002, 38, 55-58. | 0.4 | 14 |

| # | Article | IF | Citations |
|---|---|---|---|
| 127 | Nuclear factor-kappaB activity in peripheral blood mononuclear cells in cachectic and non-cachectic patients with chronic heart failure. International Journal of Cardiology, 2007, 122, 111-116. | 0.8 | 14 |
| 128 | Life satisfaction and cardiovascular disease risk in Poland. Archives of Medical Science, 2013, 4, 629-634. | 0.4 | 14 |
| 129 | Lipopolysaccharide responsiveness is an independent predictor of death in patients with chronic heart failure. Journal of Molecular and Cellular Cardiology, 2015, 87, 48-53. | 0.9 | 14 |
| 130 | Could gonadal and adrenal androgen deficiencies contribute to the depressive symptoms in men with systolic heart failure?. Aging Male, 2016, 19, 221-230. | 0.9 | 14 |
| 131 | Sleepâ€Disordered Breathing in Acute Ischemic Stroke: A Mechanistic Link to Peripheral Endothelial Dysfunction. Journal of the American Heart Association, 2017, 6, . | 1.6 | 14 |
| 132 | The influence of metformin and the presence of type 2 diabetes mellitus on mortality and hospitalisation in patients with heart failure. Kardiologia Polska, 2018, 76, 1336-1343. | 0.3 | 14 |
| 133 | Lack of decrease in plasma N-terminal pro-brain natriuretic peptide identifies acute heart failure patients with very poor outcome. International Journal of Cardiology, 2008, 129, 373-378. | 0.8 | 13 |
| 134 | The influence of the sounds of crying baby and the sounds of violence on haemodynamic parameters and autonomic status in young, healthy adults. International Journal of Psychophysiology, 2013, 87, 52-59. | 0.5 | 13 |
| 135 | Elevated troponin I level assessed by a new high-sensitive assay and the risk of poor outcomes in patients with acute heart failure. International Journal of Cardiology, 2017, 230, 646-652. | 0.8 | 13 |
| 136 | Sleep disordered breathing in patients with heart failure. Cardiology Journal, 2013, 20, 345-355. | 0.5 | 13 |
| 137 | On the search for the right definition of heart failure with preserved ejection fraction. Cardiology Journal, 2020, 27, 449-468. | 0.5 | 13 |
| 138 | Patients with acute myocardial infarction and severe target lesion calcifications undergoing percutaneous coronary intervention have poor long-term prognosis. Kardiologia Polska, 2017, 75, 859-867. | 0.3 | 13 |
| 139 | Iron limitation promotes the atrophy of skeletal myocytes, whereas iron supplementation prevents this process in the hypoxic conditions. International Journal of Molecular Medicine, 2018, 41, 2678-2686. | 1.8 | 12 |
| 140 | Patterns of dyspnoea onset in patients with acute heart failure: clinical and prognostic implications. ESC Heart Failure, 2019, 6, 16-26. | 1.4 | 12 |
| 141 | Elevated plasma endothelinâ€1 is related to low natriuresis, clinical signs of congestion, and poor outcome in acute heart failure. ESC Heart Failure, 2020, 7, 3536-3544. | 1.4 | 12 |
| 142 | Deranged Iron Status Evidenced by Iron Deficiency Characterizes Patients with Hidradenitis Suppurativa. Dermatology, 2020, 236, 52-58. | 0.9 | 12 |
| 143 | Could an analysis of mean corpuscular volume help to improve risk stratification in non-anemic patients with acute myocardial infarction?. Cardiology Journal, 2015, 22, 421-427. | 0.5 | 12 |
| 144 | Prevention of sudden death in heart failure with reduced ejection fraction: do we still needÂan implantable cardioverterâ€defibrillator for primary prevention?. European Journal of Heart Failure, 2022, 24, 1460-1466. | 2.9 | 12 |

| # | Article | IF | Citations |
|---|---|---|---|
| 145 | Assessment of baroreflex sensitivity has no prognostic value in contemporary, optimally managed patients with mildâ€toâ€moderate heart failure with reduced ejection fraction: a retrospective analysis of 5â€year survival. European Journal of Heart Failure, 2019, 21, 50-58. | 2.9 | 11 |
| 146 | Iron deficiency contributes to resistance to endogenous erythropoietin in anaemic heart failure patients. European Journal of Heart Failure, 2021, 23, 1677-1686. | 2.9 | 11 |
| 147 | Relations between combined oral contraceptive therapy and indices of autonomic balance (baroreflex) Tj ETQq1 1 0.784314 rgBT /Ov | 0.3 | 11 |
| 148 | Increased body fat is associated with potentiation of blood pressure response to hypoxia in healthy men: relations with insulin and leptin. Clinical Autonomic Research, 2016, 26, 107-116. | 1.4 | 10 |
| 149 | Female perception of a partnerâ€™s mate value discrepancy and controlling behaviour in romantic relationships. Acta Ethologica, 2017, 20, 1-8. | 0.4 | 10 |
| 150 | Monitoring of iron status in patients with heart failure. European Heart Journal Supplements, 2019, 21, M32-M35. | 0.0 | 10 |
| 151 | Distinct clinical phenotypes of congestion in acute heart failure: characteristics, treatment response, and outcomes. ESC Heart Failure, 2020, 7, 3830-3840. | 1.4 | 10 |
| 152 | Perception of health control and self-efficacy in heart failure. Kardiologia Polska, 2016, 74, 168-178. | 0.3 | 10 |
| 153 | Costs of management of patients with coronary artery disease in Poland: the multicenter RECENT study. Polish Archives of Internal Medicine, 2012, 122, 599-607. | 0.3 | 10 |
| 154 | Anticoagulation Prior to COVID-19 Infection Has No Impact on 6 Months Mortality: A Propensity Scoreâ€“Matched Cohort Study. Journal of Clinical Medicine, 2022, 11, 352. | 1.0 | 10 |
| 155 | Iron deficiency is related to low functional outcome in patients at early rehabilitation after acute stroke. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 1036-1044. | 2.9 | 10 |
| 156 | DECREASE IN SEX DIFFERENCE IN PREMATURE MORTALITY DURING SYSTEM TRANSFORMATION IN POLAND. Journal of Biosocial Science, 2008, 40, 297-312. | 0.5 | 9 |
| 157 | The influence of confounders in the analysis of mid-regional pro-atrial natriuretic peptide in patients with chronic heart failure. International Journal of Cardiology, 2016, 219, 84-91. | 0.8 | 9 |
| 158 | The relationship between: occupational status, biological condition and androgen hormone level among Polish adult men: the Wroclaw Male Study. Aging Male, 2016, 19, 231-238. | 0.9 | 9 |
| 159 | Expression of sex steroid receptors and aromatase in adipose tissue in different body regions in men with coronary artery disease with and without ischemic systolic heart failure. Aging Male, 2020, 23, 141-153. | 0.9 | 9 |
| 160 | Comparison of left ventricular longitudinal systolic function parameters in the prediction of adverse outcome in heart failure with preserved ejection fraction. ESC Heart Failure, 2021, 8, 1531-1540. | 1.4 | 9 |
| 161 | EPO's rescue mission in acute myocardial infarction: still more hopes than evidence. European Heart Journal, 2010, 31, 2577-2579. | 1.0 | 8 |
| 162 | Anabolic deficiencies in men with systolic heart failure: do co-morbidities and therapies really contribute significantly?. Aging Male, 2013, 16, 123-131. | 0.9 | 8 |

| # | Article | IF | Citations |
|---|---|---|---|
| 163 | Comparison of clinical profile and management of outpatients with heart failure with reduced left ventricular ejection fraction treated by general practitioners and cardiologists in contemporary Poland: The results from the DATA-HELP registry. International Journal of Cardiology, 2014, 176, 852-858. | 0.8 | 8 |
| 164 | Clinical research Patients with heart failure and concomitant chronic obstructive pulmonary disease participating in the Heart Failure Pilot Survey (ESC-HF Pilot) â€“ Polish population. Archives of Medical Science, 2015, 4, 743-750. | 0.4 | 8 |
| 165 | Iron deficiency in heart failure: Impact on response to cardiac resynchronization therapy. International Journal of Cardiology, 2016, 222, 133-134. | 0.8 | 8 |
| 166 | Nurseâ€led ambulatory care supported by nonâ€invasive haemodynamic assessment after acute heart failure decompensation. ESC Heart Failure, 2021, 8, 1018-1026. | 1.4 | 8 |
| 167 | Rationale and design of the AMULET study: A new Model of telemedical care in patients with heart failure. ESC Heart Failure, 2021, 8, 2569-2579. | 1.4 | 8 |
| 168 | Primary Human Cardiomyocytes and Cardiofibroblasts Treated with Sera from Myocarditis Patients Exhibit an Increased Iron Demand and Complex Changes in the Gene Expression. Cells, 2021, 10, 818. | 1.8 | 8 |
| 169 | Atrial fibrillation in outpatients with stable coronary artery disease : results from the multicenter RECENT study. Polish Archives of Internal Medicine, 2015, 125, 162-171. | 0.3 | 8 |
| 170 | Kidney Dysfunction and Its Progression in Patients Hospitalized Duo to COVID-19: Contribution to the Clinical Course and Outcomes. Journal of Clinical Medicine, 2021, 10, 5522. | 1.0 | 8 |
| 171 | Responder analysis for improvement in sixâ€minute walk test with ferric carboxymaltose in patients with heart failure with reduced ejection fraction and iron deficiency. European Journal of Heart Failure, 2022, , . | 2.9 | 8 |
| 172 | Bone mineral status of Polish men in the course of normal ageing. Andrologia, 2001, 33, 287-292. | 1.0 | 7 |
| 173 | Iron Deficiency Treatment in Patients with Heart Failure. Handbook of Experimental Pharmacology, 2017, 243, 561-576. | 0.9 | 7 |
| 174 | Validation of transurethral intraâ€abdominal pressure measurement in acute heart failure. Polish Archives of Internal Medicine, 2018, 128, 403-405. | 0.3 | 7 |
| 175 | Testosterone deficiency in men with heart failure: pathophysiology and its clinical, prognostic and therapeutic implications. Kardiologia Polska, 2014, 72, 403-409. | 0.3 | 7 |
| 176 | INTER-GENERATION SOCIAL MOBILITY MODIFIES FRAMINGHAM RISK SCORE IN POLISH MIDDLE-AGED MEN, BUT NOT IN WOMEN. Journal of Biosocial Science, 2008, 40, 401-412. | 0.5 | 6 |
| 177 | Serum phosphorus level is related to degree of clinical response to up-titration of heart failure pharmacotherapy. International Journal of Cardiology, 2014, 177, 248-254. | 0.8 | 6 |
| 178 | Intravenous iron supplementation: novel anti-remodelling therapy for patients with heart failure?. European Heart Journal, 2021, , . | 1.0 | 6 |
| 179 | Assessment of Gastrointestinal Symptoms and Dyspnea in Patients Hospitalized due to COVID-19: Contribution to Clinical Course and Mortality. Journal of Clinical Medicine, 2022, 11, 1821. | 1.0 | 6 |
| 180 | Safety and efficacy assessment of carotid artery stenting in aÂhigh-risk population in aÂsingle-centre registry. Postepy W Kardiologii Interwencyjnej, 2014, 4, 258-263. | 0.1 | 5 |

| # | Article | IF | Citations |
|---|---|---|---|
| 181 | Lateâ€onset hypogonadism in men with systolic heart failure: prevalence, clinical associates, and impact on longâ€term survival. ESC Heart Failure, 2014, 1, 41-51. | 1.4 | 5 |
| 182 | Psychological Gender of Men With Systolic Heart Failure. American Journal of Men's Health, 2014, 8, 249-257. | 0.7 | 5 |
| 183 | Psychological aspects of heart failure â€“ beyond depression, anxiety and quality of life. Health Psychology Report, 2015, 3, 99-114. | 0.5 | 5 |
| 184 | Drug therapy in elderly heart failure patients. European Heart Journal Supplements, 2019, 21, L8-L11. | 0.0 | 5 |
| 185 | 10Âyear trends in hospitalization rates due to heart failure and related inâ€hospital mortality in Poland (2010â€“2019). ESC Heart Failure, 2020, 7, 3365-3373. | 1.4 | 5 |
| 186 | Acceptance of the disease and sexual functions of patients with heart failure. European Journal of Cardiovascular Nursing, 2021, 20, 220-230. | 0.4 | 5 |
| 187 | Targeting Iron Deficiency in Heart Failure: Existing Evidence and Future Expectations. Circulation: Heart Failure, 2021, 14, e008299. | 1.6 | 5 |
| 188 | A curriculum for heart failure nurses: an expert opinion of the Section of Nursing and Medical Technicians and the Heart Failure Working Group of the Polish Cardiac Society. Kardiologia Polska, 2020, 78, 647-652. | 0.3 | 5 |
| 189 | Differences in the Biomarker Profile of De Novo Acute Heart Failure versus Decompensation of Chronic Heart Failure. Biomolecules, 2021, 11, 1701. | 1.8 | 5 |
| 190 | The role of exercise ventilation in clinical evaluation and risk stratification in patients with chronic heart failure. Kardiologia Polska, 2003, 59, 115-27; commentary 126-7. | 0.3 | 5 |
| 191 | Mortality Predictive Value of the C2HEST Score in Elderly Subjects with COVID-19â€”A Subanalysis of the COLOS Study. Journal of Clinical Medicine, 2022, 11, 992. | 1.0 | 5 |
| 192 | Sex Hormone-Binding Globulin and Heart Failure: a Passive Carrier of Steroid Hormones or an Active Hormone Itself?. Revista Espanola De Cardiologia (English Ed ), 2009, 62, 1353-1355. | 0.4 | 4 |
| 193 | Heart Failure Classifications â€“ Guidelines. Contributions To Nephrology, 2010, 164, 11-23. | 1.1 | 4 |
| 194 | 'Iron deficiency: an ominous sign in patients with systolic chronic heart failure' [Eur Heart J 2010;31:1872-1880, doi:10.1093/eurheartj/ehq158]. European Heart Journal, 2011, 32, 1054-1054. | 1.0 | 4 |
| 195 | Sex differences in porcine left ventricular myocardial remodeling due to right ventricular pacing. Biology of Sex Differences, 2015, 6, 32. | 1.8 | 4 |
| 196 | Differences of psychological features in patients with heart failure with regard to gender and aetiology â€” Results of a CAPS-LOCK-HF (Complex Assessment of Psychological Status Located in Heart) Tj ETQq0 0 0 rgBT /Overlock 1 | | |
| 197 | Iron deficiency and red cell indices in patients with heart failure: reply. European Journal of Heart Failure, 2018, 20, 828-829. | 2.9 | 4 |
| 198 | Expert opinion of the Heart Failure Working Group of the Polish Cardiac Society on the use of dapagliflozin in the treatment of heart failure with reduced ejection fraction. Kardiologia Polska, 2021, 79, 363-370. | 0.3 | 4 |

| # | Article | IF | Citations |
|---|---|---|---|
| 199 | Iron status, catabolic/anabolic balance, and skeletal muscle performance in men with heart failure with reduced ejection fraction. Cardiology Journal, 2021, 28, 391-401. | 0.5 | 4 |
| 200 | Factors Associated with Heart Failure Knowledge and Adherence to Self-Care Behaviors in Hospitalized Patients with Acute Decompensated Heart Failure Based on Data from â€œthe Weak Heartâ€• Educational Program. Patient Preference and Adherence, 2021, Volume 15, 1289-1300. | 0.8 | 4 |
| 201 | Role of skeletal muscle perfusion and insulin resistance in the effect of dietary sodium on heart function in overweight. ESC Heart Failure, 2021, 8, 5304-5315. | 1.4 | 4 |
| 202 | Nordic Walking May Safely Increase the Intensity of Exercise Training in Healthy Subjects and in Patients with Chronic Heart Failure. Advances in Clinical and Experimental Medicine, 2016, 25, 145-149. | 0.6 | 4 |
| 203 | The patient with heart failure in the face of the coronavirus disease 2019 pandemic: an expert opinion of the Heart Failure Working Group of the Polish Cardiac Society. Kardiologia Polska, 2020, 78, 618-631. | 0.3 | 4 |
| 204 | Acute heart failure in patients admitted to the emergency department with acute myocardial infarction. Kardiologia Polska, 2017, 75, 306-315. | 0.3 | 4 |
| 205 | Andropausal syndrome in men with systolic heart failure. Polish Archives of Internal Medicine, 2013, 123, 156-169. | 0.3 | 4 |
| 206 | Therapeutic patents for chronic heart failure: a review of patent applications from 1996 to 2002. Expert Opinion on Therapeutic Patents, 2004, 14, 639-654. | 2.4 | 3 |
| 207 | Hypoglycaemia in diabetic patients: highly undesirable by cardiologists. European Heart Journal, 2013, 34, 3102-3105. | 1.0 | 3 |
| 208 | Anaemia (and iron deficiency?) in aortic stenosisâ€”a bystander or a potential therapeutic target?. European Journal of Heart Failure, 2015, 17, 994-996. | 2.9 | 3 |
| 209 | Central Chemoreceptor Sensitivity Is Not Enhanced in Contemporary Patients With Chronic Systolic Heart Failure Receiving Optimal Treatment. Journal of Cardiac Failure, 2017, 23, 83-87. | 0.7 | 3 |
| 210 | Catabolic/Anabolic Imbalance Is Accompanied by Changes of Left Ventricular Steroid Nuclear Receptor Expression in Tachycardia-Induced Systolic Heart Failure in Male Pigs. Journal of Cardiac Failure, 2021, 27, 682-692. | 0.7 | 3 |
| 211 | Intravenous ferric carboxymaltose does not provide benefits in reperfused acute myocardial infarction in the rat with normal iron status. Biomedicine and Pharmacotherapy, 2021, 141, 111893. | 2.5 | 3 |
| 212 | Abnormal serum calcium levels are associated with clinical response to maximization of heart failure therapy. Polish Archives of Internal Medicine, 2015, 125, 54-64. | 0.3 | 3 |
| 213 | Iron deficiency in heart failure: a 2020 update. Kardiologia Polska, 2019, 77, 1134-1139. | 0.3 | 3 |
| 214 | Sexual dimorphism in socioeconomic differences regarding the risk factors, symptomatology and management of patients with stable coronary artery disease in Poland. Cardiology Journal, 2015, 22, 487-494. | 0.5 | 3 |
| 215 | A study to evaluate the prevalence and determinants of stress coping strategies in heart failure patients in Poland (CAPS-LOCK-HF sub-study). Kardiologia Polska, 2016, 74, 1327-1331. | 0.3 | 3 |
| 216 | Asymptomatic Human Immunodeficiency Virus-1 Infection with High CD4+ T Cell Count Does Not Alter Iron Metabolism or Hepcidin Levels: The Pilot Study. Infectious Diseases and Therapy, 2022, 11, 265-275. | 1.8 | 3 |

| # | Article | IF | Citations |
|---|---|---|---|
| 217 | 679 Reduction in serum testosterone deteriorates exercise capacity in men in the course of chronic heart failure. European Journal of Heart Failure, Supplement, 2007, 6, 148-148. | 0.2 | 2 |
| 218 | HIGH SOLUBLE TRANSFERRIN RECEPTOR IN PATIENTS WITH SYSTOLIC HEART FAILURE: A MEASURE OF IRON DEFICIENCY AND A STRONG PREDICTOR OF MORTALITY. Journal of the American College of Cardiology, 2013, 61, E749. | 1.2 | 2 |
| 219 | Changes in parasympathetic system in medulla oblongata in male pigs in the course of tachycardia-induced cardiomyopathy. Autonomic Neuroscience: Basic and Clinical, 2013, 177, 253-259. | 1.4 | 2 |
| 220 | Impact of pre-hospital electrocardiogram teletransmission on time delays in ST segment elevation myocardial infarction patients: a single-centre experience. Postepy W Kardiologii Interwencyjnej, 2015, 3, 212-217. | 0.1 | 2 |
| 221 | Men With a Terminal Illness Relax Their Criteria for Facial Attractiveness. American Journal of Men's Health, 2017, 11, 1247-1254. | 0.7 | 2 |
| 222 | The heart failure specialists of tomorrow: a network for young cardiovascular scientists and clinicians. ESC Heart Failure, 2020, 7, 873-877. | 1.4 | 2 |
| 223 | Approach to the Treatment of Heart Failure With Preserved Ejection Fraction and Mid- Range Ejection Fraction. International Cardiovascular Forum Journal, 0, 10, . | 1.1 | 2 |
| 224 | Clinical profile and management of outpatients with non-ischemic and non-hypertensive systolic heart failure: Analysis of the Polish DATA-HELP registry. Cardiology Journal, 2018, 25, 512-520. | 0.5 | 2 |
| 225 | Nutritional and Non-Nutritional Predictors of Low Spot Urinary Creatinine Concentration in Patients with Heart Failure. Nutrients, 2021, 13, 3994. | 1.7 | 2 |
| 226 | Usefulness of the C2HEST Score in Predicting the Clinical Outcomes of COVID-19 in Diabetic and Non-Diabetic Cohorts. Journal of Clinical Medicine, 2022, 11, 873. | 1.0 | 2 |
| 227 | Abnormal indices of autonomic function are no longer predictors of poor outcome in diabetic patients without neuropathy but with coexisting coronary artery disease who receive optimal pharmacological therapy. Kardiologia Polska, 2009, 67, 1325-32. | 0.3 | 2 |
| 228 | Sex-Dependent Differences in Predictive Value of the C2HEST Score in Subjects with COVID-19â€”A Secondary Analysis of the COLOS Study. Viruses, 2022, 14, 628. | 1.5 | 2 |
| 229 | Usefulness of C2HEST Score in Predicting Clinical Outcomes of COVID-19 in Heart Failure and Non-Heart-Failure Cohorts. Journal of Clinical Medicine, 2022, 11, 3495. | 1.0 | 2 |
| 230 | Response to Letter Regarding Article, â€œAnabolic Deficiency in Men With Chronic Heart Failure: Prevalence and Detrimental Impact on Survivalâ€• Circulation, 2007, 115, . | 1.6 | 1 |
| 231 | Targeting the Toll-System in Cardiovascular Sciences. Recent Patents on Inflammation and Allergy Drug Discovery, 2007, 1, 57-67. | 3.9 | 1 |
| 232 | AnticoagulaciÃ³n para pacientes con insuficiencia cardiaca en ritmo sinusal: habitual en la prÃ¡ctica clÃnica, pero aÃºn no basada en la evidencia. Revista Espanola De Cardiologia, 2012, 65, 687-689. | 0.6 | 1 |
| 233 | Myocardial iron content in nonâ€ischaemic cardiomyopathy: how much is known?. European Journal of Heart Failure, 2020, 22, 2047-2048. | 2.9 | 1 |
| 234 | Anaemia and iron deficiency in patients with rheumatoid arthritis and other chronic diseases<sup>*</sup>. Postepy Higieny I Medycyny Doswiadczalnej, 2021, 75, 143-151. | 0.1 | 1 |

| # | Article | IF | Citations |
|---|---|---|---|
| 235 | FC 021EFFICACY OF INTRAVENOUS FERRIC CARBOXYMALTOSE IN PATIENTS WITH IRON DEFICIENCY FOLLOWING ACUTE HEART FAILURE, ACCORDING TO BASELINE EGFR: A SUBGROUP ANALYSIS OF THE AFFIRM-AHF TRIAL. Nephrology Dialysis Transplantation, 2021, 36, . | 0.4 | 1 |
| 236 | 1453 In majority of patients with intermediate coronary lesions increased doses of intracoronary adenosine are required for the reliable assessment of fractional flow reserve. European Heart Journal, 2003, 24, 264. | 1.0 | 1 |
| 237 | OUP accepted manuscript. European Heart Journal, 2021, , . | 1.0 | 1 |
| 238 | A quasi-experimental study examining a nurse-led educational program to improve disease knowledge and self-care for patients with acute decompensated heart failure with reduced ejection fraction. Advances in Clinical and Experimental Medicine, 2022, 31, 267-275. | 0.6 | 1 |
| 239 | Iron deficiency as an emerging therapeutic target in patients stabilized after an episode of acute heart failure. Cardiology Journal, 2021, 28, 962-969. | 0.5 | 1 |
| 240 | Uric acid and immune activation in chronic heart failure. Journal of Cardiac Failure, 2004, 10, S51. | 0.7 | 0 |
| 241 | Prognostic Value of Mid-Regional Pro-Adrenomedullin in Patients with Chronic Heart Failure (CHF). Journal of Cardiac Failure, 2008, 14, S90. | 0.7 | 0 |
| 242 | Treating in-stent restenosis with drug-eluting balloon with intracoronary ultrasound control, with later optical coherent tomography control. Postepy W Kardiologii Interwencyjnej, 2010, 4, 203-207. | 0.1 | 0 |
| 243 | Anticoagulation for Heart Failure Patients in Sinus Rhythm: Common in Clinical Practice But Still Not Evidence-based. Revista Espanola De Cardiologia (English Ed ), 2012, 65, 687-689. | 0.4 | 0 |
| 244 | Coronary rotational atherectomy in patients with unsuccessful classical angioplasty â€“ in-hospital and six-month follow-up. Postepy W Kardiologii Interwencyjnej, 2012, 2, 85-90. | 0.1 | 0 |
| 245 | Percutaneous reduction of mitral valve regurgitation using the MitraClip system â€“ immediate and 90-day follow-up of 3 cases. Postepy W Kardiologii Interwencyjnej, 2013, 2, 126-131. | 0.1 | 0 |
| 246 | Effect of short-term rapid ventricular pacing followed by pacing interruption on arterial blood pressure in healthy pigs and pigs with tachycardiomyopathy. Polish Journal of Veterinary Sciences, 2014, 17, 85-91. | 0.2 | 0 |
| 247 | Late Cardiac Tamponade as a Result of Parietal Pericardium Erosion. Annals of Thoracic Surgery, 2015, 100, 715-717. | 0.7 | 0 |
| 248 | Iron Deficiency in Heart Failure. , 2016, , 535-547. | | 0 |
| 249 | Muscle Ergoreflex Activity and Autonomic Balance Assessed in the Vertical and Horizontal Body Positions in Young Healthy Men. Neurophysiology, 2017, 49, 288-294. | 0.2 | 0 |
| 250 | The Membership Committee of the ESC. Cardiovascular Research, 2019, 115, e130-e132. | 1.8 | 0 |
| 251 | D-dimer levels predict COVID-19 severity and mortality. Authorsâ€™ reply. Kardiologia Polska, 2021, 79, 218-219. | 0.3 | 0 |
| 252 | The short-term benefit from nurse-led ambulatory care supported by non-invasive haemodynamic assessment in patients after acute heart failure decompensation depends on time since hospital discharge. Kardiologia Polska, 2021, 79, 855-857. | 0.3 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 253 | 1350 Ergoreflex contribution to ventilatory response assessed during exercise of forearm and quadriceps muscles in patients with chronic heart failure. European Heart Journal, 2003, 24, 259. | 1.0 | 0 |
| 254 | P1581 Ventilatory response to early phase of exercise: a novel index useful for the comprehensive assessment of patients with chronic heart failure. European Heart Journal, 2003, 24, 288. | 1.0 | 0 |
| 255 | 1347 Excessive ventilation during early phase of exercise predicts poor outcome in patients with chronic heart failure. European Heart Journal, 2003, 24, 258. | 1.0 | 0 |
| 256 | P3312 Patients with stable angina and intermediate lesions on coronary angiography have a high risk of coronary events. European Heart Journal, 2003, 24, 631. | 1.0 | 0 |
| 257 | 2594 The activation of the nuclear factor-?B system in chronic heart failure. European Heart Journal, 2003, 24, 488. | 1.0 | 0 |
| 258 | P3243 Endotoxin inhibits apoptosis in ex vivo mononuclear blood cells from patients with chronic heart failure. European Heart Journal, 2003, 24, 611. | 1.0 | 0 |
| 259 | 853 In chronic heart failure overactive chemokine system is associated with immune activation, low grade inflammation and predicts loss of fat tissue. European Heart Journal, 2003, 24, 145. | 1.0 | 0 |
| 260 | 677 Does andropause exist in men with chronic heart failure, and is it linked to multiple anabolic deficiency ?. European Journal of Heart Failure, Supplement, 2007, 6, 147-148. | 0.2 | 0 |
| 261 | 343 Depression in men with chronic heart failure: prevalence and hormone determinants. European Journal of Heart Failure, Supplement, 2007, 6, 78-78. | 0.2 | 0 |
| 262 | 857 Serum hepcidin is not linked to iron status in patients with chronic heart failure. European Journal of Heart Failure, Supplement, 2007, 6, 186-186. | 0.2 | 0 |
| 263 | 75 Oscillatory ventilation at rest coexisting with increased ventilatory response to exercise allow to identify heart failure patients with very poor outcome. European Journal of Heart Failure, Supplement, 2007, 6, 15-15. | 0.2 | 0 |
| 264 | Iron deficiency in patients with chronic kidney disease requiring hemodialysis: do inflammation and overexpressed hepcidin contribute significantly?. Polish Archives of Internal Medicine, 2013, 123, 68-70. | 0.3 | 0 |
| 265 | P-R interval in porcine model of chronic tachycardia-induced cardiomyopathy. Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach, 2013, 57, 437-441. | 0.4 | 0 |
| 266 | Increase in heart failure mortality in Poland: can we explain the reasons?. Polish Archives of Internal Medicine, 2014, 124, 274-275. | 0.3 | 0 |
| 267 | Scientific output does not preclude regular physical activity in young Polish cardiologists. Polish Archives of Internal Medicine, 2015, 125, 591-592. | 0.3 | 0 |
| 268 | Attitude towards knowledge of the disease and psychological characteristics of patients with systolic heart failure. Health Psychology Report, 2017, 1, 30-40. | 0.5 | 0 |
| 269 | Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. Kardiologia Polska, 2017, 75, 286-293. | 0.3 | 0 |
| 270 | Sacubitril/valsartan for treatment of chronic heart failure with reduced ejection fraction. Can all patients benefit? A position statement paper of experts of the Heart Failure Working Group of the Polish Cardiac Society. Kardiologia Polska, 2017, 75, 33-41. | 0.3 | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 271 | Chloroquine and hydroxychloroquine for the prevention and therapy of coronavirus disease 2019: new hopes and old cardiovascular concerns. Kardiologia Polska, 2020, 78, 811-817. | 0.3 | 0 |