

Takashi Kobayashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6799092/publications.pdf>

Version: 2024-02-01

61
papers

1,157
citations

516561

16
h-index

414303

32
g-index

61
all docs

61
docs citations

61
times ranked

2165
citing authors

#	ARTICLE	IF	CITATIONS
1	Noninvasive risk stratification of intraductal papillary mucinous neoplasia with malignant potential by serum apolipoprotein A2 isoforms. <i>International Journal of Cancer</i> , 2022, 150, 881-894.	2.3	8
2	A unique device enabling electrohydraulic lithotripsy with an ultraslim scope for difficult stones after endoscopic ultrasound-guided biliary drainage. <i>Endoscopy</i> , 2021, 53, E52-E53.	1.0	0
3	An autopsy case of severe acute pancreatitis induced by administration of pazopanib following nivolumab. <i>Pancreatology</i> , 2021, 21, 21-24.	0.5	5
4	Acute pancreatitis in intraductal papillary mucinous neoplasms correlates with pancreatic volume and epithelial subtypes. <i>Pancreatology</i> , 2021, 21, 138-143.	0.5	8
5	Clinical outcome of conservatively managed pancreatic intraductal papillary mucinous neoplasms with mural nodules and main duct dilation. <i>Journal of Gastroenterology</i> , 2021, 56, 285-292.	2.3	3
6	Focal Hepatic Steatosis Caused by Metastatic Malignant Insulinoma. <i>Internal Medicine</i> , 2021, 60, 653-654.	0.3	1
7	Clinical management for malignant afferent loop obstruction. <i>World Journal of Gastrointestinal Oncology</i> , 2021, 13, 684-692.	0.8	6
8	Clinical management for malignant afferent loop obstruction. <i>World Journal of Gastrointestinal Oncology</i> , 2021, 13, 509-517.	0.8	0
9	Gastrointestinal: A case of a pancreatobiliary-type intraductal papillary mucinous neoplasm of the pancreas filling the main pancreatic duct without visible mucin secretion. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, , .	1.4	0
10	Endoscopic Ultrasound-Guided Gastroenterostomy for Afferent Loop Syndrome. <i>Clinical Endoscopy</i> , 2021, 54, 810-817.	0.6	6
11	An autopsy case of granulocyte colony-stimulating factor-producing pancreatic adenosquamous carcinoma. <i>Clinical Journal of Gastroenterology</i> , 2020, 13, 448-454.	0.4	1
12	Prediction of pancreatic atrophy after steroid therapy using equilibrium-phase contrast computed tomography imaging in autoimmune pancreatitis. <i>JGH Open</i> , 2020, 4, 677-683.	0.7	7
13	A case of high-grade pancreatic intraepithelial neoplasia diagnosed based on focal pancreatic parenchymal atrophy after acute pancreatitis. <i>Clinical Journal of Gastroenterology</i> , 2020, 13, 1338-1342.	0.4	1
14	Prospective Study Using Plasma Apolipoprotein A2-Isoforms to Screen for High-Risk Status of Pancreatic Cancer. <i>Cancers</i> , 2020, 12, 2625.	1.7	13
15	Possible Involvement of Lipids in the Effectiveness of Kombu in Individuals with Abnormally High Serum Triglyceride Levels. <i>Journal of Nutritional Science and Vitaminology</i> , 2020, 66, 185-190.	0.2	5
16	Gastrointestinal: Gastric outlet obstruction caused by a hamartomatous inverted polyp and an ectopic pancreas. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1667-1667.	1.4	1
17	Effects of differences in pre-analytical processing on blood protein profiles determined with SWATH-MS. <i>Journal of Proteomics</i> , 2020, 223, 103824.	1.2	5
18	A Case in which an Intraductal Papillary Neoplasm of the Bile Duct Was Surgically Resected 12 Years after the Initial Diagnosis. <i>Internal Medicine</i> , 2020, 59, 2879-2883.	0.3	4

#	ARTICLE	IF	CITATIONS
19	Endoscopic Self-Expandable Metal Stent Placement for Malignant Afferent Loop Obstruction After Pancreaticoduodenectomy: A Case Series and Review. <i>Clinical Endoscopy</i> , 2020, 53, 491-496.	0.6	9
20	Possibility of detecting intraductal papillary mucinous neoplasms using metabolite biomarkers for pancreatic cancer. <i>Biomarkers in Medicine</i> , 2020, 14, 1009-1020.	0.6	1
21	Serum level of octanoic acid predicts the efficacy of chemotherapy for colorectal cancer. <i>Oncology Letters</i> , 2019, 17, 831-842.	0.8	10
22	Trends in biomarker discoveries for the early detection and risk stratification of pancreatic cancer using omics studies. <i>Expert Review of Molecular Diagnostics</i> , 2019, 19, 651-654.	1.5	6
23	Endoscopic ultrasound-guided gastrojejunostomy using fully covered metal stent combined with large-loop double-pigtail stent for malignant afferent loop syndrome. <i>Endoscopy</i> , 2019, 51, E303-E304.	1.0	7
24	A rescue approach using a neo papilla for choledocholithiasis in patient with benign duodenal stricture. <i>Endoscopy</i> , 2019, 51, E327-E328.	1.0	0
25	Significance of pancreatic calcification on preoperative computed tomography of intraductal papillary mucinous neoplasms. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1648-1655.	1.4	5
26	Nivolumab-related pancreatitis with autoimmune pancreatitis-like imaging features. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1274-1274.	1.4	13
27	Evaluation of efficacy of pancreatic juice cytology for risk classification according to international consensus guidelines in patients with intraductal papillary mucinous neoplasm; a retrospective study. <i>Pancreatology</i> , 2019, 19, 424-428.	0.5	17
28	Eosinophilic Cholangitis Without Biliary Stricture After the Treatment of Eosinophilic Esophagitis. <i>ACG Case Reports Journal</i> , 2019, 6, e00099.	0.2	4
29	Metabolomics-based Discovery of Serum Biomarkers to Predict the Side-effects of Neoadjuvant Chemoradiotherapy for Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2019, 39, 519-526.	0.5	8
30	IgG4-related hypophysitis in patients with autoimmune pancreatitis. <i>Pituitary</i> , 2019, 22, 54-61.	1.6	9
31	Comparison of venous and fingertip plasma using non-targeted proteomics and metabolomics. <i>Talanta</i> , 2019, 192, 182-188.	2.9	8
32	Clinical outcomes of ampullary neoplasms in resected margin positive or uncertain cases after endoscopic papillectomy. <i>World Journal of Gastroenterology</i> , 2019, 25, 1387-1397.	1.4	24
33	A Pilot Study: Effects of Kombu Intake on Lifestyle-related Diseases -Possibility that Kombu Intake is Effective in Individuals with Abnormally High Serum Triglyceride Levels-. <i>Food Science and Technology Research</i> , 2019, 25, 827-834.	0.3	6
34	GC/MS and LC/MS-based Tissue Metabolomic Analysis Detected Increased Levels of Antioxidant Metabolites in Colorectal Cancer. <i>Kobe Journal of Medical Sciences</i> , 2019, 65, E19-E27.	0.2	3
35	Serum apolipoprotein A2 isoforms in autoimmune pancreatitis. <i>Biochemical and Biophysical Research Communications</i> , 2018, 497, 903-907.	1.0	11
36	Pancreatic inflammation and atrophy are not associated with pancreatic cancer concomitant with intraductal papillary mucinous neoplasm. <i>Pancreatology</i> , 2018, 18, 54-60.	0.5	6

#	ARTICLE	IF	CITATIONS
37	Differences in metabolite profiles caused by pre-analytical blood processing procedures. <i>Journal of Bioscience and Bioengineering</i> , 2018, 125, 613-618.	1.1	34
38	Metabolome analysis for pancreatic cancer risk in nested case-control study: Japan Public Health Center-based prospective Study. <i>Cancer Science</i> , 2018, 109, 1672-1681.	1.7	9
39	Multifocal cysts and incidence of pancreatic cancer concomitant with intraductal papillary mucinous neoplasm. <i>Pancreatology</i> , 2018, 18, 399-406.	0.5	15
40	Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Case-Control Study of a Large Cohort. <i>Gastroenterology</i> , 2018, 155, 1474-1482.e1.	0.6	59
41	Identification of serum biomarkers of chemoradiosensitivity in esophageal cancer via the targeted metabolomics approach. <i>Biomarkers in Medicine</i> , 2018, 12, 827-840.	0.6	15
42	A novel biliary cannulation method for difficult cannulation cases using a unique, uneven, double-lumen cannula (Uneven method). <i>Endoscopy</i> , 2018, 50, E229-E230.	1.0	12
43	Association between serum SPan-1 and lymph node metastasis in invasive intraductal papillary mucinous neoplasm of the pancreas. <i>Pancreatology</i> , 2017, 17, 123-129.	0.5	3
44	Identification of highly sensitive biomarkers that can aid the early detection of pancreatic cancer using GC/MS/MS-based targeted metabolomics. <i>Clinica Chimica Acta</i> , 2017, 468, 98-104.	0.5	38
45	Adrenic acid as an inflammation enhancer in non-alcoholic fatty liver disease. <i>Archives of Biochemistry and Biophysics</i> , 2017, 623-624, 64-75.	1.4	29
46	Smoking Status and the Incidence of Pancreatic Cancer Concomitant With Intraductal Papillary Mucinous Neoplasm. <i>Pancreas</i> , 2017, 46, 582-588.	0.5	18
47	Use of on-line supercritical fluid extraction-supercritical fluid chromatography/tandem mass spectrometry to analyze disease biomarkers in dried serum spots compared with serum analysis using liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 886-894.	0.7	41
48	Chronic Pancreatitis Finding by Endoscopic Ultrasonography in the Pancreatic Parenchyma of Intraductal Papillary Mucinous Neoplasms Is Associated with Invasive Intraductal Papillary Mucinous Carcinoma. <i>Oncology</i> , 2017, 93, 61-68.	0.9	15
49	Investigations in the possibility of early detection of colorectal cancer by gas chromatography/triple-quadrupole mass spectrometry. <i>Oncotarget</i> , 2017, 8, 17115-17126.	0.8	66
50	History of Post-Endoscopic Retrograde Cholangiopancreatography Pancreatitis and Acute Pancreatitis as Risk Factors for Post-ERCP Pancreatitis. <i>Kobe Journal of Medical Sciences</i> , 2017, 63, E1-E8.	0.2	3
51	Pancreatic cancer screening using a multiplatform human serum metabolomics system. <i>Biomarkers in Medicine</i> , 2016, 10, 577-586.	0.6	35
52	LC-MS/MS-based metabolome analysis detected changes in the metabolic profiles of small and large intestinal adenomatous polyps in <i>Apc Min/+</i> mice. <i>Metabolomics</i> , 2016, 12, 1.	1.4	7
53	Predictive value of low serum pancreatic enzymes in invasive intraductal papillary mucinous neoplasms. <i>Pancreatology</i> , 2016, 16, 893-899.	0.5	10
54	Effectiveness of endoscopic self-expandable metal stent placement for afferent loop obstruction caused by pancreatic cancer recurrence after pancreaticoduodenectomy. <i>Clinical Journal of Gastroenterology</i> , 2015, 8, 103-107.	0.4	13

#	ARTICLE	IF	CITATIONS
55	Metabolomics Evaluation of Serum Markers for Cachexia and Their Intra-Day Variation in Patients with Advanced Pancreatic Cancer. PLoS ONE, 2014, 9, e113259.	1.1	40
56	Metabolomics for Biomarker Discovery in Gastroenterological Cancer. Metabolites, 2014, 4, 547-571.	1.3	24
57	Serum Metabolomic Analysis of Pancreatic Cancer's Response. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1922-1922.	1.1	3
58	A Novel Serum Metabolomics-Based Diagnostic Approach to Pancreatic Cancer. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 571-579.	1.1	157
59	Metabolomic analysis to discover candidate therapeutic agents against acute pancreatitis. Archives of Biochemistry and Biophysics, 2012, 522, 107-120.	1.4	22
60	A Novel Serum Metabolomics-Based Diagnostic Approach for Colorectal Cancer. PLoS ONE, 2012, 7, e40459.	1.1	227
61	Serum fatty acid profiling of colorectal cancer by gas chromatography/mass spectrometry. Biomarkers in Medicine, 2011, 5, 451-460.	0.6	41