

# Mohammad Kaboli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6799318/publications.pdf>

Version: 2024-02-01

63  
papers

1,320  
citations

331670

21  
h-index

377865

34  
g-index

65  
all docs

65  
docs citations

65  
times ranked

1657  
citing authors

#	ARTICLE	IF	CITATIONS
1	Evolution and taxonomy of the wild species of the genus <i>Ovis</i> (Mammalia, Artiodactyla, Bovidae). <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 315-326.	2.7	124
2	Molecular Identification of Birds: Performance of Distance-Based DNA Barcoding in Three Genes to Delimit Parapatric Species. <i>PLoS ONE</i> , 2009, 4, e4119.	2.5	81
3	The role of human-related risk in breeding site selection by wolves. <i>Biological Conservation</i> , 2016, 201, 103-110.	4.1	72
4	Spatial risk model and mitigation implications for wolf-human conflict in a highly modified agroecosystem in western Iran. <i>Biological Conservation</i> , 2014, 177, 156-164.	4.1	67
5	Ecomorphology of the wheatears (genus <i>Oenanthe</i> ). <i>Ibis</i> , 2007, 149, 792-805.	1.9	64
6	Mitochondrial DNA analysis of Iranian brown bears ( <i>Ursus arctos</i> ) reveals new phylogeographic lineage. <i>Mammalian Biology</i> , 2016, 81, 1-9.	1.5	64
7	Identifying habitat cores and corridors for the Iranian black bear in Iran. <i>Ursus</i> , 2016, 27, 18.	0.5	57
8	Upward Altitudinal Shifts in Habitat Suitability of Mountain Vipers since the Last Glacial Maximum. <i>PLoS ONE</i> , 2015, 10, e0138087.	2.5	48
9	Detecting Hybridization between Iranian Wild Wolf ( <i>Canis Lupus Pallipes</i> ) and Free-Ranging Domestic Dog ( <i>Canis Familiaris</i> ) by Analysis of Microsatellite Markers. <i>Zoological Science</i> , 2013, 30, 27-34.	0.7	42
10	Effect of Habitat Complexity on Richness, Abundance and Distributional Pattern of Forest Birds. <i>Environmental Management</i> , 2012, 50, 296-303.	2.7	39
11	Characteristics of Gray Wolf Attacks on Humans in an Altered Landscape in the West of Iran. <i>Human Dimensions of Wildlife</i> , 2015, 20, 112-122.	1.8	38
12	Road expansion: A challenge to conservation of mammals, with particular emphasis on the endangered Asiatic cheetah in Iran. <i>Journal for Nature Conservation</i> , 2018, 43, 8-18.	1.8	34
13	Phylogeny of Palaearctic wheatears (genus <i>Oenanthe</i> )—Congruence between morphometric and molecular data. <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 665-675.	2.7	33
14	Mitochondrial evidence uncovers a refugium for the fat dormouse ( <i>Glis glis</i> Linnaeus, 1766) in Hyrcanian forests of northern Iran. <i>Mammalian Biology</i> , 2014, 79, 202-207.	1.5	31
15	Extinction risks of a Mediterranean neo-endemism complex of mountain vipers triggered by climate change. <i>Scientific Reports</i> , 2019, 9, 6332.	3.3	31
16	Convergent evolution of morphological and ecological traits in the open-habitat chat complex ( <i>Aves</i> ). <i>Trends in Ecology and Evolution</i> , 2019, 34, 1077-1087.	2.7	27
17	Anthropogenic food resources sustain wolves in conflict scenarios of Western Iran. <i>PLoS ONE</i> , 2019, 14, e0218345.	2.5	27
18	Spatial Heterogeneity in Human Activities Favors the Persistence of Wolves in Agroecosystems. <i>PLoS ONE</i> , 2014, 9, e108080.	2.5	26

#	ARTICLE	IF	CITATIONS
19	Habitat suitability and impacts of climate change on the distribution of wintering population of Asian Houbara Bustard ( <i>Chlamydotis macqueenii</i> ) in Iran. <i>Bird Conservation International</i> , 2017, 27, 294-304.	1.3	23
20	Avifaunal gradients in two arid zones of central Iran in relation to vegetation, climate, and topography. <i>Journal of Biogeography</i> , 2006, 33, 133-144.	3.0	22
21	Landscape heterogeneity and ecological niche isolation shape the distribution of spatial genetic variation in Iranian brown bears, <i>Ursus arctos</i> (Carnivora: Ursidae). <i>Mammalian Biology</i> , 2018, 93, 64-75.	1.5	22
22	A predictive spatial model for gray wolf ( <i>Canis lupus</i> ) denning sites in a human-dominated landscape in western Iran. <i>Ecological Research</i> , 2013, 28, 513-521.	1.5	21
23	Predicting range expansion of invasive raccoons in northern Iran using ENFA model at two different scales. <i>Ecological Informatics</i> , 2013, 15, 96-102.	5.2	20
24	Molecular and craniological analysis of leopard, <i>Panthera pardus</i> (Carnivora: Felidae) in Iran: support for a monophyletic clade in Western Asia. <i>Biological Journal of the Linnean Society</i> , 2015, 114, 721-736.	1.6	19
25	Effects of landscape context on bird species abundance of tree fall gaps in a temperate deciduous forest of Northern Iran. <i>Forest Ecology and Management</i> , 2012, 267, 182-189.	3.2	18
26	Diet and habitat use of the endangered Persian leopard ( <i>Panthera pardus saxicolor</i> ) in northeastern Iran. <i>Turkish Journal of Zoology</i> , 2013, 37, 554-561.	0.9	18
27	Ensemble distribution modeling of the Mesopotamian spiny-tailed lizard, <i>Saara loricata</i> (Blanford). <i>Tj ETQq1 1 0.784314 rgBT /Overload</i> 262-271.	0.9	17
28	Evolutionary applications of phylogenetically-informed ecological niche modelling (ENM) to explore cryptic diversification over cryptic refugia. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 712-722.	2.7	17
29	Evolutionary history and postglacial colonization of an Asian pit viper ( <i>Gloydius halys caucasicus</i> ) into Transcaucasia revealed by phylogenetic and phylogeographic analyses. <i>Scientific Reports</i> , 2019, 9, 1224.	3.3	17
30	Patterns of sexual dimorphism in the Persian Leopard ( <i>Panthera pardus saxicolor</i> ) and implications for sex differentiation. <i>Zoology in the Middle East</i> , 2014, 60, 195-207.	0.6	15
31	Interspecific killing between wolves and golden jackals in Iran. <i>European Journal of Wildlife Research</i> , 2017, 63, 1.	1.4	15
32	Effects of Logged and Unlogged Forest Patches on Avifaunal Diversity. <i>Environmental Management</i> , 2013, 51, 750-758.	2.7	13
33	Low gene flow between Iranian Grey Wolves ( <i>Canis lupus</i> ) and dogs documented using uniparental genetic markers. <i>Zoology in the Middle East</i> , 2014, 60, 95-106.	0.6	11
34	The legacy of Eastern Mediterranean mountain uplifts: rapid disparity of phylogenetic niche conservatism and divergence in mountain vipers. <i>Bmc Ecology and Evolution</i> , 2021, 21, 130.	1.6	11
35	Relationship between road vehicle traffic and noise pollution of Khojir National Park in the viewpoint of feasibility of fencing and soundproofing. <i>International Journal of Environmental Health Engineering</i> , 2012, 1, 51.	0.4	10
36	Phylogenetic relationships of Eurasian Nuthatches ( <i>Sitta europaea</i> Linnaeus, 1758) from the Alborz and Zagros Mountains, Iran. <i>Zoology in the Middle East</i> , 2016, 62, 217-226.	0.6	9

#	ARTICLE	IF	CITATIONS
37	The phylogeny, phylogeography, and diversification history of the westernmost Asian cobra ( <i>Serpentes: Elapidae: Naja oxiana</i> ) in the Trans-Caspian region. <i>Ecology and Evolution</i> , 2021, 11, 2024-2039.	1.9	9
38	A re-evaluation of taxonomic status of <i>Montivipera</i> (Squamata: Viperidae) from Iran using a DNA barcoding approach. <i>Biochemical Systematics and Ecology</i> , 2014, 57, 350-356.	1.3	8
39	Ecological segregation between Iranian wheatears. <i>Zoology in the Middle East</i> , 2006, 39, 41-58.	0.6	7
40	An assessment of threats to Anatidae in Iran. <i>Bird Conservation International</i> , 2015, 25, 242-257.	1.3	7
41	Is black coat color in wolves of Iran an evidence of admixed ancestry with dogs?. <i>Journal of Applied Genetics</i> , 2015, 56, 97-105.	1.9	7
42	Mammary number and litter size of the fat dormouse on the Southern Caspian coast. <i>Mammalia</i> , 2014, 78, .	0.7	6
43	Habitat selection of cavity-nesting birds in the Hyrcanian deciduous forests of northern Iran. <i>Ecological Research</i> , 2015, 30, 889-897.	1.5	6
44	Conservation Below the Species Level: Suitable Evolutionarily Significant Units among Mountain Vipers (the <i>Montivipera raddei</i> complex) in Iran. <i>Journal of Heredity</i> , 2018, 109, 416-425.	2.4	6
45	Topographical features and forest cover influence landscape connectivity and gene flow of the Caucasian pit viper, <i>Gloydius caucasicus</i> (Nikolsky, 1916), in Iran. <i>Landscape Ecology</i> , 2019, 34, 2615-2630.	4.2	6
46	Trophic niche partitioning between two Rock Nuthatches ( <i>Sitta tephronota</i> & <i>Sitta</i> )	1.7	5
47	Microspatial separation and associated morphological adaptations in the original case of avian character displacement. <i>Ibis</i> , 2017, 159, 883-891.	1.9	5
48	Fear of Wolves in Relation to Attacks on People and Livestock in Western Iran. <i>Anthrozoos</i> , 2021, 34, 303-319.	1.4	5
49	Morphometric variations of the skull in the Gray Wolf ( <i>Canis lupus</i> ) in Iran. <i>Acta Theriologica</i> , 2012, 57, 361-369.	1.1	4
50	Genetic structure and differentiation of four populations of Afghan Pika ( <i>Ochotona rufescens</i> ) in Iran based on mitochondrial cytochrome b gene. <i>Zoology in the Middle East</i> , 2014, 60, 288-298.	0.6	4
51	Fat Dormouse ( <i>Glis glis</i> L.) Distribution Modeling in the Hyrcanian Relict Forests of Northern Iran. <i>Polish Journal of Ecology</i> , 2016, 64, 136-142.	0.2	4
52	Diversification and cryptic diversity of <i>Ophisops elegans</i> (Sauria, Lacertidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 1276-1289.	1.4	4
53	Habitat requirements of the Black Woodpecker, <i>Dryocopus martius</i> , in Hyrcanian forests, Iran. <i>Zoology in the Middle East</i> , 2012, 55, 19-25.	0.6	3
54	Habitat factors determining the distribution of the Caucasian Agama, <i>Laudakia caucasia</i> , (Squamata: Agamidae) in the Sorkh-e-Hesar National Park, Tehran province, Iran. <i>Journal of Natural History</i> , 2012, 46, 2735-2747.	0.5	3

#	ARTICLE	IF	CITATIONS
55	National assessment of threatened species using sparse data: IUCN Red List classification of Anatidae in Iran. <i>Animal Conservation</i> , 2017, 20, 42-50.	2.9	3
56	Habitat suitability prediction for <i>Salamandra infraimmaculata</i> (Caudata: Amphibia) in western Iran based on species distribution modeling. <i>Journal of Asia-Pacific Biodiversity</i> , 2018, 11, 203-205.	0.4	3
57	Morphological relationships of the Wheatears (genus <i>Oenanthe</i> ). <i>Russian Journal of Ecology</i> , 2013, 44, 251-259.	0.9	2
58	Using simulated annealing optimization algorithm for prioritizing protected areas in Alborz province, Iran. <i>Environmental Nanotechnology, Monitoring and Management</i> , 2019, 11, 100211.	2.9	2
59	Comparison of venom from wild and long-term captive <i>Gloydius caucasicus</i> and the neutralization capacity of antivenom produced in rabbits immunized with captive venom. <i>Heliyon</i> , 2020, 6, e05717.	3.2	2
60	Living with wolves: Lessons learned from Iran. <i>Conservation Science and Practice</i> , 2022, 4, .	2.0	2
61	Burrow configuration of Persian jird <i>Meriones persicus</i> Blanford, 1875 (Rodentia: Muridae.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	1.5	1
62	A Probabilistic Model for Presence of Eurasian Nuthatch ( <i>Sitta europaea</i> ) in the Alborz Mountains, Northern Iran. <i>Wilson Journal of Ornithology</i> , 2011, 123, 741-747.	0.2	1
63	Phylogeny and genetic structure of the Yellow ground squirrel, <i>Spermophilus fulvus</i> (Lichtenstein,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	1.5	1