

Mohammad Kaboli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6799318/publications.pdf>

Version: 2024-02-01

63
papers

1,320
citations

331670

21
h-index

377865

34
g-index

65
all docs

65
docs citations

65
times ranked

1657
citing authors

#	ARTICLE	IF	CITATIONS
1	Living with wolves: Lessons learned from Iran. <i>Conservation Science and Practice</i> , 2022, 4, .	2.0	2
2	Fear of Wolves in Relation to Attacks on People and Livestock in Western Iran. <i>Anthrozoos</i> , 2021, 34, 303-319.	1.4	5
3	The legacy of Eastern Mediterranean mountain uplifts: rapid disparity of phylogenetic niche conservatism and divergence in mountain vipers. <i>Bmc Ecology and Evolution</i> , 2021, 21, 130.	1.6	11
4	The phylogeny, phylogeography, and diversification history of the westernmost Asian cobra (<i>Serpentes: Elapidae: <i>Naja oxiana</i></i>) in the Transâ€Caspian region. <i>Ecology and Evolution</i> , 2021, 11, 2024-2039.	1.9	9
5	Diversification and cryptic diversity of <i>Ophisops elegans</i> (Sauria, Lacertidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020, 58, 1276-1289.	1.4	4
6	Comparison of venom from wild and long-term captive <i>Gloydius caucasicus</i> and the neutralization capacity of antivenom produced in rabbits immunized with captive venom. <i>Heliyon</i> , 2020, 6, e05717.	3.2	2
7	Anthropogenic food resources sustain wolves in conflict scenarios of Western Iran. <i>PLoS ONE</i> , 2019, 14, e0218345.	2.5	27
8	Phylogeny and genetic structure of the Yellow ground squirrel, <i>Spermophilus fulvus</i> (Lichtenstein,) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.5	1
9	Topographical features and forest cover influence landscape connectivity and gene flow of the Caucasian pit viper, <i>Gloydius caucasicus</i> (Nikolsky, 1916), in Iran. <i>Landscape Ecology</i> , 2019, 34, 2615-2630.	4.2	6
10	Extinction risks of a Mediterranean neo-endemism complex of mountain vipers triggered by climate change. <i>Scientific Reports</i> , 2019, 9, 6332.	3.3	31
11	Using simulated annealing optimization algorithm for prioritizing protected areas in Alborz province, Iran. <i>Environmental Nanotechnology, Monitoring and Management</i> , 2019, 11, 100211.	2.9	2
12	Evolutionary history and postglacial colonization of an Asian pit viper (<i>Gloydius halys caucasicus</i>) into Transcaucasia revealed by phylogenetic and phylogeographic analyses. <i>Scientific Reports</i> , 2019, 9, 1224.	3.3	17
13	Road expansion: A challenge to conservation of mammals, with particular emphasis on the endangered Asiatic cheetah in Iran. <i>Journal for Nature Conservation</i> , 2018, 43, 8-18.	1.8	34
14	Conservation Below the Species Level: Suitable Evolutionarily Significant Units among Mountain Vipers (the <i>Montivipera raddei</i> complex) in Iran. <i>Journal of Heredity</i> , 2018, 109, 416-425.	2.4	6
15	Habitat suitability prediction for <i>Salamandra infraimmaculata</i> (Caudata: Amphibia) in western Iran based on species distribution modeling. <i>Journal of Asia-Pacific Biodiversity</i> , 2018, 11, 203-205.	0.4	3
16	Landscape heterogeneity and ecological niche isolation shape the distribution of spatial genetic variation in Iranian brown bears, <i>Ursus arctos</i> (Carnivora: Ursidae). <i>Mammalian Biology</i> , 2018, 93, 64-75.	1.5	22
17	Evolutionary applications of phylogenetically-informed ecological niche modelling (ENM) to explore cryptic diversification over cryptic refugia. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 712-722.	2.7	17
18	National assessment of threatened species using sparse data: IUCN Red List classification of Anatidae in Iran. <i>Animal Conservation</i> , 2017, 20, 42-50.	2.9	3

#	ARTICLE	IF	CITATIONS
19	Interspecific killing between wolves and golden jackals in Iran. <i>European Journal of Wildlife Research</i> , 2017, 63, 1.	1.4	15
20	Habitat suitability and impacts of climate change on the distribution of wintering population of Asian Houbara Bustard (<i>Chlamydotis macqueenii</i>) in Iran. <i>Bird Conservation International</i> , 2017, 27, 294-304.	1.3	23
21	Microspatial separation and associated morphological adaptations in the original case of avian character displacement. <i>Ibis</i> , 2017, 159, 883-891.	1.9	5
22	Ensemble distribution modeling of the Mesopotamian spiny-tailed lizard, <i>Saara loricata</i> (Blanford,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> 262-271.	0.9	17
23	The role of human-related risk in breeding site selection by wolves. <i>Biological Conservation</i> , 2016, 201, 103-110.	4.1	72
24	Identifying habitat cores and corridors for the Iranian black bear in Iran. <i>Ursus</i> , 2016, 27, 18.	0.5	57
25	Trophic niche partitioning between two Rock Nuthatches (<i>Sitta tephronota</i> & <i>Sitta</i>) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 1.7 5</i>	1.7	5
26	Fat Dormouse (<i>Glis glis</i> L.) Distribution Modeling in the Hyrcanian Relict Forests of Northern Iran. <i>Polish Journal of Ecology</i> , 2016, 64, 136-142.	0.2	4
27	Phylogenetic relationships of Eurasian Nuthatches (<i>Sitta europaea</i> Linnaeus, 1758) from the Alborz and Zagros Mountains, Iran. <i>Zoology in the Middle East</i> , 2016, 62, 217-226.	0.6	9
28	Mitochondrial DNA analysis of Iranian brown bears (<i>Ursus arctos</i>) reveals new phylogeographic lineage. <i>Mammalian Biology</i> , 2016, 81, 1-9.	1.5	64
29	Upward Altitudinal Shifts in Habitat Suitability of Mountain Vipers since the Last Glacial Maximum. <i>PLoS ONE</i> , 2015, 10, e0138087.	2.5	48
30	Characteristics of Gray Wolf Attacks on Humans in an Altered Landscape in the West of Iran. <i>Human Dimensions of Wildlife</i> , 2015, 20, 112-122.	1.8	38
31	Molecular and craniological analysis of leopard, <i>Panthera pardus</i> (Carnivora: Felidae) in Iran: support for a monophyletic clade in Western Asia. <i>Biological Journal of the Linnean Society</i> , 2015, 114, 721-736.	1.6	19
32	Habitat selection of cavity-nesting birds in the Hyrcanian deciduous forests of northern Iran. <i>Ecological Research</i> , 2015, 30, 889-897.	1.5	6
33	An assessment of threats to Anatidae in Iran. <i>Bird Conservation International</i> , 2015, 25, 242-257.	1.3	7
34	Is black coat color in wolves of Iran an evidence of admixed ancestry with dogs?. <i>Journal of Applied Genetics</i> , 2015, 56, 97-105.	1.9	7
35	Genetic structure and differentiation of four populations of Afghan Pika (<i>Ochotona rufescens</i>) in Iran based on mitochondrial cytochrome b gene. <i>Zoology in the Middle East</i> , 2014, 60, 288-298.	0.6	4
36	Mammary number and litter size of the fat dormouse on the Southern Caspian coast. <i>Mammalia</i> , 2014, 78, .	0.7	6

#	ARTICLE	IF	CITATIONS
37	Spatial Heterogeneity in Human Activities Favors the Persistence of Wolves in Agroecosystems. PLoS ONE, 2014, 9, e108080.	2.5	26
38	Mitochondrial evidence uncovers a refugium for the fat dormouse (<i>Glis glis</i> Linnaeus, 1766) in Hyrcanian forests of northern Iran. Mammalian Biology, 2014, 79, 202-207.	1.5	31
39	A re-evaluation of taxonomic status of <i>Montivipera</i> (Squamata: Viperidae) from Iran using a DNA barcoding approach. Biochemical Systematics and Ecology, 2014, 57, 350-356.	1.3	8
40	Patterns of sexual dimorphism in the Persian Leopard (<i>Panthera pardus saxicolor</i>) and implications for sex differentiation. Zoology in the Middle East, 2014, 60, 195-207.	0.6	15
41	Spatial risk model and mitigation implications for wolf-human conflict in a highly modified agroecosystem in western Iran. Biological Conservation, 2014, 177, 156-164.	4.1	67
42	Low gene flow between Iranian Grey Wolves (<i>Canis lupus</i>) and dogs documented using uniparental genetic markers. Zoology in the Middle East, 2014, 60, 95-106.	0.6	11
43	Predicting range expansion of invasive raccoons in northern Iran using ENFA model at two different scales. Ecological Informatics, 2013, 15, 96-102.	5.2	20
44	Morphological relationships of the Wheatears (genus <i>Oenanthe</i>). Russian Journal of Ecology, 2013, 44, 251-259.	0.9	2
45	Effects of Logged and Unlogged Forest Patches on Avifaunal Diversity. Environmental Management, 2013, 51, 750-758.	2.7	13
46	Detecting Hybridization between Iranian Wild Wolf (<i>Canis Lupus Pallipes</i>) and Free-Ranging Domestic Dog (<i>Canis Familiaris</i>) by Analysis of Microsatellite Markers. Zoological Science, 2013, 30, 27-34.	0.7	42
47	A predictive spatial model for gray wolf (<i>Canis lupus</i>) denning sites in a human-dominated landscape in western Iran. Ecological Research, 2013, 28, 513-521.	1.5	21
48	Diet and habitat use of the endangered Persian leopard (<i>Panthera pardus saxicolor</i>) in northeastern Iran. Turkish Journal of Zoology, 2013, 37, 554-561.	0.9	18
49	Habitat requirements of the Black Woodpecker, <i>Dryocopus martius</i> , in Hyrcanian forests, Iran. Zoology in the Middle East, 2012, 55, 19-25.	0.6	3
50	Effect of Habitat Complexity on Richness, Abundance and Distributional Pattern of Forest Birds. Environmental Management, 2012, 50, 296-303.	2.7	39
51	Convergent evolution of morphological and ecological traits in the open-habitat chat complex (<i>Aves</i>). <i>Tj ETQq1 1 0,784314 rgBT /Ove</i>	2.7	27
52	Morphometric variations of the skull in the Gray Wolf (<i>Canis lupus</i>) in Iran. Acta Theriologica, 2012, 57, 361-369.	1.1	4
53	Effects of landscape context on bird species abundance of tree fall gaps in a temperate deciduous forest of Northern Iran. Forest Ecology and Management, 2012, 267, 182-189.	3.2	18
54	Habitat factors determining the distribution of the Caucasian Agama, <i>Laudakia caucasia</i> , (Squamata: Agamidae) in the Sorkh-e-Hesar National Park, Tehran province, Iran. Journal of Natural History, 2012, 46, 2735-2747.	0.5	3

#	ARTICLE	IF	CITATIONS
55	Relationship between road vehicle traffic and noise pollution of Khojir National Park in the viewpoint of feasibility of fencing and soundproofing. <i>International Journal of Environmental Health Engineering</i> , 2012, 1, 51.	0.4	10
56	Burrow configuration of Persian jird <i>Meriones persicus</i> Blanford, 1875 (Rodentia: Muridae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td</i>	1.5	1
57	A Probabilistic Model for Presence of Eurasian Nuthatch (<i>Sitta europaea</i>) in the Alborz Mountains, Northern Iran. <i>Wilson Journal of Ornithology</i> , 2011, 123, 741-747.	0.2	1
58	Evolution and taxonomy of the wild species of the genus <i>Ovis</i> (Mammalia, Artiodactyla, Bovidae). <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 315-326.	2.7	124
59	Molecular Identification of Birds: Performance of Distance-Based DNA Barcoding in Three Genes to Delimit Parapatric Species. <i>PLoS ONE</i> , 2009, 4, e4119.	2.5	81
60	Phylogeny of Palaearctic wheatears (genus <i>Oenanthe</i>)â€”Congruence between morphometric and molecular data. <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 665-675.	2.7	33
61	Ecomorphology of the wheatears (genus <i>Oenanthe</i>). <i>Ibis</i> , 2007, 149, 792-805.	1.9	64
62	Ecological segregation between Iranian wheatears. <i>Zoology in the Middle East</i> , 2006, 39, 41-58.	0.6	7
63	Avifaunal gradients in two arid zones of central Iran in relation to vegetation, climate, and topography. <i>Journal of Biogeography</i> , 2006, 33, 133-144.	3.0	22