

Vinicius Rosa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6799582/publications.pdf>

Version: 2024-02-01

83
papers

2,599
citations

185998

28
h-index

205818

48
g-index

86
all docs

86
docs citations

86
times ranked

3263
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Two-Photon Fluorescence Microscopy and Applications in Angiogenesis and Related Molecular Events. <i>Tissue Engineering - Part B: Reviews</i> , 2022, 28, 926-937. | 2.5 | 3 |
| 2 | A critical analysis of research methods and biological experimental models to study pulp regeneration. <i>International Endodontic Journal</i> , 2022, 55, 446-455. | 2.3 | 9 |
| 3 | SMART: Silver diamine fluoride reduces microtensile bond strength of glass ionomer cement to sound and artificial caries-affected dentin. <i>Dental Materials Journal</i> , 2022, 41, 698-704. | 0.8 | 6 |
| 4 | Characterization of silver diamine fluoride cytotoxicity using microfluidic tooth-on-a-chip and gingival equivalents. <i>Dental Materials</i> , 2022, 38, 1385-1394. | 1.6 | 17 |
| 5 | Persistent inhibition of <i>Candida albicans</i> biofilm and hyphae growth on titanium by graphene nanocoating. <i>Dental Materials</i> , 2021, 37, 370-377. | 1.6 | 27 |
| 6 | Pulsed electromagnetic fields synergize with graphene to enhance dental pulp stem cell-derived neurogenesis by selectively targeting TRPC1 channels. , 2021, 41, 216-232. | | 15 |
| 7 | Fighting viruses with materials science: Prospects for antiviral surfaces, drug delivery systems and artificial intelligence. <i>Dental Materials</i> , 2021, 37, 496-507. | 1.6 | 12 |
| 8 | Characterization, Antimicrobial Effects, and Cytocompatibility of a Root Canal Sealer Produced by Pozzolan Reaction between Calcium Hydroxide and Silica. <i>Materials</i> , 2021, 14, 2863. | 1.3 | 7 |
| 9 | Graphene Nanocoating: High Quality and Stability upon Several Stressors. <i>Journal of Dental Research</i> , 2021, 100, 1169-1177. | 2.5 | 13 |
| 10 | Graphene nanocoating provides superb long-lasting corrosion protection to titanium alloy. <i>Dental Materials</i> , 2021, 37, 1553-1560. | 1.6 | 15 |
| 11 | Mechanical properties and in vitro cytocompatibility of dense and porous Ti-6Al-4V ELI manufactured by selective laser melting technology for biomedical applications. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 123, 104712. | 1.5 | 27 |
| 12 | Induced pluripotent stem cell-derived odontoblasts for disease modeling, drug development, and craniofacial applications. , 2021, , 81-94. | | 0 |
| 13 | Potential Applications of Graphene-Based Nanomaterials in Biomedical, Dental, and Implant Applications. , 2021, , 77-105. | | 7 |
| 14 | Taguchi's methods to optimize the properties and bioactivity of 3D printed polycaprolactone/mineral trioxide aggregate scaffold: Theoretical predictions and experimental validation. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2020, 108, 629-637. | 1.6 | 16 |
| 15 | Comparative study of xeno-free induction protocols for neural differentiation of human dental pulp stem cells in vitro. <i>Archives of Oral Biology</i> , 2020, 109, 104572. | 0.8 | 9 |
| 16 | Inhibiting Corrosion of Biomedical-Grade Ti-6Al-4V Alloys with Graphene Nanocoating. <i>Journal of Dental Research</i> , 2020, 99, 285-292. | 2.5 | 32 |
| 17 | Polymer Nanocomposites Based on Poly(ϵ -caprolactone), Hydroxyapatite and Graphene Oxide. <i>Journal of Polymers and the Environment</i> , 2020, 28, 331-342. | 2.4 | 23 |
| 18 | Biomechanics of alloplastic mandible reconstruction using biomaterials: The effect of implant design on stress concentration influences choice of material. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 103, 103548. | 1.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Combined Effect of Melittin and DNase on <i>Enterococcus faecalis</i> Biofilms and Its Susceptibility to Sodium Hypochlorite. <i>Materials</i> , 2020, 13, 3740. | 1.3 | 6 |
| 20 | Novel materials and therapeutic strategies against the infection of implants. <i>Emergent Materials</i> , 2020, 3, 545-557. | 3.2 | 5 |
| 21 | Characterization of <i>Enterococcus faecalis</i> in different culture conditions. <i>Scientific Reports</i> , 2020, 10, 21867. | 1.6 | 19 |
| 22 | Main and Accessory Canal Filling Quality of a Premixed Calcium Silicate Endodontic Sealer According to Different Obturation Techniques. <i>Materials</i> , 2020, 13, 4389. | 1.3 | 10 |
| 23 | Mechanisms of graphene influence on cell differentiation. <i>Materials Today Chemistry</i> , 2020, 16, 100250. | 1.7 | 28 |
| 24 | Osteogenic potential of graphene coated titanium is independent of transfer technique. <i>Materialia</i> , 2020, 9, 100604. | 1.3 | 12 |
| 25 | Effect of a calcium hydroxide-based intracanal medicament containing N-2-methyl pyrrolidone as a vehicle against <i>Enterococcus faecalis</i> biofilm. <i>Journal of Applied Oral Science</i> , 2020, 28, e20190516. | 0.7 | 6 |
| 26 | Sodium Hypochlorite Treatment Post-Etching Improves the Bond Strength of Resin-Based Sealant to Hypomineralized Enamel by Removing Surface Organic Content. <i>Pediatric Dentistry (discontinued)</i> , 2020, 42, 392-398. | 0.4 | 0 |
| 27 | Role of extracellular DNA in <i>Enterococcus faecalis</i> biofilm formation and its susceptibility to sodium hypochlorite. <i>Journal of Applied Oral Science</i> , 2019, 27, e20180699. | 0.7 | 25 |
| 28 | Translucency, hardness and strength parameters of PMMA resin containing graphene-like material for CAD/CAM restorations. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 100, 103388. | 1.5 | 20 |
| 29 | Antibiotics Used in Regenerative Endodontics Modify Immune Response of Macrophages to Bacterial Infection. <i>Journal of Endodontics</i> , 2019, 45, 1349-1356. | 1.4 | 14 |
| 30 | Hydrophobicity of graphene as a driving force for inhibiting biofilm formation of pathogenic bacteria and fungi. <i>Dental Materials</i> , 2019, 35, 403-413. | 1.6 | 49 |
| 31 | Graphene-Induced Osteogenic Differentiation Is Mediated by the Integrin/FAK Axis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 574. | 1.8 | 52 |
| 32 | Graphene to improve the physicomechanical properties and bioactivity of the cements. , 2019, , 599-614. | | 0 |
| 33 | Carbon nanocomposites for implant dentistry and bone tissue engineering. , 2019, , 47-63. | | 5 |
| 34 | Thermo-setting glass ionomer cements promote variable biological responses of human dental pulp stem cells. <i>Dental Materials</i> , 2018, 34, 932-943. | 1.6 | 23 |
| 35 | Effect of staining beverages on color and translucency of CAD/CAM composites. <i>Journal of Esthetic and Restorative Dentistry</i> , 2018, 30, E9-E17. | 1.8 | 48 |
| 36 | Graphene onto medical grade titanium: an atom-thick multimodal coating that promotes osteoblast maturation and inhibits biofilm formation from distinct species. <i>Nanotoxicology</i> , 2018, 12, 274-289. | 1.6 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Enhanced Skin Permeation of Anti-wrinkle Peptides via Molecular Modification. <i>Scientific Reports</i> , 2018, 8, 1596. | 1.6 | 30 |
| 38 | Applications of additive manufacturing in dentistry: A review. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018, 106, 2058-2064. | 1.6 | 131 |
| 39 | Functional Odontoblastic-Like Cells Derived from Human iPSCs. <i>Journal of Dental Research</i> , 2018, 97, 77-83. | 2.5 | 32 |
| 40 | Root Canal Filling Quality of a Premixed Calcium Silicate Endodontic Sealer Applied Using Gutta-percha Cone-mediated Ultrasonic Activation. <i>Journal of Endodontics</i> , 2018, 44, 133-138. | 1.4 | 58 |
| 41 | Optimization of Surface Scaffold Morphology and Structure Using Taguchi's Design of Experiments. , 2018, , . | | 1 |
| 42 | Behaviour of human dental pulp cells cultured in a collagen hydrogel scaffold cross-linked with cinnamaldehyde. <i>International Endodontic Journal</i> , 2017, 50, 58-66. | 2.3 | 28 |
| 43 | Effects of Epigallocatechin Gallate, an Antibacterial Cross-linking Agent, on Proliferation and Differentiation of Human Dental Pulp Cells Cultured in Collagen Scaffolds. <i>Journal of Endodontics</i> , 2017, 43, 289-296. | 1.4 | 34 |
| 44 | Graphene for the development of the next-generation of biocomposites for dental and medical applications. <i>Dental Materials</i> , 2017, 33, 765-774. | 1.6 | 115 |
| 45 | <i>Streptococcus mutans</i> forms xylitol-resistant biofilm on excess adhesive flash in novel ex-vivo orthodontic bracket model. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 151, 669-677. | 0.8 | 15 |
| 46 | Graphene transfer to 3-dimensional surfaces: a vacuum-assisted dry transfer method. <i>2D Materials</i> , 2017, 4, 025060. | 2.0 | 33 |
| 47 | CVD graphene transfer procedure to the surface of stainless steel for stem cell proliferation. <i>Surface and Coatings Technology</i> , 2017, 311, 10-18. | 2.2 | 33 |
| 48 | Effect of Needle Diameter on Scaffold Morphology and Strength in E-Jetted Polycaprolactone Scaffolds. , 2017, , . | | 1 |
| 49 | CVD-grown monolayer graphene induces osteogenic but not odontoblastic differentiation of dental pulp stem cells. <i>Dental Materials</i> , 2017, 33, e13-e21. | 1.6 | 66 |
| 50 | Graphene Nanosheets to Improve Physico-Mechanical Properties of Bioactive Calcium Silicate Cements. <i>Materials</i> , 2017, 10, 606. | 1.3 | 41 |
| 51 | Tooth discoloration induced by a novel mineral trioxide aggregate-based root canal sealer. <i>European Journal of Dentistry</i> , 2016, 10, 403-407. | 0.8 | 20 |
| 52 | <i>In Vitro</i> Osteogenic Potential of Green Fluorescent Protein Labelled Human Embryonic Stem Cell-Derived Osteoprogenitors. <i>Stem Cells International</i> , 2016, 2016, 1-9. | 1.2 | 10 |
| 53 | Pluripotency of Stem Cells from Human Exfoliated Deciduous Teeth for Tissue Engineering. <i>Stem Cells International</i> , 2016, 2016, 1-6. | 1.2 | 53 |
| 54 | Reliability, failure probability, and strength of resin-based materials for CAD/CAM restorations. <i>Journal of Applied Oral Science</i> , 2016, 24, 447-452. | 0.7 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Pluripotent stem cells: An <i>in vitro</i> model for nanotoxicity assessments. <i>Journal of Applied Toxicology</i> , 2016, 36, 1250-1258. | 1.4 | 17 |
| 56 | Graphene: An Emerging Carbon Nanomaterial for Bone Tissue Engineering. <i>Carbon Nanostructures</i> , 2016, , 135-158. | 0.1 | 3 |
| 57 | Fabrication of dentin-like scaffolds through combined 3D printing and bio-mineralisation. <i>Cogent Engineering</i> , 2016, 3, 1222777. | 1.1 | 15 |
| 58 | Dental Stem Cells for Pulp Regeneration. <i>Pancreatic Islet Biology</i> , 2016, , 147-163. | 0.1 | 1 |
| 59 | Fabrication and evaluation of electrohydrodynamic jet 3D printed polycaprolactone/chitosan cell carriers using human embryonic stem cell-derived fibroblasts. <i>Journal of Biomaterials Applications</i> , 2016, 31, 181-192. | 1.2 | 35 |
| 60 | Graphene oxide-based substrate: physical and surface characterization, cytocompatibility and differentiation potential of dental pulp stem cells. <i>Dental Materials</i> , 2016, 32, 1019-1025. | 1.6 | 96 |
| 61 | Effects of chondro-osseous regenerative compound associated with local treatments in the regeneration of bone defects around implants: an <i>in vivo</i> study. <i>Clinical Oral Investigations</i> , 2016, 20, 267-274. | 1.4 | 13 |
| 62 | CHAPTER 12. Smart Carbon Nanotubes and Graphenes for Tissue Engineering. <i>RSC Smart Materials</i> , 2016, , 330-357. | 0.1 | 1 |
| 63 | Bioactivity, physical and chemical properties of MTA mixed with propylene glycol. <i>Journal of Applied Oral Science</i> , 2015, 23, 405-411. | 0.7 | 36 |
| 64 | Modulation of Dental Pulp Stem Cell Odontogenesis in a Tunable PEG-Fibrinogen Hydrogel System. <i>Stem Cells International</i> , 2015, 2015, 1-9. | 1.2 | 38 |
| 65 | Graphene: A Versatile Carbon-Based Material for Bone Tissue Engineering. <i>Stem Cells International</i> , 2015, 2015, 1-12. | 1.2 | 177 |
| 66 | Two and three-dimensional graphene substrates to magnify osteogenic differentiation of periodontal ligament stem cells. <i>Carbon</i> , 2015, 93, 266-275. | 5.4 | 83 |
| 67 | Fatigue stipulation of bulk-fill composites: An <i>in vitro</i> appraisal. <i>Dental Materials</i> , 2015, 31, 1068-1074. | 1.6 | 12 |
| 68 | Inducing pluripotency for disease modeling, drug development and craniofacial applications. <i>Expert Opinion on Biological Therapy</i> , 2014, 14, 1233-1240. | 1.4 | 12 |
| 69 | Structural Reinforcement and Sealing Ability of Temporary Fillings in Premolar with Class II MOD Cavities. <i>Journal of Contemporary Dental Practice</i> , 2014, 15, 66-70. | 0.2 | 0 |
| 70 | Dental Pulp Tissue Engineering in Full-length Human Root Canals. <i>Journal of Dental Research</i> , 2013, 92, 970-975. | 2.5 | 264 |
| 71 | What and where are the stem cells for Dentistry?. <i>Singapore Dental Journal</i> , 2013, 34, 13-18. | 0.8 | 10 |
| 72 | Subcritical crack growth and <i>in vitro</i> lifetime prediction of resin composites with different filler distributions. <i>Dental Materials</i> , 2012, 28, 985-995. | 1.6 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Tissue engineering: From research to dental clinics. <i>Dental Materials</i> , 2012, 28, 341-348. | 1.6 | 115 |
| 74 | Effect of Test Environment and Microstructure on the Flexural Strength of Dental Porcelains. <i>Journal of Prosthodontics</i> , 2011, 20, 275-279. | 1.7 | 6 |
| 75 | Regenerative endodontics in light of the stem cell paradigm. <i>International Dental Journal</i> , 2011, 61, 23-28. | 1.0 | 37 |
| 76 | Effect of ion exchange on R-curve behavior of a dental porcelain. <i>Journal of Materials Science</i> , 2011, 46, 117-122. | 1.7 | 9 |
| 77 | Effect of ion-exchange temperature on mechanical properties of a dental porcelain. <i>Ceramics International</i> , 2010, 36, 1977-1981. | 2.3 | 7 |
| 78 | Are Flowable Resin-Based Composites a Reliable Material for Metal Orthodontic Bracket Bonding?. <i>Journal of Contemporary Dental Practice</i> , 2010, 11, 17-24. | 0.2 | 5 |
| 79 | Visual and instrumental agreement in dental shade selection: Three distinct observer populations and shade matching protocols. <i>Dental Materials</i> , 2009, 25, 276-281. | 1.6 | 106 |
| 80 | Effect of ion exchange on strength and slow crack growth of a dental porcelain. <i>Dental Materials</i> , 2009, 25, 736-743. | 1.6 | 33 |
| 81 | Influence of pH on slow crack growth of dental porcelains. <i>Dental Materials</i> , 2008, 24, 814-823. | 1.6 | 47 |
| 82 | Effect of acid etching of glass ionomer cement surface on the microleakage of sandwich restorations. <i>Journal of Applied Oral Science</i> , 2007, 15, 230-234. | 0.7 | 21 |
| 83 | Influence of shade and irradiation time on the hardness of composite resins. <i>Brazilian Dental Journal</i> , 2007, 18, 231-234. | 0.5 | 9 |